

DOCUMENT RESUME

ED 071 883

SE 015 520

TITLE Project Physics Tests 1, Concepts of Motion.
INSTITUTION Harvard Univ., Cambridge, Mass. Harvard Project
Physics.
SPONS AGENCY Office of Education (DHEW), Washington, D.C. Bureau
of Research.
BUREAU NO BR-5-1038
PUB DATE 67
CONTRACT OEC-5-10-058
NOTE 46p. ; Preliminary Version

EDRS PRICE MF-\$0.65 HC-\$3.29
DESCRIPTORS Force; Kinetics; Measurement; *Motion; *Physics;
Problem Sets; Secondary Grades; Secondary School
Science; *Tests
IDENTIFIERS Harvard Project Physics

ABSTRACT

Test items relating to Project Physics Unit 1 are presented in this booklet, consisting of 70 multiple-choice and 20 problem-and-essay questions. Concepts of motion are examined with respect to velocities, acceleration, forces, vectors, Newton's laws, and circular motion. Suggestions are made for time consumption in answering some items. Besides directions and illustrations for explanation purposes, related physical constants and equations are provided. The work of Harvard Project Physics has been financially supported by: the Carnegie Corporation of New York, the Ford Foundation, the National Science Foundation, the Alfred P. Sloan Foundation, the United States Office of Education, and Harvard University. (CC)

Tests

U S DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
OFFICE OF EDUCATION
THIS DOCUMENT HAS BEEN REPRO-
DUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIG-
INATING IT. POINTS OF VIEW OR OPIN-
IONS STATED DO NOT NECESSARILY
REPRESENT OFFICIAL OFFICE OF EDU-
CATION POSITION OR POLICY.

UNIT 1

Concepts of Motion



ED 071883

SE 015 520

This document is a preliminary final version of one of many instructional materials being developed by Harvard Project Physics. Like all Project materials (student texts, student handbooks, programmed self-instruction booklets, readers, laboratory experiments and apparatus, 16mm sound films, 8mm film loops, projection transparencies, examinations, teacher guides, etc.), it is based on earlier versions used in cooperating schools throughout the country. Its development has profited from the help of the many colleagues and organizations listed at the end of each student text volume.

Harvard Project Physics is a course development project that is engaged in developing, testing, revising and supplementing instructional materials, an educational research, and in teacher education. The work of the project has been financially supported by the Carnegie Corporation of New York, the Ford Foundation, the National Science Foundation, The Alfred P. Sloan Foundation, the United States Office of Education, and Harvard University.

Copyright © 1967, F. James Rutherford.

Copyright is claimed until September 1, 1968. After September 1, 1968, all portions of this work not identified herein as previously copyrighted shall be in the public domain. Distribution of the public domain version at cost is planned by Project Physics Incorporated, a nonprofit educational organization.

All persons making use of any part of these materials are requested to acknowledge the source and the financial support given to Project Physics by the agencies named above, and to include a statement that the publication of such material is not necessarily endorsed by Harvard Project Physics or any of the authors of this work.

TEST A

Directions

This test consists of fifteen multiple-choice questions and six problem-and-essay questions, divided into two groups. Answer ALL multiple-choice questions. Answer THREE of the problem-and-essay questions from Group One and ONE from Group Two. Spend about 15 minutes on the multiple-choice questions, 5 minutes on each of the problem-and-essay questions from Group One and 10 minutes on the problem-and-essay question from Group Two

NOTE: The numerical values of some physical constants and equations that may be useful in this test are given below.

Physical Constant:

Acceleration of gravity

$$a_g = 10 \text{ meters/sec}^2$$

(nearly enough for this use)

Equations:

$$d = vt$$

$$v = at$$

$$d = \frac{1}{2} at^2$$

$$d_y = k(d_x)^2$$

$$v = \frac{2\pi R}{T}$$

$$a = \frac{v^2}{R}$$


$$F = ma$$

$$F = \frac{mv^2}{R}$$

TEST 1

1. The arrows show the direction of the velocity and acceleration vectors for a car at five separate instants of time.

Which diagram applies to the car while it is turning a corner?



2. Several cars are racing on an oval track. Which of the following statements is correct for every racing car after it completes exactly one lap of a race?

- A. Its acceleration is the same as when it crossed the starting line.
- B. Its speed is the same as when it crossed the starting line.
- C. Its displacement from the starting line is zero.
- D. Its acceleration has not changed since it crossed the starting line.
- E. Its velocity has not changed since it crossed the starting line.

3. ALL EXCEPT ONE of the following require the application of a net force. Which one is the exception?

- A. to change an object from a state of rest to state of motion
- B. to maintain an object in motion at a constant velocity
- C. to change an object's speed without changing its direction of motion
- D. to maintain an object in uniform circular motion
- E. to change an object's direction of motion without changing its speed

4. Which of the following statements correctly describes a satellite orbiting about the earth?

- A. The acceleration and velocity of the satellite are in roughly the same direction.
- B. There is no force acting on the satellite.
- C. The velocity of the satellite is constant.
- D. The satellite must fall back to earth when its fuel is gone.
- E. The satellite is always accelerating toward the earth.

Questions 5 and 6 refer to the graph at the right.

5. The magnitude of the acceleration is greatest in the time interval

- A. a to c.
- B. c to e.
- C. e to g.
- D. g to i.
- E. i to k.

6. The speed is greatest at the time corresponding to point

- A. c.
- B. g.
- C. h.
- D. i.
- E. k.

7. The following are diagrams which represent stroboscopic photographs of a ball. The strobe rate is constant and is the same for all three pictures.

Which of the photographs could be produced with a stationary ball and a moving camera?

- A. None
- B. 1 only
- C. 2 only
- D. 1 and 2 only
- E. 1, 2 and 3

Questions 8 and 9 refer to the graph at the right and statement below. The graph shows the positions of five sprinters near the end of an 800-meter race.

8. The average speed of sprinter C in the time period 127 second to 129 second from the start was

- A. 4 m/sec.
- B. 6.5 m/sec.
- C. 8 m/sec.
- D. 9 m/sec.
- E. 13 m/sec.

9. Which sprinter runs with uniform speed during the time period shown?

- A. sprinter A
- B. sprinter B
- C. sprinter C
- D. sprinter D
- E. sprinter E

10. A golf ball is hit toward the pin from a point on the same level as the pin and 110 yards away. It strikes the ground near the pin. Assuming that air resistance had no effect on the ball's path, what is the best estimate of the location at which it reached the highest point in its path?

- A. within 30 yards of where it was hit
- B. about halfway to the pin
- C. approximately two-thirds of the way to the pin
- D. almost directly over the pin
- E. no estimate is possible. The data are not sufficient for a decision.



Questions 11 and 12 refer to the following, which is a hypothetical report submitted by an astronaut about a space maneuver intended to link two capsules:

"At 5:01:00 A.M. we activated Rocket Z-4 for 10 seconds. ¹ The thrust gauge showed that the rocket produced a force of 77 newtons. ² Accordingly, we estimated a velocity ³ toward the target vehicle of 4 meters/second. We expected to touch the target vehicle ⁴ in 300 seconds, at 5:06:10. ⁵ Actually, we touched at 5:06:28."


11. Which of the sentences above gives the result of a computation that involved the use of Newton's second law?

- A. 1 only
- B. 2 only
- C. 3 only
- D. 4 only
- E. 2, 3 and 4 only

12. Which of the sentences above describes how the astronaut changed conditions to perform the maneuver?


- A. 1 only
- B. 4 only
- C. 5 only
- D. 1 and 4 only
- E. 1 and 5 only

13. A child is riding on a merry-go-round, as shown at the right. When he is at point P, which set of vectors shows the direction of his velocity \vec{v} , his acceleration \vec{a} and the centripetal force \vec{F} acting on him?



- A
- A. set A
 - B. set B
 - C. set C
 - D. set D
 - E. set E

14. A steel ball rolls down an inclined plane. Which graph best represents how the distance traveled changes with time?




15. A propeller rotates with constant rate. If we consider the two ends of the propeller, which graph best represents how the magnitude of their acceleration changes with time?

PROBLEM-AND-ESSAY QUESTIONS

Group One

Answer THREE of the following four questions.


1. A 30-kilogram block lies on a frictionless table, and is connected to a 10-kilogram block by a rope passing over a frictionless pulley, as shown in the diagram.



- a) What is the acceleration of the 10-kilogram block?
- b) What is the acceleration of the 30-kilogram block?


2. A car accelerates away from a stoplight. Use this example of a moving object to explain the difference between average speed and instantaneous speed.

3. The photograph below shows the motion of a ball as it was recorded by a camera whose shutter remained open. The only source of light was a stroboscopic lamp flashing 10 times per second. 1.0 centimeter on this photograph represents 1.0 centimeter in the laboratory. What was the acceleration of the ball?



4. Find $\Delta \vec{v}$, where

$$\Delta \vec{v} = \vec{v}_2 - \vec{v}_1$$




PROBLEM-AND-ESSAY QUESTIONS

Group Two

Answer ONE of the following two questions.

5. Galileo held that the proper language with which to describe nature is mathematics. How is our understanding of natural phenomena aided by describing what we observe in mathematical terms?

6. A man goes for a walk. Write a description of his motion that includes numerical values of time, distance and speed, based on the information contained in the graph at the right.



UNIT I

Name _____

TEST I ANSWER SHEET

- 1 ()
- 2 ()
- 3 ()
- 4 ()
- 5 ()
- 6 ()
- 7 ()
- 8 ()
- 9 ()
- 10 ()
- 11 ()
- 12 ()
- 13 ()
- 14 ()
- 15 ()

PROBLEMS AND ESSAYS

Answer Sheet

Name _____


Group I

1.

2.

3.

4.



PROBLEMS AND ESSAYS

Answer Sheet

Name _____

Group II

No. _____

TEST B

Directions

This test consists of fifteen multiple-choice questions and six problem-and-essay questions divided into two groups. Answer ALL multiple-choice questions. Answer THREE of the problem-and-essay questions from Group One and ONE from Group Two. Spend about 15 minutes on the multiple-choice questions, 5 minutes on each of the problem-and-essay questions from Group One, and 10 minutes on the problem-and-essay question from Group Two.

NOTE: The numerical values of some physical constants and equations that may be useful in this test are given below.

Physical Constant:

Acceleration of gravity

$$a_g = 10 \text{ meters/sec}^2$$

(nearly enough for this use)

Equations:

$$d = vt$$

$$v = at$$

$$d = \frac{1}{2} at^2$$

$$d_y = k(d_x)^2$$

$$v = \frac{2\pi R}{T}$$


$$a = \frac{v^2}{R}$$

$$F = ma$$

$$F = \frac{mv^2}{R}$$

TEST 2

Questions 1 and 2 refer to the figure at right, which shows the positions of five runners near the end of an 800-meter race.



1. Which sprinter was ahead after exactly 127 seconds?

- A. sprinter A
- B. sprinter B
- C. sprinter C
- D. sprinter D
- E. sprinter E


2. With what average speed did E run in the interval 127 to 129 seconds?

- A. 1 m/sec
- B. 2 m/sec
- C. 4 m/sec
- D. 5 m/sec
- E. 11 m/sec

3. Which of the following five statements describes the motion of a bullet that has been fired by a supersonic jet fighter plane flying parallel to the ground? (Neglect air resistance.)

- A. uniform straight-line motion
- B. uniformly accelerated straight-line motion
- C. circular motion
- D. projectile motion

4. A golf ball leaves the face of the club with its initial velocity at an angle of 45° to the horizontal. Which of the following diagrams represents the velocity and acceleration vectors of the ball just after it has left the face of the club? (Neglect air resistance.)



5. An ice skater gives a sudden push to a sled that sends it sliding away from him. Consider the following statements (assume friction is negligible).

1. The force exerted on the sled by the skater is equal in magnitude to the force exerted on the skater by the sled.
2. During the push the acceleration of the skater is equal in magnitude to the acceleration of the sled.
3. The skater will accelerate for the same length of time as the sled.

Which of the statements is true if the skater and the sled have the same mass?

- A. 1 only
- B. 2 only
- C. 3 only
- D. 2 and 3 only
- E. 1, 2 and 3

6. A child is riding on a merry-go-round. The largest increase in the centripetal force acting on him would be produced by doubling

- A. the child's mass.
- B. the period of rotation of the merry-go-round.
- C. the child's speed.
- D. the child's distance from the center of the merry-go-round.
- E. the child's weight.

7. In the graph at the right, the magnitude of the acceleration is greatest in the time interval

- A. a to c.
- B. c to e.
- C. e to g.
- D. g to i.
- E. i to k.

8. ALL EXCEPT ONE of the following require a net unbalanced force. Which is the exception?

- A. to set into motion an object which is initially at rest
- B. to maintain an object in a state of constant velocity
- C. to maintain an object in a state of uniform circular motion
- D. to stop a moving object
- E. to change an object's direction of motion while keeping its speed constant

9. The distance d traveled by an object is given by the equation $d = \frac{1}{2} at^2$, when the object

- A. is moving in a circle.
- B. has a constant velocity.
- C. starts from rest and accelerates uniformly.
- D. is thrown upward.
- E. is thrown downward.

10. This test paper is sitting at rest on your desk. Which of the following statements best describes this situation?

- A. There are no forces acting on your paper.
- B. Your paper is at rest in any coordinate system.
- C. Your paper exerts no force on the desk.
- D. There are many forces acting on your paper, but they balance each other.






11. A satellite is in orbit around the earth. In the absence of air friction, which of the following statements is necessarily true?

- A. The acceleration and velocity of the satellite are in approximately the same direction.
- B. There is no force acting on the satellite.
- C. The velocity of the satellite is constant.
- D. The satellite must fall back to earth when its fuel is gone.
- E. The satellite always accelerates towards the earth.


12. If you must choose between two hypotheses, which of the following is the best reason for selecting hypothesis 1 rather than hypothesis 2?

- A. Hypothesis 1 is more in agreement with the observed facts.
- B. Hypothesis 1 contains more mathematics.
- C. Hypothesis 1 is newer.
- D. Hypothesis 1 is more easily understood.
- E. Several people think hypothesis 1 is more likely to be correct.


13. A rock is thrown into the air. Which graph represents how the magnitude of its acceleration changes with time while it is in the air? (Neglect air resistance.)



14. A propeller blade rotates at a constant rate. Which graph best represents how the magnitude of the force on one tip of the propeller changes with time?



15. In the diagrams shown below, arrows show the direction of the velocity and acceleration vectors for a car at five separate instants of time. Which diagram represents the car starting from rest?



PROBLEM-AND-ESSAY QUESTIONS

Group One.

Answer THREE of the following four questions.

1. Upon observing a rolling object, you obtained the following values for d/t^2 , where d is the distance rolled and t the elapsed time.

d/t^2
0.00185
0.00183
0.00192
0.00182
0.00187
0.00182

Do these data justify the conclusion that d/t^2 is a constant? Explain.

2. Consider the motion of a flare dropped from an airplane flying at constant velocity. Describe this motion as seen by observers in the airplane and on the ground.

3. What is the difference between the concepts "weight" and "mass"?

4. An object resting on a level frictionless surface on the earth is subjected to a horizontal force equal to its weight. What is the magnitude of its acceleration?

PROBLEM-AND-ESSAY QUESTIONS

Group Two

Answer ONE of the following two questions.

5. Joe and Louis are arguing about uniform acceleration. Joe says that acceleration means "the longer you go, the faster you go." Louis states that acceleration means "the farther you go, the faster you go."

- a) Present their points of view in terms of an equation or equations.
- b) Who is right and why?

6. Galileo approached scientific problems in ways different from Aristotle and the Scholastics. Two of these differences are listed below. Select one and explain why you think it was important to the development of physics.

- a) insistence that experiment and observation must be quantitative, not just qualitative.
- b) abstraction from real situations to idealized ones that show the laws of nature in their simplest form.

UNIT I

Name _____

TEST 2 ANSWER SHEET

- 1 ()
- 2 ()
- 3 ()
- 4 ()
- 5 ()
- 6 ()
- 7 ()
- 8 ()
- 9 ()
- 10 ()
- 11 ()
- 12 ()
- 13 ()
- 14 ()
- 15 ()

PROBLEMS AND ESSAYS

Answer Sheet

Name _____

Group I

No. _____

No. _____

No. _____

PROBLEMS AND ESSAYS

Answer Sheet

Name _____

Group II

No. _____

TEST C

Answer all 40 multiple-choice questions

NOTE: The numerical values of some physical constants and equations that may be useful in this test are given below.

Physical Constant:

Acceleration of gravity

$$a_g = 10 \text{ meters/sec}^2$$

(nearly enough for this use)

Equations:

$$d = vt$$

$$v = at$$

$$d = \frac{1}{2} at^2$$

$$d_y = k(d_x)^2$$

$$v = \frac{2\pi R}{T}$$

$$a = \frac{v^2}{R}$$

$$F = ma$$


$$f = \frac{mv^2}{R}$$

TEST C

UNIT 1

1. An experiment yielded the data given in the table and graph below.

t (seconds)	d (meters)
0	0
2	4
4	8
6	12




If these data are expressed as an equation, $d = kt$, the value of k is

- A. 1 m/sec.
- B. 1 sec/m.
- C. 2 m/sec.
- D. 2 sec/m.
- E. 0.5 m/sec.

2. Referring to his work, Newton wrote, "If I have seen further than others, it is because I have stood on the shoulders of giants." Who of the following was one of the "giants" whose work on motion immediately preceded Newton's?

- A. Fermi
- B. Galileo
- C. Simplicio
- D. Aristotle


3. The vectors drawn below represent the velocity of a Boeing 707 jet at three successive times.



We may conclude that the jet was

- A. changing direction.
- B. speeding up.
- C. slowing down.
- D. maintaining a constant velocity.

The graph at the right shows the relationship between the time and the total distance traversed by a glider moving on a nearly frictionless air track. Points P_2 , P_4 and P_6 represent the experimental measurements. The dotted curve is a smooth curve drawn through these points. Questions 4 and 5 refer to this graph.



4. If the values of the total distance traversed at times t_5 , t_6 and t_8 are arranged in order of uncertainty with the most uncertain value of distance first, the order is



- A. t_5 , t_6 , t_8 .
- B. t_6 , t_8 , t_5 .
- C. t_5 , t_8 , t_6 .
- D. t_6 , t_5 , t_8 .
- E. t_8 , t_5 , t_6 .

5. The slope of the curve at t_4 represents the

- A. total distance traversed.
- B. instantaneous speed.
- C. acceleration.
- D. rates of change of speed.
- E. average speed.

6. Two men push on a box resting on a smooth level floor as indicated in the diagram at the right. The lengths of the arrows are drawn proportional to the magnitude of the force each man exerts on the box.

In the diagram below, which arrow indicates the direction in which the box will start to move?



7. A satellite is in a circular orbit around a planet. The satellite's period of revolution T , and the radius of the orbit R are known. Which of the following equations must you use to compute its acceleration?


- A. $d = \frac{1}{2} aT^2$ only.
- B. $v = \frac{2\pi R}{T}$ and $v = aT$.
- C. $v = \frac{2\pi R}{T}$ and $a = \frac{v^2}{R}$
- D. $d = \frac{1}{2} aT$ and $a = \frac{v^2}{R}$
- E. $v = aT$ and $a = \frac{v^2}{R}$

8. A man pushes a puck on a frictionless horizontal surface with a force of 10 newtons. The resulting acceleration is 4.0 meters/second². What is the mass of the puck?

- A. 0.4 kg
- B. 2.5 kg
- C. 4.0 kg
- D. 10 kg
- E. 40 kg

9. The diagram at right shows a cable car supported by an overhead cable and pulled uphill by a second cable. Which of the following forces is zero when the cable car moves with constant velocity?

- A. net unbalanced force on the car and carriage
- B. frictional force on the wheels of the carriage
- C. force of gravity on the car and carriage
- D. force exerted by supporting cables
- E. force exerted by the cable that pulls the car upward



10. In ALL EXCEPT ONE of the following situations, an object is being accelerated. Which one is the exception?

- A. The object changes direction without changing speed.
- B. The object changes speed without changing direction.
- C. The object maintains speed and direction.
- D. The object maintains uniform circular motion.
- E. The object moves in the trajectory of a projectile.

Questions 11 and 12 refer to the following situation.

During a planned maneuver in space flight, a free-floating astronaut pushes a free-floating instrument package. The mass of the astronaut is greater than that of the instrument package.

11. The force exerted by the astronaut on the instrument package
 - A. is equal to the force exerted by the package on the astronaut.
 - B. is greater than the force exerted by the package on the astronaut.
 - C. is less than the force exerted by the package on the astronaut.
 - D. is equal to zero.
 - E. may be greater than, less than, or equal to the force exerted by the package on the astronaut; one cannot tell with the information given here.

12. During the push
 - A. the magnitude of the acceleration of the astronaut is greater than that of the instrument package.
 - B. the magnitude of the acceleration of the astronaut is smaller than that of the instrument package.
 - C. neither astronaut nor instrument package are accelerated.
 - D. the accelerations of each are equal in magnitude but opposite in direction.
 - E. the accelerations of each are equal in magnitude and equal in direction.

13. In Two New Sciences Salviati, speaking for Galileo, defines "a motion to be uniformly accelerated, when starting from rest it acquires during equal time intervals, equal increments of speed." This definition is important because it
 - A. convinces Simplicio, the spokesman for Aristotelian physics.
 - B. corresponds closely to the way real objects fall near the surface of the earth.
 - C. explains the cause of acceleration of falling objects.
 - D. is correct regardless of the air resistance of falling objects.
 - E. is the only definition that can be tested by experiment.

14. All except one of the following statements would be operational definitions of one second of time. Which one is the exception?

One second is

 1. the time it takes a pendulum 9.8 meters long to make one full swing.
 2. a little more time than there is between the pulsebeats of most people.
 3. the shortest unit of time.
 4. $1/86,400$ of the time it takes the earth to make one rotation about its axis.
 5. the length of a time interval a little shorter than it takes a student to answer this question.

Questions 15 and 16 refer to the following statement.

Scientists on the imaginary planet Q have defined a unit of length, the "lar," to be the distance between two mountain peaks on the surface of the planet. The unit of time on the planet Q is called the "tik," and is defined as the average interval between pulsebeats of the king.


15. What units would express acceleration on planet Q if acceleration were defined as it is on earth?

- A. lar/tik
- B. lar/sec
- C. lar²/sec
- D. tik/lar²
- E. lar/tik²

16. If the distance between the cities Zytropolis and Elany on planet Q is 20 lars, what would your average speed be if you made the trip in 100 tiks?

- A. 0.2 lars/tik
- B. 0.1 tiks/lar
- C. 5 tiks/lar
- D. 5 lars/tik
- E. 100 tiks/lar

17. The graph at the right represents the distance traveled by an automobile as a function of time. The instantaneous speed at the time corresponding to point S is best approximated by the slope of a straight line drawn between points



- A. S and T.
- B. O and S.
- C. R and S.
- D. R and T.
- E. R and U.

18. A subway car is at rest in a subway station. A boy sitting in the car flips a dime into the air; the dime hits the floor. Later, when the car is moving over a straight, level section of track at a high, constant speed, he flips the dime again in exactly the same way. Where does the dime hit the floor?

- A. at the same spot on the floor as before.
- B. ahead of where it hit before.
- C. behind where it hit before.

Questions 19 and 20 refer to the following statements concerning Galileo's work with balls rolling down inclined planes. This work led to the acceptance of the idea that falling objects accelerate uniformly. The quotations are from Two New Sciences.

1. If speed during fall increases with time, $\frac{d}{t^2}$ is constant.
2. "We took a piece of wooden scantling, about 12 cubits long, half a cubit wide, and three finger breadths thick. In its top edge we cut a straight channel."
3. "Having raised the scantling in a sloping position by raising one end some one or two cubits above the other, we let the ball roll down the channel."
4. "We always found that the distances traversed were to each other as the squares of the times."
5. Since for a rolling ball $\frac{d}{t^2}$ is constant, $\frac{d}{t^2}$ is constant for a falling ball also.


19. Which of the statements are assumptions made by Galileo?

- A. 1 only
- B. 4 only
- C. 5 only
- D. 1 and 4 only
- E. 4 and 5 only

20. Which statement presents experimental results?

- A. 1 only
- B. 4 only
- C. 5 only
- D. 2 and 3 only
- E. 1 and 5 only

Questions 21 and 22 refer to the following graph.




21. The greatest distance is traveled between the times corresponding to points

- A. a and c.
- B. c and e.
- C. e and g.
- D. g and i.
- E. i and k.

22. Δv is greatest between times corresponding to points


- A. a and k.
- B. c and e.
- C. e and g.
- D. g and i.
- E. i and k.

23. A cart, initially at rest, is pulled with a constant, unbalanced force. Which graph best represents how the speed of the cart changes with time?



- A. graph A
- B. graph B
- C. graph C
- D. graph D
- E. graph E

For questions 24 and 25 use the following figures which represent stroboscopic photographs of a moving ball. The strobe rate is constant and is the same for all three "photographs."



24. Which of the "photographs" could have been produced with the camera in motion and the ball fixed in position?

- A. none
- B. 1 only
- C. 2 only
- D. 1 and 2 only
- E. 1, 2 and 3

25. If the camera is fixed in position, which of the "pictures" show a ball being acted upon by a net unbalanced force?

- A. 1 only
- B. 3 only
- C. 1 and 3 only
- D. 2 and 3 only
- E. 1, 2 and 3

26. Which of the following increases with time if an object moves with uniform velocity?

- A. instantaneous velocity
- B. average velocity
- C. acceleration
- D. direction
- E. displacement

27. A sprinter reaches top speed 3 seconds after the start of a race. In those 3 seconds, he moves 18 meters. Assume that he accelerates uniformly. What is his acceleration?

- A. 2 meters/sec²
- B. 3 meters/sec²
- C. 4 meters/sec²
- D. 7 meters/sec²
- E. 18 meters/sec²

Questions 28 and 29 refer to the following statement and table.

Main Street in Centerville is crossed by streets called 1st St., 2nd St., 3rd St. ...46th St. Blocks between the numbered streets are equally long.

Five cars are traveling along Main Street, and their locations are recorded at five-minute intervals, as shown in the following table:

	10:00 a.m.	10:05 a.m.	10:10 a.m.	10:15 a.m.
car A	15th	20th	25th	30th
car B	30th	25th	15th	10th
car C	1st	2nd	5th	10th
car D	9th	10th	20th	38th
car E	35th	33rd	23rd	20th

28. Which car traveled with the greatest average speed during the period described?

- A. car A
- B. car B
- C. car C
- D. car D
- E. car E

29. Assuming that all cars started from rest at 10:00 a.m., which car could have traveled with uniform acceleration during the entire period described?

- A. car A
- B. car B
- C. car C
- D. car D
- E. car E

Use one of the following statements to describe the motion mentioned in questions 30 and 31.

- A. straight-line motion at uniform speed
- B. uniformly accelerated straight-line motion
- C. circular motion
- D. projectile motion

30. the motion of a shirt in a washing machine in the middle of the "spin-dry" cycle

31. the motion of a bicyclist seen from a passing car when each is moving with constant speed on a straight, horizontal road

32. ALL EXCEPT ONE of the following conditions must apply if one is to use the equation $d = \frac{1}{2} at^2$. Which one is the exception?

- A. The motion must be free fall.
- B. The acceleration must be constant in magnitude.
- C. The initial velocity of the body must be zero.
- D. Displacement must be measured from the point where motion begins.
- E. Acceleration must be constant in direction.

33. An 80-kilogram fireman slides down a pole in a fire station. His grip on the pole causes a frictional force of 240 newtons opposing his fall. What is the approximate value of his acceleration toward the floor below?

- A. 13 m/sec²
- B. 10 m/sec²
- C. 8 m/sec²
- D. 7 m/sec²
- E. 3 m/sec²


34. Two barrels roll off the deck of a barge and describe identical paths from the edge of the deck to the water. Which of the following conclusions is necessarily true?

- A. Both have the same mass.
- B. Both have the same weight.
- C. Both moved with the same velocity at the instant they fell overboard.
- D. Both were pushed with the same force across the deck before they fell overboard.
- E. They were chained together.

35. Aristotle's scientific beliefs were different from Galileo's. Which one of the following statements would be in agreement with those of Aristotle.

- A. Heavenly bodies move in perfect circles.
- B. Geometry has no place in scientific thought.
- C. An object on earth will move at a constant speed if there are no unbalanced forces acting upon it.
- D. Different objects near the surface of the earth fall freely with the same acceleration.
- E. Objects on the earth and heavenly bodies obey the same basic laws of motion.

36. Just before the end of a 25-lap auto race, the five leading cars moving in a counter-clockwise direction, are in the positions shown in the diagram. Which of the following statements is necessarily true?




- A. Car 5 is traveling with the smallest speed.
- B. Car 2 can cross the finish line without changing velocity.
- C. Car 4 can cross the finish line without changing speed.
- D. Car 1 will finish first.
- E. All 5 cars are traveling with the same velocity.


37. Measurements made on a ball rolling down a hill of unknown shape provided the following data:

<u>Time</u>	<u>Instantaneous Speed</u>
0 sec	0 m/sec
1	6
2	12
3	18
4	20
5	22
6	24

Which of the following diagrams represents the shape of the hill?




38. Which of the following pairs of vectors has the resultant of largest magnitude?



- A. pair A
- B. pair B
- C. pair C
- D. pair D
- E. pair E

39. The arrows in the diagrams below show the directions of the velocity and acceleration vectors that apply to a car at five separate instants of time.



ALL EXCEPT ONE of the diagrams above show an instant at which the velocity is changing. Which is the exception?

- A. diagram A
- B. diagram B
- C. diagram C
- D. diagram D
- E. diagram E

40. A satellite is in a circular orbit around the earth. Which of the following statements must be true?

1. The speed is constant.
2. The velocity is constant.
3. The period is constant.

- A. 1 only
- B. 2 only
- C. 1 and 3 only
- D. 2 and 3 only
- E. 1, 2 and 3

Unit I

Name _____

Test C

Answer Sheet

- | | |
|--------|--------|
| 1 () | 21 () |
| 2 () | 22 () |
| 3 () | 23 () |
| 4 () | 24 () |
| 5 () | 25 () |
| 6 () | 26 () |
| 7 () | 27 () |
| 8 () | 28 () |
| 9 () | 29 () |
| 10 () | 30 () |
| 11 () | 31 () |
| 12 () | 32 () |
| 13 () | 33 () |
| 14 () | 34 () |
| 15 () | 35 () |
| 16 () | 36 () |
| 17 () | 37 () |
| 18 () | 38 () |
| 19 () | 39 () |
| 20 () | 40 () |

TEST D

Directions

This test consists of 8 questions in two groups. Answer only FOUR of the five questions in Group One, and only TWO of the three questions in Group Two. Spend about 5 minutes on each of the questions from Group One, and 10 minutes on each of the questions from Group Two.

NOTE: The numerical values of some physical constants and equations that may be useful in this test are given below.

Physical constant:

Acceleration of gravity

$$a_g = 10 \text{ meters/sec}^2$$

(nearly enough for this use)

Equations:

$$d = vt$$

$$v = at$$

$$d = \frac{1}{2} at^2$$

$$d_y = k(d_x)^2$$

$$v = \frac{2\pi R}{T}$$

$$a = \frac{v^2}{R}$$


$$F = ma$$

$$F = \frac{mv^2}{R}$$

Group One

Answer FOUR of the five questions in this group.

1. A satellite is in a circular orbit. Describe the force acting on the satellite, the satellite's acceleration, its velocity and its speed.
2. At time zero, a boy mounted a bicycle and rode off, accelerating uniformly at 2 meters/second² for 3 seconds. He continued at constant speed for an additional 5 seconds and then stopped abruptly. Plot the boy's motion on a speed-versus-time graph.
3. List three experimental techniques now available for the study of motion that were not available to Galileo in 1632.
4. Find \vec{A} , where $\vec{A} = \vec{B} + \vec{C} + \vec{D}$.



5. To an Aristotelian, it seems clear that a force is necessary to maintain uniform motion. Comment on this statement from the point of view of a Newtonian.

Group Two

Answer TWO of the three questions in this group.

6. An airplane is flying horizontally over the ocean at a speed of 200 meters/second and at an altitude of 2000 meters. The pilot drops a flare. (Neglect air resistance.)

- a) How many seconds after release does the flare hit the water?
- b) At what distance from point P, directly under the point of release, does the flare strike the water?

7. Acceleration is the rate of change of speed. Instantaneous acceleration is the slope of a speed-time graph at a point. Suppose we call the rate of change of acceleration surge.

- a) What is the algebraic expression defining average surge?
- b) What are the units of surge?
- c) How can we calculate instantaneous surge?

8. In Two New Sciences, Galileo uses the character Salviati to present his own views concerning free fall. At one point in the discussion Salviati states:

If then we take two bodies whose natural speed are different, it is clear that on uniting the two, the more rapid one will be partly retarded by the slower, and the slower will be somewhat hastened by the swifter. ...But if this is true, and if a large stone moves with a speed of, say, eight while a smaller moves with a speed of four, then when they are united, the system will move with a speed of less than eight; but the two stones when tied together make a stone larger than that which before moved with a speed of eight. Since the heavier body moves with less speed than the lighter...you see how, from the premise that the heavier body moves more rapidly than the lighter one, I infer that the heavier body moves more slowly.

Salviati based the preceding argument on several assumptions that are not necessarily valid.

- a) State one of these assumptions.
- b) Consider that this assumption is not valid. Propose a more appropriate assumption.
- c) Based on your assumption, what conclusions can be drawn regarding the rate of fall of the two stones that are tied together?


Answer Sheet

Group I

Name _____


1.

2.



3.

4.



5.

Group II

No. _____

ANSWER SHEET

No. _____