

DOCUMENT RESUME

ED 079 158

SE 016 546

AUTHOR Warpinski, Robert
TITLE A Supplementary Program for Environmental Education, Mathematics, Grade 7-8.
INSTITUTION Project I-C-E, Green Bay, Wis.
SPONS AGENCY Bureau of Elementary and Secondary Education (DHEW/OE), Washington, D.C.
PUB DATE 72
NOTE 70p.

EDRS PRICE MF-\$0.65 HC-\$3.29
DESCRIPTORS Behavioral Objectives; *Environmental Education; Fundamental Concepts; Grade 7; Grade 8; Instructional Materials; Interdisciplinary Approach; Learning Activities; *Lesson Plans; *Mathematics; *Secondary Grades; *Teaching Guides

IDENTIFIERS ESEA Title III

ABSTRACT

Presented in these teacher's guides for grades seven and eight are lesson plans and ideas for integrating mathematics and environmental education. Each lesson originates with a fundamental concept pertaining to the environment and states, in addition, its discipline area, subject area, and problem orientation. Following this, behavioral objectives and suggested learning experiences are outlined. Behavioral objectives include cognitive and affective objectives and skills to be learned, while learning experiences list student-centered in-class activities and outside resource and community activities. Space is provided for teachers to note resource and reference materials--publications, audio-visual aids, and community resources. The guides are supplementary in nature and the lessons or episodes are designed to be placed in existing course content at appropriate times. This work was prepared under an ESEA Title III contract for Project I-C-E (Instruction-Curriculum-Environment). (BL)

FILMED FROM BEST AVAILABLE COPY

Project I - C - E

INSTRUCTION - CURRICULUM - ENVIRONMENT

ED 079158

U.S. DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION
THIS DOCUMENT HAS BEEN REPRO-
DUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGIN-
ATING IT. POINTS OF VIEW OR OPINIONS
STATED DO NOT NECESSARILY REPRESENT
OFFICIAL NATIONAL INSTITUTE OF
EDUCATION POSITION OR POLICY

A SUPPLEMENTARY PROGRAM FOR ENVIRONMENTAL EDUCATION

DISCIPLINE AREA Mathematics GRADE 7

Produced under Title III E.S.E.A.
PROJECT I-C-E
Serving Schools in CESA 3-8-9
1927 Main Street
Green Bay, Wisconsin 54301
(414) 432-4338
(after Dec. 1, 1972 - 468-7464)

Robert Warpinski, Director
Robert Kellner, Asst. Director
George Howlett, EE Specialist

5E 016 546

PREFACE

"Oikos" for house is the Greek origin of the term "ecology". Environmental education studies our house--whatever or wherever it may be. Like an umbrella, our house can expand or contract to fit many ranges--natural and man-made. We can add quality to our environments, our many "houses" if we omit rancor and cite long range gains, costs, and complexities. Our "oikos" uses the insights of all subjects. Thus, a rational, positive, multidisciplinary program like ours necessarily results. Also, since attitudes grow over a long time, our program ranges K thru 12. The environment mirrors our attitudes or values. These values have their origin in the "oikos" of our collective and individual minds. Let us become masters of our house by replacing the Greek adage of "Know thyself" with "Know thyself and thine house."

1. Written and designed by your fellow teachers, this guide is supplementary in nature--to fit appropriately into existing, logical course content.
2. Each page or episode offers suggestions. Knowing your students best, you decide what to adapt or adopt. Limitless chances are here for your experimentation and usage. Many episodes are self contained, some open-minded, still others can be changed or developed over a few days.
3. Try these episodes, but please pre-plan. Why? Simply, no guide has all the answers, and no curriculum will work unless viewed in the context of your students.
4. React to this guide with scratch ideas and notes on the episode pages.
5. After using an episode, fill out the attached evaluation form in the back. Use, duplicate, or request more of these forms. Send them singly or collectively to us. We sincerely want your reactions or suggestions--negative and positive. Your evaluations are the key in telling us "what works" and in aiding our revisions of the guides.

TERMS AND ABBREVIATIONS

ICE RMC is Project ICE Resource Materials Center serving all public and non-public school districts in CESA 3, 8, and 9. Check the Project ICE Bibliography of available resources. Our address and phone number is on this guide's cover. Feel free to write or call us for any materials or help.

BAVI is Bureau of Audio Visual Instruction, 1327 University Avenue, P. C. Box 2093, Madison, Wisconsin 53701 (Phone: 608-262-1644).

Cognitive means a measurable mental skill, ability, or process based on factual data. Affective refers to student attitudes, values, and feelings.

ACKNOWLEDGEMENTS: The following teachers and consultants participated in the development of the Supplementary Environmental Education Guides:

CESA #3

D. C. Aderhold, Bonduel
John Anderson, Peshtigo
Walter Anderson, Wausaukee
Bonnie Beamer, Coleman
Merlyn Blonde, Shawano
R. A. Dirks, Gillett
Dennis Dobrzanski, White Lake
LeRoy Gerl, Oconto
Karen Grunwald, St. James (L)
William Harper, Lena
Sister Claudette, St. Charles
Ervin Kunesh, Marinette
Kathleen LeBreck, Oconto
P. E. Lewicki, Gillett
Dorothy C'Brien, Wausaukee
Terry Otto, St. John (L)
Arthur Paulson, Oconto Falls
Marie Prochaska, Lena
Christine Proctor, Wausaukee
Arthur Schelk, Suring
Peter Skroch, Oconto Falls
David Soltész, Crivitz
Bill Stillion, Shawano
Cathy Warnack, White Lake

Consultants

CESA #3

Dr. Richard Presnell,
Univ. of Wisc.-Greer Bay

CESA #8

Dr. James Marks,
Lawrence University

CESA #9

Dr. Charles Peterson,
St. Norbert College

CESA #8

Mary Anders, Winneconne
Robert Becker, Fox Valley (L)
Mary Chriss, Hortonville
Cliff Christensen, Winneconne
Kenneth Couillard, Hortonville
Raymond Emerich, Hortonville
Mike Ercegovic, Winneconne
Dona Geeding, Menasha
Donald Hale, Winneconne
James Huss, Freedom
Sister Lois Jonet, Holy Angels
Kenneth Kappell, St. Aloysius
Kenneth Keliher, Appleton
Everett Klinzing, New London
Fred Krueger, Oshkosh
Jim Krueger, Winneconne
Mae Rose LaPointe, St. John High
Rosemarie Lauer, Hortonville
Robert Lee, Neenah
Harold Lindhorst, St. Martin (L)
Dennis Lord, Little Wolf
Robert Meyer, Neenah
Arnold Neuzil, Shiocton
James Nuthals, Lourdes
Connie Peterson, St. Martin (L)
Rosemary Rafath, Clintonville
Mark Reddel, St. Martin (L)
Gladys Roland, Little Wolf
Kathryn Rowe, Appleton
Mary Margaret Sauer, Menasha
Edwin Schaefer, Kaukauna
Lee Smoll, Little Chute
Doris Stehr, Mt. Calvary (L)
Ginger Stuvettraa, Oshkosh
Richard Switzer, Little Chute
Tim Van Susteren, Holy Name
Lila Wertsch, St. Margaret Mary
Warren Wolf, Kimberly
Gery Farrell, Menasha

CESA #9

Peter Biolo, West De
Lee Clasen, Lux.-Cas
Kathryn Colburn, Alg
Merle Colburn, Algon
Sara Curtis, Green
Duane DeLorme, Green
Roberta Dix, St. Jos
Janet Elinger, Ashwa
Phyllis Ellefson, Wa
Keith Fawcett, West
Jack Giachino, Seymo
Mike Gleffe, St. Ma
Herbert Hardt, Gibra
Gary Heil, Denmark
Nannette Hoppe, How
Joseph Hucek, Pulask
Catherine Huppert, D
DeAnna Johnson, Denn
Kris Karpinen, West
Mel Kasen, Gibraltar
Jack Koivisto, Green
Sister Mary Alyce, O
Ellen Lotz, West De
Judilyn McGowan, Gre
Priscilla Mereness,
C. L. Paquet, Denmar
William Roberts, Stu
Roger Roznowski, Sou
Jan Serrahn, Sevasto
Calvin Siegrist, How
Mary Smith, Green Ba
Carol Trimmerger, Ke
Mary Wadzinski, How

Following teachers and consultants participated in the development
of supplementary Environmental Education Guides:

CESA #8

Mary Anders, Winneconne
Robert Becker, Fox Valley (L)
Mary Chriss, Hortonville
Cliff Christensen, Winneconne
Kenneth Couillard, Hortonville
Raymond Emerich, Hortonville
Mike Ercegovic, Winneconne
Dona Geeding, Menasha
Donald Hale, Winneconne
James Huss, Freedom
Sister Lois Jonet, Holy Angels
Kenneth Kappell, St. Aloysius
Kenneth Keliher, Appleton
Everett Klinzing, New London
Fred Krueger, Oshkosh
Jim Krueger, Winneconne
Mae Rose LaPointe, St. John High
Rosemarie Lauer, Hortonville
Robert Lee, Neenah
Harold Lindhorst, St. Martin (L)
Dennis Lord, Little Wolf
Robert Meyer, Neenah
Arnold Neuzil, Shiocton
James Nuthals, Lourdes
Connie Peterson, St. Martin (L)
Rosemary Rafath, Clintonville
Mark Reddel, St. Martin (L)
Gladys Roland, Little Wolf
Kathryn Rowe, Appleton
Mary Margaret Sauer, Menasha
Edwin Schaefer, Kaukauna
Lee Smoll, Little Chute
Doris Stehr, Mt. Calvary (L)
Ginger Stuvetraa, Oshkosh
Richard Switzer, Little Chute
Tim Van Susteren, Holy Name
Lila Wertsch, St. Margaret Mary
Warren Wolf, Kimberly
Gery Farrell, Menasha

CESA #9

Peter Biolo, West DePere
Lee Clasen, Lux.-Casco
Kathryn Colburn, Algoma
Merle Colburn, Algoma
Sara Curtis, Green Bay
Duane DeLorme, Green Bay
Roberta Dix, St. Joseph Acad.
Janet Elinger, Ashwaubenon
Phyllis Ellefson, Wash. Isle.
Keith Fawcett, West DePere
Jack Giachino, Seymour
Mike Gleffe, St. Matthews
Herbert Hardt, Gibraltar
Gary Heil, Denmark
Nannette Hoppe, How.-Suam.
Joseph Hucek, Pulaski
Catherine Huppert, DePere
DeAnna Johnson, Denmark
Kris Karpinen, West DePere
Mel Kasen, Gibraltar
Jack Koivisto, Green Bay
Sister Mary Alyce, Cathedral
Ellen Lotz, West DePere
Judilyn McGowan, Green Bay
Priscilla Mereness, Wrightstown
C. L. Paquet, Denmark
William Roberts, Sturgeon Bay
Roger Roznowski, Southern Door
Jan Serrahn, Sevastopol
Calvin Siegrist, How.-Suam.
Mary Smith, Green Bay
Carol Trimmerger, Kewaunee
Mary Wadzinski, How.-Suam.

1
 C Energy from the sun, the basic Discipline Area Mathematics
 O source of all energy, is converted Subject Proportion
 N through plant photosynthesis into Problem Orientation Sunlight
 P a form all living things can use for
 T life processes.

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The students will solve several problems in proportion to discover how the use of shadows on a sunny day will aid in obtaining the approximate height of tall objects.</p> <p><u>Affective:</u> The students will become aware of how the sun's rays will be useful in estimating height.</p>	<p>II. Student-Centered in class activity</p> <p>A. A vertical object forms a right angle at its base with its shadow. A right triangle is formed if you think of an imaginary line from the tip of the shadow to the top of the object. The size of the angle formed at the tip of the shadow with the top of the object is the same for all vertical objects at the same time of day. Triangles thus formed are equal. Then the ratios of the corresponding sides of the triangles are equal.</p> <p>B. Given Problems:</p> <p>1. Find the height of a tree that casts a shadow 12 feet long at the same time of day that a yardstick casts a shadow 1 foot long. The ratio of</p>	<p>II. Outside</p> <p>Comm</p> <p>A. Using</p> <p>height</p> <p>1. yo</p> <p>2. yo</p> <p>3. yo</p> <p>4. t</p> <p>pl</p> <p>fo</p> <p>ho</p>
<p><u>Skills to be Learned:</u></p> <p>Use of ratio</p> <p>Use of yardsticks for making measurements</p> <p>The ideas of right angles and right triangles</p>		

(continued on reverse side)

sun, the basic
 energy, is converted
 photosynthesis into
 ng things can use for

Discipline Area Mathematics
 Subject Proportion
 Problem Orientation Sunlight Grade 7

ACTIVITIES

SUGGESTED LEARNING EXPERIENCES

Students will
 problems in
 over how the
 a sunny day
 ing the app-
 tall objects.

Students will
 w the sun's
 l in estimat-

for making
 angles and

- II. Student-Centered in class activity
- A. A vertical object forms a right angle at its base with its shadow. A right triangle is formed if you think of an imaginary line from the tip of the shadow to the top of the object. The size of the angle formed at the tip of the shadow with the top of the object is the same for all vertical objects at the same time of day. Triangles thus formed are equal. Then the ratios of the corresponding sides of the triangles are equal.
- B. Given Problems:
 1. Find the height of a tree that casts a shadow 12 feet long at the same time of day that a yardstick casts a shadow 1 foot long. The ratio of

- II. Outside Resource and Community Activities
- A. Using ratio find the height of:
1. your church
 2. your city water tower
 3. your school's flagpole
 4. trees, basketball hoops playground equipment, etc. found near school or home.

(continued on reverse side)

Resource and Reference Materials

Continued and Additional Suggested Learning

Publications:

Darling, Lois, Place In The Sun - Ecology and the Living World, Morrow, 1968, \$3.95

Reinow, Robert, Moment In The Sun (Report) Ballantine 1967, 95¢

Audio-Visual:

Community:

I. (continued)

1. the shadow of the tree to the yard. Then the height of the tree is 12 times _____ feet.
2. Find the height of an electric light that casts a shadow 5 ft. long at the same time that a pole 2 ft. high casts a shadow 2 ft. long.
3. Mark knows that he is 5 ft. 4 in. tall. At the same time that he casts a 16 in. shadow, Harry casts a shadow. How tall is Harry?
4. When a vertical pole 20 ft. high casts a shadow 10 ft. long, how tall is Jean? Who casts a longer shadow?
5. How high is a church spire that casts a shadow 100 ft. long at the same time that a yardstick casts a shadow 1 ft. long?
6. When a tree casts a shadow 60 ft. long, a pole 10 ft. high casts a shadow 10 ft. long. How high is the tree?
7. A 60 ft. flagstaff casts a shadow 10 ft. long at the same time, how long a shadow will a pole 6 ft. high cast?
8. Find the height of a building that casts a shadow 100 ft. long when a boy 5 feet tall casts a 2 foot shadow.
9. A tower casts a shadow 75 ft. long. A pole 10 ft. high casts a shadow 6 ft. long. What is the height of the tower?
10. A telephone pole casts a shadow 30 ft. long at the same time a stick 5 ft. high casts a shadow 1 ft. long. What is the height of the pole?

I. (continued)

1. the shadow of the tree to the yardstick is 12 to 1. Then the height of the tree is 12 times the yardstick or _____ feet.

2. Find the height of an electric light pole that casts a shadow 5 ft. long at the same time that a 6 ft. pole casts a shadow 2 ft. long.

3. Mark knows that he is 5 ft. 4 in. tall. At the same time that he casts a 16 in. shadow, Harry casts a 12 in. shadow. How tall is Harry?

4. When a vertical pole 20 ft. high casts a shadow 15 ft. long, how tall is Jean? Who casts a 3 ft. long shadow?

5. How high is a church spire that casts a shadow 120 ft. long at the same time that a yardstick casts a shadow 6 ft. long?

6. When a tree casts a shadow 60 ft. long, a 9 ft. post casts a shadow 10 ft. long. How high is the tree?

7. A 60 ft. flagstaff casts a shadow 24 ft. long. At the same time, how long a shadow will Jerry cast if he is 5 feet tall?

8. Find the height of a building casting a 28 foot shadow when a boy 5 feet tall casts a 2 foot shadow.

9. A tower casts a shadow 75 ft. long at the same time a pole 10 ft. high casts a shadow 6 feet long. What is the height of the tower?

10. A telephone pole casts a shadow 30 feet long. At the same time a stick 5 ft. high casts a shadow 6 ft. long. What is the height of the pole?

C
O
N
C
E
P
T

2. All living organisms interact among themselves and their environment, forming an intricate unit called an ecosystem.

Discipline Area Mathematics
 Subject Proportion,
 Problem Orientation Wildlife Survival

ESPA Title III -59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPER	
<p><u>Cognitive:</u> The students, by comparison, will identify ways good conservation practices encourage wildlife production.</p> <p><u>Affective:</u> The students will learn by participating in examples that will emphasize the value of conservation in saving wildlife.</p>	<p>I. Student-Centered in class activity</p> <p>Man is dependent on wildlife for food and pleasure. Wildlife depends on habits of man for his continued existence. When streams are polluted, natural habitat destroyed, and pesticides used thoughtlessly, wildlife becomes extinct. In 1968 there were 68 endangered species; in 1970 the number rose to 89; in 1971 - 102.</p>	<p>II.</p>
<p><u>Skills to be Learned:</u></p> <p>Read and Interpret facts Make Comparisons Problem Solving</p>	<p>A million acres of wildlife habitat was lost to agriculture in 1970, another million will be cleared in 1971. There are only 30 million acres in refuges out of the 2½ billion acres in U.S. Happily, farmers are taking steps to turn the tide toward wildlife.</p> <p>The canvasback duck has declined 25% annually, the Cooper's hawk declined 25%, the California Condor 50% and the loveliest of (continued on reverse side)</p>	

CS	organisms interact	Discipline Area	Mathematics
n,	and their environ-	Subject	Proportion, Area and Percent
fe	intricate unit	Problem Orientation	Wildlife
al	tem.		Survival
			Grade 7

PER	OBJECTIVE	SUGGESTED LEARNING EXPERIENCES	
II.	<p>students, by identify ways practices e production.</p> <p>students will ating in l emphasize ervation in</p> <p>ned:</p> <p>t facts</p>	<p>I. Student-Centered in class activity</p> <p>Man is dependent on wildlife for food and pleasure. Wildlife depends on habits of man for his continued existence. When streams are polluted, natural habitat destroyed, and pesticides used thoughtlessly, wildlife becomes extinct. In 1968 there were 68 endangered species; in 1970 the number rose to 89; in 1971 - 102.</p> <p>A million acres of wildlife habitat was lost to agriculture in 1970, another million will be cleared in 1971. There are only 30 million acres in refuges out of the 2½ billion acres in U.S. Happily, farmers are taking steps to turn the tide toward wildlife.</p> <p>The canvasback duck has declined 25% annually, the Cooper's hawk declined 25%, the California Condor 50% and the lovliest of (continued on reverse side)</p>	<p>II. Outside Resource and Community Activities</p> <p>A. Visit and explore a local tree farm.</p> <p>B. Visit a man-made pond. Observe what wildlife is evident about it. How is it protected from erosion, pollution and pesticides?</p> <p>C. Locate an area (nearby school or local situation) where a wildlife region could be set up. Form a committee to make plans to develop it.</p>

Resource and Reference Materials Continued and Additional Suggested Learning

Publications:

National Wildlife Federation
E Q Index - 1971 - ICE - RMC

More Wildlife Through Soil
And Water Conservation - 175
Soil Conservation Service
U.S. Department of Agriculture

Audio-Visual:

Our Endangered Wildlife,
51 minutes, color, Mc Graw -
Hill Contemporary Films,
330 W. 42nd St., N.Y., N.Y.
10018

I. (continued)

our songbirds, the bluebird, is now con-
rare". Our only hope is conservation.

A well-planned pond produces about 200
acre. We are stocking about 50,000 po
exceed 150,000 acres. At 85% of these
number of rabbits have been observed,
quail at 55% and muskrats at 63%. The
wild ducks.

Windbreaks are being planted at the ra
per year. They provide cover for the
and song birds. Farmers are planting
910,000 acres of trees annually. A good
rabbits, grouse, and squirrels. "Odd
rocky spots, sinkholes, old pits or fence
been allowed to grow up into wildlife

A. Use this information to solve the

1. The endangered species of 1968
than in 1970? This is an average
how many a year? If this rate
many species would be listed by
2. What part of the area of U.S. is
refuge today?
3. If the canvasback duck is allowe
the given rate, in how many year
extinct? The California Condor?
4. At the rate of 200 pounds of fis
production could we expect from

(continued on next page)

Materials Continued and Additional Suggested Learning Experiences

I. (continued)

our songbirds, the bluebird, is now considered the "most rare". Our only hope is conservation.

A well-planned pond produces about 200 pds. of fish per acre. We are stocking about 50,000 ponds a year. They exceed 150,000 acres. At 85% of these ponds a goodly number of rabbits have been observed, doves at 65%, quail at 55% and muskrats at 63%. They harbored 141,000 wild ducks.

Windbreaks are being planted at the rate of 4,000 miles per year. They provide cover for the ringnecked pheasant and song birds. Farmers are planting at the rate of 910,000 acres of trees annually. A good cover for deer, rabbits, grouse, and squirrels. "Odd Areas" such as rocky spots, sinkholes, old pits or fence corners, have been allowed to grow up into wildlife habitat.

A. Use this information to solve the following problems.

1. The endangered species of 1968 is how many less than in 1970? This is an average rate of about how many a year? If this rate continues, how many species would be listed by 1975?
2. What part of the area of U.S. is in wildlife refuge today?
3. If the canvasback duck is allowed to decline at the given rate, in how many years will it be extinct? The California Condor?
4. At the rate of 200 pounds of fish per acre, what production could we expect from the fish ponds

(continued on next page)

Continued and Additional Suggested Learning Experiences

I. (continued)

established yearly?

5. If 4,000 miles of windbreak are planted yearly, give the ratio for five years. Ten years.
6. Evergreen trees are planted 6 feet apart. How many trees are required for an acre? For 910,000 acres?
7. Given 20 rabbits spotted at each pond, how many rabbits could be expected in all the ponds (50,000) established in a year?
8. A female grouse usually lays 12 eggs. Of these ten successfully hatch. What part of the lay hatches? What would be the ratio for thirty females?
9. Student groups (4-5) will graph/chart the ratios calculated above for classroom display and impact.

C 3. Environmental factors are limiting Discipline Area Mathematics
 O on the numbers of organisms living Subject Basic Computation
 N within their influence, thus, each Problem Orientation Interdependent
 E environment has a carrying capacity.

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The students, by calculations, will interpret significantly how land use, food supply, and population growth are interrelated.</p> <p><u>Affective:</u> The students will develop an appreciation of the values of careful stewardship of our natural environment.</p>	<p>I. Student-Centered in class activity</p> <p>A. During the 20 years from 1790 to 1810, the population of U.S. increased from 3,929,000 to 7,239,000. During the 20 years from 1950 to 1970 the population increased from 150,697,000 to 207,000,000.</p> <ol style="list-style-type: none"> 1. What was the population increase from 1790 to 1810? 2. What was the increase from 1950 to 1970? 3. How much greater was the increase per year from 1950 to 1970 than from 1790 to 1810? 4. What was the average increase per year from 1950 to 1970? <p>B. The average consumption of beef per capita is 106.6 pounds of carcass weight.</p> <ol style="list-style-type: none"> 1. Using the facts in A, how <p>(continued on reverse side)</p>	<p>II. Out...</p> <p>Com...</p> <p>A. Co...</p> <p>gr...</p> <p>fr...</p> <p>B. Ch...</p> <p>ti...</p> <p>Ar...</p> <p>or...</p> <p>C. Wi...</p> <p>di...</p> <p>D. In...</p> <p>to...</p> <p>th...</p> <p>gr...</p> <p>old...</p> <p>Sam...</p> <p>1. I...</p> <p>2. V...</p> <p>(cont...</p>
<p><u>Skills to be Learned:</u></p> <p>An understanding of large Numbers</p> <p>Effective Reasoning</p> <p>An understanding of the great sacrifice interstate highways inflict on our amount of cropland.</p>		

Factors are limiting Discipline Area Mathematics
organisms living Subject Basic Computation
ence, thus, each Problem Orientation Interdependency Grade 7
carryi-g capacity.

OBJECTIVES

SUGGESTED LEARNING EXPERIENCES

ents, by
interpret
and use,
population
ated.
ents will
ion of
l stew-
al

- I. Student-Centered in class activity
- A. During the 20 years from 1790 to 1810, the population of U.S. increased from 3,929,000 to 7,239,000. During the 20 years from 1950 to 1970 the population increased from 150,697,000 to 207,000,000.
1. What was the population increase from 1790 to 1810?
 2. What was the increase from 1950 to 1970?
 3. How much greater was the increase per year from 1950 to 1970 than from 1790 to 1810?
 4. What was the average increase per year from 1950 to 1970?

B. The average consumption of beef per capita is 106.6 pounds of carcass weight.

1. Using the facts in A, how
(continued on reverse side)

II. Outside Resource and Community Activities

- A. Compare the population growth in your community from 1950 to 1970.
- B. Check highway construction areas in your area. Are they using wasteland or farmland?
- C. Will their construction disrupt wildlife?
- D. Interview a beef producer to learn facts to calculate the amount of hay, or grain an animal 1½ years old would consume.

Sample Questions:

1. How much hay does a beef animal consume a day?
2. What grain is included in a beef animal's ration?

(continued on reverse side)

Resource and Reference Materials

Continued and Additional Suggested Reading

Publications:

Pollution Problems and Projects,
Wisconsin Department of Instruction,
Madison, Wisconsin

Wisconsin Survival Handbook,
Wisconsin Environment Decade,
Racine, Wisconsin

Audio-Visual:

Population Explosion, 43 minutes,
Carousel Films, Inc., 1501
Broadway, N.Y., N.Y. 10035

Our Vanishing Land
Mc Graw - Hill, Contemporary Films,
330 W. 42nd Street, N.Y., N.Y., 10018

Community:

Highway Department
Local Beef producer

I. (continued)

- many pounds of beef were consumed?
2. If each animal weighs about 1000 pounds, how many animals were needed to produce the beef?
 3. If the projected consumption per person in 1980, and the population is projected to be 270 million, how many 1000 pound animals are needed to supply it?
 4. If each day, one of these animals uses 100 gallons of water, how many gallons does it use in 1½ years of its life?
 5. If each animal in 1980 produces 100 pounds of waste per day, then how many million pounds of waste will be produced in 1½ years?

C. From 1963 to 1967, 28.6 square miles of southwestern counties of Wisconsin were lost to urban sprawl. Of this amount 19.7 square miles were farmland.

1. What percent of the land lost was farmland?
2. How many acres of cropland were lost?

D. The interstate highway system uses 100 acres of land per mile of highway.

1. At this rate, how many acres of land would be used for the interstate highway system from Paul, a distance of 304 miles?

E. At this rate of farmland loss, is there a possibility of American people going hungry in future years? How do you think population and interstate highway growth will affect this?

II. (continued)

- In what proportion?
3. How many pounds of grain feed are needed to produce one pound of beef?

Reference Materials

Continued and Additional Suggested Learning Experiences

con
ut
eef
ion
pro
ound
and
allo
lif
oduc
met
?
mil
n we
re n
lost
l wa
uses
res
way
?
is
tur
owth
eed

Projects,
of Instruction,
ndbook,
Decade,
43 minutes,
1501
10035
emporary Films,
.Y., N.Y., 10018

I. (continued)

many pounds of beef were consumed in U.S. in 1970?

2. If each animal weighs about 1000 pounds, how many were needed to produce the beef needed back in 1970?

3. If the projected consumption of beef is 117 pounds per person in 1980, and the projected population is 270 million, how many 1000 pound animals will be needed to supply it?

4. If each day, one of these animals drinks 12 gallons of water, how many gallons will be used a day? In the 1½ years of its life?

5. If each animal in 1980 produced 23,600 grams of waste per day, then how many metric tons of waste will be produced in 1½ years?

C. From 1963 to 1967, 28.6 square miles of land in seven southwestern counties of Wisconsin were consumed by urban sprawl. Of this amount 19.7 square miles was productive farmland.

1. What percent of the land lost was productive farmland?

2. How many acres of cropland was this?

D. The interstate highway system uses up 50 acres of cropland per mile of highway.

1. At this rate, how many acres of Wisconsin land was used for the interstate highway from Beloit to St. Paul, a distance of 304 miles?

E. At this rate of farmland loss, is there any danger of American people going hungry in future years if our population and interstate highway growth continues at this rate?

II. (continued)

In what proportion?

3. How many pounds of grain feed is fed per day?

ESEA Title III - 59-70-0135-2 Project I-C-E

C F P E C N	4. An adequate supply of pure	Discipline Area	Mathematic
	water is essential for life.	Subject	Percentage
		Problem Orientation	Water

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES																	
<p><u>Cognitive:</u> The students by means of a calculation will determine the uses and cost of water in our daily lives - in the home, in industry, in communication.</p> <p><u>Affective:</u> The students will become aware of the many gallons of pure water necessary for normal living, and the need for conserving water.</p> <p><u>Skills to be learned:</u></p> <p>The practical use of Percent Use of cubic measure Dependency of a community on its supply of pre water. Interpreting facts</p>	<p>I. Student-Centered in class Activity</p> <p>A. The average American uses 60 gallons of water per day in the home, in the following ways:</p> <table border="0"> <tr><td>flushing toilets</td><td>41%</td></tr> <tr><td>washing and bathing</td><td>37%</td></tr> <tr><td>kitchen use</td><td>6%</td></tr> <tr><td>Watering</td><td>3%</td></tr> <tr><td>Drinking</td><td>5%</td></tr> <tr><td>Washing clothes</td><td>4%</td></tr> <tr><td>General cleaning</td><td>3%</td></tr> <tr><td>Washing cars</td><td>1%</td></tr> </table> <p>1. To the nearest whole number, how many gallons are used for each purpose? 2. How much would one person use in a week? Your family? How much in a year?</p> <p>B. To meet the needs of the average community, a water utility must supply 150 gallons of clean water per person/per day. Use the population of your community (continued on reverse side)</p>	flushing toilets	41%	washing and bathing	37%	kitchen use	6%	Watering	3%	Drinking	5%	Washing clothes	4%	General cleaning	3%	Washing cars	1%	<p>II. Out of class</p> <p>A. Obtain rate figures you use year</p> <p>B. Water paper, the matted the paper</p> <p>C. Visit supply insurance rural sure</p> <p>D. Play bowl teeth run How How (contin</p>
flushing toilets	41%																	
washing and bathing	37%																	
kitchen use	6%																	
Watering	3%																	
Drinking	5%																	
Washing clothes	4%																	
General cleaning	3%																	
Washing cars	1%																	

ate supply of pure
 essential for life.

Discipline Area Mathematics
 Subject Percentage and Whole Numbers
 Problem Orientation Water Grade 7

OBJECTIVES	SUGGESTED LEARNING EXPERIENCES																	
<p>the students by means on will determine ost of water in s - in the home, n communication.</p> <p>students will the many gallons necessary for and the need for r.</p>	<p>I. Student-Centered in class Activity</p> <p>A. The average American uses 60 gallons of water per day in the home, in the following ways:</p> <table border="0"> <tr><td>flushing toilets</td><td>41%</td></tr> <tr><td>washing and bathing</td><td>37%</td></tr> <tr><td>kitchen use</td><td>6%</td></tr> <tr><td>Watering</td><td>3%</td></tr> <tr><td>Drinking</td><td>5%</td></tr> <tr><td>Washing clothes</td><td>4%</td></tr> <tr><td>General cleaning</td><td>3%</td></tr> <tr><td>Washing cars</td><td>1%</td></tr> </table> <p>1. To the nearest whole number, how many gallons are used for each purpose? 2. How much would one person use in a week? Your family? How much in a year?</p> <p>B. To meet the needs of the average community, a water utility must supply 150 gallons of clean water per person/per day. Use the population of your community (continued on reverse side)</p>	flushing toilets	41%	washing and bathing	37%	kitchen use	6%	Watering	3%	Drinking	5%	Washing clothes	4%	General cleaning	3%	Washing cars	1%	<p>II. Outside Resource and Community Activities</p> <p>A. Obtain a copy of the water rates of your community. Figure the value of the water you use in a month. In a year.</p> <p>B. Weigh a dozen daily newspapers. In the paper, find the number of papers circulated daily. Using the information in problem "F", find the amount of water needed to produce one daily copy.</p> <p>C. Visit your community water supply. How is its purity insured? If you live in a rural area, how can you be sure your water is pure?</p> <p>D. Place a pan in the wash-bowl before you brush your teeth. Allow the water to run while you brush them. How much water did you use? How much could you have saved (continued on reverse side)</p>
flushing toilets	41%																	
washing and bathing	37%																	
kitchen use	6%																	
Watering	3%																	
Drinking	5%																	
Washing clothes	4%																	
General cleaning	3%																	
Washing cars	1%																	
<p>earned:</p> <p>use of Percent measure a community on its ore water. facts</p>																		

Resource and Reference Materials

Continued and Additional Suggest

Publications:

Pollution: Problems, Projects, and Mathematics Exercises, Bulletin # 1082, Wisconsin Department of Public Instruction, 126 Langden St., Madison, Wisconsin

1971 EQ Index, I-C-E RMC

Audio-Visual:

Water Famine, Carousel Films, Inc. 1501 Broadway, N.Y., N.Y. 10035

Problem With Water is People, 30 minutes, color, Mc Graw - Hill Contemporary Films, 330 W. 42nd St. N.Y., N.Y. 10018

Community:

City Water Department or Other Supply

I. (continued)

to compute the amount of water water utility -- each day, each year.

C. The loss of water in the home minutes. How many gallons would

D. Commercial operations use about per person. How many days are of water per person?

E. If it required 1,400 gallons of of steel?

F. The paper industry uses about 9 each ton of paper produced.

1. How many gallons does it take paper?

2. If 53 million tons of paper how many gallons of water would

3. There are 7½ gallons of water many cubic feet of water was

II. (continued)

if you had used a glass of water save in a year?

Reference Materials

Continued and Additional Suggested Learning Experiences

blems, Projects, and
 Exercises, Bulletin
 in Department of
 Education, 126 Langden St.,
 Boston, Mass.

E-C-E RMC

Carousel Films, Inc.
 N.Y., N.Y. 10035

Water is People, 30
 Mc Graw - Hill
 Books, 330 W. 42nd St.
 New York, N.Y. 10018

Department or Other

I. (continued)

to compute the amount of water that must be produced by the water utility -- each day, each week, each month, each year.

C. The loss of water in the home is $\frac{1}{2}$ cubic foot in 15 minutes. How many gallons would be lost in a day?

D. Commercial operations use about 20 gallons of water per day/ per person. How many days are needed to use 600 gallons of water per person?

E. If it required 1,400 gallons of water to produce \$50 worth of steel?

F. The paper industry uses about 90,000 gallons of water for each ton of paper produced.

1. How many gallons does it take to produce one pound of paper?

2. If 53 million tons of paper is produced each year, then how many gallons of water would be used in a year?

3. There are $7\frac{1}{2}$ gallons of water in a cubic foot. How many cubic feet of water was used in problem 2?

II. (continued)

if you had used a glass of water? How much would you save in a year?

C 5. An adequate supply of clean air is Discipline Area Mathematics
 O essential because most organisms depend Subject Basic Computa
 N on oxygen, through respiration, to re- Problem Orientation Air Pollu
 C lease the energy in their food.

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The pupil will be able to compute the amount of air pollutants created by transportation and its relation to respiratory diseases.</p> <p><u>Affective:</u> The pupils will be conscious of the causes of air pollution in their community.</p>	<p>I. Student-Centered in Class Activity</p> <p>A. Causes:</p> <p>1. A 1965 automobile of a certain make and model pollutes the air 5 times as much as a 1970 automobile of the same make and model. The 1965 auto started at the beginning of a section of highway traveling 50 mph at a steady rate. Two hours later the 1970 automobile started at the same place and traveled in the same direction at a steady rate of 65 mph. If the 1970 car pollutes the air at the rate of n cubic feet per hour, how many n cubic feet of pollutants were emitted by each car by the time the 1970 car caught up to the 1965 car?</p> <p>2. In 1967, U.S. passenger cars totaled 80,414,000. They emitted 61,000,000 tons of carbon monoxide into the air.</p> <p>(continued on reverse side)</p>	
<p><u>Skills to be Learned:</u></p> <p>Working verbal problems Review of Addition Subtraction Multiplication Division</p>	<p>II. Outside Community</p> <p>A. Make</p> <p>of cars</p> <p>at certain</p> <p>days in</p> <p>1. Go</p> <p>have ch</p> <p>travel</p> <p>and the</p> <p>in each</p> <p>hour du</p> <p>hour,</p> <p>rush ho</p> <p>a midda</p> <p>2. When</p> <p>you fee</p> <p>determi</p> <p>would h</p> <p>each ca</p> <p>3 pass</p> <p>3, Det</p> <p>the car</p> <p>2 perso</p> <p>than 3</p> <p>(continued</p>	

supply of clean air is _____ Discipline Area Mathematics
 use most organisms depend _____ Subject Basic Computation
 through respiration, to re- _____ Problem Orientation Air Pollution Grade 7
 gy in their food. _____

OBJECTIVES **SUGGESTED LEARNING EXPERIENCES**

<p>pupil will ute the am- lutants sportation n to res- es.</p> <p>pupils will the causes n in their</p>	<p>I. Student-Centered in Class Activity</p> <p>A. Causes:</p> <p>1. A 1965 automobile of a certain make and model pol- lutes the air 5 times as much as a 1970 automobile of the same make and model. The 1965 auto started at the be- ginning of a section of high- way traveling 50 mph at a steady rate. Two hours later the 1970 automobile started at the same place and traveled in the same direction at a steady rate of 65 mph. If the 1970 car pollutes the air at the rate of n cubic feet per hour, how many n cubic feet of pollutants were emit- ted by each car by the time the 1970 car caught up to the 1965 car?</p> <p>2. In 1967, U.S, passenger cars totaled 80,414,000. They emitted 61,000,000 tons of carbon monoxide into the air.</p> <p>(continued on reverse side)</p>	<p>II. Outside Resource and Community Activities</p> <p>A. Make plans to take a count of cars traveling certain routes at certain hours, on various days in your community:</p> <p>1. Go to the location you have chosen. Count the cars traveling in one direction and the number of passengers in each car. Do this for $\frac{1}{2}$ hour during a morning rush hour, $\frac{1}{2}$ hour during evening rush hour, and $\frac{1}{2}$ hour during a midday hour, for one week.</p> <p>2. When you arrive at what you feel is a fair sampling, determine how many fewer cars would have been needed if each car would have carried 3 passengers.</p> <p>3. Determine what percent of the cars carried only 1 person 2 persons; 3 persons; more than 3 persons.</p> <p>(continued on page 4 of this lesson)</p>
--	--	--

Resource and Reference Materials	Continued and Additional Suggested Learning Materials						
<p><u>Publications:</u></p> <p><u>Pollution: Problems, Projects, and Mathematics Exercises</u>, Bulletin # 1082, Wisconsin Department of Public Instruction, 126 Langden St., Madison, Wisconsin</p> <p><u>The Automobile and Air Pollution: A Program For Progress (Part I and II)</u>, \$1.00, Government Printing Office, 1967</p> <p><u>Pamphlet - Air Pollution: The Facts</u> Metro Clean Air Committee, 1892 Portland Ave., Minneapolis, Minn. 55404</p> <p><u>Audio-Visual:</u></p> <p><u>Air Pollution: Take A Deep Deadly Breath</u>, 3 parts, 54 minutes, color, free, Wisconsin Tuberculosis and Respiratory Disease Association, Publication Department, Box 424, Milwaukee, Wisconsin 53201</p> <p><u>Poisoned Air</u>, (discussion with auto and oil company, 50 minutes, Mc Graw Hill Contemporary Films, 330 W. 42nd Street, N.Y., N.Y. 10018</p> <p><u>Community:</u></p>	<p>I. Student-Centered in class activity (continued)</p> <p>a) On an average, each car was polluting how much carbon monoxide in the air?</p> <p>b) At that rate, 1 person driving a car would have caused how much carbon monoxide to pollute the air?</p> <p>Using the following statistics, answer the following questions for these chemicals:</p> <table border="0"> <tr> <td>Hydrocarbons</td> <td>16,000,000 tons</td> </tr> <tr> <td>Nitrogen Oxides</td> <td>6,000,000 tons</td> </tr> <tr> <td>Lead</td> <td>210,000 tons</td> </tr> </table> <p>3. A 1965 automobile emits an average of 1.5 million of hydrocarbons in its exhaust into the air. A 1970 automobile emits a carbon monoxide concentration of 10 parts per million. About how many cars would it take to pollute the air with hydrocarbons the way one 1965 auto.</p> <p>4. At the time of takeoff, a four-engine jet airplane dumps 100 pounds of air pollutants. If such a plane takes off every minute from an airport how many pounds of pollutants are poured out into the air every day? In 1 week? In 1 month (30 days)? Convert all these answers to tons.</p> <p>B. Results:</p> <p>1. When the sulfur dioxide content of the air rises above 0.2 parts per million, the health of the city is a result. In the five years, 1965 to 1969, the level reached this level once every ten days.</p> <p>a. What was the minimum number of days the level was reached in N.Y. City during the five years, 1965 to 1969? result of air pollution by sulfur dioxide.</p> <p>(continued on next page)</p>	Hydrocarbons	16,000,000 tons	Nitrogen Oxides	6,000,000 tons	Lead	210,000 tons
Hydrocarbons	16,000,000 tons						
Nitrogen Oxides	6,000,000 tons						
Lead	210,000 tons						

I. Student-Centered in class activity (continued)

- a) On an average, each car was responsible for emitting how much carbon monoxide into the air?
 b) At that rate, 1 person driving a car for 50 years would have caused how much carbon monoxide to pollute the air?

Using the following statistics, answer the same two questions for these chemicals:

Hydrocarbons	16,000,000 tons in 1967
Nitrogen Oxides	6,000,000 tons in 1967
Lead	210,000 tons in 1967

3. A 1965 automobile emits an average of 900 parts per million of hydrocarbons in its exhaust to pollute the air. A 1970 automobile emits a corresponding 180 parts per million. About how many 1970 autos does it take to pollute the air with hydrocarbons as much as one 1965 auto.

4. At the time of takeoff, a four-engine jet pours out 88 pounds of air pollutants. If such a plane takes off every minute from an airport how many pounds of pollutants are poured out into the air in 1 hour? In 1 day? In 1 week? In 1 month (30 days)? In 1 year? Convert all these answers to tons.

B. Results:

1. When the sulfur dioxide content of the air in N.Y. City rises above 0.2 parts per million, ten to 20 people die as a result. In the five years, 1965 to 1970, sulfur dioxide reached this level once every ten days.

- a. What was the minimum number of people who died in N.Y. City during the five years, 1965 to 1970, as a result of air pollution by sulfur dioxide?

(continued on next page)


Continued and Additional Suggested Learning Experiences

I. Student-Centered in Class Activity (continued)

- b. What was the maximum number of people who died in New York City during the years, 1965 to 1970, as a result of air pollution by sulfur dioxide?
2. Aggravated by air pollutants, emphysema is the fastest growing cause of death in the country today. In the ten-year period from 1950 through 1959, deaths from emphysema rose from 1.5 per hundred thousand to 8 per hundred thousand. The total has increased steadily. In 1970, the population of the United States was 203 million, and 50,000 persons died from emphysema. How many people per thousand died from emphysema?
3. In 1949, New York City had the most polluted air and the highest death rate from pneumonia in the state of New York -- 31.5 per 100,000 population. In other cities with much cleaner air, the rate was only 23.9 per 100,000. In rural areas where pollution was least, the death rate was lower still -- 16.9. In 1959, the rates increased. Then New York City had 50.6 pneumonia deaths per 100,000, upstate cities had 38.6 and the rural areas had 29.2.
- a. What was the rate of increase in New York City from 1949 to 1959?
b. How much higher was the rate in New York City than the rural areas in 1959?

4. Air Pollution Kills

Death rates from diseases associated with air are climbing.



Reproduced from:

National Wildlife Federation
1971 EQ Index
1412 16th Street, N.W.
Washington, D.C. 20036

(continued on next page)

Continued and Additional Suggested Learning Experiences

Class Activity (continued)

What is the maximum number of people who died in New York City during the five years 1965-1970, as a result of air pollution by sulfur dioxide?

Of the air pollutants, emphysema is the fastest growing cause of death in our country.

In the ten-year period from 1950 through 1959, deaths among males from emphysema rose from 1.5 per hundred thousand to 8 per hundred thousand. This increase continued steadily. In 1970, the population of the United States was 205,000,000 and 50,000 persons died from emphysema. How many people per hundred thousand died from emphysema?

New York City had the most polluted air and the highest death rate from emphysema in the state of New York -- 31.5 per 100,000 population. In eleven upstate counties with much cleaner air, the rate was only 23.9 per 100,000. In rural areas, where the death rate was least, the death rate was lower still -- 16.9 per 100,000. In 1959, all deaths from emphysema in New York City were pneumonia deaths. Then New York City had 50.6 pneumonia deaths per 100,000; the rural areas had 38.6 and the rural areas had 29.2.

What was the rate of increase in New York City from 1949 to 1959? How much higher was the rate in New York City than the rural areas in 1949?

Kills

Deaths from diseases associated with air are climbing.

Reproduced from:

National Wildlife Federation
1971 EQ Index
1412 16th Street, N.W.
Washington, D.C. 20036

(continued on next page)

Continued and Additional Suggested Learning E

II. Outside Resource and Community Activities (continued)

4. What conclusions can you form as an individual or as a project? Can you use these conclusions to make some recommendations to your family (families)? To the staff of your school? To the traffic department?

WHO, WHAT, WHERE, WHY AND HOW OF AIR POLLUTION *n

Pollutant	Main Source	Effect on Health	Minimum Standards
1. Sulfur Oxide	Electric plants	a. Irritates respiratory tract b. Damage lungs	80 micrograms/cu. m. as the annual mean
2. Particulates	Smoke, Soot, fly ash, Power plant	a. Damage lungs b. Cause gastric cancer	75 micrograms/cu. m.
3. Carbon Monoxide	Autos, trucks, Buses	a. Slows reactions b. Damages heart	9 parts/million, maximum 8-hr. concentration once a year
4. Hydrocarbons	Refineries and Automobiles	Not toxic, but contribute to smog	0.24 parts/million maximum in 3 years once a year

(continued on next page of this lesson)

Continued and Additional Suggested Learning Experiences

Source and Community Activities (continued)

conclusions can you form as an individual or as a group carrying out this...
 ? Can you use these conclusions to make some recommendations to your own
 (families) ? To the staff of your school? To the members of your community?
 traffic department?

HO, WHAT, WHERE, WHY AND HOW OF AIR POLLUTION

*note at bottom of page 5 (next Page)

Main Source	Effect on Health	Minimum Standards	BPA's Recommended Action
Electric plants	a. Irritates respiratory tract b. Damage lungs	80 micrograms cu. m. as the annual mean	Shift to natural gas.
Smoke, Soot, fly ash, Power plant	a. Damage lungs b. Cause gastric cancer	75 micrograms cu. m.	Burn cleaner fuel
Autos, trucks, Buses	a. Slows reactions b. Damages heart	9 parts/million, maximum 8-hr. concentration once a year	New devices for auto engines; limit traffic in some cities
Refineries and Automobiles	Not toxic, but contribute to smog	0.24 parts/million maximum in 3 yrs. once a year	Automobiles must reduce hydrocarbon emission by more than 90% by 1975

(continued on next page of this lesson)

WHO, WHAT, WHERE, WHY AND HOW OF AIR POLLUTION (continued)

Pollutant	Main Source	Effect on Health	Minimum Standards	E
5. Nitrogen Oxides	High-temperature combustion in engines, furnaces	Increase susceptibility to influenza	0.05 parts/million as the annual mean	Aut nit 197 197
6. Photochemical-Oxidants	Sunlight on hydrocarbons and nitrogen oxides from engines, furnaces	a. Irritate eyes b. Increase asthma attacks	0.08 parts/million maximum 1 hr. concentration each year	New hel pro
<p>*NOTE: Environmental Protection Agency has prepared tough air quality standards based on public health values. States have until end of January to submit plans for meeting them. But final deadline for meeting standards is July 1, 1975.</p> <p style="text-align: right;">Above table taken from Environmental Protection Agency, 1971 EPA</p>				

WHAT, WHERE, WHY AND HOW OF AIR POLLUTION (continued)

Main Source	Effect on Health	Minimum Standards	EPA's Recommended Action
High-temperature combustion in engines, furnaces	Increase susceptibility to influenza	0.05 parts/million as the annual mean	Autos must start reducing nitrogen oxide emission by 1973; reducing to 90% by 1976
Ultraviolet light on hydrocarbons and nitrogen oxides from engines, furnaces	a. Irritate eyes b. Increase asthma attacks	0.08 parts/million maximum 1 hr. concentration each year	New Auto Standards will help; change industrial processes
<p>Environmental Protection Agency has prepared tough air quality standards, based on public health values. States have until end of January 1972 to submit plans for meeting them. But final deadline for meeting all standards is July 1, 1975.</p> <p>Above table taken from: National Wildlife Federation, 1971 EQ Index , pg. 6</p>			

ESEA Title III -59-70-0135-2 Project I-C-E

C O N C E P T	6. <u>Natural resources are not equally distributed over the earth or over time and greatly affect the geographic conditions and quality of life.</u>	Discipline Area <u>Mathematics</u> Subject <u>Measurement and Basic</u> Problem Orientation <u>Supply and Demand of Water</u>
---------------------------------	---	---

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The student will calculate the nations' average electrical needs and estimate the average cost per month, per year.</p> <p><u>Affective:</u> The student will see the significance of water control for man's survival in his environment.</p>	<p>I. Student-Centered in class Activity</p> <p>A. Worksheet: Cost of Electricity (see attached sheet)</p> <p>B. The follow-up (of worksheet) will be the amount of water needed to handle the given amounts of electricity and is there a supply of H₂O to avoid black-outs, restricted use of appliances, etc.</p>	<p>II. Outside Community</p> <p>A. The s their rise its c per p</p> <p>B. Is th resou their today years?</p>
<p><u>Skills to be Learned:</u></p> <p>Data gathering Finding averages Rounding numbers</p>	<p>C. Research and compute the total amount of electricity used by air conditioners during the summer compared to the amount used by electrical heaters during the winter.</p>	

es are not equally Discipline Area Mathematics
 asi he earth or over Subject Measurement and Basic Computation
 effect the Problem Orientation Supply and Grade 7
 ter Demand of Water
ons and quality of life.

SUGGESTED LEARNING EXPERIENCES

I. Student-Centered in class Activity

- A. Worksheet: Cost of Electricity (see attached sheet)
- B. The follow-up (of worksheet) will be the amount of water needed to handle the given amounts of electricity and is there a supply of H₂O to avoid black-outs, restricted use of appliances, etc.
- C. Research and compute the total amount of electricity used by air conditioners during the summer compared to the amount used by electrical heaters during the winter.

II. Outside Resource and Community Activities

- A. The students can study their own community, its rise of electricity and its cost per family and per person.
- B. Is there sufficient water resources to handle all their community's needs today? next year? Ten years?

Resource and Reference Materials	Continued and Additional Suggested Learning
<p><u>Publications:</u></p> <p>Overman, Michael, <u>Water: Solutions To A Problem Of Supply And Demand</u>, Doubleday Science Series, 628.1, 1969, paperback \$2.45</p> <p>Helfman, Elizabeth, <u>Rivers and Watersheds in America's Future</u>, McKay, 1965, \$4.95 (333.72)</p> <p><u>Audio-Visual:</u></p> <p><u>Clean Waters</u>, (20 minutes), National Medical Audio-Visual Center Chamblee, Georgia 30005</p> <p><u>Problem with Water is People</u>, 30 minutes, color on request, Mc Graw-Hill Contemporary Films, 330 W. 42nd Street, N.Y., N.Y. 10018</p> <p><u>Community:</u></p> <p>Electric Power Company City Hall DNR</p>	

Materials	Continued and Additional Suggested Learning Experiences
<p>Solutions and Demand, 628.1,</p> <p>rs and Water- e, McKay,</p> <p>s), sual Center</p> <p>ople, 30 t, Mc Graw- 330 W. 10018</p>	

NUMBERS IN THE NEWS

Subject: Cost of Electricity

The Edison Electric Institute has released information regarding the cost of electricity for various home appliances. The cost does vary depending upon the area; however, the national average is about \$.021 per kilowatt hour. The information below is based on an average family and the \$.021 average cost per *kilowatt hour.

Appliance	Average Kilowatt Hours Used Per Year	AVG. annual Cost	AVG. cost Per Month
Hot Water Heater	4,219	\$88.60	\$7.38
Refrigerator-Freezer (14 cubic ft.-- frostless)	1,829	(A) 38.41	(B) 3.19/3.20
Electric Range	1,175	(C) 24.68	(D) 2.06
Clothes Dryer	993	(E) 20.85	(F) 1.74
Television Set Black and White Color	362 502	(G) 7.60 (I) 10.54	(H) .63 (J) .88
Dishwasher	363	(K) 7.62	(L) .64/.65
Iron	144	(M) 3.02	(N) .25
Coffee Maker	106	(O) 2.23	(P) .19
Automatic Washer	103	(Q) 2.16	(R) .18/.19
Radio	86	(S) 1.81	(T) .15
Vacuum Cleaner	48	(U) 1.01	(V) .08
Toaster	39	(W) .82	(X) .07/.06

*The term "kilowatt" is from the prefix "kilo" meaning thousand and the word "watt" which is a measurement of electrical power. A kilowatt then, is a thousand watts. A "kilowatt hour" is the amount of electricity used by one 100 watt bulb that burns for ten hours.

1. What are the totals for the following food equipment appliances?
(refrigerator, range, coffee maker, dishwasher, toaster)
Kilowatt hours: 3512 Cost per year: \$73.75 Cost per month \$6.15 or 6.16
2. What are the totals for the following cleaning equipment?
(clothes dryer, automatic washer, vacuum cleaner)
Kilowatt hours: 1144 Cost per year: \$24.02 Cost per month: \$2.00

(14 cubic ft.--

Kilowatt hours: 1144 Cost per year: \$24.02 Cost per month: \$2.00

(14 cubic ft.- frostless)	1,829	(A) <u>38.41</u>	(B) <u>3.19/3.20</u>
Electric Range	1,175	(C) <u>24.68</u>	(D) <u>2.06</u>
Clothes Dryer	993	(E) <u>20.85</u>	(F) <u>1.74</u>
Television Set			
Black and White	362	(G) <u>7.60</u>	(H) <u>.63</u>
Color	502	(I) <u>10.54</u>	(J) <u>.88</u>
Dishwasher	363	(K) <u>7.62</u>	(L) <u>.64/.65</u>
Iron	144	(M) <u>3.02</u>	(N) <u>.25</u>
Coffee Maker	106	(O) <u>2.23</u>	(P) <u>.19</u>
Automatic Washer	103	(Q) <u>2.16</u>	(R) <u>.18/.19</u>
Radio	86	(S) <u>1.81</u>	(T) <u>.15</u>
Vacuum Cleaner	48	(U) <u>1.01</u>	(V) <u>.08</u>
Toaster	39	(W) <u>.82</u>	(X) <u>.07/.06</u>

*The term "kilowatt" is from the prefix "kilo" meaning thousand and the word "watt" which is a measurement of electrical power. A kilowatt then, is a thousand watts. A "kilowatt hour" is the amount of electricity used by one 100 watt bulb that burns for ten hours.

COMPUTE TO NEAREST CENT

1. What are the totals for the following food equipment appliances? (refrigerator, range, coffee maker, dishwasher, toaster)
Kilowatt hours: 3512 Cost per year: \$73.75 Cost per month \$6.15 or 6.16
2. What are the totals for the following cleaning equipment? (clothes dryer, automatic washer, vacuum cleaner)
Kilowatt hours: 1144 Cost per year: \$24.02 Cost per month: \$2.00
3. How much more does it cost for electricity for a color T.V. set than a black and white set for one year? \$2.94
4. What would be the appliance portion of the electric bill for one month for a family with all appliances listed above? (Include one color T.V. set and no black and white T.V. set) \$16.82
5. What would the cost total to operate the following for six hours: four 150 watt bulbs, three 100 watt bulbs, one 60 watt bulb, and one 40 watt bulb? \$.126 or 12.6¢
6. What would be the electric light bill for one month (30 days) assuming the same amount of electric light usage per day as listed in problem #5. \$3.78

Copr. Christopher Lee Publications 1972 - P.O. Box 331 - Glencoe, Ill. 60022

C 7. Factors such as facilitating trans- Discipline Area Mathematics
 O portation, economic conditions, pop- Subject Graphs
 C ulation growth, and increased leisure Problem Orientation Population
 P time have a great influence on changes in land
 T use and centers of population density.

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The student will compare the growth of America over the last century by constructing and reading graphs.</p> <p><u>Affective:</u> The students will be alerted to the rapid growth of their nation, and its impact on food, housing and educational problems.</p>	<p>I. Student-Centered in class activity</p> <p>A. Use a bar graph to show the population growth (by 10 year periods) starting 1870 to present. The data for the graph may be obtained from the Bureau of Census, Blue Books, Encyclopedias, etc. Suggest assigning a student or groups of students to write for the information from the Bureau or most of the data should be obtainable from the community (school) library.</p> <p>B. Use a line graph to show the growth in wheat production (in bushels) over the same period of years.</p> <p>C. Use a pictorial graph to show the immigration of people within the U.S. in the last 30 years.</p> <p>D. Show by the use of a graph, (continued on reverse side)</p>	<p>II. Outside</p> <p>Commun</p> <p>A. Gra</p> <p>commun</p> <p>years</p> <p>B. Vis</p> <p>learn</p> <p>in you</p> <p>1. H</p> <p>area</p> <p>year</p> <p>2. H</p> <p>agri</p> <p>ily</p> <p>C. How</p> <p>affected</p> <p>D. Use</p> <p>teacher</p> <p>ource.</p> <p>E. Cont</p> <p>S) nati</p> <p>by inte</p> <p>in part</p>
<p><u>Skills to be learned:</u></p> <p>Types of graphs Graph Construction Locating Statistics</p>		

facilitating trans- Discipline Area Mathematics
 e conditions, pop- Subject Graphs
 on increased leisure Problem Orientation Population Growth Grade 7
 nfluence on changes in land
 population density.

OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p>tsid mmun y by con- Gr g graphs. ents will pid growth its ing and 1. B area year 2. B agri ily low ecte Use chen ce. ont nati ante part</p>	<p>I. Student-Centered in class activity</p> <p>A. Use a bar graph to show the population growth (by 10 year periods) starting 1870 to present. The data for the graph may be obtained from the Bureau of Census, Blue Books, Encyclopedias, etc. Suggest assigning a student or groups of students to write for the information from the Bureau or most of the data should be obtainable from the community (school) library.</p> <p>B. Use a line graph to show the growth in wheat production (in bushels) over the same period of years.</p> <p>C. Use a pictorial graph to show the immigration of people within the U.S. in the last 30 years.</p> <p>D. Show by the use of a graph, (continued on reverse side)</p>	<p>II. Outside Resource and Community Activities</p> <p>A. Graph the growth of your community in the last 100 years.</p> <p>B. Visit the ASC office to learn the agricultural trend in your own community.</p> <ol style="list-style-type: none"> 1. How many farms are in the area now? 5 years ago? 10 years ago? 100 years ago? 2. How much land is used for agriculture compared to family and commercial living? <p>C. How has the cost of education affected local taxes? (Graph)</p> <p>D. Use Social Studies or History teacher as an additional resource.</p> <p>E. Contrast the growth of the (U. S.) nation to your own community by interpretations of the graphs in parts I(A) and II(A).</p>

Resource and Reference Materials

Publications:

Bureau of Census (Reports)
Encyclopedias

*Pollution; Problems, Projects and
Mathematics Exercises (Grades 6-9)

Wisconsin Department of Public
Instruction, #0182, 126 Langden,
Madison, Wisconsin, Suggested:

Lesson 4, pg. 27

Lesson 5, pgs. 9-10

Lesson 8, pg. 13

Lesson 7, pg. 30

(comparison to another country
India)

*NOTE: Every school in the state
of Wisconsin was issued a copy of
this paper bound book.

Audio-Visual:

Community:

Library
City (Town) Clerk

Continued and Additional Suggested Learning

I. (continued)

the decrease in the number of people
in farming since 1940 —

E. How have the trends (A-D) affected the
systems ?

rnin
cials

Continued and Additional Suggested Learning Experiences

I. (continued)

the decrease in the number of people engaged
in farming since 1940

E. How have the trends (A-D) affected the educational
systems ?

people
and
ed t (6-9)
C
den,
:
ntry
cate
of

CONCEPT

g. Cultural, economic, social and political factors determine the status of man's values and attitudes toward his environment.

Discipline Area Mathematics
 Subject Basic Concepts
 Problem Orientation Pollution

ESEA Title III -59-70-013-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCE
<p><u>Cognitive:</u> The students will demonstrate the high cost of air and water pollution, as compared to the low cost for a community cleanup program, by solving simple problems.</p> <p><u>Affective:</u> The students will appreciate the fact that polluted air is not good for people, not necessary for progress, and that everyone has a right to breathe clean air.</p>	<p>I. Student-Centered in class activity</p> <p>A. Some people say that the cost to clean up our nations air and water will be too high. The National Wildlife Federation has studied the problem and provided these statistics:</p> <p>Air pollution damage in 1972 will amount to \$16.1 billion or an average of \$368 per family. Water pollution damage in 1972 will be \$12.8 billion or an average of \$213 per family. An air cleanup program would reduce annual air pollution damage to \$90 per family by 1976. A water cleanup program would reduce annual water pollution damage to \$21 per family by 1980. The annual cost of the air cleanup program would be \$65 per family and the water cleanup program would be \$105 per family. Compute the following:</p>
<p><u>Skills to be learned:</u></p> <p>An understanding of the term "net" in net annual savings</p> <p>Basic Subtraction and Addition</p> <p>Percent</p> <p>Average and Comparing Numbers</p>	<p>(continued on the reverse side)</p>

economic, social and _____ Discipline Area Mathematics
 Determine the status _____ Subject Basic Computation
 attitudes toward _____ Problem Orientation Pollution Costs Grade 7

OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p> II. Students will determine the cost of pollution, as well as the cost of cleanup. Students will understand that pollution is a problem for everyone and that we must clean up the air and water. III. Students will determine the annual cost of air and water pollution. IV. Students will determine the annual cost of air and water pollution. </p>	<p> I. Student-Centered in class activity A. Some people say that the cost to clean up our nation's air and water will be too high. The National Wildlife Federation has studied the problem and provided these statistics: Air pollution damage in 1972 will amount to \$16.1 billion or an average of \$368 per family. Water pollution damage in 1972 will be \$12.8 billion or an average of \$213 per family. An air cleanup program would reduce annual air pollution damage to \$90 per family by 1976. A water cleanup program would reduce annual water pollution damage to \$21 per family by 1980. The annual cost of the air cleanup program would be \$65 per family and the water cleanup program would be \$105 per family. Compute the following: (continued on the reverse side) </p>	<p> II. Outside Resource and Community Activities A. How would you classify your community's air and water? B. List the industries located in your community. Check those that you feel have taken steps to preserve clean air. What steps could be taken by the others to help clean up the air? C. How is the waste being cared for? Is it being discharged into the local waters? Is it being burned, thus polluting the air? D. What could you suggest to your local authorities to improve conditions in your community? E. Visit your local sewage (continued on next page). </p>

Resource and Reference Materials	Continued and Additional Suggested Learning Activities
<p><u>Publications:</u></p> <p><u>Hidden Savings From Cleaner America</u>, Audobon, March 1972, National Wildlife Federation</p> <p><u>Audio-Visual:</u></p> <p><u>Poisoned Air</u>, 50 minutes, Carousel Films, Inc., 1501 Broadway, N.Y., N.Y. 10035</p> <p>#0678 <u>Air Pollution</u>, color, 11 minutes, 1968, B.A.V.I.</p> <p><u>Community:</u></p> <p>Sanitation Engineer Director of Public Works</p>	<p>I. (continued)</p> <ol style="list-style-type: none"> 1. What is the water and air pollution in 1972? 2. What would be the savings in annual per family by 1976? 3. What would be the net annual savings in 1976? 4. What would be the net annual savings in 1980? 5. What would be the net annual savings by 1980? 6. What would be the annual cost of clean water? 7. How much would the amount of air and water per family (per year) be reduced by 1980? 8. What would be the annual (air and water) savings per family by 1980? 9. How much would be invested by the air and water cleanup program between 1975 and 1979 (four years)? 10. The National Wildlife Federation estimates that the amount computed in problem 9 can be recovered per year between 1975 and 1979. How much? 11. By what percentage is it estimated that air pollution damage can be reduced by 1980? <p>B. The Council on Environmental Quality estimates that air causes damage to human health that is \$1 billion yearly, damage to materials and vegetation that is \$1 billion yearly, lowering of property values that is \$1 billion yearly. What is the total cost?</p> <p>(continued on next page)</p>

Materials

Continued and Additional Suggested Learning Experiences

I. (continued)

1. What is the water and air pollution damage per family in 1972?
2. What would be the savings in annual air pollution damage per family by 1976?
3. What would be the net annual savings in air pollution by 1976?
4. What would be the net annual savings in air pollution by 1980?
5. What would be the net annual savings in water pollution by 1980?
6. What would be the annual cost of cleaning up the air and water?
7. How much would the amount of air and water pollution damage per family (per year) be reduced by 1980?
8. What would be the annual (air and water) pollution damage savings per family by 1980?
9. How much would be invested by the average family in an air and water cleanup program between now and 1975? (three years).
10. The National Wildlife Federation estimates, however, that the amount computed in problem 9 would be recovered between 1975 and 1979. (four years) How much money would be recovered per year between 1975 and 1979?
11. By what percentage is it estimated that the cost of air pollution damage can be reduced by 1976? Water pollution damage?

B. The Council on Environmental Quality reports that polluted air causes damage to human health that costs \$6 billion yearly, damage to materials and vegetation is \$4.9 billion yearly, lowering of property values is \$5.2 billion yearly. What is the total cost?

(continued on next page)

Continued and Additional Suggested Learning Experiences

I. (continued)

C. In a study of two communities, one with clean air and one with polluted air, the cost of maintaining the family home and personal cleanliness was \$84 more per year in the dirty air community. What would be the extra yearly cost in a dirty community for the families in your class?

II. (continued)

E. system and ask them to explain its waste disposal operations to you.

F. Library research

ESEA Title III - 59-70-0135-2 Project I-C-E

C O N C E P T	9. Man has the ability to manage,	Discipline Area	Mathematics
	manipulate, and change his	Subject	Percent
	environment.	Problem Orientation	Soil Erosio

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> Students will identify the advantages of strip-cropping and reforestation of hillsides.</p> <p><u>Affective:</u> Students, by observation, will locate areas in their community where soil conservation should be practiced.</p>	<p>I. Student-Centered in class Activity</p> <p>A. Experiment:</p> <ol style="list-style-type: none"> 1. Prepare an ordinary cookie sheet, one of cultivated soil and one of sod (each 7" high) 2. Weigh them. Then measure various amounts of water in jars to represent a hard rain and an easy rain. Pour over each. 3. Catch the run-off. 4. Figure the percent of soil in each catch basin and the amount of water lost. Weigh pans again. <p>B. The average depth of topsoil is 7 inches. An acre of topsoil of this depth weighs about 1,000 tons. Using the information provided in TABLE I on the reverse side, what percent of the soil was washed away where there were no trees?</p> <p>C. A field loses .5 ton of top-</p>	<p>II. Outside</p> <p>Community</p> <p>A. Invite explain soil and pollution</p> <p>B. Take a reforestation cropping.</p> <p>C. Locate needs to</p> <p>D. Visit Conservat</p> <p>E. Science Science,</p>
<p><u>Skills to be Learned:</u></p> <p>Measurement Percent</p>	<p>(continued on reverse side)</p>	

s ty to manage, Discipline Area Mathematics
 ge his Subject Percent
 sio Problem Orientation Soil Erosion Grade 7

ACTIVITIES	SUGGESTED LEARNING EXPERIENCES	
will ges of efores- by cate nity ion ing.	<p>I. Student-Centered in class Activity</p> <p>A. Experiment:</p> <ol style="list-style-type: none"> 1. Prepare an ordinary cookie sheet, one of cultivated soil and one of sod (each 7" high) 2. Weigh them. Then measure various amounts of water in jars to represent a hard rain and an easy rain. Pour over each. 3. Catch the run-off. 4. Figure the percent of soil in each catch basin and the amount of water lost. Weigh pans again. <p>B. The average depth of topsoil is 7 inches. An acre of topsoil of this depth weighs about 1,000 tons. Using the information provided in TABLE I on the reverse side, what percent of the soil was washed away where there were no trees?</p> <p>C. A field loses .5 ton of top- (continued on reverse side)</p>	<p>II. Outside Resource and Community Activities</p> <p>A. Invite a farmer in to explain how he is conserving soil and thus, preventing pollution to streams.</p> <p>B. Take a field trip to study reforestation and strip-cropping.</p> <p>C. Locate areas where erosion needs to be stopped.</p> <p>D. Visit by local County Soil Conservation Agent.</p> <p>E. Science Teacher (Physical Science, Geology)</p>

Resource and Reference Materials	Continued and Additional Suggested Le
----------------------------------	---------------------------------------

Publications:

Water Use: Principles and Guidelines for Planning and Management in Wisconsin, Soil Conservation Society of America, 1969, I-C-E RMC #140-SO

SCSA Conservogram, Soil Conservation Society of America, Winter 1970, I-C-E RMC, #VF

Audio-Visual:

Film # 7085, Soil Makers, \$6.50 1966, BAVI

Film # 0467, Conservation of Natural Resources, \$2, 1937, BAVI

Film # 5079, Conserving Soil Today, \$2.25, 1960, BAVI

Community:

County Agricultural Agent
Farmer
County Soil Agent

I. (continued)

C. soil planted to grass and 10 tons of corn. The loss in corn is how many planted to grass?

D. Land available per person in the fol

Italy	0.7 acres
England	0.3 acres
Sweden	1.5 acres
France	1.2 acres
Belgium	0.3 acres
United States	2.5 acres

Each amount is what percent of the 1 the U.S.

E. Explain why many people suffer from European and Asian lands?

TABLE I
27 Inch Rainfall

	Forested Land	Eroded Land
Water Runoff	1/2%	62%
Erosion	NONE	34 Tons of Topsoil per acre

I. (continued)

C. soil planted to grass and 10 tons of soil planted to corn. The loss in corn is how many times as much as planted to grass?

D. Land available per person in the following countries is:

Italy	0.7 acres
England	0.3 acres
Sweden	1.5 acres
France	1.2 acres
Belgium	0.3 acres
United States	2.5 acres

Each amount is what percent of the land available in the U.S.

E. Explain why many people suffer from malnutrition in European and Asian lands?

TABLE I
27 Inch Rainfall

	Forested Land	Eroded Land
Water Runoff	1/2%	62%
Erosion	NONE	34 Tons of Topsoil per acre

Soils and Guide-
and Management
Conservation
1969, I-C-E

Soil Conser-
America,
RMC, #VF

Makers, \$6.50

vation of
2, 1937, BAVI

ving Soil
BAVI

Agent

C O N C E P T	10. Short-term economic gains	Discipline Area	Mathemat
	may produce long-term	Subject	Area, Vol
	environmental losses.	Problem Orientation	Land

ESEA Title III - 59-70-1035-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCE	
<p><u>Cognitive:</u> By conducting measurement, the students will compute the amount of land (at school and home) covered by concrete, asphalt or gravel.</p> <p><u>Affective:</u> The students will become aware of the amount of land required to support modern man in contrast to the amount available for recreational needs.</p>	<p>I. Student-Centered in class Activity</p> <p>A. How much concrete, asphalt or gravel covers the lot where you live? (buildings, patio, driveway, etc.)</p> <ol style="list-style-type: none"> 1. Compute the area in square feet. 2. Compute the percent of area covered by concrete, asphalt, gravel for each of the class members' individual lots. 3. Determine the average for your class. <p>B. Based on the class average, what would be your prediction for the community?</p>	<p>II. Outside Community</p> <p>A. Use City E</p> <ol style="list-style-type: none"> 1. cor 2. (or de 3. ind 4. al an <p>B. Usi d:</p> <p>A, is enough its re mation adequa from t partme</p>
<p><u>Skills to be Learned:</u></p> <p>Area formulas Percent Averaging Map reading</p>		<p>res at dus 4. res ati (cont</p>

economic gains _____ Discipline Area Mathematics
 long-term _____ Subject Area, Volume, Ratio & Proportion
 losses. _____ Problem Orientation Land Use & Recreation Grade 7

OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
Distinguishing students' amount of (home) Use of the 1. ... 2. ... 3. ... 4. ... Use of the 1. ... 2. ... 3. ... 4. ...	<p>I. Student-Centered in class Activity</p> <p>A. How much concrete, asphalt or gravel covers the lot where you live? (buildings, patio, driveway, etc.)</p> <ol style="list-style-type: none"> 1. Compute the area in square feet. 2. Compute the percent of area covered by concrete, asphalt, gravel for each of the class members' individual lots. 3. Determine the average for your class. <p>B. Based on the class average, what would be your prediction for the community?</p>	<p>II. Outside Resource and Community Activities</p> <p>A. Use the city maps and the City Engineer (if available):</p> <ol style="list-style-type: none"> 1. To show the percent of concrete, asphalt or gravel covers for the community (or neighborhood). 2. Compare the amounts of industrial cover to recreational cover (sites) 3. Compare the amounts of residential cover to industrial cover. 4. Compare the amount of residential sites to recreational sites.
Use of the 1. ... 2. ... 3. ... 4. ...		<p>B. Using the figure from part A, is your community providing enough recreational space for its residents? (General information about the amount of adequate space may be obtained from the city Recreation Department).</p>

(continued on reverse side)

Publications:

Pollution: Problems, Projects
and Mathematics Exercises, #0182,
Wisconsin Department of Public
Instruction, Madison, Wisconsin

II. (continued)

C. Was the prediction of Part
with Part II?

Audio-Visual:

#3849 Expanding City, 15 minutes
University of Wisconsin, 1956
B.A.V.I.

#6429 Bulldozed America, 25
minutes, Carousel, 1965, B.A.V.I.

#250 Man at Bay, I-C-E RMC

Community:

City Engineer
City Recreation Department
City Clerk (to obtain accurate
maps of city)

II. (continued)

Projects
ses, #0182,
of Public
Wisconsin

C. Was the prediction of Part I, B conclusive
with Part II?

15 minutes
n, 1956

ca, 25
5, B.A.V.I.

-E RMC

ment
accurate

ESEA Title III - 59-70-0135-2 Project I-C-E

ii.
 C Individual acts, duplicated or compounded, Discipline Area Mathematics
 O produce significant environmental Subject Percent and G
 N alterations over time. Problem Orientation Forest Fir
 E
 P
 T

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> By using percent data supplied, the students will calculate what groups of people cause the most forest fires.</p> <p><u>Affective:</u> The students will become aware of the causes of forest fires and how much forest land is destroyed by forest fires.</p>	<p>I. Student-Centered in class Activity</p> <p>A. For data to answer the following questions, see TABLE I on the reverse side.</p> <ol style="list-style-type: none"> 1. What single group was most responsible for forest fires? 2. What single factor was least responsible for forest fires? 3. In which of the classes of people did the number of fires decrease from 1967 to 1968? 4. Compare the fires caused by the hunter in 1967 to 1968. <ol style="list-style-type: none"> a. Was it an increase or a decrease? b. The decrease is what percent of the original number? 5. The fires caused by the local resident is how (continued on reverse side) 	<p>II. Outside Res Community A</p> <p>A. Ask a For to the class</p> <ol style="list-style-type: none"> 1. The nu local ter 2. The ma their are 3. The ac fires is 4. The me fighting <p>B. County So or Agricultu</p>
<p><u>Skills to be Learned:</u></p> <p>Statistics Interpreting Data Circle Graphing Comparing Numbers</p>		

duplicated or compounded, Discipline Area Mathematics
 and G rant environmental Subject Percent and Graphing
 Fir time. Problem Orientation Fores. Fires Grade 7

OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
Resing percent ty A e students at groups For ne most lass e nu ter students of the e ma fires and are and is st fires. e ac is e me ing ned: y So ultu	I. Student-Centered in class Activity A. For data to answer the following questions, see TABLE I on the reverse side. 1. What single group was most responsible for forest fires? 2. What single factor was least responsible for forest fires? 3. In which of the classes of people did the number of fires decreased from 1967 to 1968? 4. Compare the fires caused by the hunter in 1967 to 1968. a. Was it an increase or a decrease? b. The decrease is what percent of the original number? 5. The fires caused by the local resident is how (continued on reverse side)	II. Outside Resource and Community Activities A. Ask a Forest Ranger to speak to the class. Questions: 1. The number of fires in the local territory is _____? 2. The main causes of fires in their area is _____? 3. The acreage lost due to fires is _____? 4. The methods used in fire fighting are _____? B. County Soil Conservationist or Agricultural Agent

Resource and Reference Materials

Publications:

1967-69 Biennial Report, Department of Natural Resources, State of Wisconsin

Audio-Visual:

Forest Conservation, 11 minutes, color, Encyclopedia Britannica Educational Corp., 425 North Michigan Avenue, Chicago, Illinois 60611

Wasted Woods, Association Films, 600 Grand Ave., Ridgefield, N.J. 07657

Community:

Forest Ranger
Conservation Department
County Forester

Continued and Additional Suggested Learning Activities

I. (continued)

5. many times greater than the fires transients (to the nearest tenth)

6. Construct a circle graph of the 1967 data showing those people responsible for forest fires. Include the non-man made forest fires.

TABLE I

NUMBER OF FIRES BY CLASS OF PEOPLE

Class of People	1967	
	No.	%
Local Resident	889	41.2
Transient	159	7.4
Berrypicker, etc.	8	0.4
Fisherman	22	1.0
Hunter	71	3.3
Work crew, etc.	44	2.0
Internal Combustion Engine	876	40.6
Miscellaneous	55	2.6
Non-man caused lightning	32	1.5

Research Materials

Continued and Additional Suggested Learning Experiences

Department of Education, State of

I. (continued)

5. many times greater than the fires caused by transients (to the nearest tenth)

6. Construct a circle graph of the 1968 data showing those people responsible for fires. Also include the non-man made forest fires.

TABLE I

NUMBER OF FIRES BY CLASS OF PEOPLE RESPONSIBLE

Class of People	1967		1968	
	No.	%	No.	%
Local Resident	889	41.2	1,199	50.7
Transient	159	7.4	185	7.8
Berrypicker, etc.	8	0.4	2	0.1
Fisherman	22	1.0	24	1.0
Hunter	71	3.3	42	1.8
Work crew, etc.	44	2.0	49	2.1
Internal Combustion Engine	876	40.6	759	32.1
Miscellaneous	55	2.6	84	3.6
Non-man caused lightning	32	1.5	19	0.8

minutes,
tannica Edu-
North Michigan
is 60611

on Films,
eld, N.J.

C O N C E P T	11. Individual acts, duplicated	Discipline Area	Mathematics
	or compounded, produce significant	Subject	Statistics
	environmental alterations over	Problem Orientation	Pollution
	time.		

ESEA Title III - 59 - 70-0135 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The student will interpret data through a questionnaire and survey to assess how "man" pollutes.</p> <p><u>Affective:</u> The student will recognize the need for anti-pollution programs</p>	<p>I. Student-Centered in class Activity</p> <p>A. Students should discuss whether they are polluters and then fill out the attached questionnaire, "Am I A Polluter?"</p> <p>B. Tabulate the results of the questionnaire and discuss what they as individuals and as a class can do to prevent pollution.</p>	<p>II. Outside Community</p> <p>A. Community survey or make people their own compliances,</p> <p>B. School Find out per square grounds, this be Council Anti-Poll tabulate before an</p> <p>C. Chart in school</p>
<p><u>Skills to be Learned:</u></p> <p>Predicting Taking Information Supplying Data Graphing</p>		

s, duplicated Discipline Area Mathematics
 produce significant Subject Statistics
 ion alterations over Problem Orientation Pollution Grade 7

ES	SUGGESTED LEARNING EXPERIENCES	
<p> ide nt will unit gh a rvey to mmun ites. y or peop own ent will ces, or anti- </p>	<p> I. Student-Centered in class Activity A. Students should discuss whether they are polluters and then fill out the attached questionnaire, "Am I A Polluter?" B. Tabulate the results of the questionnaire and discuss what they as individuals and as a class can do to prevent pollution. </p>	<p> II. Outside Resource and Community Activities A. Community (neighborhood) survey on "Am I a Polluter?" Make people more aware of their own over-use of appliances, etc. B. School project: Find out the amount of pollution per square yard on the playgrounds, halls, etc. How can this be corrected? Student Council may want to have an Anti-Pollution Day or Week and tabulate the results - a before and after program. </p>
<p> hool out quar ds, be o il n Poll ate e ar art hool </p>		<p> C. Chart and publish results in school newspaper, etc. </p>

Resource and Reference Materials

Continued and Additional Suggested Learning

Publications:

Questionnaire - attached to lesson , "Am I A Polluter"

Audio-Visual:

Film # 7650, Junkdump, \$9, 1970, BAVI

Community:

Reference Materials	Continued and Additional Suggested Learning Experiences
---------------------	---

attached to
polluter"

ump, \$9,

AM I A POLLUTER ?

QUESTIONNAIRE

Many of us have become increasingly aware of the problems of pollution, but have we stopped to think about the extent to which each of us contributes to the destruction of our environment? This questionnaire is designed to help us determine how much we pollute. After we fill this in, perhaps we will be in a better position to stop pollution.

Answer the following questions by circling either yes or no.
Yes No 1. I always throw paper away in trash barrels, pick up my camp site and picnic grounds.

Yes No 2. I ask my parents to buy returnable bottles and soaps low in phosphate.

Yes No 3. I own nothing which requires the use of electricity.

Yes No 4. I walk or bike to school and other places as much as possible.

Yes No 5. I buy goods in returnable containers and in cardboard boxes rather than in plastic containers when I have the choice.

Yes No 6. I turn the lights off when I am not using them.

Yes No 7. I have bothered to learn about the problems of pollution and will try to help solve them in my community and in my country.

CHECK THE FOLLOWING IF IT APPLIES TO YOUR FAMILY:

In order to cut down on air pollution and avoid draining the world of non-renewable resources such as coal, we will have to change some of our habits. Before we can do this we need to know to what extent we actually demand the use of gas and electricity. Some of these are essentials, some aren't. Check all the ones your family has; then begin to consider what you can give up.

- _____ vacuum cleaner _____ electric heater _____ electric can opener
- _____ hair dryer _____ electric type- _____ dishwasher
- _____ electric toothbrush _____ writer (why not a portable) _____ stove
- _____ (is this really necessary) _____ dehumidifier _____
- _____ washing machine _____ toaster _____ refrigerator

_____ driver _____ electric fan _____ alarm clock

in phosphate.

in phosphate.

Yes No 3. I own nothing which requires the use of electricity.

Yes No 4. I walk or bike to school and other places as much as possible.

Yes No 5. I buy goods in returnable containers and in cardboard boxes rather than in plastic containers when I have the choice.

Yes No 6. I turn the lights off when I am not using them.

Yes No 7. I have bothered to learn about the problems of pollution and will try to help solve them in my community and in my country.

CHECK THE FOLLOWING IF IT APPLIES TO YOUR FAMILY:

In order to cut down on air pollution and avoid draining the world of non-renewable resources such as coal, we will have to change some of our habits. Before we can do this we need to know to what extent we actually demand the use of gas and electricity. Some of these are essentials, some aren't. Check all the ones your family has; then begin to consider what you can give up.

_____ vacuum cleaner _____ electric heater _____ electric can
_____ hair dryer _____ electric type- _____ opener
_____ electric toothbrush _____ writer (why not a portable) _____ dishwasher
(is this really necessary) _____ dehumidifier _____ stove
_____ washing machine _____ toaster _____ refrigerator
_____ dryer _____ electric fry pan _____ alarm clock
_____ fan _____ blender (hand razors give closer shave)
_____ air conditioner _____ garbage disposal _____ tape recorder
(how many days is it unbearably hot) _____ (non-portable)
_____ television _____ electric knife _____ record player
_____ (really?) _____ (non-portable)
_____ radio (non-portable) _____ (continued on reverse side)

QUESTIONNAIRE
(continued)

AM I A POLLUTER?

IN ORDER TO FURTHER CUT DOWN ON AIR AND OTHER POLLUTION, MY FAMILY:

- Yes No 1. Rides bikes or walks instead of riding in cars.
Yes No 2. Has only one car.
Yes No 3. Has no snowmobiles.
Yes No 4. Has no motor boats.
Yes No 5. Never burns leaves or garbage.
Yes No 6. Recycles newspapers rather than throwing them out.
Yes No 7. Uses Trend or Fab soap which are low in phosphates.

Now that you have filled this out, rate yourself; I am

_____ CLEAN (a non-polluter). If you and your family answered all the questions with a yes and checked only 4 of the appliances.

_____ GRAY (a partial polluter) If you and your family answered 7 or more questions yes and checked no more than 10 appliances.

_____ DIRTY (a polluter). If you and your family answered 8 or more questions no and checked over 10 appliances.

THINK ABOUT IT AND HELP SAVE OUR ENVIRONMENT

C 12. Private Ownership must be Discipline Area Mathemati
 O regarded as a stewardship and should Subject Problem S
 N not encroach upon or violate the Problem Orientation Fores
 C individual rights of others.

ESEA Title III -59-70-0135-2 Project I-C-E

BEHAVIOIAL OBJECTIVES	SUGGESTED LEARNING EXPER	
<p><u>Ccgnitive:</u> The student will first estimate and then find exact answers to problems concerning forestry operations and the preservation of our trees.</p> <p><u>Affective:</u> The students will be more appreciative of the beauty and value of a living tree.</p>	<p>I. Student-Centered in class activity</p> <p>A. In the following problems, first round off and estimate the answer; then find the exact answer.</p> <p>1. A forest fire that was discovered at 3:55 p.m. on Tuesday was brought under control at 4:30 a.m. on Thursday. How many hours was the fire out of control?</p> <p>2. In a recent year, 7,283 forest fires west of the Rockies caused losses averaging \$1,425 per fire. What was the total loss?</p> <p>3. In the U.S. there are 151 national forests totaling 181,255,449 acres. Find the average number of acres per national forest.</p> <p>4. Mr. Hill hired boys to set out seedlings on 37 acres of worn out pasture land. He needed 1050 seedlings (continued on reverse)</p>	<p>II.</p>
<p><u>Skills to be Learned:</u></p> <p>Rounding off Numbers Estimation Basic Computation Percent</p>		

Ownership must be _____ Discipline Area Mathematics
 a stewardship and should _____ Subject Problem Solving & Estimating
 upon or violate the _____ Problem Orientation Forestry Grade 7
 rights of others. _____

PERSONAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
II. The student will e and then find to problems restry operations rvation of our he students will ciative of the lue of a living	I. Student-Centered in class activity A. In the following problems, first round off and estimate the answer; then find the exact answer. 1. A forest fire that was discovered at 3:55 p.m. on Tuesday was brought under control at 4:30 a.m. on Thursday. How many hours was the fire out of control? 2. In a recent year, 7,283 forest fires west of the Rockies caused losses averaging \$1,435 per fire. What was the total loss? 3. In the U.S. there are 151 national forests totaling 181,255,449 acres. Find the average number of acres per national forest. 4. Mr. Hill hired boys to set out seedlings on 37 acres of worn out pasture land. He needed 1050 seedlings (continued on reverse)	II. Outside Resource and Community Activities A. Visit a tree farm or local Nursery. B. 1. Observe the method of tree planting used and the types of trees planted. 2. Determine how long it takes for a tree to reach maturity. 3. What care is required to have a successful tree farm. C. Have a forester speak to the class on forestry practices.
Learned: Numbers tion		

Resource and Reference Materials	Continued and Additional Suggested Learning
<p><u>Publications:</u></p> <p>U.S. Forest Products Lab, Madison, Wisconsin</p> <p>U.S. Forest Service</p> <p><u>Audio-Vidual:</u></p> <p>Film #5251 - <u>Biology: Tropical Rain Forest</u>, \$7.25, B.A.V.I., 1961</p> <p>Film #5250 - <u>Temperate Deciduous Forest</u>, \$7.25, B.A.V.I., 1962</p> <p>Film #4804- <u>Biology: Coniferous Forest Biome</u>, \$6.75, B.A.V.I., 1969</p> <p>Film # 3313 - <u>Life in the Forest, North America</u>, \$3.50, B.A.V.I., 1955</p> <p><u>Community:</u></p> <p>U.S. Forester</p>	<p>I. (continued)</p> <p>4. per acre. How many did he need in</p> <p>5. Mr. Hill owned 200 acres of timberl offered \$2,850 for all the trees on it he thinned his woods with a forester's \$5,925 worth of trees for lumber and \$ for firewood. How much more did he ma his woods. Why was thinning also an ad land?</p> <p>6. A man bought 42 acres of worn out fa an acre. By using wise conservation p improved the land so much, that in 10 y valued at \$5,450. How much had the la value in the 10 years? What percent ha his investment?</p>

Learning Materials	Continued and Additional Suggested Learning Experiences
<p>in Lab,</p> <p>erl</p> <p>it</p> <p>er's</p> <p>nd \$</p> <p>e ma</p> <p>n ac</p> <p>t fa: <u>Tropical</u></p> <p>on pr <u>B.A.V.I., 1961</u></p> <p>0 ye</p> <p>lari <u>ate Deciduous</u></p> <p>t ha <u>.I., 1962</u></p> <p><u>Coniferous</u></p> <p><u>B.A.V.I.,</u></p> <p>n the Forest,</p> <p>, <u>B.A.V.I.,</u></p>	<p>I. (continued)</p> <p>4. per acre. How many did he need in all?</p> <p>5. Mr. Hill owned 200 acres of timberland. He was offered \$2,850 for all the trees on it. Instead, he thinned his woods with a forester's help. He sold \$5,925 worth of trees for lumber and \$4,212 worth for firewood. How much more did he make by thinning his woods. Why was thinning also an advantage for his land?</p> <p>6. A man bought 42 acres of worn out farm land for \$15 an acre. By using wise conservation practices, he improved the land so much, that in 10 years, it was valued at \$5,450. How much had the land increased in value in the 10 years? What percent had he gained on his investment?</p>

PROJECT I-C-E Episode Evaluation Form (Reproduce or duplicate as needed)

Please fill in:
 Subject: _____
 Grade: _____
 Concept No. Used: _____

In commenting on each episode used in your class form. Feel free to adapt it and add more pages. In your critiques and comments - negative and positive - in the right hand column, please rate (poor, good, excellent) and make specific comments or suggestions if possible. This is provided to help us make this a more usable guide.

Poor	Good	Exc.	
			I. Behavioral Objectives A. Cognitive:
			B. Affective:
			II. Skills Developed
			III. Suggested Learning Experiences A. In Class:
			B. Outside & Community Activities:
			IV. Suggested Resource & Reference Materials (specific suggestions & comments)

Serving Schools

PROJECT I-C-E Episode Evaluation Form (Reproduce or duplicate as needed)

In commenting on each episode used in your class, please use this form. Feel free to adapt it and add more pages. Let us know all your critiques and comments - negative and positive. In the left-hand column, please rate (poor, good, excellent) each item. Also, make specific comments or suggestions if possible in the space provided to help us make this a more usable guide. Thank you.

I. Behavioral Objectives

A. Cognitive:

B. Affective:

II. Skills Developed

III. Suggested Learning Experiences

A. In Class:

B. Outside & Community Activities:

IV. Suggested Resource & Reference Materials
(specific suggestions & comments)

Project I-C-E
Serving Schools in CESA 3-8-9
1927 Main Street
Green Bay, WI 54301

Project I - C - E

INSTRUCTION - CURRICULUM - ENVIRONMENT

ED 079158

U.S. DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION
THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

A SUPPLEMENTARY PROGRAM FOR ENVIRONMENTAL EDUCATION

DISCIPLINE AREA Mathematics GRADE 8

Produced under Title III E.S.E.A.
PROJECT I-C-E
Serving Schools in CESA 3-8-9
1927 Main Street
Green Bay, Wisconsin 54301
(414) 432-4338
(after Dec. 1, 1972 - 468-7464)

Robert Warpinski, Director
Robert Keilner, Asst. Director
George Howlett, EE Specialist

PREFACE

"Oikos" for house is the Greek origin of the term "ecology". Environmental education studies our house--whatever or wherever it may be. Like an umbrella, our house can expand or contract to fit many ranges--natural and man-made. We can add quality to our environments, our many "houses" if we omit rancor and cite long range gains, costs, and complexities. Our "oikos" uses the insights of all subjects. Thus, a rational, positive, multidisciplinary program like ours necessarily results. Also, since attitudes grow over a long time, our program ranges K thru 12. The environment mirrors our attitudes or values. These values have their origin in the "oikos" of our collective and individual minds. Let us become masters of our house by replacing the Greek adage of 'Know thyself' with "Know thyself and thine house."

1. Written and designed by your fellow teachers, this guide is supplementary in nature--to fit appropriately into existing, logical course content.
2. Each page or episode offers suggestions. Knowing your students best, you decide what to adapt or adopt. Limitless chances are here for your experimentation and usage. Many episodes are self contained, some open-minded, still others can be changed or developed over a few days.
3. Try these episodes, but please pre-plan. Why? Simply, no guide has all the answers, and no curriculum will work unless viewed in the context of your students.
4. React to this guide with scratch ideas and notes on the episode pages.
5. After using an episode, fill out the attached evaluation form in the back. Use, duplicate, or request more of these forms. Send them singly or collectively to us. We sincerely want your reactions or suggestions--negative and positive. Your evaluations are the key in telling us "what works" and in aiding our revisions of the guides.

TERMS AND ABBREVIATIONS

ICE RMC is Project ICE Resource Materials Center serving all public and non-public school districts in CESA 3, 8, and 9. Check the Project ICE Bibliography of available resources. Our address and phone number is on this guide's cover. Feel free to write or call us for any materials or help.

BAVI is Bureau of Audio Visual Instruction, 1327 University Avenue, P. O. Box 2093, Madison, Wisconsin 53701 (Phone: 608-262-1644).

Cognitive means a measurable mental skill, ability, or process based on factual data. Affective refers to student attitudes, values, and feelings.

ACKNOWLEDGEMENTS: The following teachers and consultants participated in the
of the Supplementary Environmental Education Guides:

CESA #3

D. C. Aderhold, Bonduel
John Anderson, Peshtigo
Walter Anderson, Wausaukee
Bonnie Beamer, Coleman
Merlyn Blonde, Shawano
R. A. Dirks, Gillett
Dennis Dobrzanski, White Lake
LeRoy Gerl, Oconto
Karen Grunwald, St. James (L)
William Harper, Lena
Sister Claudette, St. Charles
Ervin Kunesh, Marinette
Kathleen LeBreck, Oconto
P. E. Lewicki, Gillett
Dorothy C'Brien, Wausaukee
Terry Otto, St. John (L)
Arthur Paulson, Oconto Falls
Marie Prochaska, Lena
Christine Proctor, Wausaukee
Arthur Schelk, Suring
Peter Sknoch, Oconto Falls
David Soltesz, Crivitz
Bill Stillion, Shawano
Cathy Warnack, White Lake

Consultants

CESA #3

Dr. Richard Presnell,
Univ. of Wisc.-Greer Bay

CESA #8

Dr. James Marks,
Lawrence University

CESA #9

Dr. Charles Peterson,
St. Norbert College

CESA #8

Mary Anders, Winneconne
Robert Becker, Fox Valley (L)
Mary Chriss, Hortonville
Cliff Christensen, Winneconne
Kenneth Couillard, Hortonville
Raymond Emerich, Hortonville
Mike Ercegovac, Winneconne
Dona Geeding, Menasha
Donald Hale, Winneconne
James Huss, Freedom
Sister Lois Jonet, Holy Angels
Kenneth Kappell, St. Aloysius
Kenneth Kellner, Appleton
Everett Klinzing, New London
Fred Krueger, Oshkosh
Jim Krueger, Winneconne
Mae Rose LaPointe, St. John High
Rosemarie Lauer, Hortonville
Robert Lee, Neenah
Harold Lindhorst, St. Martin (L)
Dennis Lord, Little Wolf
Robert Meyer, Neenah
Arnold Neuzil, Shiocton
James Nuthals, Lourdes
Connie Peterson, St. Martin (L)
Rosemary Rafath, Clintonville
Mark Reddel, St. Martin (L)
Gladys Roland, Little Wolf
Kathryn Rowe, Appleton
Mary Margaret Sauer, Menasha
Edwin Schaefer, Kaukauna
Lee Smoll, Little Chute
Doris Stehr, Mt. Calvary (L)
Ginger Stuvetraa, Oshkosh
Richard Switzer, Little Chute
Tim Van Susteren, Holy Name
Lila Wertsch, St. Margaret Mary
Warren Wolf, Kimberly
Gely Farrell, Menasha

Peter Biolo
Lee Clasen
Kathryn Col
Merle Colbu
Sara Curtis
Duane DeLo
Roberta Dix
Janet Eling
Phyllis Ell
Keith Fawce
Jack Giachi
Mike Gleffe
Herbert Har
Gary Heil,
Nannette Ho
Joseph Huce
Catherine H
DeAnna John
Kris Karpin
Mel Kasen,
Jack Koivis
Sister Mary
Ellen Lotz,
Judilyn McG
Priscilla M
C. L. Paque
William Rob
Roger Rozno
Jan Serrahn
Calvin Sieg
Mary Smith,
Carol Trimbo
Mary Wadzins

The following teachers and consultants participated in the development of the Supplementary Environmental Education Guides:

CESA #8

Mary Anders, Winneconne
 Robert Becker, Fox Valley (L)
 Mary Chriss, Hortonville
 Cliff Christensen, Winneconne
 Kenneth Couillard, Hortonville
 Raymond Emerich, Hortonville
 Mike Ercegovac, Winneconne
 Dona Geeding, Menasha
 Donald Hale, Winneconne
 James Huss, Freedom
 Sister Lois Jonet, Holy Angels
 Kenneth Kappell, St. Aloysius
 Kenneth Keliher, Appleton
 Everett Klinzing, New London
 Fred Krueger, Cshkosh
 Jim Krueger, Winneconne
 Mae Rose LaPointe, St. John High
 Rosemarie Lauer, Hortonville
 Robert Lee, Neenah
 Harold Lindhorst, St. Martin (L)
 Dennis Lord, Little Wolf
 Robert Meyer, Neenah
 Arnold Neuzil, Shiocton
 James Nuthals, Lourdes
 Connie Peterson, St. Martin (L)
 Rosemary Rafath, Clintonville
 Mark Reddel, St. Martin (L)
 Gladys Roland, Little Wolf
 Kathryn Rowe, Appleton
 Mary Margaret Sauer, Menasha
 Edwin Schaefer, Kaukauna
 Lee Smoll, Little Chute
 Doris Stehr, Mt. Calvary (L)
 Ginger Stuvetraa, Cshkosh
 Richard Switzer, Little Chute
 Tim Van Susteren, Holy Name
 Lila Wertsch, St. Margaret Mary
 Warren Wolf, Kimberly
 Gery Farrell, Menasha

CESA #9

Peter Biolo, West DePere
 Lee Clasen, Lux.-Casco
 Kathryn Colburn, Algoma
 Merle Colburn, Algoma
 Sara Curtis, Green Bay
 Duane DeLorme, Green Bay
 Roberta Dix, St. Joseph Acad.
 Janet Elinger, Ashwaubenon
 Phyllis Ellefson, Wash. Isle.
 Keith Fawcett, West DePere
 Jack Giachino, Seymour
 Mike Gleffe, St. Matthews
 Herbert Hardt, Gibraltar
 Gary Heil, Denmark
 Nannette Hoppe, How.-Suam.
 Joseph Hucek, Pulaski
 Catherine Huppert, DePere
 DeAnna Johnson, Denmark
 Kris Karpinen, West DePere
 Mel Kasen, Gibraltar
 Jack Koivisto, Green Bay
 Sister Mary Alyce, Cathedral
 Ellen Lotz, West DePere
 Judilyn McGowan, Green Bay
 Priscilla Mereness, Wrightstown
 C. L. Paquet, Denmark
 William Roberts, Sturgeon Bay
 Roger Roznowski, Southern Door
 Jan Serrahn, Sevastopol
 Calvin Siegrist, How.-Suam.
 Mary Smith, Green Bay
 Carol Trimberger, Kewaunee
 Mary Wadzinski, How.-Suam.

C 1. Energy from the sun, the basic Discipline Area Math
 O source of all energy, is converted Subject Radius, dia
 N through plant photosynthesis into a Problem Orientation Energy
 C form all living things can use for life
 P processes

BEHAVIOR/L OBJECTIVES

Cognitive: Students will calculate by similar triangles that the sun is a very large mass of gases in the heavens.

Affective: The student will become alerted to the idea that the sun's energy received by the earth, although very small, is very necessary for all life to exist.

Skills to be Learned

1. Radius
2. Diameter
3. Area
4. Similarity of triangle
5. Ratio
6. Proportion

SUGGESTED LEARNING EXPERIENCES

I. Student-Centered in class activity

- A. Calculate the radius, diameter and area of the sun. (See attached sheet)
- B. Discuss in class the following ideas:
 1. Ask the students to suggest the percentage of sunlight that reaches the earth taking into consideration the distance the sun is from the earth and the size of the sun and the earth.
 2. Compare the suggested percentages of sunlight reaching the earth to the amount received as found in a scientific source.
 - a. Discuss how air pollution may affect the amount solar energy reaching the earth.
 - b. Have the students suggest ideas on increasing the use and amount of solar energy reaching the earth.

II. Outside

- Community
- A. Inform center obtain
 - B. Outside
 1. A b
 2. An


ESEA Title III - 59-70-0135-2 Project I-C-E

the sun, the basic _____ Discipline Area Math
 dia energy, is converted _____ Subject Radius, diameter and area
 ergy photosynthesis into a _____ Problem Orientation Energy Grade 8
 g things can use for life

ERIE
 ide nts will
 nity lar
 for e sun
 nter mass of
 tair vens.
 tsio
 A student
 cus ted to
 of e sun's
 var by the
 due very
 fil necessary
 pho exist.
 An
 po
 gro rned
 triangle

SUGGESTED LEARNING EXPERIENCES

- | I. Student-Centered in class activity | II. Outside Resource and Community Activities |
|--|--|
| <p>A. Calculate the radius, diameter and area of the sun. (See attached sheet)</p> <p>B. Discuss in class the following ideas:</p> <ol style="list-style-type: none"> 1. Ask the students to suggest the percentage of sunlight that reaches the earth taking into consideration the distance the sun is from the earth and the size of the sun and the earth. 2. Compare the suggested percentages of sunlight reaching the earth to the amount received as found in a scientific source. <ol style="list-style-type: none"> a. Discuss how air pollution may affect the amount solar energy reaching the earth. b. Have the students suggest ideas on increasing the use and amount of solar energy reaching the earth. | <p>A. Information for the student-centered activity can be obtained from the library.</p> <p>B. Outside speakers</p> <ol style="list-style-type: none"> 1. A biology teacher-a discussion about the process of photosynthesis. Relate various experiments conducted with different light filters on the process of photosynthesis. 2. An ecologist-relate the air pollution problem to plant growth and development. |

Resource and Reference Materials	Continued and Additional Suggested Learning Activities
<p><u>Publications:</u></p> <p>Books: 110 <u>Energy Sources</u>, I-C-E TH RMC <u>Wisconsin Survival Handbook</u>, Doug LaFollette and Peter Anderson, 1971</p> <p><u>Audio-Visual:</u></p> <p>Film #5553 - <u>Photosynthesis</u> (\$8.75) BAVI, 1963</p> <p>Film #6753 - <u>Green Plants and Sun- light</u> (\$4.00), BAVI, 1966</p> <p>Film #4170-4171 - <u>Our Mr. Sun</u> (\$4.00) BAVI, 1956</p> <p>Film #6949 - <u>Sun's Energy</u> (\$5.00), BAVI, 1963</p> <p><u>Community:</u> Library Biology teacher An ecologist</p>	<p>A. Calculating the Radius and Diameter of the Sun</p> <p>1. Draw two parallel lines, one inch apart, on a piece of white cardboard and fold. (See figure 1)</p>  <p>FIG. 1</p> <p>2. Select a room facing the sun. Get the cardboard as close to the window as possible by pulling the shades or drawing the shades down as much as possible. Place a pinhole in the cardboard. (See figure 2)</p>  <p>FIG. 2</p>

Materials
 of
 ap
 figure
 I-C-E
 ival Hand-
 ollette
 Two
 One
 rson, 1971
 is (\$8.75)
 and Sun-
 66
 Sun (\$4.00)
 (\$5.00),

Continued and Additional Suggested Learning Experiences

A. Calculating the Radius and Diameter of the Sun
 1. Draw two parallel lines, one inch apart on a piece of white cardboard and fold. (See figure 1)




FIG. 1

2. Select a room facing the sun. Get the room as dark as possible by pulling the shades or drapes. Allow a small amount of sunlight through a pinhole which is made in a piece of cardboard. Place in the window. (See figure 2)




FIG. 2

Continued and Additional Suggested Learning Activities

4. cont. $\therefore \frac{AB}{A'B'} = \frac{BC}{B'C'} = \frac{AC}{A'C'}$

By using the idea of ratios and proportion, the sides \overline{AC} and \overline{BC} can be calculated.

5. By using this knowledge we can construct two triangles based on the information gathered in the room with the image of the sun.




FIG. 4

By referring to the above figure, we can form our imaginary triangle by using one figure shown.




FIG. 5

Using a proportion, we can calculate the radius of the sun

$$\frac{\text{Radius of the sun}}{93,000,000 \text{ miles}} = \frac{\text{Radius of the circle } (\frac{1}{2} \text{ in.})}{\text{Measured distance from window to image}}$$

Suggested Learning Activities

$$\frac{D}{C} = \frac{AC}{A'C'}$$

ratios and proportion, the sides \overline{AC} and \overline{BC} can be calculated.

we can construct two triangles based on the information gathered in the of the sun.




FIG. 4

above figure, we can form our imaginary triangler by using one half of the





FIG. 5

can calculate the radius of the sun


$$= \frac{\text{Radius of the circle } (\frac{1}{2} \text{ in.})}{\text{Measured distance from window to image}}$$

Continued and Additional Suggested Learning Experiences

3. Set up the cardboard in figure 1 so that the sunlight coming through the pinhole on it. A small image of the sun will appear on the cardboard. Adjust the cardboard so that the sunlight is found between the one inch lines. The image of the sun is one inch in diameter. Now measure the distance from the image of the sun to the pinhole on the cardboard as possible. (See figure 3)



4. Review the idea of similarity in right triangle from known side which may correspond to sides.



Definition of similarity:

- Point A corresponds to point A'
- Point B corresponds to point B'
- Point C corresponds to point C'
- Side AB corresponds to side A'B'
- Side BC corresponds to side B'C'
- Side AC corresponds to side A'C'

(cont.)

Suggested Learning Experiences

figure 1 so that the sunlight coming through the pinhole falls directly of the sun will appear on the cardboard. Adjust the cardboard so that the between the one inch lines. The image of the sun is one inch in diameter. distance from the image of the sun to the pinhole on the cardboard as accurately (figure 3)






FIG. 3

ilarity in right triangle from known side which may correspond to unknown



- ty:
- to point A'
 - to point B'
 - to point C'
 - to side A'B'
 - to side B'C'
 - to side A'C'

(cont.)

C 2. All living organisms interact among Discipline Area Math
 O themselves and their environment, Subject Graphing - ma
 C forming an intricate unit called Problem Orientation Land use
 P an ecosystem.
 T

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES

Cognitive: The student will construct a cover map of a 40 acre plot showing the various terrain.

Affective: The student will suggest through examples the balance of nature is a delicate system which may be changed and affected easily by man.

Skills to be Learned

1. Map reading
2. Scale drawing
3. Compass reading

SUGGESTED LEARNING EXPERIENCES

- | <u>I. Student-Centered in class activity</u> | <u>II. Outside Reso</u> |
|---|---|
| <p>A. Review the use of scales in map reading. Then determine the scale to be used in constructing a cover map.</p> <ol style="list-style-type: none"> 1. Use the metric system relief maps found in the classroom to show that various scales may be used on different maps. 2. Use the plot map and aerial photographs in the classroom for understanding of scale drawing. <p>B. After the field trip is completed, each group will construct a cover map for the area. (Suggested that a 40 acre plot will be sufficient)</p> | <p>Community Act</p> <p>A. Obtain the photo from house for</p> <p>B. Contact the Natural Re map example made through</p> <p>C. Conduct a 40 acres of</p> <ol style="list-style-type: none"> 1. Measure scale (2. Measure scale (|

all living organisms interact among themselves and their environment,
 using an intricate unit called ecosystem.

Discipline Area Math
 Subject Graphing - map construction
 Problem Orientation Land use Grade 8

GENERAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p> Resource: The student Act: Construct a cover the 40 acre plot from the various for the various t the l Resource: The student ampl: Understand hrou: the balance of t a delicate es of which may be sure and affected le (by man. sure le (</p>	<p>I. Student-Centered in class activity</p> <p>A. Review the use of scales in map reading. Then determine the scale to be used in constructing a cover map.</p> <ol style="list-style-type: none"> 1. Use the metric system relief maps found in the classroom to show that various scales may be used on different maps. 2. Use the plot map and aerial photographs in the classroom for understanding of scale drawing. <p>B. After the field trip is completed, each group will construct a cover map for the area. (Suggested that a 40 acre plot will be sufficient)</p>	<p>II. Outside Resource and Community Activities</p> <ol style="list-style-type: none"> A. Obtain the plot map and aerial photo from the county court house for use in the classroom. B. Contact the Department of Natural Resources for cover map examples which they have made through surveys. C. Conduct a field trip through 40 acres of land. <ol style="list-style-type: none"> 1. Measure fields and draw to scale (meters). 2. Measure hills and draw to scale (meters).
<p> to be Learned reading drawing ss reading </p>		

Resource and Reference Materials

Publications:

- Klausner, Samuel, 1971. On Man in His Environment
Subarsky, Azc Hariah, 1969. Living Things in Field and Classroom
Urban Systems, Inc., 1970. Ecology's The Game of Man and Nature

Audio-Visual:

Movie:

- #210 Nature's Half Acre, color, 16 mm., Project I-C-E RMC
#200 One Day at Teton Marsh (2 parts) color, 16 mm., Project I-C-E RMC
#2359 This Vital Earth, 10 min., color, \$3.50, BAVI

Community:

1. County seat or court house
2. DNR

Continued and Additional Suggested Learning

Learning Materials	Continued and Additional Suggested Learning Experiences
<p>1. <u>On Man in</u> 1969. <u>Living</u> <u>Classroom</u> 1970. <u>Ecology's</u> <u>ature</u></p> <p>re color, I-C-E RMC Marsh (2 parts) Project I-C-E</p> <p>n, 10 min., AVI</p> <p>t house</p>	

C 3. Environmental factors are limiting Discipline Area Mathematics
 O on the numbers of organisms living Subject Average and Percent
 N within their influence, thus, each Problem Orientation Disease
 C environment has a carrying capacity.

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> Given information on corn blight, the student will compute averages and percents to show the effect of corn blight on the U.S. corn crop.</p> <p><u>Affective:</u> The students will recognize the fact that certain environmental factors (such as disease) limit the amount of certain agricultural crops a farmer can produce.</p>	<p>I. Student-Centered in class activity</p> <p>A. Class discussion pertaining to the given worksheet on corn crops. Have the students set up & work the problems from the worksheet on the board.</p> <p>B. Having discussed the worksheet, combine the information obtained from the sheet & the 2 outside activities. What conclusions can the student draw from this information?</p> <p>C. Students that have completed library research on the history of corn blight, will consolidate their findings and present an oral report to the class. Findings should include such mathematical ideas as:</p> <ol style="list-style-type: none"> 1. Percent of corn affected in an area. 2. Number of counties affected. 3. Comparison of affect in the last couple of years. <p><u>Note: Worksheet on reverse side.</u></p>	<p>II. Outside Research</p> <p>Community</p> <p>A. Contact agricultural in regard to information on corn blight affected area.</p> <p>B. The student library past history effects blight.</p> <p>C. The student checked local area will have report finding reports post the bulletin</p>
<p><u>Skills to be Learned</u></p> <p>Averaging</p> <p>Finding Percents</p> <p>Computations involving percents</p>		

mental factors are limiting Discipline Area Mathematics

bers of organisms living Subject Average and Percent

ir influence, thus, each Problem Orientation Disease Grade 8

t has a carrying capacity.

OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
n information the student verages and w the effect on the U.S. students the fact vironmental (s disease) t of certain cps a farmer	I. Student-Centered in class activity A. Class discussion pertaining to the given worksheet on corn crops. Have the students set up & work the problems from the worksheet on the board. B. Having discussed the worksheet, combine the information obtained from the sheet & the 2 outside activities. What conclusions can the student draw from this information? C. Students that have completed library research on the history of corn blight, will consolidate their findings and present an oral report to the class. Findings should include such mathematical ideas as: 1. Percent of corn affected in an area. 2. Number of counties affected. 3. Comparison of affect in the last couple of years. <u>Note: Worksheet on reverse side.</u>	II. Outside Resource and Community Activities A. Contact the local agricultural agent in regard to obtaining information on how corn blight has affected the local area. B. The students will do library research on past history of the effects of corn blight. C. The students that have checked with their local agri. agent will hand in a written report on their findings. After the reports are checked, post them on a bulletin board.

Resource and Reference Materials

Publications:

Numbers In the News, Subject: The Threat to Our Corn Crop published by Christopher Lee Pub. P.O. Box 331 Glencoe, Il. 60022

Audio-Visual:

Food For a Modern World, #0704, BAVI, Color, 22 min.
Corn Farmer, 2nd Ed., Color, #5854, BAVI, 14 min.

Community:

Local library
Farm Bureau (county level)
State Dept. of Agriculture

Continued and Additional Suggested Learning

Numbers In The News Subject: The Threat

This summer, agricultural people became very concerned about the threat to corn production. Southern Leaf reported that the blight had spread to corn fields in Illinois. As corn is our most valuable farm crop, it is important to our diet, the threat to the corn crop is important.

Directly, we eat about 45 lbs. of corn per person per year. Many kinds of food are made from corn. We also use large quantities of meat that was raised on corn.

United States Corn Crop

	1967	1968	1969
Acres of Corn Harvested (in 1,000 acres)	60,557	55,707	54,573
*Yield per Acre (in bu.)	78.6	78.5	83.9
Production (million bu)	4,760	4,375	4,578
Price (per bushel)	\$1.04	\$1.05	\$1.09

- *A bushel of corn weighs 56 pounds.
- Using the average of the past 3 yrs. (see table) what will be the 1970 production of corn if:

20% destroyed	30% destroyed	40% destroyed
---------------	---------------	---------------
 - What was the avg. value of an acre of corn in 1969? 1968? 1967? (nearest cent)
 - What will probably happen to the price of corn if the amount is destroyed by the blight?
 - Using the 3 yr. avg., what was the weight of corn harvested for 1 yr. on one acre? (nearest cent)
 - How many people can receive enough corn directly in 1 yr. from one acre of corn?
 - Using the 3 yr. avg. what is the value of corn to the farmer?(to nearest cent)
 - Using the answers from problems 9 & 10, how many farmers can receive for supplying enough corn for one year? (to nearest cent)
 - What would be the gross income of a farm with 100 acres of corn? (Use 1969 figures)
 - What would we need to know to compute the gross income of a farmer?

Copyright: Christopher Lee Pub., P.O. Box 331

Continued and Additional Suggested Learning Experiences

Numbers In The News **Subject: The Threat to Our Corn Crop**

This summer, agricultural people became very concerned about the threat to corn production. Southern Leaf Blight began to damage large amounts of corn in the field. Soon, it was discovered that the blight had spread to corn fields in the Midwest. As corn is our most valuable farm crop, it is big business. And, as corn, either directly or indirectly, is a major portion of our diet, the threat to the corn crop is important to all of us.

Directly, we eat about 45 lbs. of corn per year per person as many kinds of food are made from corn. We also eat large quantities of meat that was raised on corn.

United States Corn Crop

	1967	1968	1969	Avg. 3 yr. Period
Acres of Corn Harvested (in 1,000 acres)	60,557	55,707	54,573	(1) - - - - -
*Yield per Acre (in bu.)	78.6	78.5	83.9	(2) - - - - -
Production (million bu)	4,760	4,375	4,578	(3) - - - - -
Price (per bushel)	\$1.04	\$1.05	\$1.09	(4) - - - - -

- *A bushel of corn weighs 56 pounds.
- Using the average of the past 3 yrs. (see answer 3) what will be the 1970 production of corn if: (in million bushels)
 20% destroyed 30% destroyed 40% destroyed
 - What was the avg. value of an acre of corn to a farmer in 1969? 1968? 1967? (nearest cent)
 - What will probably happen to the price of corn if a large amount is destroyed by the blight?
 - Using the 3 yr. avg., what was the weight of the corn harvested for 1 yr. on one acre? (nearest pound)
 - How many people can receive enough corn that they eat directly in 1 yr. from one acre of corn? (to nearest person)
 - Using the 3 yr. avg. what is the value of 1 acre of corn to the farmer?(to nearest cent)
 - Using the answers from problems 9 & 10, how much does the farmer receive for supplying enough corn to feed one person for one year? (to nearest cent?)
 - What would be the gross income of a farmer who had 150 acres of corn? (Use 1969 figures)
 - What would we need to know to compute the net income of the farmer?



C
O
N
C
E
P
T

4. An adequate supply of pure water is essential for life.

Discipline Area Math

Subject Rates, equations

Problem Orientation Water Shortage

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The student will, by comparing the water needs to the water supply, predict a water shortage by the year 2000.</p> <p><u>Affective:</u> The student will actively participate in a class discussion suggesting ways of conserving the usable water supply.</p>	<p>I. Student-Centered in class activity</p> <p>A. Introduction:</p> <ol style="list-style-type: none"> 1. On an average, 1,800 gallons of water is consumed per person each day. We are now using 355 billion gallons per day in this country. 2. The population of the U.S. in 1950 was about 150 million, 1965 about 200 million and in 1980 it will be over 300 million. 3. An estimate of the dependable supply of fresh water is 650 B.G.D. (billion gallons per day). <p><u>Note: Sample problems and a chart are on the reverse side.</u></p>	<p>II. Outside Res Community Ac</p> <p>A. Visit a system. R questions</p> <ol style="list-style-type: none"> 1. How mu comes plant 2. Is the when For wh can i th <p>B. Visit a system. R questions</p> <ol style="list-style-type: none"> 1. What of th water 2. How m used 3. At th long suppl
<p><u>Skills to be Learned</u></p> <p>Writing equations for finding percentage rate</p> <p>Computing rates</p>		

adequate supply of pure

Discipline Area Math

essential for life.

Subject Rates, equations, computations

tags

Problem Orientation Water Shortage Grade 8

GENERAL OBJECTIVES

SUGGESTED LEARNING EXPERIENCES

The student
 comparing the
 to the water
 predict a water
 the year

The student
 participate
 discussion
 ways of
 the usable
 ly.

I. Student-Centered in class activity
 A. Introduction:
 1. On an average, 1,800 gallons of water is consumed per person each day. We are now using 355 billion gallons per day in this country.
 2. The population of the U.S. in 1950 was about 150 million, 1965 about 200 million and in 1980 it will be over 300 million.
 3. An estimate of the dependable supply of fresh water is 650 B.G.D. (billion gallons per day).
Note: Sample problems and a chart are on the reverse side.

II. Outside Resource and Community Activities
 A. Visit a local sewage system. Have these questions in mind.
 1. How much used water comes into the plant?
 2. Is the water usable when it leaves? For what purposes can it be used?
 B. Visit a local water system. Have these questions in mind.
 1. What is the source of the community water supply?
 2. How much water is used each day?
 3. At this rate how long will the supply last?

be Learned
 equations for
 percentage rate
 rates

Resource and Reference Materials

Publications:

Water Pollution, I-C-E RMC
Running Water, I-C-E RMC

Audio-Visual:

Investigations in Ecology - Kit
I-C-E RMC

Community:

Local sewage plant
Local industries which make use
of water
Local water system

Continued and Additional Suggested Learning Experiences

I. (cont.)

B. Chart of the three primary users of water
1900-1980.

	1900	1960	1980
Industry	15 BGD	160 BGD	394 BGD
Agriculture	22 BGD	141 BGD	166 BGD
Municipal	3 BGD	22 BGD	37 BGD
Totals	40 BGD	323 BGD	597 BGD

- (BGD - billion gallons per day)
Sample Problems: Write equations and solve
1. Rate of increase from 1900 to 1960 for
 2. Industries rate of increase from 1960 to
 3. Same for agriculture and municipal and
as for industry.
 4. Predict total amount of water needed by
three users in the year 2000.
 5. It is estimated that 650 BGD's of fresh
will be available in the year 2000. Compare
the prediction for problem 4 with the amount
of water available.
a. How much more? How much less?
 6. Discuss ways of conserving water.

Continued and Additional Suggested Learning Experiences

1. (cont.)

B. Chart of the three primary users of water from 1900-1980.

	1900	1960	1980
Industry	15 BGD	160 BGD	394 BGD
Agriculture	22 BGD	141 BGD	166 BGD
Municipal	3 BGD	22 BGD	37 BGD
Totals	40 BGD	323 BGD	597 BGD

(BGD - billion gallons per day)

Sample Problems: Write equations and solve.

1. Rate of increase from 1900 to 1960 for industry.
2. Industries rate of increase from 1960 to 1980.
3. Same for agriculture and municipal and total as for industry.
4. Predict total amount of water needed by these three users in the year 2000.
5. It is estimated that 650 BGD's of fresh water will be available in the year 2000. Compare the prediction for problem 4 with the amount of water available.
 - a. How much more? How much less?
6. Discuss ways of conserving water.

ESEA Title III - 59-70-0135-2 Project I-C-E

CONCEPT	4. An adequate supply of pure	Discipline Area	Math
	water is essential for life.	Subject	Percents &
		Problem Orientation	Usable Wa

BEHAVIORAL OBJECTIVES

Cognitive: By completing the tables, the student will tabulate the total water supply and the percent of usable water that exists.

Affective: The student will accept the need for wise usage of water.

Skills to be Learned
 Finding percents
 Computations involving percents
 Converting fractions to percents

SUGGESTED LEARNING EXPERIENCES

- I. Student-Centered in class activity
- A. The students will, individually, complete the worksheet on "The World's Water". The teacher will assist students with their class work.
 - B. The students will take the percents they calculated from Part A and convert these percents to decimal numerals.

Note: Sample of Worksheet on "The World's Water" is on the reverse side.

II. C

ate supply of pure
essential for life.

Discipline Area Math
Subject Percents & Fractions
Problem Orientation Usable Water Grade 8

OBJECTIVES

Completing
the student
the total
and the
usable water

student
the need for
water.

learned
its
involving
actions to

SUGGESTED LEARNING EXPERIENCES

I. Student-Centered in class activity

- A. The students will, individually, complete the worksheet on "The World's Water". The teacher will assist students with their class work.
- B. The students will take the percents they calculated from Part A and convert these percents to decimal numerals.

Note: Sample of Worksheet on "The World's Water" is on the reverse side.

II. Outside Resource and Community Activities

- A. The students will contact outside sources and get information on how much water is polluted and how much water is usable in certain states of the U.S.
 - 1. Each student will be assigned a group of three states to contact.
 - 2. Students will report on their findings to the class.
- B. The teacher can contact the city's director of Public Works to come to class and give a talk. His talk should be centered around the amount of usable water & polluted water found in the city.

Resource and Reference Materials

Publications:
Comprehend, Compute & Learn
 Subject: The World's Water
 Published by:
 Christopher Lee Publications
 P.O. Box 331
 Glencoe, Illinois 60022
Clean Water: It's Up to You
 Izaak Walton League of America
 1326 Waukegan Road
 Glenview, Illinois 60025
 Book - Death of Sweet Water
 Don Carr, Norton Press,
 1966.

Audio-Visual:
Films:
City Water Supply, 10 min.
 #0433, BAVI
Water for Farm and City
 14 min., #4816, BAVI
Conserving Our Water Resources
Today, 11 min., color, #5367,
 BAVI

Community:
 Director of Public Works

Continued and Additional Suggested Learning Experiences

The World's Water
 About the best any of us could do if asked
 amount of water in all of the world's rivers
 "That has to be a lot of water."

Yet, the atmosphere contains 10 times as much
 of the rivers of the world. The 0.001 per cent
 total water volume held in the atmosphere is,
 1/9th. the water contained in the fresh water
 world. Seas & Saline lakes contain 8 times as
 the atmosphere.

The 2 icecaps, the Antarctic & Arctic, contain
 cent of the world's water. The Antarctic, with
 of the total icecap capacity, is much larger

Second to the Antarctic Icecap in volume is
 This source holds .632 percent of the world's
 water within 1/2 mile of the earth's surface
 of the earth's total water.

All quantities of water appear small when
 oceans of the world where 317,000,000 cubic m
 world's water resists our use by being salty.

Man must learn to use water wisely as only
 one % of the world's fresh water is accessible

Complete the following table: The World's

	PERCENT OF TOTAL
The Oceans	(A)
Seas and Saline Lakes	(B)
Fresh Water Lakes	(C)
Antarctic Icecap	(D)
Arctic Icecap	(E)
Rivers	(F)
Atmosphere Water	(G)
Ground Water	(H)
*Deep Ground Water	(I)

(J) With few exceptions only the water in ice
 rivers, & ground water within 1/2 mile of
 available for man's use. Therefore, what
 total supply is usable?

Copr. Christopher Lee Publications

Materials

Continued and Additional Suggested Learning Experiences

Learn
Water
ications
022
to You
of America
60025
Water
on Press,
0 min.
ity
Resources
or, #5367,

The World's Water

About the best any of us could do if asked to estimate the amount of water in all of the world's rivers would be to say, "That has to be a lot of water."

Yet, the atmosphere contains 10 times as much water as all of the rivers of the world. The 0.001 per cent of the world's total water volume held in the atmosphere is, however, only 1/9th. the water contained in the fresh water lakes of the world. Seas & Saline lakes contain 8 times as much water as the atmosphere.

The 2 icecaps, the Antarctic & Arctic, contain 2.150 percent of the world's water. The Antarctic, with 1.996 percent of the total icecap capacity, is much larger than the Arctic.

Second to the Antarctic Icecap in volume is ground water. This source holds .632 percent of the world's water. Ground water within 1/2 mile of the earth's surface contains .315% of the earth's total water.

All quantities of water appear small when compared to the oceans of the world where 317,000,000 cubic miles of the world's water resists our use by being salty.

Man must learn to use water wisely as only about 1/3 of one % of the world's fresh water is accessible for use.

Complete the following table: The World's Water
PERCENT OF TOTAL

The Oceans	(A)
Seas and Saline Lakes	(B)
Fresh Water Lakes	(C)
Antarctic Icecap	(D)
Arctic Icecap	(E)
Rivers	(F)
Atmosphere Water	(G)
Ground Water	(H)
*Deep Ground Water	(I)

*Below 1/2 mile of surface

(J) With few exceptions only the water in fresh water lakes, rivers, & ground water within 1/2 mile of the surface is available for man's use. Therefore, what % of the total total supply is usable?

Copr. Christopher Lee Publications

C
O
N
C
E
P
T

5. An adequate supply of clean air Discipline Area Math
is essential because most organisms Subject Graphs and
depend on oxygen, through respiration, Problem Orientation Pollut
to release the energy in their food.

BEHAVIORAL OBJECTIVES

SUGGESTED LEARNING EXPERIEN

Cognitive: The student will construct graphs showing the major sources of pollution and their pollutants.

Affective: The student will actively participate in developing a plan for eliminating air pollution.

Skills to be Learned
Constructing graphs
Computation involving percents

I. Student-Centered in class activity

A. Air Pollution Calculation

1. First the instructor will hand out the worksheet pertaining to sources of air pollution. The students will be asked to follow the instructions at the bottom of the worksheet.
2. The students will find what percent of the total each of the four categories encompass.
3. Go over the results of this exercise in class the next day.

Note: A sample of the worksheet on sources of air pollution is on the reverse side.

II. Ou

Com

A.

B.

C.

ESEA Title III - 59-70-0135-2 Project I-C-E

adequate supply of clean air Discipline Area Math
 tial because most organisms Subject Graphs and Percents
 on oxygen, through respiration, Problem Orientation Pollution Grade 8
 use the energy in their food.

GENERAL OBJECTIVES

The student will
 graphs showing the
 es of pollution
 llutants.
 The student will
 ticipate in
 plan for
 air pollution.
 Learned
 graphs
 involving

SUGGESTED LEARNING EXPERIENCES

- I. Student-Centered in class activity
- A. Air Pollution Calculation
1. First: the instructor will hand out the worksheet pertaining to sources of air pollution. The students will be asked to follow the instructions at the bottom of the worksheet.
 2. The students will find what percent of the total each of the four categories encompass.
 3. Go over the results of this exercise in class the next day.
- Note: A sample of the worksheet on sources of air pollution is on the reverse side.

- II. Outside Resource and Community Activities
- A. The students can write to the major auto producers for a list of pollution control devices on cars today.
1. The students should compare any percentages they have obtained with the results of their class activities.
 2. The students can orally report on their findings to the class.
- B. Have an outside speaker from local industry talk to the students on pollution control (especially air pollution) within local industry.
- C. Have a DNR representative talk to the class on air pollution caused at land fill sites.

Resource and Reference Materials
Publications:

VF U.S. Dept. of HEW, Clean Air for Your Community, Environmental Health Service I-C-E RMC
Books: Quest for Cleaner Air & Water, I-C-E RMC
Conserving Our Waters & Cleaning the Air, I-C-E RMC

Audio-Visual:

Simulation Game:
SG 1 Smog: The Air Pollution Game
I-C-E RMC

Films:
Air Pollution, #0678, BAVI
Poisoned Air, Carousel Films

Community:

Local industry representative
DNR representative

Continued and Additional Suggested Learning
AIR POLLUTION IS ONE OF AMERICA'S GREATEST

Sources

90 Million

Motor Vehicles

99% burn gasoline, with pollution from exhaust pipe, crank case, carburetor & gas tank.

Factories and Power Plants

Especially pulp & paper mills, iron & steel mills, refineries, smelters & chemical plants. Over 90% of power plants in 1969 burned coal & oil containing sulphur to generate electricity.

Refuse Disposal And Miscellaneous

Each person creates about 1800 lbs. of waste per yr.

MILLION TONS

Carbon Monoxide	Sulphur Nitrogen Case
-----------------	-----------------------

65	8
----	---

12	38
----	----

17	2
----	---

94	48
----	----

TOTAL MILLION TONS AIR POLLUTION

Using the data above, construct a circle graph by category; motor vehicles, factories and power plants, refuse & miscellaneous. Construct a bar graph showing total air pollution comparisons between carbon monoxide, sulphur & nitrogen gases, hydrocarbons, & particulates.

Continued and Additional Suggested Learning Experiences
AIR POLLUTION IS ONE OF AMERICA'S GREATEST PROBLEMS

MILLION TONS POLLUTION

Sources

90 Million

Motor Vehicles

99% burn gasoline, with pollution from exhaust pipe, crank case, carburetor & gas tank.

Factories and Power Plants

Especially pulp & paper mills, iron & steel mills, refineries, smelters & chemical plants. Over 90% of power plants in 1969 burned coal & oil containing sulphur to generate electricity.

Refuse Disposal And Miscellaneous

Each person creates about 1800 lbs. of waste per yr.

Carbon Monoxide	Sulphur, Nitrogen Cases	Hydro-Carbons	Particulates	TOTAL
65	8	18	1	92
12	38	5	17	72
17	2	4	4	27
94	48	27	22	191

TOTAL MILLION TONS AIR POLLUTION PER YEAR

Using the data above, construct a circle graph for each category; motor vehicles, factories and power plants, refuse & miscellaneous. Construct a bar graph showing total air pollution comparisons between carbon monoxide, sulphur & nitrogen gases, hydrocarbons, & particulates.

ce Materials
 Clean Air
 th Service
 ner Air &
 MC
 Waters &
 r, I-C-E RMC
 ollution Game
 BAVI
 el Films
 entative

ESEA Title III - 59-70-0135-2 Project I-C-E

C O N C E P T	<u>6. Natural resources are not equally</u>	Discipline Area	<u>Math</u>
	<u>distributed over the earth or over</u>	Subject	<u>Charts</u>
	<u>time and greatly affect the</u>	Problem Orientation	<u>Clear</u>
	<u>geographic conditions and quality of life.</u>		

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES
<p><u>Cognitive:</u> By constructing a chart, the students will compare the depth and area of the 5 Great Lakes.</p> <p><u>Affective:</u> The student will be aware of the effect of farming on the water supply.</p>	<p>I. Student-Centered in class activity</p> <p>A. Compare the 5 Great Lakes</p> <ol style="list-style-type: none"> 1. Work computations on the worksheet of the Great Lakes.* 2. Construct a chart showing the information. <p>B. Waste from animals compared to human waste.</p> <ol style="list-style-type: none"> 1. Waste of 1 cow equals waste of 16 humans 2. Waste of 1 pig equals waste of 2 humans 3. Waste from 7 chickens equals waste from 1 human. <p>C. Given the above information, have the students calculate the waste material given off on an average Wis. farm. (The students should investigate what is the average farm.) Note on back.</p> <p>D. Make the reverse comparison of a local city and the waste products given off would equal the amount given off by the various farm animals.</p> <p>*Worksheet on reverse side</p>
<p><u>Skills to be Learned</u></p> <p>Finding area</p> <p>Finding Averages</p> <p>Basic computation</p>	

ral resources are not equally Discipline Area Math
 uted over the earth or over Subject Charts and Problem Solving
 and greatly affect the Problem Orientation Clean Water Grade 8
 hic conditions and quality of life.

GENERAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
I. By constructing the students will the depth and area Great Lakes. The student re of the arming on supply.	I. Student-Centered in class activity A. Compare the 5 Great Lakes 1. Work computations on the worksheet of the Great Lakes.* 2. Construct a chart showing the information. B. Waste from animals compared to human waste. 1. Waste of 1 cow equals waste of 16 humans 2. Waste of 1 pig equals waste of 2 humans 3. Waste from 7 chickens equals waste from 1 human. C. Given the above information, have the students calculate the waste material given off on an average Wis. farm. (The students should investigate what is the average farm.) Note on back. D. Make the reverse comparison of a local city and the waste products given off would equal the amount given off by the various farm animals. *Worksheet on reverse side	II. Outside Resource and Community Activities: A. Find out how much water is needed by some of our local cities for human consumption & compare this to the amount needed by local industries. This information may be obtained from city water dept. & from the public relations of industries. B. Together with the service dept., test various water sources from the lakes, rivers & streams in community. C. Have your home water supply tested. Information may be obtained by writing to the state health board. D. Find out if Wis. has set up water standards. Try to find out if other states have standards. E. Field trip to local water supply system. F. Compute own water bill.
e Learned a erages atation		

Resource and Reference Materials

Publications:

In Quest of Cleaner Air & Water,
I-C-E RMC
Conserving Our Waters & Cleaning
the Air, I-C-E RMC

Audio-Visual:

Simulation Game:
Dirty Water: The Water Pollution
Game, I-C-E RMC

Films:

The Water Cycle, 10 min.
Encyclopedia Britannica Films
Life in a Drop of Water, 10 min.
BAVI

Community:

Field trip to a farm near your
community
Field trip to your local water
supply

Continued and Additional Suggested Learning

The Great Lakes

No other group of fresh water lakes is as large as the Great Lakes. The largest, Lake Superior, covers 31,000 square miles and has the record depth of 1,300 feet.

Lake Michigan, the only Great Lake that is entirely within the boundaries of the United States, covers 22,300 square miles and has a maximum depth of 923 feet.

Lake Huron, second of the Great Lakes in size, covers an area of 23,010 square miles and a maximum depth of 625 feet.

The shallowest of the Great Lakes is Lake Erie, with a maximum depth of 210 feet. Its area is 9,940 square miles.

Lake Ontario, the smallest, has an area of 7,040 square miles and a maximum depth of 778 feet.

The natural flow of Great Lakes water is from the west to the east and eventually to the Atlantic Ocean through the St. Lawrence River. The reason for the west to east flow is that Lake Superior is 602 feet above sea level and Lake Ontario on the east is only 247 feet above sea level.

A large portion of this change in sea level takes place between Lake Erie and Lake Ontario with a 326 foot drop.

- (A) What is the total area of all the Great Lakes?
(B) What is the average depth of the Great Lakes (in feet)?
(C) What is the drop in feet above sea level between Lake Superior and Lake Ontario?
(D) What is the difference in depth between the deepest and the shallowest of the Great Lakes?
(E) What is the drop in height above sea level between Lake Superior and Lake Erie?

Copr. Christopher Lee Publications

I. C. Note:

How does animal waste affect water quality?

Materials

Water &

Cleaning

Pollution

10 min.
Micro Films
10 min.

near your

local water

Continued and Additional Suggested Learning Experiences
The Great Lakes

No other group of fresh water lakes is as large as the Great Lakes. The largest, Lake Superior, covers 31,820 square miles and has the record depth of 1,302 feet.

Lake Michigan, the only Great Lake that is entirely within the boundaries of the United States, covers 22,400 square miles and has a maximum depth of 923 feet.

Lake Huron, second of the Great Lakes in size, has an area of 23,010 square miles and a maximum depth of 750 feet.

The shallowest of the Great Lakes is Lake Erie with its maximum depth of 210 feet. Its area is 9,940 square miles.

Lake Ontario, the smallest, has an area of 7,540 square miles and a maximum depth of 778 feet.

The natural flow of Great Lakes water is from west to east and eventually to the Atlantic Ocean through the St. Lawrence River. The reason for the west to east flow is that Lake Superior is 602 feet above sea level and Lake Ontario on the east is only 247 feet above sea level. A large portion of this change in sea level takes place between Lake Erie and Lake Ontario with a 326 foot drop.

- (A) What is the total area of all the Great Lakes?
- (B) What is the average depth of the Great Lakes (to nearest foot)?
- (C) What is the drop in feet above sea level between Lake Superior and Lake Ontario?
- (D) What is the difference in depth between the deepest and the shallowest of the Great Lakes?
- (E) What is the drop in height above sea level between Lake Superior and Lake Erie?

Copr. Christopher Lee Publications

I. C. Note:
How does animal waste affect water quality?



C 7. Factors such as facilitating transporta- Discipline Area _____ s
 O tion, economic conditions, population Subject _____ no
 N growth, and increased leisure time have a Problem Orientation _____ nd
 C _____ lu
 E _____ f
 P _____ AL
 T _____ e

BEHAVIORAL OBJECTIVES | SUGGESTED LEARNING ACTIVITIES

Cognitive: The students will identify through a written report and graph, the effects of population density on their state's natural environment.

Affective: Students will realize how population density affects the life of an individual.

Skills to be Learned
 Computational skills
 Addition
 Subtraction
 Multiplication
 Division
 Research

- I. Student-Centered in class activity
- A. Group Research
1. Compute the square feet in the classroom.
 2. Determine the amount of space each student occupies.
 3. Students should use resource material to find the average amount of oxygen used per student.
 4. Calculate the length of time it would take a student to use up all the air in the room.
 5. Graph (line) the above information.
 6. Calculate the length of time air would be used up with fewer students.
 7. Graph (line) the information found in #5 on the same graph found in #4.

II.

ESEA Title III - 59-70-0135-2 Project I-C-E

such as facilitating transportation - Discipline Area Math
 economic conditions, population - Subject Computation
 and increased leisure time have a - Problem Orientation Population Density Grade 8
 influence on changes in land use and
 of population density.

GENERAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
I. The students through a chart and graph, of population in their state's environment. Students will understand population and its life cycle.	I. Student-Centered in class activity A. Group Research 1. Compute the square feet in the classroom. 2. Determine the amount of space each student occupies. 3. Students should use resource material to find the average amount of oxygen used per student. 4. Calculate the length of time it would take a student to use up all the air in the room. 5. Graph (line) the above information. 6. Calculate the length of time air would be used up with fewer students. 7. Graph (line) the information found in #5 on the same graph found in #4.	II. Outside Resource and Community Activities A. City population 1. Gather data on the area of the city and the population of the city. 2. Determine the rate of population growth in the last 30 years. B. City nurse 1. Give information on air intake by humans. 2. Give information about diseases caused by air pollution. C. Visit by city planner or any city official. 1. Discuss air pollution. 2. Discuss leisure time activity.
Learned skills		

Resource and Reference Materials
Publications:

Books:

Too Many People? Kimball, Richard
Solving the Problems of Over-
Population, The Effects of Over-
Population, The Population
Explosion, Kimball, Richard

Audio-Visual:

Air Pollution: Take a Deep Deadly
Breath,

National Medical AV Center
Chamblee, Ga. 30005

Simulation Game:

Smog: The Air Pollution Game
I-C-E RMC

Community:

Court House for population
information
City library
City or school nurse

Continued and Additional Suggested Learning Ex

Reference Materials | Continued and Additional Suggested Learning Experiences

Kimball, Richard
blems of Over-
Effects of Over-
Population
all, Richard

ke a Deep Deadly

AV Center
0005

llution Game

opulation

rse

ESEA Title III - 59-70-0135-2 Project I-C-E

C O N C E P T	8. <u>Cultural, economic, social,</u> <u>and political factors determine</u> <u>status of man's values and attitudes</u> <u>toward his environment.</u>	Discipline Area	Mathematics
		Subject	Fractions &
		Problem Orientation	Attitude

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES
<p><u>Cognitive:</u> After participating in class discussion, the students will solve exercises pertaining to the effects of the newspaper industry on our forests.</p> <p><u>Affective:</u> The students will realize they should advocate more conservational use of our forests.</p> <p><u>Skills to be Learned</u> Collecting data Finding multiples of a number Calculating fractions</p>	<p>I. Student-Centered in class activity</p> <p>A. Given the following information: It takes 17 trees to make a ton of newsprint; the students will solve the following problems with the teacher's assistance:</p> <ol style="list-style-type: none"> 1. How many trees would it take to make 51 million tons of newsprint? 2. 53 million tons of newsprint 3. 119 million tons? 4. 74 million tons? 5. 1 billion tons? <p>II. Outside</p> <p>A. T</p>

Cultural, economic, social,

political factors determine

us' of man's values and attitudes

rd his environment.

Discipline Area Mathematics

Subject Fractions & Multiples

Problem Orientation Attitudes Grade 8

BEHAVIORAL OBJECTIVES

After participating in class discussion, students will solve problems pertaining to products of the news-
industry on our

The students realize they should be more conservational of our forests.

to be Learned
ing data
multiples of a
ing fractions

SUGGESTED LEARNING EXPERIENCES

- I. Student-Centered in class activity
- A. Given the following information:
It takes 17 trees to make a ton of newsprint; the students will solve the following problems with the teacher's assistance:
1. How many trees would it take to make 51 million tons of newsprint?
 2. 53 million tons of newsprint
 3. 119 million tons?
 4. 74 million tons?
 5. 1 billion tons?

- II. Outside Resource and Community Activities
- A. The students will collect the newspaper used in their home for a week.
1. After the week they will weigh this newspaper and determine the approximate weight of the newspaper their family would use in a year by multiplying the above weight by 52.
 2. Then they will answer how many trees were used in making that amount of newsprint?
 3. Next the students will figure out how many trees were used in making the newspaper in their block for a
(Con't)

Resource and Reference Materials

Continued and Additional Suggested Learning Experiences

Publications:

Trees and Forests,
Stanley M. Jespen 1969
Barnes, \$6.95

Audio-Visual:

Forest and Conservation
(Color \$.50) (Gen. Science)
BAVI
1327 University Ave.
P.O. Box 2093
Madison, Wis. 53701

Community:

Local newspaper
Conservationist

(Con't from II.)

year by multiplying by the number of families living in the block.

4. Finally the students will figure out how many trees were used in making the newspaper in their town for a year by multiplying by the number of families living in the town.

B. The students will contact local and nearby newspapers to see how many trees they use in publishing their newspapers in a year. The students will report back to the teacher on their findings in the form of a written report. This information will have to be computed on the basis of the number of tons of newsprint used by the publisher.

C 9. Man has the ability to manage,
 O
 N manipulate, and change his
 C
 E environment.
 P
 T

Discipline Area Math

Subject Computation

Problem Orientation Environment
Change

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> To construct a bar graph illustrating the board feet of lumber lost on a given plot of land from a forest fire.</p> <p><u>Affective:</u> The students will realize the importance of the number of board feet lost on given tree.</p>	<p>I. Student-Centered in class activity</p> <p>A. Group research</p> <ol style="list-style-type: none"> 1. Given statements: <ol style="list-style-type: none"> a. Five acres of land b. 100 trees/acre c. 25 years growth d. Average tree size is 10 inch dia. e. Tree type-white pine 2. Calculate the number of board feet per acre 3. Construct a bar graph illustrating the number of board feet per acre lost in a forest fire. 4. Construct a bar graph illustrating the number of board feet lost per tree in a forest fire. 	<p>II. Outside Resources</p> <p>Community Activities</p> <ol style="list-style-type: none"> A. The student correspond with the Dept. of Resources to find out the average growth of white pine in Wis. over a year period. B. Have the district forest ranger information on trees, especially white pine by speaking to a group.
<p><u>Skills to be Learned</u></p> <ol style="list-style-type: none"> 1. Computation skills 2. Terms <ol style="list-style-type: none"> a. Board feet b. Cubic feet c. Acres 		

ability to manage,

change his

Discipline Area Math

Subject Computation

Problem Orientation Environment Grade 8
Change

OBJECTIVES

SUGGESTED LEARNING EXPERIENCES

Construct
rating
lumber
of
fire.
importance
board
tree.

- I. Student-Centered in class activity
 - A. Group research
 - 1. Given statements:
 - a. Five acres of land
 - b. 100 trees/acre
 - c. 25 years growth
 - d. Average tree size is 10 inch dia.
 - e. Tree type-white pine
 - 2. Calculate the number of board feet per acre
 - 3. Construct a bar graph illustrating the number of board feet per acre lost in a forest fire.
 - 4. Construct a bar graph illustrating the number of board feet lost per tree in a forest fire.

- II. Outside Resource and Community Activities
 - A. The student can correspond with the Dept. of Natural Resources to find out the average growth of white pine in Wis. over a 25 year period.
 - B. Have the district forest ranger supply information about trees, especially the white pine in Wis. by speaking to the group.

Resource and Reference Materials

Publications:

11971 EQ Index, National Wildlife
Federation, 1412-16th St. N.W.
Washington, D.C. 20036

Audio-Visual:

Visual Aid Library,
Box 450, Madison,
Wis 53701

Tomorrows Trees (color) 32 min.

Community:

Community library for infor-
mation about white pines and
the state of Wis.
District forest ranger

Continued and Additional Suggested Learning

Reference Materials

Continued and Additional Suggested Learning Experiences

S:
Mex, National Wildlife
1412-16th St. N.W.
D.C. 20036

l:
Library,
Madison,

rees (color) 32 min.

library for infor-
t white pines and
f Wis.
rest ranger

ESEA Title III - 59-70-0135-2 Project I-C-E

C 10. Short-term economic gains may
 O produce long-term environmental
 N losses.
 C _____
 E _____
 P _____
 T _____

Discipline Area Math
 Subject Division & Prob
 Problem Orientation Mineral Use

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> The students will make a comparison between our present and future consumption of natural resources on a chart.</p> <p><u>Affective:</u> The students will advocate more conservative use of our natural resources.</p>	<p>I. Student-Centered in class activity</p> <p>A. Given problem</p> <ol style="list-style-type: none"> 1. If we have a reserve supply of zinc equaling 10 billion lbs. and a population of 200 million, how long will the zinc last if each person uses 5 lbs. a year. 2. Make up similar problems using other minerals <ol style="list-style-type: none"> a. Lead b. Tin c. Petroleum d. Copper e. Uranium f. Iron ore g. Coal 3. Variation-Have students make-up problems and exchanging them with fellow students for computation. 4. Share with students the following table of consumption based on current consumption. (Con't) 	<p>II. Outside P Community A. Field area of B. Have of two le 1. Cit Res % C Hic Log The ot 2. Wis Cor Cou Var Box Bay C. The in gleanc return used proble putat</p>
<p><u>Skills to be Learned</u> Computation Research</p>		

long-term economic gains may

long-term environmental

Discipline Area Math

Subject Division & Problem Solving

Problem Orientation Mineral Use Grade 8

GENERAL OBJECTIVES

SUGGESTED LEARNING EXPERIENCES

The students
comparison
present
consumption
resources

The students
use more
use of our
resources.

Learned

- I. Student-Centered in class activity
- A. Given problem
1. If we have a reserve supply of zinc equaling 10 billion lbs. and a population of 200 million, how long will the zinc last if each person uses 5 lbs. a year.
 2. Make up similar problems using other minerals
 - a. Lead
 - b. Tin
 - c. Petroleum
 - d. Copper
 - e. Uranium
 - f. Iron ore
 - g. Coal
 3. Variation-Have students make-up problems and exchanging them with fellow students for computation.
 4. Share with students the following table of consumption based on current consumption.
(Con't)

- II. Outside Resource and Community Activities
- A. Field trip to an area quarry.
- B. Have class compose two letters one to:
1. Citizen Nat. Resource Asso. & Carla Kruse Hickory Hill Farm Loganville, Wis.
- The other to:
2. Wisconsin Resource Conservation Council, Vance Van Laanen Box 1034, Green Bay, Wis. 54305
- C. The information gleaned from above returns could be used to make realistic problems for computation.

Resource and Reference Materials

Publications:

America's Natural Resources,
Charles H. Callison
Conservation in The United
States 2nd ed., Rand
McNally, 1969m
Richard M. Highsmith

Audio-Visual:

The New York Times,
KT 6 Crisis of the Environment
Project I-C-E

Community:

1. Quarry in area
2. DNR official from area
3. Library

Continued and Additional Suggested Learning Experiences

(Con't from I. A.)

Number of years reserve minerals will be consumed

- a. Zink-20 yrs.
 - b. Lead-25 yrs.
 - c. Tin -30 yrs.
 - d. Petroleum -30 yrs.
 - e. Copper-35 yrs.
 - f. Uranium -35 yrs.
 - g. Iron Ore-350 yrs.
 - h. Coal-450 yrs.
5. Discuss possible ways of slowing consumption.

ESEA Title III - 59-70-0135-2 Project I-C-E

C 11. Individual acts, duplicated
 O or compounded, produce significant Discipline Area Math
 N environmental alterations over time. Subject Decimal Numerals
 P Problem Orientation Pollution
 T

BEHAVIORAL OBJECTIVES	SUGGESTED LEARNING EXPERIENCES	
<p><u>Cognitive:</u> By converting fractions to decimals the student will answer questions which show how much one automobile pollutes the air.</p> <p><u>Affective:</u> The student will advocate that auto manufacturers should develop some device to help stop automobile air pollution.</p>	<p>I. Student-Centered in class activity</p> <p>A. Go through the list of problems on the board.</p> <p>1. Students answer parts a and b with the teachers assistance.</p> <p>B. In 1967 United States passenger cars totaled 80,414,000. They emitted 61,000,000 tons of carbon monoxide into the air.</p> <p>a. On an average, each car was responsible for emitting how much carbon monoxide into the air?</p> <p>b. At that rate 1 person driving a car for 50 years would have caused how much carbon monoxide to pollute the air?</p> <p>C. Using the following statistics answer the same two questions for these chemicals: (Con't)</p>	<p>II. Outside</p> <p>Community</p> <p>A. Divide into groups and have them gather statistics on pollution in the community.</p> <p>B. Conduct a survey of the community to determine the cause of air pollution.</p> <p>C. Study the Motor Vehicle Pollution Control Act of 1970.</p>
<p><u>Skills to be Learned</u></p> <p>1. Converting fractions to terminating and repeating decimals.</p> <p>2. Data conversion</p> <p>3. Information gathering</p>		

Individual acts, duplicated

and, produce significant

gradual alterations over time.

Discipline Area Math

Subject

Decimal Numerals and Real Numbers

Problem Orientation Pollution Grade 8

OBJECTIVES

SUGGESTED LEARNING EXPERIENCES

converting
decimals the
answer
show how
mobile
r.
student
that auto
should
vice to
mobile

learned
reactions to
and repeating
ion
gathering
s.

- I. Student-Centered in class activity
- A. Go through the list of problems on the board.
 - 1. Students answer parts a and b with the teachers assistance.
 - B. In 1967 United States passenger cars totaled 80,414,000. They emitted 61,000,000 tons of carbon monoxide into the air.
 - a. On an average, each car was responsible for emitting how much carbon monoxide into the air?
 - b. At that rate 1 person driving a car for 50 years would have caused how much carbon monoxide to pollute the air?
 - C. Using the following statistics answer the same two questions for these chemicals:
(Con't)

- II. Outside Resource and Community Activities
- A. Divide the students into groups and ask them to find data similar to that given in class; however, gather data pertaining to years since 1967.
 - B. Conduct a visitation to the local police station. Here the students will ask local police for data relevant to local pollution caused by autos.
 - 1. How many autos are in the community?
 - 2. When is the busiest time in the community and why?
 - C. Students could write the Wis. Dept. of Trans. Motor Vehicle Div. for recent data on air pollution caused by Wis. cars.

Resource and Reference Materials	Continued and Additional Suggested Learning Experiences
<u>Publications:</u>	
<u>The Breath of Life</u> , Donald E. Carr, Lorton, 1965, \$4.95 <u>Poisons in the Air</u> , Ed Edelson Pocket Books, 1966	(Con't from I. C.) a. Hydrocarbons 16,000,000 tons in 1967 b. Nitrogen Oxides 6,000,000 tons in 1967 c. Lead 210,000 tons in 1967
<u>Audio-Visual:</u>	
<u>Film, Poisoned Air</u> , Carousel Films, 1501 Broadway, New York, N.Y. Discussion with Auto and Oil Companies <u>Air Pollution</u> , (Color) Journal, 11 minutes, 1968	
<u>Community:</u>	
1. Local police information bulletins. 2. Library 3. Motor vehicle dept.	

C 12. Private ownership must be Discipline Area Math
 O regarded as a stewardship and should Subject Averaging and P
 N not encroach upon or violate Problem Orientation Farm Ownershi
 C the individual right of others.
 E
 F
 T

ESEA Title III - 59-70-0135-2 Project I-C-E

BEHAVIORAL OBJECTIVES

Cognitive: The student will compute the average (mean) size of a farm in the county and percent of land area taken by farms.

Affective: Students will realize that the average size of farms is increasing, while the percent of land area in farms is decreasing.

Skills to be Learned
 Computation
 Terms
 Percent
 Mean
 Land area

SUGGESTED LEARNING EXPERIENCES

- I. Student-Centered in class activity**
- A. See reverse side for information on Outagamie County.
 - B. Students will gather similar information for their own county and compare the results with Outagamie County.
 - 1. Number of farms
 - 2. Size of farms
 - 3. Increases between any two year period
 - 4. Percent of land area in farms
 - 5. Total increase

- II. Outside Community**
- A. Speake
conser
 - B. Compar
privat
to pub
land.
 - C. Compar
park a
privat
 - D. Calcul
of the
the nu
availa
public
- Note: Inf
 B,C
 obt
 stu
 DNR
 Mad
 reg

ivate ownership must be _____

Discipline Area Math

ed as a stewardship and should _____

Subject Averaging and Percents

hi encroach upon or violate _____

Problem Orientation Farm Ownership Grade 8

dividual right of others. _____

MORAL OBJECTIVES

SUGGESTED LEARNING EXPERIENCES

The student will
 e average (mean)
 farm in the
 percent of land
 by farms.

Students will
 at the average
 rms is increasing,
 percent of land
 rms is decreasing.

- I. Student-Centered in class activity.
- A. See reverse side for information on Outagamie County.
 - B. Students will gather similar information for their own county and compare the results with Outagamie County.
 1. Number of farms
 2. Size of farms
 3. Increases between any two year period
 4. Percent of land area in farms
 5. Total increase

- II. Outside Resource and Community Activities
- A. Speaker from soil conservation office.
 - B. Compare the ratio of privately owned land to publicly owned land.
 - C. Compare the public park acreage to the privately owned land.
 - D. Calculate the density of the population to the number of acres available to the public.

Note: Information for B,C,D, may be obtained by the students from the DNR office in Madison and/or its regional offices.

be Learned

Resource and Reference Materials

Publications:

Population Growth and Land Use,
Clark, Colin, St. Martin's, 1967.
The Last Landscape, Whyte, William
H., Jr., Doubleday, 1968.

Audio-Visual:

Our Vanishing Land, McGraw Hill

Community:

Speaker from local soil
conservation office

Continued and Additional Suggested Learning Experience

I. Information on Outagamie County

Cutagamie County, Wisconsin has a total of _____ acres. The student will be given the year, the number of farms and the total farm acreage. The student will find the average size of farms and the percentage of land area in farms.

Year	Total Number of Farms	Total Farm Acreage	Average Size of Farms	Percent Land Area in Farms
1860	1,131	92,861		
1870	2,226	187,470		
1880	2,936	245,186		
1890	3,254	277,394		
1900	3,479	319,569		
1910	3,650	336,007		
1920	3,746	347,824		
1925	3,829	346,089		
1930	3,460	336,179		
1935	3,903	358,022		
1940	3,558	356,833		
1945	3,433	367,639		
1950	3,409	370,626		
1960	2,793	345,935		

Reference Materials

of Land Use,
the Martin's, 1967.
The Whyte, William
pe 1968.

ent
Ar
arm

McGraw Hill

oil

Continued and Additional Suggested Learning Experiences

I. Information on Outagamie County

Outagamie County, Wisconsin has a total of 405,760 acres. The student will be given the year, the total number of farms and the total farm acreage. The student will find the average size of farms and the percent of land area in farms.

Year	Total Number of Farms	Total Farm Acreage	Average Size of Farms	Percent of Land Area in Farms
1860	1,131	92,861		
1870	2,226	187,470		
1880	2,936	245,186		
1890	3,234	277,394		
1900	3,479	319,569		
1910	3,650	336,007		
1920	3,746	347,824		
1925	3,829	346,089		
1930	3,460	336,179		
1935	3,903	358,022		
1940	3,538	356,833		
1945	3,433	367,639		
1950	3,409	370,626		
1960	2,793	345,935		

PROJECT I-C-E Episode Evaluation Form: (Reproduce or duplicate)

Please fill in:
 Subject: _____
 Grade: _____
 Concept No. Used: _____

In commenting on each episode used in your form. Feel free to adapt it and add more pages. Your critiques and comments - negative and positive - in the right hand column, please rate (poor, good, excellent). Please make specific comments or suggestions if possible to help us make this a more usable guide.

Poor	Good	Exc.	
			I. Behavioral Objectives A. Cognitive:
			B. Affective:
			II. Skills Developed
			III. Suggested Learning Experiences A. In Class:
			B. Outside & Community Activities:
			IV. Suggested Resource & Reference Materials (specific suggestions & comments)

Serv

PROJECT I-C-E Episode Evaluation Form (Reproduce or duplicate as needed)

In commenting on each episode used in your class, please use this form. Feel free to adapt it and add more pages. Let us know all your critiques and comments - negative and positive. In the left-hand column, please rate (poor, good, excellent) each item. Also, make specific comments or suggestions if possible in the space provided to help us make this a more usable guide. Thank you.

I. Behavioral Objectives

A. Cognitive:

B. Affective:

II. Skills Developed

III. Suggested Learning Experiences

A. In Class:

B. Outside & Community Activities:

IV. Suggested Resource & Reference Materials
(specific suggestions & comments)

Project I-C-E
Serving Schools in CESA 3-8-9
1927 Main Street
Green Bay, WI 54301