

DOCUMENT RESUME

ED 096 327

95

TM 003 912

AUTHOR Foley, Celia
TITLE Vision Screening For Head Starters.
INSTITUTION Alaska Treatment Center for Crippled Children and Adults, Inc., Anchorage.
SPONS AGENCY Bureau of Education for the Handicapped (DHEW/OE), Washington, D.C.
PUB DATE [74]
GRANT OEG-0-9-110305-4701
NOTE 29p.

EDRS PRICE MF-\$0.75 HC-\$1.85 PLUS POSTAGE
DESCRIPTORS *Elementary School Students; *Screening Tests; Strabismus; Vision; *Vision Tests
IDENTIFIERS Head Start; *Snellen E Chart



ABSTRACT

To determine which children in the Head Start program may have vision problems, Head Start teachers and staff do vision "screening." This booklet demonstrates how to do the screening using the Snellen "E Chart." Trouble signs that the test administrator should be aware of are listed, and vision scores are explained simply. Amblyopia is defined, and some indications of its presence are listed. Visual ability checklists are included. (RC)

U.S. DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION
THIS HAS BEEN REPRODUCED FROM
A SOURCE WHICH HAS BEEN DETERMINED
TO BE IN THE PUBLIC DOMAIN. IT IS
THE POLICY OF THE NATIONAL INSTITUTE OF
EDUCATION TO MAKE AVAILABLE TO THE
PUBLIC THE MATERIALS DEVELOPED UNDER
THE SUPPORT OF FEDERAL FUNDS.

VISION SCREENING FOR HEAD STARTERS

BEST COPY AVAILABLE



Written By
Celia Foley

Illustrated By
Debra DePue

Medical Consultant - Compliments of
Ronald E. Smith, M.D.
Ophthalmologist

DEVELOPED BY

Early Education Project (P.L. 91-230)
Bureau of Education for the Handicapped U.S.O.E.
Grant No. O.E.G. 0-9-110305-4701

Marion D. Bowles, Project Director

FUNDED THROUGH

Alaska Treatment Center for Crippled Children and Adults
3710 East 20th Avenue
Anchorage, Alaska 99504

IN COOPERATION WITH

Special Services Delivery System
BEH OCD Grant H-0051 A/HO
Helen D. Beirne, Ph.D., Project Director

ED 096327

TM 003 912

The project presented herein was performed pursuant to a Grant from the U.S. Office of Health, Education and Welfare. The material presented does not reflect the educational philosophy of the U.S. Office of Education and no official endorsement of the U.S. Office of Education should be inferred.

Eyesight is important to all of us. It is one of the major ways we learn and appreciate the world around us.



Did you know that...

BEST COPY AVAILABLE

...the way a child sees is very important in learning even before he starts to read?

...many vision problems in children between the ages of 3 and 5 can be corrected?



I'm a pirate for a few months!

...some of the visual problems which can be helped at a very early age cannot be helped when the child grows up?




I can see with my glasses, but one of my eyes doesn't work much.


So it is important to make sure that the Head Start children have the ability to see well, and to find out who may need help.

To find out which Head Starters may have vision problems, Head Start teachers and staff do vision "screening". Each child is given a test to check his eyesight. The teacher also watches the child for signs of problems.



This booklet shows how to do vision screening using the Snellen "E chart". There are other charts used for testing vision, but this is the easiest for young children to do.





The
E
Chart



To take the "E" test, the children must know how to show which way the "E" is pointing.




They may learn to hold three fingers or a hand pointing the right way.



Or they may learn to hold a cardboard "E" and make it go the right way.

The teacher and staff can help children learn to do this quickly and have fun by using the Easy E Games.

Watch me, please.



Remember: It is best to work with a small group of children.

Some children may need individual help, especially if they have eye-hand problems.

EASY

BEST COPY AVAILABLE



E

GAMES

YOU NEED:

1. E cutouts from black construction paper.

2. Fingers.



BEST COPY AVAILABLE

Cut out and trace on heavy black paper
for easy E games.

Simon Says

BEST COPY AVAILABLE


1. Someone is Simon--the leader. Every player has an E to hold.
2. The leader (teacher at first) says: "Simon says do this"---and points the "legs" up, down, right, or left.
3. Everyone points his E the same way.
4. When leader says: "Do this"---without saying "Simon says"---no one should move his card the same way.




The Finger Game

BEST COPY AVAILABLE

1. Show the children how they can hold their fingers to look like an "E."



2. See if they can make their fingers point the same way that your's point - up, down, right or left. (They don't have to say it.)




If a child has trouble with the Finger game, he may learn by "matching."

BEST COPY AVAILABLE


1. Put cut-out Es on a table going up, down, right and left.



2. The child tries to put his cut-out E right on top of one. Try this with all directions.



They may get very confused with the Snellen "E chart" for vision screening if they don't have a chance to practice first....





Eye-hand matching can be hard for any child. Children with visual motor problems will need some special help with this.



You can hang an E game on the wall, too. Hang one E in each direction. The child matches another E (hanging on a hook) with the wall E's. This can be an "anytime" thing, too.

BEST COPY AVAILABLE



CAUTION: It is not so good to hang the whole E chart. The children may remember what they see up close. We want to check VISION, not memory.



When the children know how to play the E-games, it is time to test.

BEST COPY AVAILABLE




VISION LIST

Using The E Chart

BEST COPY AVAILABLE

1. Is the room ready?




2. Are the testers ready? For fastest results:

One person should hold the window card.


One person should point to the 'E' and watch the child.

One person should stay close to the child.









BEST COPY AVAILABLE


3. A "window card" helps direct the child's attention to the right line.



4. The eraser end of a pencil may be used for painting.

5. Test both eyes first.  
 Then the right eye.  
 Then the left eye.  


You may use a piece of paper, a patch, or a small "throw-away" paper cup to cover one eye. Make sure the child cannot "peek".



- If a child wears glasses, check with glasses, - then without glasses.


BEST COPY AVAILABLE


- Start at the top of the "E chart". Move down one line at a time. Move quickly from line to line to keep the child's attention.
- The child "passes" the line when he shows he sees ONE MORE THAN HALF of the E's on the line.
- Record the score.
The score is taken from the last line "passed". If it is the 50 ft. line, the score is 20/50. If 30 ft., the score is 20/30. If 20 ft., the score is 20/20.



TO MAKE YOUR OWN "WINDOW CARD"--
PASTE Page on heavy paper or cardboard.
Cut out inside black lines. (Cut out directions!)

THE WINDOW CARD MUST BE WHITE TO USE WITH
EYE CHART.

TO USE:  HOLD BY THE LONG END
THE LINE TO READ IS IN THE "WINDOW"
OF "T.V. SCREEN"



WATCH for these signs
during the vision test

BEST COPY AVAILABLE

1. Keeps moving head forward.



2. Tilting head.



3. Eyes watering.



4. Frowning-making faces.



5. Puckering the face.



6. Closing one eye during
test of both eyes.



7. Constant blinking.

If this happens, write the
behavior on the test.

I can do it,
but it sure isn't
easy.

These signs show that the child
must strain to see.

Both 20/40
Rt. 20/30
Lt. 20/40
Blinking after 20/70
line.



WHAT DO VISION SCORES MEAN?

BEST COPY AVAILABLE



Normal vision for adults is 20/20.

20/20 → This is the side that changes.

If a person has a score of 20/70, he must be as close as 20 feet to read the 70 foot line. A person with good vision (20/20) can read the same line from 70 feet away.

Children are not born with adult visual ability. "Acuity" (sharpness) develops in the first seven years.

The preschool years are important times for learning to use the two eyes to see one image, not two. This is called fusion.



These scores may be expected, and are normal during the developmental periods.

For 3-4 years old: 20/30 or 20/40

For 5 years old: 20/20 or 20/30

Assistance and correction of problems found at these early ages may help children in developing normal fusion using two eyes as one.

AMBLYOPIA

-This is a vision problem caused by muscle imbalance of the eye.

Am-blee-
-ope-ee-
-ah???




BEST COPY AVAILABLE

-You may be able to see this in a child right away with no testing.



The child's eyes may be "crossed", most often when he is tired.



One eye may wander when the other eye focuses on an object. It may go "out" - away from the nose, or "in", towards the nose.

It is a good idea to check for this, even if you do not notice it in school. It may only be a slight movement, hard to see without looking for it.

"The cover test may be used to test for this problem."

THE "COVER" TEST

(for muscle imbalance)

BEST COPY AVAILABLE

1. Sit at child's level.
The child should stand right in front of you.

2. Tap the end of your nose with one finger of one hand.

You say: "Look at my nose - watch my nose... look.."



3. Move your other hand, or thumb, up and down in front of one eye of the child - If that eye moves, and the other is looking at your nose - write down what you saw with the test scores for the E chart.



4. Test the other eye the same way.
*You may want to hold a small picture on your nose to keep the child's attention.

How to write it down: Examples:

cover: right eye turns in or

cover: left eye turns out or

cover: o.k.

WHAT TO DO WITH VISION SCORES??

Vision scores may be recorded on the VASC or on the Visual Ability Check sheets if available.

The Vision and VASC scores should be mailed in together to

VASC and Vision
Grant Office

3710 East 20th Avenue

Anchorage, Alaska 99504

This office will notify health aides, doctors and Public Health nurses of the children who should be seen.

The forms will be sent back to you by the Field Training Supervisors.

Scores should also be recorded on each child's cumulative record.

There will be comments and recommendations on the sheets. Teachers will want to read these, and know who should see a doctor or nurse or specialist.

Scores should also be recorded on each child's cumulative record.

VASC



A program of free hearing and vision testing sponsored jointly by Alaska Department of Health, and the Easter Seal Society for Alaska Crippled Children and Adults, (ACCA).



LOCAL AGENCY YOUR HEAD START CENTER

TESTING DATE 10-3 19 73 TESTING LOCATION CLINIC (WHERE YOU TEST)

CHILD'S NAME KID GOOD LITTLE

DATE OF BIRTH 1-2-69 MALE FEMALE

PARENT Art and Rene KID

BEST COPY AVAILABLE

3814

ADDRESS YOUR TOWN

FAMILY PHYSICIAN OR CLINIC _____

VISION TESTS GIVEN BY YOUR NAME

HEARING TESTS GIVEN BY YOUR NAME

ZA-4T VASC AUDIOMETER RECORD		DIRECTIONS: CIRCLE RIGHT OR LEFT FOR EACH SERIES USED.			
		SCORE: +		SCORE: -	
51	Bird Sound				
51	Lion Roar				
54	Ice Cream				
47	Bird Sound				
47	Airplane				
47	Highchair				
34	Wristwatch				
55	Bathtub				
51	Lion Roar				
	Cowboy				
	Firetruck				
	Bird Sound				
	Sandbox				
	Toothbrush				
	Sailboat				
	Bird Sound				
	Snowman				
	Cupcake				

SAMPLE

SCORE: RIGHT _____ DB LEFT _____ DB NOTE: IF HEARING IS RESCREENED AT A LATER DATE, A NEW FORM SHOULD BE USED AND ATTACHED TO THIS COPY.

INDICATE HIGHER DB VALUE OF EAR TO BE MISSED _____ DB

WAS A CONFIRMATORY THRESHOLD TEST DONE: YES NO IF SO ATTACH AUDIOGRAM

WITHOUT GLASSES 20/20

WITH GLASSES _____

DO EYES CROSS OR TURN OUT AT ANY TIME? Right left eye turns out. STRABISMUS

HAS THE CHILD RECEIVED EYE CARE: YES NO

NAME OF PHYSICIAN OR CLINIC _____

ADDRESS _____

CITY _____

STATE _____

VISUAL ABILITY CHECK

Child's Name _____

Birthdate _____

Date of Visual Screening _____

BEST COPY AVAILABLE

Yes or No

- | | | | |
|-------|-------|----|--|
| _____ | _____ | 1. | Does the child complain of eyes that are itchy, burn or feel scratchy? |
| _____ | _____ | 2. | Does the child have inflamed, red incrustated, or watery eyes? |
| _____ | _____ | 3. | Does the child blink more than usual? |
| _____ | _____ | 4. | Do eyes turn in or up? |
| _____ | _____ | 5. | Does child complain of headaches, dizziness, or nausea? |
| _____ | _____ | 6. | Does child stumble over small objects? |
| _____ | _____ | 7. | Is child over sensitive to light? |
| _____ | _____ | 8. | Is child frightened by noises of unknown origin? |

Child with good vision scores may still
"fail" on a few of these questions
because of a condition of the eye
or ear.

Score on Vision Screening

BEST COPY AVAILABLE

With glasses

Without glasses

Both eyes _____

Both eyes _____

Right Eye _____

Right eye _____

Left Eye _____

Left eye _____

(See Head Start records)

- + Yes
- No
- o No response

____ 10. Looks at objects approximately 14 inches from eyes.

✓ ____ 11. Can see pictures or words on the blackboard without squinting or moving closer.

____ 12. Notices activities around him.

____ 13. Can copy hand motions watching teacher's hand at 10 feet

The scores on vision screening are important. The questions on this page tell you other problems a child may have.

VISION CHECKLIST

BEST COPY AVAILABLE

1. Good light for chart?
2. Chart 20' feet from chair or tape?
3. Eye covers ready?
4. Children know E Games?
5. One person to point ready?
6. One person to hold window card?
7. One person to sit with child and record scores?
8. Both eyes checked?
9. Right eye checked?
10. Left eye checked?
11. Blinking or other straining recorded?
12. Cover test done?
13. Send results in?

Dont forget--First: Staff vision checks