

DOCUMENT RESUME

ED 109 457

CE 004 309

TITLE Industrial Arts Test Development.
INSTITUTION New York State Education Dept., Albany. Bureau of Industrial Arts Education.

PUB DATE 73

NOTE 192p.

EDRS PRICE MF-\$0.76 HC-\$9.51 PLUS POSTAGE

DESCRIPTORS Drafting; Electronics; *Industrial Arts; Instructional Aids; Power Mechanics; Secondary Education; *Tests; Woodworking

ABSTRACT

The booklet is designed to assist teachers in improving locally developed classroom tests. It is a collection of 674 sample multiple-choice questions (with scoring keys) intended primarily for use as pretests, quizzes, or final examinations by secondary level teachers. The questions are organized around four industrial arts subject areas: drawing, electricity/electronics, power mechanics, and woods. The groups of questions are not meant to be complete examinations; rather, the items are offered as a resource, with selection and use to be determined by the teacher. (Author/PR)

* Documents acquired by ERIC include many informal unpublished *
* materials not available from other sources. ERIC makes every effort *
* to obtain the best copy available. nevertheless, items of marginal *
* reproducibility are often encountered and this affects the quality *
* of the microfiche and hardcopy reproductions ERIC makes available *
* via the ERIC Document Reproduction Service (EDRS). EDRS is not *
* responsible for the quality of the original document. Reproductions *
* supplied by EDRS are the best that can be made from the original. *

ED 107431
ER 109 457

SCOPE OF INTEREST NOTICE

The ERIC Facility has assigned this document for processing to CE TM

In our judgement, this document is also of interest to the clearinghouses noted to the right. Indexing should reflect their special points of view

INDUSTRIAL ARTS

U.S. DEPARTMENT OF HEALTH, EDUCATION, & WELFARE
NATIONAL INSTITUTE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

TEST DEVELOPMENT

RESOURCE ITEMS FOR

- DRAWING
- ELECTRICITY / ELECTRONICS
- POWER MECHANICS
- WOODS

000001
CE 004 309

THE UNIVERSITY OF THE STATE OF NEW YORK / THE STATE EDUCATION DEPARTMENT
BUREAU OF ELEMENTARY AND SECONDARY EDUCATIONAL TESTING, ALBANY, NEW YORK 12224

1973

MAY 20 1975



THE UNIVERSITY OF THE STATE OF NEW YORK

Regents of the University (with years when terms expire)

- 1984 Joseph W. McGovern, A.B., J.D., L.H.D., LL.D., D.C.L.,
Chancellor ----- New York
- 1985 Everett J. Penny, B.C.S., D.C.S.,
Vice Chancellor ----- White Plains
- 1978 Alexander J. Allan, Jr., LL.D., Litt.D. ----- Troy
- 1987 Carl H. Pforzheimer, Jr., A.B., M.B.A., D.C.S., H.H.D. --- Purchase
- 1975 Edward M. M. Warburg, B.S., L.H.D. ----- New York
- 1977 Joseph T. King, LL.B. ----- Queens
- 1974 Joseph C. Indelicato, M.D. ----- Brooklyn
- 1976 Mrs. Helen B. Power, A.B., Litt.D., L.H.D., LL.D. ----- Rochester
- 1979 Francis W. McGinley, B.S., J.D., LL.D. ----- Glens Falls
- 1986 Kenneth B. Clark, A.B., M.S., Ph.D., LL.D., L.H.D.,
D.Sc. ----- Hastings
on Hudson
- 1983 Harold E. Newcomb, B.A. ----- Owego
- 1981 Theodore M. Black, A.B., Litt.D. ----- Sands Point
- 1988 Willard A. Genrich, LL.B., L.H.D. ----- Buffalo
- 1982 Emlyn I. Griffith, A.B., J.D. ----- Rome

President of the University and Commissioner of Education

Ewald B. Nyquist

Executive Deputy Commissioner of Education

Gordon M. Ambach

Deputy Commissioner for Elementary, Secondary, and Continuing Education

Thomas E. Sheldon

Associate Commissioner for Elementary, Secondary, and Continuing Education

William Bitner

Assistant Commissioner for Instructional Services (General Education)

Bernard F. Haake

Assistant Commissioner for Occupational Education

Robert S. Seckendorf

Director, Division of Occupational Education

Robert Bielefeld

Chief, Bureau of Industrial Arts Education

Arthur J. Dudley

iii

FOREWORD

Evaluation of knowledge and performance is an essential part of the teaching-learning process. While achievement may be measured in many ways, the teacher-written classroom test is the most commonly used evaluative instrument. Industrial Arts - Test Development is designed to assist teachers in improving locally developed classroom tests.

This collection of sample questions is intended primarily for use by secondary level teachers and is correlated with general program recommendations. The items may be used for pre-testing, quizzes, or for final examinations to assist in determining grade averages. As there are overlapping and similar items, the groups of questions do not represent a complete examination. The items are offered as a resource with selection and use to be determined by the teacher.

This publication was developed jointly by the Bureau of Elementary and Secondary Educational Testing and the Bureau of Industrial Arts. Mr. Kenneth Ormiston, Testing, and Mr. Jarvis Baillargeon, Industrial Arts, coordinated the publication.

Industrial Arts teachers who served as item writers were: Paul Chapin, Deer Park; Hugh Craigie, Greece; George Fisher, Slate Hill; Ira Kahn, Bethpage; Kevin Kronau, Averill Park; Anthony Mangone, Hauppauge; Richard Talbot, Bohemia; and Thomas Weyand, Greece. The drawings were done by Katherine Casabella, Division of Educational Testing.

Arthur J. Dudley, Chief
Bureau of Industrial Arts
Education

Table of Contents

	Pages
Drawing	
Questions 1 - 187	1 - 50
Scoring Key	51 - 59
Electricity/Electronics	
Questions 1 - 159	60 - 109
Scoring Key	110 - 112
Power Mechanics	
Questions 1 - 152	113 - 141
Scoring Key	142 - 143
Woods	
Questions 1 - 176	144 - 184
Scoring Key	185 - 186

Industrial Arts Examination Materials

DRAWING

Directions (1-170): In the space provided write the number preceding the word or expression that, of those given, best completes the statement or answers the question.

Part I Developmental Drawing

Unit A. Preparation (1-24)

1 A drafting machine can do the same jobs as a

- (1) T-square, triangle, compass, and protractor
- (2) triangle, compass, protractor, and scale
- (3) scale, protractor, T-square, and compass
- (4) T-square, triangle, scale, and protractor

1 _____

2 Which tool is used to draw quickly such items as boltheads, nuts, and electrical and architectural symbols?

- 1 template
- 2 protractor
- 3 beam compass
- 4 triangular scale

2 _____

3 Which tool should be used to draw a curved line that does not have a radius?

- 1 compass
- 2 beam compass
- 3 bow pencil
- 4 French curve

3 _____

4 A draftsman would use a micrometer caliper to

- 1 draw several views of an object
- 2 eye up an object for a three-view drawing
- 3 make accurate measurements
- 4 construct circles and arcs

4 _____

5 Which drafting tool is used to draw circles and arcs which have a center point?

- 1 scale
- 2 compass
- 3 divider
- 4 protractor

5 _____

- 6 An eraser shield is mainly used to.
- 1 keep an eraser clean
 - 2 allow erasure of part of a line
 - 3 keep drawings clean
 - 4 measure eraser marks
- 6 _____
- 7 When a draftsman is drawing a true horizontal line, the pencil point should be guided by a
- (1) T-square
 - (2) triangle
 - (3) scale
 - (4) compass
- 7 _____
- 8 Which edge of a drawing board is the head of a T-square usually placed flush against?
- 1 right
 - 2 left
 - 3 top
 - 4 bottom
- 8 _____
- 9 Reproductions of drawings are usually made from
- 1 inking done on buff paper
 - 2 blueprints
 - 3 pencil drawings on white paper
 - 4 pencil drawings on vellum paper
- 9 _____
- 10 Arrowheads are usually found at both ends of
- 1 extension lines
 - 2 cutting plane lines
 - 3 centerlines
 - 4 object lines
- 10 _____
- 11 The lines given in the American standards for use in the making of a drawing, are known as the
- 1 conventional line symbols
 - 2 alphabet of lines
 - 3 national line chart
 - 4 symbols of line
- 11 _____

12 The lines that are drawn lightly at the top and bottom of each line of letters are called

- | | | | |
|----------------------|-------------------|----|-------|
| 1 construction lines | 3 guidelines | 12 | _____ |
| 2 object lines | 4 extension lines | | |

13 How far should extension lines continue beyond the arrowheads?

- | | | | |
|-----------------------|-----------------------|----|-------|
| (1) $\frac{1}{8}$ in. | (3) $\frac{3}{8}$ in. | 13 | _____ |
| (2) $\frac{1}{4}$ in. | (4) $\frac{1}{2}$ in. | | |

14 The size of an object is given between the

- | | | | |
|-------------------|-------------------|----|-------|
| 1 centerlines | 3 extension lines | 14 | _____ |
| 2 dimension lines | 4 object lines | | |

15 Which line is the darkest on an orthographic drawing?

- | | | | |
|----------|-----------|----|-------|
| 1 hidden | 3 section | 15 | _____ |
| 2 center | 4 object | | |

16 Which type of lettering should be used in mechanical drawing?

- | | | | |
|-------------------|--------------------------------|----|-------|
| 1 uppercase, only | 3 both upper- and lowercase | 16 | _____ |
| 2 lowercase, only | 4 neither upper- nor lowercase | | |

17 Which of the following is an obtuse angle?

- | | | | |
|----------------|-----------------|----|-------|
| (1) 60° | (3) 110° | 17 | _____ |
| (2) 90° | (4) 250° | | |

18 The distance around a circle is called the

- | | | | |
|----------|-----------------|----|-------|
| 1 radius | 3 diameter | 18 | _____ |
| 2 arc | 4 circumference | | |

19 How much overlapping should there be when using a French curve?

(1) $\frac{1}{16}$ in.


(3) $\frac{1}{4}$ in.

(2) $\frac{1}{8}$ in.

(4) $\frac{1}{2}$ in.

19 _____

20 What type of triangle is shown below?




1 scalene
2 isosceles

3 equilateral
4 right

20 _____

21 What type of geometric figure is shown below?




1 a hexagon
2 an octagon


3 a square
4 a triangle

21 _____


22 Which diagram best represents a super-ellipse?




(1)



(2)



(3)



(4)

22 _____

23 The standard form of lettering on working drawings is single stroke

- 1 commercial gothic
- 2 roman

- 3 italic
- 4 Bodoni

23 _____

24 The arrangement and spacing of words and lines with letters of appropriate style and size are called

- 1 universal layout
- 2 letter construction

- 3 mechanical lettering
- 4 composition

24 _____

Unit B. Sketching (25-48)

25 When one face of an object is parallel to the front plane, the horizontal lines on the face do not have a vanishing point. Which type of perspective is used in this drawing?

- 1 one-point
- 2 two-point

- 3 three-point
- 4 overlapping

25 _____

26 How many faces are shown by a pictorial drawing?

(1) 1

(3) 3

(2) 2

(4) 4

26 _____

27. Which type of drawing is most often used as a pictorial sketch?

- 1 geometrical
- 2 auxiliary

- 3 orthographic
- 4 isometric

27 _____

28 How far apart are the axes in an isometric drawing?

(1) 60°

(3) 120°

(2) 90°

(4) 180°

28 _____

29 Isometric sketches are built on a skeleton of the three lines representing the three edges of a cube. These three lines form equal angles of

(1) 30°

(3) 120°

(2) 60°

(4) 360°


29 _____

30 On an isometric sketch, circles and arcs will appear as


- 1 straight lines
- 2 round, smooth lines
- 3 ellipses or parts of ellipses
- 4 round arcs without any distortions

30 _____


31 Which drawing contains nonisometric lines?




(1)



(2)



(3)



(4)

31 _____

32 The first step in drawing an isometric circle is to

- 1 plot the circle on graph paper
- 2 draw an isometric square.
- 3 lay out nonisometric lines
- 4 set the compass at the required radius to swing the circle

32 _____

33 When the angle of the oblique projectors is 45°, the projection being formed is called

- 1 an axonometric projection
- 2 a cavalier projection
- 3 a cabinet projection
- 4 a dimetric projection

33 _____

34 In a perspective sketch of an object, the two sets of horizontal lines each converge toward a point on the horizon line. This point is called the

- 1 vanishing point
- 2 object point
- 3 horizon point
- 4 nonparallel point

34 _____

35 Which type of drawing shows one surface of the object without distortion?

- 1 isometric
- 2 perspective
- 3 exploded
- 4 oblique

35 _____

36 In a section of a drawing, the cutting plane changes direction to show a detail. This section of the drawing is called

- 1 a full section
- 2 a half section
- 3 a quarter section
- 4 an offset section

36 _____






37 An auxiliary drawing shows the true shape of

- 1 a round surface
- 2 an inclined surface
- 3 a flat surface
- 4 a rough surface

37 _____



38 Which is the correct auxiliary view of object A shown below?



- 39 Elevation auxiliary views are made on planes that are perpendicular to the
- 1 frontal plane
 - 2 profile plane
 - 3 reference plane
 - 4 horizontal plane
- 39 _____
- 40 An auxiliary view should only be used when
- 1 there is more than one view being drawn
 - 2 a rough isometric sketch of the object is being drawn
 - 3 the usual views of an object do not show the true shape of the slanted surface
 - 4 there are two or more hidden lines in the orthographic projection drawing
- 40 _____
- 41 In which type of view is the plane of projection parallel to a slanted surface and the viewer perpendicular to the slanted surface?
- 1 frontal
 - 2 auxiliary
 - 3 related
 - 4 sectional
- 41 _____
- 42 What must be found before the true shape of a plane in an auxiliary drawing can be determined?
- 1 the true length of each line
 - 2 the true size of each angle
 - 3 the profile view of the object
 - 4 the edge view of the plane
- 42 _____
- 43 Which view is perpendicular to the front vertical plane and inclined to the horizontal and profile plane?
- 1 an inclined plane view
 - 2 a horizontal plane view
 - 3 an auxiliary plane view
 - 4 a frontal plane view
- 43 _____
- 44 Which view would show an object as if it were cut apart exposing many inside details?
- 1 auxiliary
 - 2 frontal
 - 3 sectional
 - 4 exploded
- 44 _____
- 45 How much of the object is cut away in a half-section drawing?
- 1 one-quarter
 - 2 one-third
 - 3 one-half
 - 4 three-quarters
- 45 _____

- 45 Hidden lines are not shown in a sectional view unless they are needed for
- | | | |
|----------------|----------------------|----------|
| 1 dimensioning | 3 section lining | |
| 2 more detail | 4 symmetrical shapes | 46 _____ |
- 47 Which view is used to show how an object is assembled?
- | | | |
|-------------|---------------|----------|
| 1 isometric | 3 sectional | |
| 2 exploded | 4 perspective | 47 _____ |
- 48 Section lines are drawn at an angle of
- | | | |
|---------------------------|--|----------|
| (1) 30° to the horizontal | | |
| (2) 45° to the horizontal | | |
| (3) 60° to the horizontal | | |
| (4) 90° to the horizontal | | 48 _____ |

Unit C. Working Drawing (49-72)

- 49 The parts of an object which actually cannot be seen are represented by
- | | | |
|-----------------|----------------|----------|
| 1 object lines | 3 hidden lines | |
| 2 section lines | 4 centerlines | 49 _____ |
- 50 How many views are needed to define cylindrical objects in orthographic drawings?
- | | | |
|-------|-------|----------|
| (1) 1 | (3) 3 | |
| (2) 2 | (4) 4 | 50 _____ |
- 51 Which projection shows the same view as an orthographic projection?
- | | | |
|---------------|-------------|----------|
| 1 right angle | 3 oblique | |
| 2 isometric | 4 auxiliary | 51 _____ |
- 52 An orthographic drawing should always be started by drawing the
- | | | |
|-------------------------------------|--|----------|
| 1 dimension lines | | |
| 2 lines between the different views | | |
| 3 front view | | |
| 4 extension lines | | 52 _____ |

53 The box usually located in the lower right-hand corner of a drawing, which gives such information as the scale, date, name of the job, and company, is called the

- 1 bill of material block
- 2 notes detail block
- 3 title block
- 4 limit dimensions block

53 _____

54 If two circles are concentric, then they must

- 1 be the same size
- 2 be different sizes
- 3 have different centers
- 4 have the same center

54 _____

55 In which two views is the overall depth of an object shown?

- 1 end and top views
- 2 end and front views
- 3 front and top views
- 4 front and back views

55 _____

56 The space or opening between two straight lines which meet is called

- 1 a circle
- 2 a bisect
- 3 a triangle
- 4 an angle



56 _____

57 How long should the dashes of a hidden line be?

- (1) $\frac{1}{32}$ in.
- (2) $\frac{1}{8}$ in.
- (3) $\frac{1}{4}$ in.
- (4) $\frac{1}{2}$ in.

57 _____

58 Which line below is a cutting plane line symbol?

- (1) 
- (2) 
- (3) 
- (4) 

58 _____

59 How far apart are dimension lines usually spaced?

(1) $\frac{1}{8}$ in.

(3) $\frac{1}{2}$ in.

(2) $\frac{3}{8}$ in.

(4) $\frac{3}{4}$ in.

59 _____

60 What is the total number of different compass centers used when mechanically drawing the ellipses in an isometric drawing?

(1) 5

(3) 3

(2) 2

(4) 4

60 _____

61 Which view is shown by a vertical projection?

1 top

3 front

2 end

4 bottom

61 _____

62 Which are the two groups into which working drawings are divided?

1 architecture and pattern drawings

2 assembly and detail drawings

3 detail and auxiliary drawings

4 section and isometric drawings

62 _____

63 In shape description, centerlines are used to

1 locate views and dimensions

2 determine the height of letters

3 construct a base line perpendicular to a slanted surface

4 locate hidden object lines

63 _____

64 The Pythagorean theorem can be used to determine the

1 height of a building

2 area of a floor

3 squareness of building corners

4 distance from the ground to a proposed floorline


64 _____

65 Which is one of the rules of revolution?

- 1 The views of the front, top, and side remain unchanged.
- 2 Distances parallel to the axis of revolution are unchanged.
- 3 The true length of a line remains unchanged in any position.
- 4 The angle of the object in the top and front views remains unchanged.

65 _____

66 Four views of line AB are shown below. Which view shows the true length of line AB?



66 _____

67 A line should be shown in true length when it

- 1 is perpendicular to the line of sight
- 2 is parallel to the line of sight
- 3 appears shorter in the orthographic projection
- 4 visually becomes a point

67 _____

68 Which term describes the direction or course of a line on the earth's surface?

- 1 slope
- 2 bearing
- 3 grade
- 4 horizontal run

68 _____

69 In geometry construction, the principal lines are lines that are

- 1 parallel to the oblique plane of projection
- 2 parallel to the horizontal plane of projection
- 3 perpendicular to the frontal plane of projection
- 4 perpendicular to the profile plane of projection

69 _____

70 What is the name of the system of vectors whose lines of action pass through a common point?

- 1 component system
- 2 coplanar system
- 3 concurrent system
- 4 noncoplanar system

70 _____

71 Which lines are drawn between the views of descriptive geometry constructions and represent the intersection of the projection planes?

- 1 view lines
- 2 object lines
- 3 folding lines
- 4 lines of sight

71 _____

72 Bend lines are indicated on a surface pattern by

- (1) dotted lines
- (2) heavy lines
- (3) O's
- (4) X's

72 _____

Unit D. Charts, Graphs, Maps, (73-78)

73 Flow charts may be used to show

- 1 a comparison of aircraft characteristics
- 2 position of personnel in an organization
- 3 the sequence or order of operations
- 4 the area of each room in a building

73 _____

74 Which type of bar graph compares several items of information in the same graph?

- 1 line
- 2 area
- 3 percent
- 4 composite

74 _____

75 Area graphs are sometimes called

- | | |
|--------------------|---------------|
| 1 bar graphs | 3 pie graphs |
| 2 pictorial graphs | 4 line graphs |

75 _____

76 Two types of graphs used in industrial drafting are

- 1 line and bar
- 2 bar and organizational
- 3 flow and line
- 4 flow and organizational

76 _____

77 All of the lines on a line graph are called

- | | |
|---------------|---------------|
| 1 a grid | 3 a constant |
| 2 a variable. | 4 an abscissa |

77 _____



78. The horizontal lines of a line graph are called the

- | | |
|------------|-------------|
| 1 ordinate | 3 axis |
| 2 abscissa | 4 variables |


78 _____

Unit E. Flat Developments (79-90)


79 Which drawing shows how the cardboard box below would look if it were completely unfolded and laid flat?




(1)



(3)




(2)




(4)


80 Which of the surface patterns below could be folded to form a truncated square?




(1)



(3)



(2)



(4)

81 In sheetmetal articles, seams and laps are used to

- 1 indicate the edges
- 2 join the edges
- 3 reinforce the edges
- 4 eliminate waste on the edges

80 _____


81 _____

82 The stretchout developments for sheetmetal products are drawn

- 1 one-eighth size
- 2 one-fourth size
- 3 one-half size
- 4 full size

82 _____

83 Which drawing has a true length line?



83 _____

84 Which type of development is used to make patterns for prisms and cylinders?

- 1 parallel line
- 2 perpendicular line
- 3 intersecting line
- 4 converging line

84 _____

85 Which tool is used when drawing an irregular curve on a surface development?

- 1 compass
- 2 French curve
- 3 bow pen
- 4 isometric template

85 _____

86 In sheetmetal, a pattern is called

- 1 a pictorial drawing
- 2 a multiview drawing
- 3 a stretchout drawing
- 4 an exploded drawing

86 _____

87 Patterns for regular tapering forms such as cones and pyramids are developed by

1 radial lines	3 section lines	
2 curved lines	4 extension lines	87 _____

88 In pattern developments, the lines shown inside the pattern are called

1 extension lines	3 guidelines	
2 radial lines	4 folding lines	88 _____

89 Dotted lines on pattern developments indicate

1 extra material to allow for laps in making joints		
2 the areas that cannot be seen from that view		
3 where the material is to be cut		
4 where the material is to be creased		89 _____

90 Whenever two or more surfaces come together, there is a line common to both that is called the

1 crease line	3 true length line	
2 hidden line	4 intersecting line	90 _____

Unit F. Construction (91-105)

91 If an estimate shows a house will cost \$18.00 per square foot, what will be the cost of a house 20 feet by 40 feet?

(1) \$12,600	(3) \$14,400	
(2) \$14,200	(4) \$15,400	91 _____

92 Which of the following must be done before a topographic map of an area can be made?

1 title search	3 profile plans	
2 plot plan	4 survey (field)	92 _____



93 On a topographic map, a series of points at a selected elevation may be connected with

- 1 a profile line
 - 2 a grid line
 - 3 a contour line
 - 4 an outcrop line
- 93 _____

94 Which type of drawing shows the vertical height above sea level and the horizontal distance along a section line?

- 1 detail
 - 2 profile
 - 3 geodetic
 - 4 geographic
- 94 _____

95 Which type of pictorial sketch is used mostly in architectural drawing?

- 1 isometric
 - 2 oblique
 - 3 cabinet
 - 4 perspective
- 95 _____

96 Contour lines are used on maps to show how the

- 1 vertical distance of ground levels above or below sea level
 - 2 different counties and townships on local maps
 - 3 boundaries of a tract of land
 - 4 streams, lakes, and coastlines of a country
- 96 _____

97 Which type of map includes such information as boundaries, natural features, the works of man, vegetation, and relief elevations and depressions?

- 1 survey map
 - 2 city map
 - 3 topographic map
 - 4 roadmap
- 97 _____

98 A map that records the boundaries and identifies a tract of land is called a


- 1 contour plan
 - 2 topographic map
 - 3 plot plan
 - 4 profile map
- 98 _____

99 Preliminary drawings of a proposed building often include plans, elevations, and perspective drawings, but do not include working information. Drawings of this type are called

- 1 working drawings
 - 2 detail drawings
 - 3 sketches
 - 4 competitive drawings
- 99 _____



100 Which type of roof is shown below?



- 1 gable
- 2 shed

- 3 flat
- 4 hip

100 _____

101 Which type of drawing shows the front, side, and back views of a building?

- 1 perspective
- 2 detail

- 3 elevation
- 4 floor plan

101 _____

102 The vertical post between windows is called a

- 1 windowpane
- 2 bar

- 3 parting strip
- 4 mullion

102 _____

103 The actual size of a 2-by-4 is

(1) $1\frac{1}{2}$ in. \times $3\frac{3}{4}$ in.

(3) $2\frac{1}{4}$ in. \times $4\frac{1}{4}$ in.

(2) $1\frac{1}{2}$ in. \times $3\frac{1}{2}$ in.

(4) $1\frac{5}{8}$ in. \times $3\frac{5}{8}$ in.

103 _____

104 When conventional studding for a frame house is to be covered with insulation board, the studs should be spaced

(1) 12 inches o.c.

(3) 24 inches o.c.

(2) 16 inches o.c.

(4) 36 inches o.c.

104 _____

105 The standard nominal size of a concrete block is

- (1) 4 in. × 6 in. × 16 in.
- (2) 6 in. × 6 in. × 12 in.
- (3) 6 in. × 6 in. × 16 in.
- (4) 8 in. × 8 in. × 16 in.

105 _____

Unit G. Careers (106-112)

106 Who gathers the field notes that are used by a map draftsman?

- 1 civil engineer
- 2 architect
- 3 construction worker
- 4 surveyor

106 _____

107 In the field of drafting, a person with only high school training usually starts as a

- 1 draftsman
- 2 checker
- 3 tracer
- 4 designer

107 _____

108 Which person has the job of simplifying and improving the operation and appearance of industrial products?

- 1 designer
- 2 chief draftsman
- 3 model maker
- 4 illustrator

108 _____

109 Which subject would be most helpful to a tool designer?

- 1 art
- 2 chemistry
- 3 music
- 4 trigonometry

109 _____

110 The person responsible for the work of the drafting department is the

- 1 senior draftsman
- 2 chief draftsman
- 3 junior draftsman
- 4 draftsman-in-training

110 _____

111 Upon completion of the training period, a trainee draftsman should advance to a

- 1 designer
- 2 checker

- 3 senior draftsman
- 4 junior draftsman

111. _____


112 Which person plans and designs all types of structures and buildings?

- 1 designer
- 2 architect

- 3 model maker
- 4 technical illustrator

112. _____

117 Which type of production sketch is shown below?



- 1 two-point perspective
- 2 section
- 3 exploded
- 4 orthographic projection

117 _____

118. Which type of paper is used for scale proportion in making production sketches?

- 1 graph
- 2 opaque
- 3 tracing
- 4 linen

118 _____

Unit B. Jigs and Fixtures (119-121)

119 What is the difference between a jig and a fixture?

- 1 A jig is free to move, and a fixture is fixed in a definite position.
- 2 A jig is used on rough surfaces and a fixture is used on smooth surfaces.
- 3 A jig is used for drilling, boring, and reaming only, and a fixture is used for countersinking and counterboring.
- 4 A jig is made of wood and a fixture is made of metal.

119 _____

120 Which device locates and holds a production part, and guides the cutting tools during the machining operation?

- 1 bushing
- 2 jig
- 3 punch
- 4 plug

120 _____


121 Which is a simple milling fixture?

- 1 socket
- 2 block
- 3 bushing
- 4 machine vise.

121 _____

Unit C. Fasteners (122-129)

122 What type of screw thread representation is shown below?



- 1 common
- 2 simplified
- 3 profile
- 4 conventional

122 _____

123 On what diameter rod is a $\frac{1}{2}$ -inch-diameter thread cut?

(1) $\frac{3}{8}$ in.

(3) $\frac{1}{2}$ in.

(2) $\frac{7}{16}$ in.

(4) $\frac{9}{16}$ in.

123 _____

124 Which tool is used to cut an internal thread?

1 tap
2 die

3 vise
4 tap drill

124 _____

125 At what angle is the American national thread profile drawn?

(1) 30°

(3) 60°

(2) 45°

(4) 90°

125 _____


126 Which type of thread on a screw is designed to transmit motion or power and to hold all forces in line with the axis?

1 knuckle
2 worm

3 sharp V
4 buttress

126 _____


127 Which is a fastener used to hold sheetmetal plates and structural steel shapes together?



(1)



(2)



(3)



(4)

127 _____

128 Which type of screw is used to fasten two pieces together by passing the screw through a hole in one plate and screwing it into a tapped hole in the other?

- 1 machine
- 2 cap

- 3 set
- 4 wood

128 _____

129 When permanent fastenings are required, sheet metal plates and structural steel shapes are usually fastened together with


- 1 locknuts
- 2 setscrews

- 3 stud bolts
- 4 rivets


129 _____

Unit D. Machine Parts (130-138)


130 Which symbol is used to indicate finished or machined surfaces?




(1)



(2)




(3)



(4)


130 _____

131 Which drawing shows a section of pieces assembled?



131 _____

132 What does the diagram below represent?



(1) T-slot
(2) keyway

(3) dovetail
(4) chamfer

132 _____

133 Which type of section shows the true size and shape of spokes, arms, ribs, bars, and other elongated parts?

- 1 a removed section
- 2 an assembly section
- 3 a broken-out section
- 4 an aligned section

133 _____

134 What should be the size of the keyway for a $\frac{1}{4}$ -inch- \times - $\frac{1}{4}$ -inch key?

- (1) $\frac{1}{4}$ inch \times $\frac{1}{16}$ inch
- (2) $\frac{1}{4}$ inch \times $\frac{1}{8}$ inch
- (3) $\frac{1}{2}$ inch \times $\frac{1}{4}$ inch
- (4) $\frac{1}{2}$ inch \times $\frac{1}{2}$ inch

134 _____

135 What is the noncircular raised portion above the surface of a casting called?

- 1 boss
- 2 fillet
- 3 chamfer
- 4 pad

135 _____

136 A casting is to be finished all over. The drawing can be simplified by omitting the finish marks and adding the abbreviation

- (1) a.s.a.
- (2) s.a.e.
- (3) f.a.o.
- (4) f.o.a.


136 _____

137 Which tool should be used to machine a drilled hole accurately to an exact size?


- 1 counterbore
- 2 tap drill
- 3 reamer
- 4 flute cutter

137 _____


138 Which drawing shows the symbol for aluminum when shown in section?




(1)



(3)



(2)



(4)

138 _____

Unit E. Assemblies (139-145)

139 Which type of drawing contains notes about the kind of material, the kind of fit, and the methods of machining?

- 1 working
- 2 thumbnail

- 3 oblique
- 4 perspective

139 _____

140 Which type of drawing shows a completed object as it really appears?

- 1 assembly drawing
- 2 elevation drawing

- 3 detail drawing
- 4 schematic drawing

140 _____

141 A complete drawing of a single part of an object is called a

- 1 machine detail drawing
- 2 parting line drawing

- 3 casting detail drawing
- 4 detail drawing

141 _____

Unit F. Power Transmission (146-156)

146 What part of a cam does the follower move along as a cam rotates?

- 1 face
- 2 keyway

- 3 base circle
- 4 center

146 _____

147 A cam displacement diagram shows the profile of a cam over one revolution or

- (1) 45°
- (2) 90°

- (3) 180°
- (4) 360°

147 _____

148 What kind of motion is produced by a cam?

- 1 quiet
- 2 still

- 3 flat
- 4 irregular

148 _____

149 When a cam's motion does not rise or fall, the motion is called

- 1 displacing
- 2 dwelling

- 3 knurling
- 4 parabolic

149 _____

150 Which type of gear is used to transmit power between two shafts whose axes intersect?

- 1 spur
- 2 worm

- 3 bevel
- 4 skew

150 _____

151 The major diameter of a gear tooth is called the

- 1 pitch circle
- 2 root circle

- 3 addendum circle
- 4 base circle

151 _____

152 Rotating and reciprocating motions are transmitted from one machine part to another by

- 1 an axis
- 2 a gear

- 3 a condenser
- 4 an intersection

152 _____

- 153 One gear has half as many teeth as a larger gear: What is the gearing ratio of the two gears?
- (1) 1:1 (3) 3:4
(2) 2:1 (4) 2:3 153 _____
- 154 A spur gear meshed with a rack gear will convert rotary motion to
- 1 reciprocating motion 3 circular motion
2 up-and-down motion 4 worm motion 154 _____
- 155 The distance that a thread advances axially in one turn is called the
- 1 clearance 3 pitch
2 dedendum 4 lead 155 _____
- 156 What is the maximum number of centers needed to draw a chain link?
- (1) 1 (3) 3
(2) 2 (4) 4 156 _____

Unit G. Manufacturing (157-167)

- 157 Mass production was made possible by
- 1 cheap labor
2 cheap material
3 interchangeable parts
4 good working conditions 157 _____
- 158 The aligned system is a system of
- 1 lettering 3 dimensioning
2 projection 4 drilling 158 _____

- 159 The thickness tolerance of a part refers to the part's overall
- | | | |
|----------|----------|-----------|
| 1 height | 3 width | |
| 2 length | 4 weight | 159 _____ |
- 160 Which instrument can make measurements to .001 in.?
- | | | |
|----------------------|----------------------|-----------|
| 1 combination square | 3 micrometer caliper | |
| 2 vernier caliper | 4 fixed gauge | 160 _____ |
- 161 When designing a new product, which type of drawing is usually made first?
- | | | |
|-------------------|-----------------------|-----------|
| 1 flow chart | 3 detail drawing | |
| 2 sketch solution | 4 engineering drawing | 161 _____ |
- 162 In any well-designed product, which factor is most important?
- | | | |
|--------|-------------|-----------|
| 1 line | 3 function | |
| 2 form | 4 principle | 162 _____ |
- 163 In the Golden Rectangle, the ratio of length to width is
- | | | |
|-----------|---------|-----------|
| (1) 1:1 | (3) 1:2 | |
| (2) 1:1.6 | (4) 1:3 | 163 _____ |
- 164 Which two aspects of design are most important in designing a chair?
- | | | |
|--------------------------|----------------------|-----------|
| 1 proportion and balance | 3 rhythm and texture | |
| 2 unity and color | 4 texture and color | 164 _____ |
- 165 When designing consumer products, which factor is most important?
- | | | |
|---------------|----------------|-----------|
| 1 appearance | 3 utility | |
| 2 maintenance | 4 sales appeal | 165 _____ |

166 Once the function of a product has been defined, the next step in the design process is

- 1 making a drawing that shows the appearance of the product
- 2 determining the materials and construction processes needed to make the product
- 3 making a working model of the product
- 4 planning a sales campaign to promote the product

166 _____

167 The international system of measurement is referred to as S.I. This system is commonly called the

- (1) standard system
- (2) customary system
- (3) A.S.A. system
- (4) metric system

167 _____

Unit H. Production Personnel (168-170)

168 Which type of drawing does a technical illustrator usually make?

- 1 three-dimensional
- 2 schematic
- 3 sheetmetal
- 4 working

168 _____

169 The term civil engineering refers to the planning and construction of

- 1 rockets, missiles, and spacecraft
- 2 computers and control instruments
- 3 tools and machines
- 4 highways, bridges, and dams

169 _____

170 In order for an architect to receive a license to practice, he must pass a



- 1 state examination
- 2 local examination
- 3 federal examination
- 4 county examination

170 _____

Group Questions (171-187)




171 a In the space provided, draw a freehand isometric sketch of the object shown below. [4]

b In the space provided, complete the profile view of the object shown below. [1]





172



172 In the space provided, sketch the isometric section of the object shown below. [5]



173 a On the diagram below, draw the intersection of line AB and plane XYZ using the auxiliary method. [3]



b On the diagram below, draw the intersection of line AB and plane XYZ using the two-view method. [2]



174 Bisect line AB using only a compass. [5]




175 Using a compass, erect a perpendicular to the given line AB from point O outside the line. [5]




• O

176 Sketch in the auxiliary view of the cut face of the cylinder shown below. [5]





177 Complete the side view of the diagram below. [5]



177

178 Complete the sketch of parallel lines AB and CD in the frontal view. [5]





179 Construct a hexagon using only a protractor, a compass, and triangles. [5]

180 Construct an isometric circle using only a triangle, a compass, and a T-square. [5]

181. Divide the given line AB into five equal parts using the parallel line method. [5]




182. Complete the visibility of the two planes that have line AC in common. Use the two-view method. [5]



183 Draw and indicate the magnitude of the resultant of coplanar vectors A, B, C, D, and E. [Scale 1 inch = 20 lb.] [5]

A	220°	20 lb.	(force)
B	170°	30 lb.	
C	150°	10 lb.	
D	125°	30 lb.	
E	90°	10 lb.	

184 Base your answers to parts a through e on the drawing shown below. [5]



a What is the size of dimension X?

- (1) $1\frac{1}{16}$ in. (3) $1\frac{1}{4}$ in.
 (2) $1\frac{1}{2}$ in. (4) $1\frac{3}{4}$ in.

a _____

b What is the size of dimension Y?

- (1) $\frac{5}{16}$ in. (3) $\frac{3}{16}$ in.
 (2) $\frac{5}{8}$ in. (4) $\frac{1}{4}$ in.

b _____

c What is the center-to-center dimension of the holes?

(1) $\frac{5}{16}$ in.

(3) $\frac{5}{8}$ in.

(2) $\frac{7}{8}$ in.

(4) $\frac{3}{4}$ in.

c _____

d What is the length of the front view?

(1) $3\frac{1}{4}$ in.

(3) $2\frac{7}{8}$ in.

(2) $2\frac{1}{8}$ in.

(4) $3\frac{1}{8}$ in.

d _____

e What is the size of dimension Z?

(1) $1\frac{7}{16}$ in.

(3) $1\frac{3}{4}$ in.

(2) $1\frac{7}{8}$ in.

(4) $2\frac{3}{16}$ in.

e _____

185 Base your answers to parts a through e on the thread designation given below.

$$1\frac{3}{4} - 12^m \cdot NF - 2$$

On the line at the left of each part of the thread designation listed in parts a through e, write the number of the term, chosen from the list below, which best identifies that part. [5]

Terms

- (1) First thread size
- (2) Class of fit
- (3) Thread series
- (4) National Thread Form
- (5) Root diameter
- (6) Major diameter
- (7) New-form thread
- (8) Threads per inch

_____ a $1\frac{3}{4}$


_____ b 12

_____ c N

_____ d F


_____ e 2

186 On the line at the left of each machine operation in parts a through e, write the number of the diagram, chosen from the list below, that illustrates that operation. [5]




- _____ a counterboring
- _____ b keyway
- _____ c broaching
- _____ d spot face
- _____ e drilling


187 On the line at the left of each type of common stock in parts a through e below, write the number of the diagram, chosen from the list below, which best illustrates that stock. [5]




(1)




(2)



(3)




(4)



(5)



(6)



(7)

_____ a channel

_____ b extrusion

_____ c round

_____ d plate

_____ e hex bar


Industrial Arts - Drawing

Scoring Key




Multiple Choice Questions

(1)	4	(44)	3	(87)	1	(130)	1
(2)	1	(45)	1	(88)	4	(131)	4
(3)	4	(46)	1	(89)	1	(132)	3
(4)	3	(47)	2	(90)	4	(133)	1
(5)	2	(48)	2	(91)	3	(134)	2
(6)	2	(49)	3	(92)	4	(135)	4
(7)	1	(50)	2	(93)	3	(136)	3
(8)	2	(51)	1	(94)	2	(137)	3
(9)	4	(52)	3	(95)	4	(138)	2
(10)	2	(53)	3	(96)	1	(139)	1
(11)	2	(54)	4	(97)	3	(140)	1
(12)	3	(55)	1	(98)	3	(141)	4
(13)	1	(56)	4	(99)	4	(142)	1
(14)	2	(57)	2	(100)	4	(143)	2
(15)	4	(58)	1	(101)	3	(144)	3
(16)	1	(59)	2	(102)	4	(145)	1
(17)	3	(60)	4	(103)	2	(146)	1
(18)	4	(61)	1	(104)	2	(147)	4
(19)	3	(62)	2	(105)	4	(148)	4
(20)	3	(63)	1	(106)	4	(149)	2
(21)	2	(64)	3	(107)	3	(150)	3
(22)	3	(65)	2	(108)	1	(151)	3
(23)	1	(66)	1	(109)	4	(152)	2
(24)	4	(67)	1	(110)	2	(153)	2
(25)	1	(68)	2	(111)	4	(154)	1
(26)	3	(69)	2	(112)	2	(155)	4
(27)	4	(70)	3	(113)	1	(156)	2
(28)	3	(71)	3	(114)	4	(157)	3
(29)	2	(72)	4	(115)	2	(158)	3
(30)	3	(73)	3	(116)	1	(159)	1
(31)	4	(74)	4	(117)	3	(160)	3
(32)	2	(75)	3	(118)	1	(161)	2
(33)	2	(76)	1	(119)	1	(162)	3
(34)	1	(77)	1	(120)	2	(163)	2
(35)	4	(78)	2	(121)	4	(164)	1
(36)	4	(79)	1	(122)	2	(165)	3
(37)	2	(80)	1	(123)	3	(166)	2
(38)	2	(81)	2	(124)	1	(167)	4
(39)	4	(82)	4	(125)	3	(168)	1
(40)	3	(83)	2	(126)	2	(169)	4
(41)	2	(84)	1	(127)	3	(170)	1
(42)	4	(85)	2	(128)	2		
(43)	3	(86)	3	(129)	4		

171




(a) ISOMETRIC




(b) SIDE VIEW

172


ISOMETRIC SECTION




173 a




b



174




175






176


AUXILIARY VIEW




177




178




179




180




181



182



183



184 a 3

b 1

c 3

d 4

e 2

185 a 6

b 8

c 4

d 3

e 2

186 a 2

b 7

c 5

d 4

e 1

187 a 2

b 5

c 8

d 6

e 4

Industrial Arts Examination Materials

ELECTRICITY and ELECTRONICS

Multiple Choice

Directions (1-148): In the space provided write the number preceding the word or expression that, of those given, best completes the statement or answers the question.

Part I - Electricity.

Unit A. Theory (1-17)

1 The resistance of a conductor can be decreased by

- 1 decreasing its length
- 2 heating it
- 3 decreasing its diameter
- 4 covering it with insulation

2 Which choice is a unit of resistance?

- 1 volt
- 2 ohm
- 3 ampere
- 4 watt

3 What would be the value of a resistor with red, green, and orange bands?

- (1) 25.3 ohms
- (2) 253 ohms
- (3) 15,000 ohms
- (4) 25,000 ohms

4 Which are the four factors that affect the resistance of a wire?


- 1 length, width, diameter, and amount of insulation.
- 2 size, length, temperature, and type of material
- 3 length, diameter, temperature, and type of material
- 4 length, thickness, size, and type of material

1 _____

2 _____

3 _____

4 _____



5 Which equation states Ohm's law?

(1) $E = I \times R$

(2) $P = I \times E$

(3) $E = \frac{P}{I}$

(4) $I = \frac{R}{E}$

5 _____

6 The prefix kilo means

(1) 10

(2) 100

(3) 1,000

(4) 10,000

6 _____


7 Which diagram shows the electrical symbol for a ground?




(1)



(3)



(2)



(4)

7 _____

8 What is the law of magnetism?

- 1 Like poles attract and unlike poles repel.
- 2 Like poles repel and unlike poles attract.
- 3 Both like and unlike poles attract.
- 4 Both like and unlike poles repel.

8 _____

9 The ability of magnetic materials to concentrate lines of force is called

- 1 reluctance
- 2 inductance
- 3 magnetomotive force
- 4 permeability

9 _____

10 Which material would remain magnetized the longest?

- 1 silver
- 2 iron
- 3 copper
- 4 alnico

10 _____

11 What kind of insulating material is used most often on magnet wire?

- 1 plastic
- 2 rubber
- 3 enamel
- 4 cotton

11 _____

12 Which material is the better insulator?

- 1 copper
- 2 aluminum
- 3 glass
- 4 soft iron

12 _____

13 The nucleus of an atom is made of

- 1 protons and neutrons, only
- 2 electrons and neutrons, only
- 3 protons and electrons, only
- 4 protons, electrons, and neutrons


13 _____

14 Which material is the better conductor of electricity?

- 1 nichrome
- 2 iron
- 3 aluminum
- 4 copper

14 _____


15 What is the voltage between points X and Y in the circuit shown below?



- (1) 20 volts
- (2) 40 volts
- (3) 60 volts
- (4) 80 volts

15 _____


16 What is the total resistance of the circuit shown below?



- (1) 1 ohm
- (2) 2 ohms
- (3) 6 ohms
- (4) 11 ohms

16 _____

17 What is the resistance of resistor R in the circuit shown below?
 $I = 2$ amp.







- (1) 6 ohms
- (2) 10 ohms
- (3) 14 ohms
- (4) 24 ohms

17 _____


Unit B. Measurement (18-23)

18 In which circuit are the voltmeter (V) and ammeter (A) correctly connected?



18 _____


19 Which ammeter is connected correctly in the circuit below?



- (1) A₁
- (2) A₂
- (3) A₃
- (4) A₄

19 _____

20 Which voltmeter is correctly connected in the circuit shown below?



- (1) V_1
- (2) V_2
- (3) V_3
- (4) V_4

20 _____

21 How should an ohmmeter be adjusted before it is used?

- 1 Zero adjust the left end, only.
- 2 Zero adjust the right end, only.
- 3 Zero adjust to the middle.
- 4 Zero adjust both ends.

21 _____

22 At what range should the scale of a voltmeter be set if the circuit reading is approximately 100 volts?

- (1) 0-1,000 volts
- (2) 0-500 volts
- (3) 0-150 volts
- (4) 0-100 volts

22 _____


23 Reactance is measured in

- 1 henries
- 2 ohms
- 3 farads
- 4 volts

23 _____

Unit C: Circuitry (24-33)





24 Which type of switch is used in the relay circuit shown below?



- (1) SPST switch
- (2) DPST switch
- (3) DPDT switch
- (4) SPDT switch


24 _____

25 Which circuit below has a total resistance of 470Ω ?



25 _____

26 Which component in the circuit shown below will dissipate the greatest amount of heat?



- (1) R_1
- (2) R_2
- (3) C_1
- (4) C_2

26 _____

27 Which choice is a unit of capacitance?

- 1 a henry
- 2 a farad
- 3 an ohm
- 4 a volt

27 _____

28 What is the total capacitance of two .02-mfd. capacitors connected in series?

- (1) .01 ufd.
- (2) .02 ufd.
- (3) .08 ufd.
- (4) .04 ufd.

28 _____

29 What is the total capacitance of two 50-microfarad capacitors "connected in series?"

- (1) 12.5 ufd.
- (2) 25 ufd.
- (3) 50 ufd.
- (4) 100 ufd.

29 _____

30 A capacitor is a device which opposes any change in the circuit's

- 1 current
- 2 voltage
- 3 inductance
- 4 resistance

30 _____






31 What is the total inductance of two 4-henry chokes connected in series?

- (1) 12 henries
- (2) 2 henries
- (3) 8 henries
- (4) 4 henries

31 _____

32 Which choice is the equivalent of the circuit shown in figure A below?

FIGURE A



32 _____

33 Circuit continuity can be measured with

- 1 a VOM
- 2 a voltmeter
- 3 an ammeter
- 4 a hydrometer

33

Unit D: Motors (34-38)

34 What type of motor is used to operate cranes, hoists, and locomotives?

- 1 shunt
- 2 compound
- 3 universal
- 4 series

34 _____

35 What motor can be run on either a.c. or d.c. current?

- 1 compound
- 2 universal
- 3 shunt
- 4 repulsion

35 _____

36 What is not reversed by the reversing switch on a d.c. motor?

- 1 the polarity of poles
- 2 armature current
- 3 the line frequency
- 4 the direction of rotation of motor

36 _____

37 Which motor operates on d.c. current?

- 1 shunt motor
- 2 selsyn motor
- 3 synchronous motor
- 4 induction motor

37 _____

38 Which equation would be used to find the speed (r.p.m.) of a synchronous motor?

(1) $r.p.m. = \frac{60 \times \text{voltage} \times \text{frequency}}{\text{No. of pairs of poles}}$

(2) $r.p.m. = \frac{60 \times \text{frequency}}{\text{No. of pairs of poles}}$

(3) $r.p.m. = \frac{180 \times \text{voltage} \times \text{frequency}}{\text{No. of poles}}$

(4) $r.p.m. = \frac{180 \times \text{frequency}}{\text{No. of poles}}$

38 _____

Unit E: Light-Heat (39-47)

39 What is the ignition voltage of a NE2 neon lamp?

- (1) 1.5 volts
- (2) 10 volts
- (3) 50 volts
- (4) 90 volts

39 _____

40 The function of the grounding wire inside a Romex cable is to

- 1 strengthen the wire
- 2 carry the current to the load
- 3 provide a low-resistance path to the ground
- 4 carry heat away from the load

40 _____

41 What size wire is used for the lighting circuits in a home?

- (1) #8
- (2) #12
- (3) #16
- (4) #20

41 _____

42 What part of the fluorescent light fixture limits the current to the lamp?

- 1 ballast
- 2 filament
- 3 starter
- 4 mercury

42 _____

43 Who invented the incandescent light?

- 1 Franklin
- 2 Edison
- 3 De Forest
- 4 Marconi


43 _____

44 Which is a safety device used to prevent an electrical circuit from becoming overloaded?

- 1 resistor
- 2 switch
- 3 fuse
- 4 capacitor

44 _____

45 When the switch is in position #1, which lights will go on?



- (1) 1 and 2
- (2) 2 and 3
- (3) 3 and 4
- (4) 1 and 3

45 _____

46 Three ways that heat is transferred from its source to the object being heated are

- 1 induction, convection, and radiation
- 2 conduction, resistance, and radiation
- 3 conduction, convection, and radiation
- 4 resistance, induction, and radiation

46 _____

47 If line frequency to a light bulb dropped to 20 c.p.s., what would happen?

- 1 The light would dim but remain lit.
- 2 The light would brighten.
- 3 The light would burn out.
- 4 The light would flicker.

47 _____

Unit F: Batteries and Generators (48-55)

48 Theoretically, for how many hours can a 100-ampere-hour battery deliver 2 amperes before it is completely discharged?

- (1) 50
- (2) 2
- (3) 100
- (4) 200

48 _____

49 What is the output voltage and amperage of three $1\frac{1}{2}$ -volt, 20-ampere cells connected in series?

- (1) $1\frac{1}{2}$ v. - 20 amp.
- (2) $4\frac{1}{2}$ v. - 20 amp.
- (3) $1\frac{1}{2}$ v. - 60 amp.
- (4) $4\frac{1}{2}$ v. - 60 amp.

49 _____

50 Which type of cell can be recharged?

- 1 mercury
- 2 carbon-zinc
- 3 alkaline
- 4 nickel-cadmium

50 _____

51 What is the electrolyte in a lead-acid storage cell?

- 1. lead triphosphate
- 2. lead and ascorbic acid
- 3. sulphuric acid and distilled water
- 4. nitric acid and distilled water

51 _____

52 Battery storage capacity is rated in

- 1 ampere-hours
- 2 volts
- 3 coulombs
- 4 power factors

52 _____

53 What will stop the sulphation of a secondary cell?

- 1 an occasional overcharge
- 2 an occasional undercharge
- 3 adding a desulphurate solution
- 4 quickly discharging the cell


53 _____

54. Which type of cell is a dry cell battery?

- 1 voltaic cell
- 2 secondary cell
- 3 primary cell
- 4 wet cell

54 _____

55 The battery shown below is



- 1 completely charged
- 2 being charged
- 3 being discharged
- 4 completely discharged

55 _____

Unit G: Power Generation and Transmission (56-61)

56 Which device is used to run a generator in a power station?

- 1 transformer
- 2 turbine
- 3 alternator
- 4 fuel cell

56 _____

57 Which device is used at the generating plant to increase the voltage before it is transmitted across the country?

- 1 transformer
- 2 converter
- 3 generator
- 4 turbine

57 _____

58 How many watts are equal to one horsepower?

- (1) 360
- (2) 400
- (3) 600
- (4) 746

58 _____

59 The purpose of impedance matching is to provide maximum

- 1 power transfer
- 2 phase difference
- 3 antenna current
- 4 resistance

59 _____

60 The frequency of most power generated in the United States is

- (1) 30 c.p.s.
- (2) 40 c.p.s.
- (3) 60 c.p.s.
- (4) 117 c.p.s.

60 _____

61 Hydroelectric power is produced by

- 1 water
- 2 wind
- 3 sunlight
- 4 atomic energy

61 _____

Unit H: Industrial Organization (62)

62 What organization will test any electrical component or appliance and give it a stamp of approval if it meets certain safety standards?




- 1 National Association of Home Builders
- 2 International Brotherhood of Electrical Workers
- 3 Underwriters Laboratories, Inc.
- 4 Electronic Industries Assoc.

62 _____

Part II: Electronics

Unit A: Science Review (63-71)

63 Which diagram below shows a sine wave?



63 _____

64 What particle of the atoms in a copper wire becomes the current through the conductor?

- 1 nucleus
- 2 proton
- 3 electron
- 4 neutron



64 _____

65 What is the wavelength of a transmitted frequency of 4.0 mc.?

- (1) 50 meters
- (2) 75 meters
- (3) 100 meters
- (4) 125 meters

65 _____

66 In order to obtain maximum amplification, the load resistor of an amplifier should always be

- 1 less than the a.c. plate resistance.
- 2 equal to the plate resistance.
- 3 several times higher than the plate resistance.
- 4 thousands of times higher than the plate resistance.

66 _____

67 How much must the power level of an amplifier be increased from two watts before any change in loudness could be heard by most people? (The sound ratio of 1.26 equals one decibel.)

- (1) 2.5 watts
- (2) 3 watts
- (3) 3.5 watts
- (4) 4 watts

67 _____

68 What is the decibel gain of an amplifier if the input power is 1 watt and the output power is 10 watts?

- (1) 5 db
- (2) 10 db
- (3) 15 db
- (4) 20 db

68 _____

69 Which field transmitted by an antenna system determines its own polarization?

- 1 magnetic field
- 2 electrostatic field
- 3 gravitational field
- 4 standing wave ratio field


69 _____

70 What is the a.c. output voltage of a triode amplifier stage which has the following values: $R_L = 50,000$ ohms, $r_p = 5,000$ ohms, $\mu = 30$, and $e_g = .3$ volt?

- (1) 6.1 volts
- (2) 7.1 volts
- (3) 8.1 volts
- (4) 9.1 volts

70 _____

- 71 The frequency response curve for a resistance coupled audio amplifier is shown below. What should be done to improve the low frequency response section of the curve?



- 1 Increase the plate voltage of the tube.
- 2 Increase the size of the coupling capacitor.
- 3 Increase the size of the load resistor.
- 4 Reduce the size of the load resistor.

71 _____

Unit B: Meters and Instruments (72-81)

72 What is one advantage of the multimeter over single purpose meters?

- 1 It is less expensive.
- 2 It is easier to read.
- 3 It is more versatile.
- 4 It is better built.

72 _____

73 The internal resistance of an ammeter is 10 ohms. What size shunt is needed in the ammeter to extend the range from 1 ma. to 5 ma.?

- (1) 1.5 ohms
- (2) 2.5 ohms
- (3) 3.5 ohms
- (4) 4.5 ohms

73 _____

74 A d.c. voltmeter has an internal resistance of 1000 ohms for a 0 - 1 ma. range. What size multiplier resistor should be put in series with the meter resistance to convert the meter range to 0 - 100 volts?

- (1) 900 ohms
- (2) 9900 ohms
- (3) 90,000 ohms
- (4) 99,000 ohms

74 _____

75 At what range should a multimeter be set for a voltage reading of 50 volts?

- (1) 10
- (2) 100
- (3) 500
- (4) 1000


75 _____

76 What type of a.c. meter should be used to measure currents when the frequency does not exceed 20,000 hertz?

- 1 copper oxide rectifier
- 2 thermocouple
- 3 hot wire
- 4 selenium rectifier

76 _____

77 What voltage reading is shown on the scale below?



- (1) 4.3 volts
- (2) 4.2 volts
- (3) 4.1 volts
- (4) 4 volts

77 _____

78 The most sensitive meter would be one with a current range of

- (1) 0-1 mA
- (2) 0-10 mA
- (3) 0-50 μ A
- (4) 0-500 μ A

78 _____

79 Which instrument will give the most accurate resistance measurements?

- 1 Wheatstone bridge
- 2 ohmmeter
- 3 VOM
- 4 multimeter


79 _____

80 What control on the oscilloscope is used to set the frequency of the sawtooth generator inside the scope?

- 1 horizontal positioning
- 2 vertical gain
- 3 focusing
- 4 sweep

80 _____

81 The diagram below shows the electrical circuit of a



- (1) VOM
- (2) VTVM
- (3) phase difference meter
- (4) differential resistance decoder

81 _____

Unit C: Inductance and Capacitance (82-90)

82 In order to prevent magnetic coupling between interstage leads the leads should be

- 1 shielded
- 2 immersed in water
- 3 made as short as possible
- 4 made from parallel zip cord

82 _____

83 The coupling coefficient between two coils can be increased by

- 1 adding more windings
- 2 increasing the current
- 3 using smaller diameter wire
- 4 moving the windings closer together

83 _____

84 A loudspeaker with an impedance of 4.7 is used in a plate circuit that has an impedance of 3,200 ohms. What is the turns ratio used in the transformer?

- (1) 4.7 to 1
- (2) 31.6 to 1
- (3) 68.1 to 1
- (4) 3,200 to 1

84 _____

85 The strength of an electromagnet can be increased by

- 1 increasing the amount of insulation
- 2 decreasing the volts and turns
- 3 increasing the amperes and turns
- 4 decreasing the amperes and turns

85 _____

86 How much does voltage lag the current in a purely capacitive circuit?

- (1) 45°
- (2) 90°
- (3) 180°
- (4) 360°

86 _____

87 What is the phase relationship of the voltage to the current in a capacitive reactive circuit?

- 1 The voltage and current are in phase.
- 2 The current leads the voltage by 90° .
- 3 The voltage leads the current by 90° .
- 4 The voltage and current are 180° out of phase.

87 _____

88 What is the inductive reactance of a 2-henry coil in a circuit where the frequency is 60 hertz?

- (1) 120 ohms
- (2) 377 ohms
- (3) 754 ohms
- (4) 1,000 ohms

88 _____

89 A transformer has 120 volts across the primary and 12 volts across the secondary. If the primary has 1,000 turns, then the secondary must have

- (1) 50 turns
- (2) 100 turns
- (3) 150 turns
- (4) 200 turns

89 _____

90 A capacitor and a resistor are connected in series and a d.c. voltage has been applied to the circuit. The amount of time it takes to charge the capacitor depends on the

- 1 size of the capacitor, only
- 2 amount of voltage applied, only
- 3 size of the resistor and the amount of voltage applied
- 4 size of both the resistor and the capacitor

90 _____

Unit D: Tubes and Semiconductors (91-99)

91 Which tube below operates only as a rectifier tube?

- (1) 12BE6
- (2) 12AU6
- (3) 35W4
- (4) 50C5

91 _____

92 In the tube number 35W4, the first two numbers designate the

- 1 filament voltage
- 2 plate voltage
- 3 grid voltage
- 4 number of active elements

92 _____

93 In a pentode tube, the suppressor is located between the

- 1 envelope and the plate
- 2 screen grid and the control grid
- 3 screen grid and the plate
- 4 cathode and the screen grid


93 _____

94 The dot in a schematic symbol of a tube means that the tube is a

- 1 high radiation tube
- 2 high voltage tube
- 3 high amperage tube
- 4 gas filled tube

94 _____

95 What amplifier circuit configuration shown below is most commonly used?



95 _____

96 If the V_F is 6 volts and the limiting resistance is 1000 ohms, what would be the I_F of a diode circuit?

- (1) 6 ma.
- (2) 2 ma.
- (3) 8 ma.
- (4) 4 ma.

96 _____

97 In an N-type semiconductor, how many valence electrons will be in the doping atom?

- (1) 1
- (2) 5
- (3) 3
- (4) 7

97 _____

98 Which two elements are used to make semiconductors?

- 1 cobalt and germanium
- 2 carbon and silicon
- 3 germanium and silicon
- 4 sulfur and iron

98 _____


99 The process of changing a.c. to d.c. is called

- 1 amplification
- 2 modulation
- 3 rectification
- 4 oscillation

99 _____

Unit E: Amplifiers - Oscillators (100-119)

Base your answers to questions 100 and 101 on the diagram below.



100 How would the reading of M_1 be affected if resistor R_1 were to open?

- 1 It would increase.
- 2 It would remain the same.
- 3 It would decrease, but not to zero.
- 4 It would decrease to zero.

100 _____

101 How would the reading of M_2 be affected if capacitor C_4 were to be shorted?

- 1 It would increase.
- 2 It would remain the same.
- 3 It would decrease, but not to zero.
- 4 It would decrease to zero.

101 _____

102 What class of amplifier has its output current operating for 360° of the signal?

- (1) A
- (2) B
- (3) C
- (4) AB

102 _____

103 How much out of phase should the output signals from the two tubes in a push-pull amplifier be?

- (1) 0°
- (2) 90°
- (3) 180°
- (4) 270°

103 _____

104 What is the approximate plate efficiency of a Class B push-pull amplifier?

- (1) 20%
- (2) 50%
- (3) 70%
- (4) 90%

104 _____

105 Which class amplifier gives undistorted true reproduction of the original wave?

- (1) A
- (2) B
- (3) C
- (4) AB

105 _____

106 Which class amplifier is most efficient?

- (1) A
- (2) B
- (3) C
- (4) AB


106 _____

107 An audio amplifier has a sudden decrease in output, but an increase in quality. This is most likely caused by

- 1 a shorted cathode bypass capacitor
- 2 an open anode bypass capacitor
- 3 a discharging coil
- 4 a leaking grid bias

107 _____

108 What kind of electrical circuit is shown in the diagram below?



- 1 Colpitts oscillator
- 2 dual triode rectifier circuit
- 3 harmonic amplifier
- 4 push-pull amplifier

108 _____

109 What is the approximate efficiency of a class A amplifier?

- (1) 5%
- (2) 20%
- (3) 50%
- (4) 100%

109 _____

110 Which is an advantage of a magnetic amplifier circuit over a vacuum tube circuit?

- 1 It produces less distortion.
- 2 It has a better frequency response.
- 3 It is more resistant to shock.
- 4 It requires less current.


110 _____

111 Which two components are used to make an oscillator?

- 1 a capacitor and a resistor
- 2 a transistor and a choke
- 3 a transformer and a coil
- 4 a capacitor and a coil

111 _____

112 The diagram shown below is a schematic drawing of which choice?



- 1 an Armstrong preamplifier
- 2 a tuned grid-tuned plate oscillator
- 3 a Hartley series fed oscillator
- 4 a vacuum tube power supply

112 _____

113 The RF input is 1,000 kc. and the local oscillator input is 1,455 kc. at the converter stage of a superheterodyne radio. What should be the intermediate frequency in this radio? "

- (1) 455 kc.
- (2) 1,000 kc.
- (3) 1,455 kc.
- (4) 2,455 kc.

113 _____

114 What part of an oscillator circuit determines the frequency of the current?

- (1) amplifying tube
- (2) LC network
- (3) feedback network
- (4) grid-leak section

114 _____

115 If the plate current of a triode is increased, the plate resistance will

- 1 increase
- 2 decrease
- 3 remain the same
- 4 increase and then decrease

115 _____

116 What is the Q of a tuned circuit if X_L is 500 ohms and R is 10 ohms?

- (1) 50
- (2) 500
- (3) 5,000
- (4) 50,000

116 _____

117 What is the bandwidth of a tuned circuit with a Q of 100 and a resonant frequency of 100,000 Hz.?

- (1) 100 Hz.
- (2) 1,000 Hz.
- (3) 10,000 Hz.
- (4) 100,000 Hz.

117 _____

118 What is the frequency of a series tuned circuit that has an inductance of 2 microhenries and a capacitance of .02 microfarad?

- (1) 39.5 cycles
- (2) 79.5 cycles
- (3) 39,500 cycles
- (4) 79,500 cycles

118 _____

119 Which type of tube is used as a converter?

- 1 duodiode.
- 2 duodiode-triode
- 3 twin-triode
- 4 pentagrid

119 _____

Unit F: Radio and Television (120-135)

120 When the frequency of a signal is increased, its wavelength will

- 1 decrease, only
- 2 increase, only
- 3 remain the same
- 4 decrease and then increase

120 _____

121 What bandwidth is needed for a complete television signal?

- (1) 6 mc.
- (2) 2 mc.
- (3) 8 mc.
- (4) 4 mc.

121 _____

122 The bandwidth of the useful portion of a television signal is

- (1) 8.75 mc.
- (2) 2.75 mc.
- (3) 6.75 mc.
- (4) 4.75 mc.

122 _____

123 What type of audio signal is received by TV sets?

- (1) AM
- (2) FM
- (3) SSB
- (4) phase modulation

123 _____

124 The voltage required by a black and white television tube is approximately:

- (1) 350 - 400 volts
- (2) 500 - 1000 volts
- (3) 1000 - 6000 volts
- (4) 8000 - 16,000 volts

124 _____

125 What two types of fields are transmitted from the antenna of a radio station?

- 1 voltage and current
- 2 radio frequency and audio frequency
- 3 electromagnetic and electrostatic
- 4 gravitational and magnetic

125 _____

126 Which device collects radio waves from a transmitting station?

- 1 capacitor
- 2 transistor
- 3 inductor
- 4 antenna


126 _____

127 What part of a radio separates one radio station from all other stations?

- 1 antenna
- 2 oscillator
- 3 amplifier
- 4 tuner

127 _____

128 The diagram represents a




- 1 transmitter
- 2 transceiver
- 3 crystal radio
- 4 TRF

128 _____

100

129 What does the block diagram below show?



- 1 a superheterodyne AM receiver
- 2 a monoheterodyne AM/FM receiver
- 3 a single-sided and suppressed carrier transmitter
- 4 a superheterodyne FM stereo receiver

129 _____

130 What intermediate frequency signal is used in a superheterodyne radio whose radio frequencies are 1,455 kilocycles and 1,000 kilocycles?

- (1) 455 kc.
- (2) 1,000 kc.
- (3) 1,455 kc.
- (4) 2,455 kc.

130 _____

131 What is the frequency of the second harmonic of a 1,000 c.p.s. signal?

- (1) 500 c.p.s.
- (2) 998 c.p.s.
- (3) 1,002 c.p.s.
- (4) 2,000 c.p.s.

131 _____

132 The speed of radio waves in free space is approximately

- (1) 1,100 ft./min.
- (2) 1,100 meters/sec.
- (3) 186,000 mi./min.
- (4) 300,000,000 meters/sec.

132 _____

133 This symbol shown below represents



- 1 klystron tube
- 2 pressure tube
- 3 crystal
- 4 terminal board

133 _____

134 Which microphone would be best to use to reproduce music?

- 1 carbon microphone
- 2 ribbon microphone
- 3 crystal microphone
- 4 dynamic microphone

134 _____

135 What organization establishes the rules and regulations for all interstate and foreign electrical communication systems originating in the U.S.?

- 1 Federal Communications Commission
- 2 Electronic Industries Association
- 3 Radio Electronic Television Manufacturer Association
- 4 Joint Electronic Device Engineering Council

135 _____

Unit G: Controls and Computers (136-141)

136 A photoresistor is connected between the grid and B- of a vacuum tube. If the amount of light striking the photoresistor is decreased, the plate current will

- 1 increase, only
- 2 decrease, only
- 3 remain the same
- 4 decrease and then increase

136 _____

137 In a logic circuit, which gate will always have an output if any of the inputs are active?

- (1) AND
- (2) OR
- (3) NOT
- (4) NAND

137 _____

138 Which type of gate has an output only when all the input signals are active?

- 1 a NOR
- 2 a NAND
- 3 an AND
- 4 an OR


138 _____

139 What is the sum of the binary numbers 101 and 11?


- (1) 110
- (2) 111
- (3) 1100
- (4) 1000

139 _____


140 Which block diagram shown below represents the equation $AB + CD + E = R$?




(1)



(3)



(2)



(4)

140 _____

141 If a relay coil's resistance is 400 ohms and it pulls in at 200 ma., what is the pull-in voltage?

- (1) 80 volts
- (2) 40 volts
- (3) 8 volts
- (4) 14 volts

141 _____

Unit P: Careers and Industry (142-148)

142 How many years must a person be an apprentice before he can become a licenced electrician?

- (1) 2-3 years
- (2) 4-5 years
- (3) 6-7 years
- (4) 8-9 years

142 _____

143 What type of work does a maintenance electrician do?

- 1 He services telephones.
- 2 He repairs TV's and radios.
- 3 He repairs and maintains industrial equipment.
- 4 He designs and builds components and appliances.

143 _____

144 Which group of workers in the telephone industry has the highest pay rate?

- 1 telephone craftsmen
- 2 telephone operators
- 3 clerical workers
- 4 maintenance and building service workers

144 _____

145 In most broadcasting stations, approximately 50% of the full time staff are employed in

- 1 programming
- 2 engineering
- 3 sales
- 4 bookkeeping

145 _____

146 Which type of worker in the light and power distribution occupations has the responsibility for constructing and maintaining the network of powerlines which carry the electricity from the generating plant to the consumer?

- 1 cable splicers
- 2 groundmen
- 3 load dispatchers
- 4 linemen

146 _____

147 Which type of worker is most likely to be employed in research, development, and design activities in the electronic manufacturing industry?

- 1 construction electrician
- 2 maintenance electrician
- 3 electrical engineer
- 4 service technician

147 _____


148 What type of FCC license must a broadcast technician have in order to operate and adjust transmitters and related equipment?

- 1 Amateur Radio License
- 2 Citizen Band License
- 3 Third Class Operators License
- 4 Radio Telephone First Class License


148 _____

Group Questions (149-158)

149 Calculate the I_C of the common emitter circuit shown below. A silicon transistor is used in the circuit. [5]




150 Base your answers to parts a through e on the diagram of the series-parallel circuit below. [5]




- a. Determine the value of R_T . _____
- b. Determine the value of I_T . _____
- c. Determine the value of P_T . _____
- d. Determine the value of E_{R_L} . _____
- e. Determine the value of I_{R_6} . _____

15. Base your answers to parts a through e on the diagram of the tuned circuit below. [5]



- a. Determine the value of F_R . _____
- b. Determine the value of X_L . _____
- c. Determine the value of Q . _____
- d. Determine the value of BW . _____
- e. Determine the value of Z . _____


152 Base your answers to parts a through c on the circuit diagram below. [5]




- a Determine the value of R_1 . [2] _____
- b Determine the total resistance of the circuit: [1] _____
- c Determine the voltage across R_3 . [2] _____

153 A relay coil with a resistance of 300 ohms is placed in a circuit. If the applied voltage is 115 volts and the current must be limited to 0.25 amp., what value resistor must be placed in series with the coil? [5]


154 Base your answers to parts a through e on the oscilloscope patterns shown below. [5]



(a)




(b)




(c₁)

X-1/cm.




(c₂)

X10/cm.



(d)




(e)

- a What is the p-p a.c. voltage of the sine wave in pattern a if the vertical gain is set for x10/centimeters?
- b What is the d.c. voltage measurement in pattern b if the vertical gain is set for x1/cm.?
- c The input and output signals of an amplifier stage are shown by the patterns C₁ and C₂. What is the gain of the amplifier stage?
- d When a frequency of 60 Hz. is applied to the vertical terminals and an unknown frequency is applied to the horizontal terminals, pattern d is produced. What is the unknown frequency?
- e In pattern e, what is the phase angle between the voltage and the current?


a _____
b _____
c _____
d _____
e _____

155 Base your answers to parts a through e on the diagram of the power supply shown below. [5]




- a What type of power supply is shown in the diagram? _____
- b What is the function of V_1 ? _____
- c What is the function of L_1 , C_1 , and C_2 ? _____
- d What is one function of R_L ? _____
- e What is the percentage of voltage regulation of the power supply if the output voltage with no load is 275 volts and under full load is 260 volts? _____

156 The graph below shows the $I_b E_b$ characteristic curves for a type 6FQ7 tube. Base your answers to parts a through e on this graph. [5]




- a If the plate current is constant at 20 ma. and the grid voltage changes from 0 to -2 volts, what is the amplification factor of the tube? _____
- b If the plate voltage changes from 150 to 200 volts and the E_c voltage is constant at -4 volts, what is the a-c plate resistance (r_p) of the tube? _____
- c If the plate voltage is 100 volts and E_c changes from 0 to -2 volts, what would be the transconductance of the tube? _____
- d If the G_m is 3,000 and the amplification is 20, what would be the r_p of the tube? _____
- e If the E_c voltage is -4 and the plate voltage is 200 volts, what is the plate current? _____

157 Base your answers to parts a through e on the diagram of the amplifier circuit below. [5]




- a Determine the value of V_B . _____
- b Determine the value of V_{E^A} . _____
- c Determine the value of I_E . _____
- d Determine the value of I_C . _____
- e Determine the value of V_{CE} . _____

158 Base your answers to parts a through e on the diagram shown below. [5]



- a What electrical device is indicated by letter A?
- b What is the function of the part of the circuit indicated by letter B?
- c What electrical device is indicated by letter C?
- d What is the name of the part of the circuit indicated by letter D?
- e What does the entire circuit represent?

159 Wire the auto ignition circuit shown below. [5]



Industrial Arts Examination Materials

ELECTRICITY and ELECTRONICS

Scoring Key

(1)	1	(41)	2	(81)	2	(121)	1
(2)	2	(42)	1	(82)	3	(122)	4
(3)	4	(43)	2	(83)	4	(123)	2
(4)	2	(44)	3	(84)	3	(124)	4
(5)	1	(45)	2	(85)	3	(125)	3
(6)	3	(46)	3	(86)	2	(126)	4
(7)	2	(47)	4	(87)	2	(127)	4
(8)	2	(48)	1	(88)	3	(128)	3
(9)	4	(49)	2	(89)	2	(129)	1
(10)	4	(50)	4	(90)	4	(130)	1
(11)	3	(51)	3	(91)	3	(131)	4
(12)	3	(52)	1	(92)	1	(132)	4
(13)	1	(53)	1	(93)	3	(133)	3
(14)	4	(54)	3	(94)	4	(134)	2
(15)	1	(55)	1	(95)	2	(135)	1
(16)	4	(56)	2	(96)	1	(136)	1
(17)	1	(57)	1	(97)	2	(137)	2
(18)	3	(58)	4	(98)	3	(138)	3
(19)	4	(59)	1	(99)	3	(139)	4
(20)	1	(60)	3	(100)	4	(140)	2
(21)	4	(61)	1	(101)	1	(141)	1
(22)	3	(62)	3	(102)	1	(142)	2
(23)	2	(63)	4	(103)	3	(143)	3
(24)	3	(64)	3	(104)	2	(144)	1
(25)	4	(65)	2	(105)	1	(145)	1
(26)	1	(66)	3	(106)	3	(146)	4
(27)	2	(67)	1	(107)	1	(147)	3
(28)	1	(68)	2	(108)	4	(148)	4
(29)	2	(69)	2	(109)	2		
(30)	2	(70)	3	(110)	3		
(31)	3	(71)	2	(111)	4		
(32)	3	(72)	3	(112)	2		
(33)	1	(73)	2	(113)	1		
(34)	4	(74)	4	(114)	2		
(35)	2	(75)	2	(115)	2		
(36)	3	(76)	1	(116)	1		
(37)	1	(77)	2	(117)	2		
(38)	2	(78)	4	(118)	2		
(39)	4	(79)	1	(119)	4		
(40)	3	(80)	4	(120)	1		

(149) 2.65 ma.

(150) a 600 Ω
b 50 ma.
c 1.5 watts
d 6 volts
e 30 ma.

(151) a 795 MHz.
b 4992.6 Ω
c 554.7 or 555
d 14324 Hz.
e 9 Ω

(152) a 24 Ω
b 8 Ω
c 8V

(153) 160 Ω

(154) a 60 volts
b 2 volts
c 100
d 180, Hz.
e 90°


(155) a full wave rectifier
b rectify
c filter
d bleeder resistor
e 6%

(156) a u = 30
b r_p = 8333
c g_m = 3000 μ mhos
d r_p = 6666 ohms

(157) a 6 volts
b 5.3 volts
c 2.65 ma.
d 2.65 ma.
e 4.05 volts

(158) a filter cap used to illuminate interference.
b supplies filament voltage
c full wave rectifier tube
d filter circuit (2 sections)
e full wave rectifier power supply

(159)



Industrial Arts Examination Materials

POWER MECHANICS

Multiple Choice

Directions (1-146): In the space provided, write the number preceding the word or expression that, of those given, best completes the statement or answers the question.

Part I Small Engines

Unit A. Construction (1-16)

1 What is the soft material used where the connecting rod rides against the crankshaft?

- 1 brass
- 2 bronze

- 3 babbitt
- 4 copper

1 _____

2 How many times must the crankshaft revolve in a four-cycle engine to complete one sequence of strokes?

- 1 once
- 2 twice

- 3 three times
- 4 four times

2 _____

3 What type of engine completes its functions in one revolution?

- (1) Otto cycle
- (2) 2-cycle

- (3) diesel
- (4) 4-cycle

3 _____

4 How many times must the crankshaft rotate on a small two-cycle engine to complete one cycle of a firing operation?

- 1 once
- 2 twice

- 3 three times
- 4 four times

4 _____

5 What happens while the fuel mixture in the cylinder of a small two-cycle gasoline engine is being compressed?

- 1 The reed valve closes.
- 2 The transfer port opens.
- 3 Fuel enters the crankcase.
- 4 The exhaust is emitted.

5 _____

14 In which stroke of a 4-cycle engine does the air-fuel mixture enter the engine?

- 1 intake
- 2 compression
- 3 exhaust
- 4 power

14 _____

15 How much work is done when a weight of 10 pounds is lifted 2 feet?

- (1) 5 ft.-lb.
- (2) 8 ft.-lb.
- (3) 12 ft.-lb.
- (4) 20 ft.-lb.

15 _____

16 Which parts should always be tightened with a torque wrench when a small engine is assembled?

- 1 flywheel nut and carburetor flange
- 2 connecting rod cap screws and head bolts
- 3 crankcase cap screws and muffler nuts
- 4 spark plug and magneto point screws

16 _____

Unit B. Fuel Systems (17-23)

17 What is the name of the circular disc in the air horn of a carburetor that controls the amount of air and fuel entering the engine?

- 1 throttle valve
- 2 compensating valve
- 3 check valve
- 4 acceleration valve

17 _____

18 In which part of the carburetor are the air and fuel mixed together?

- 1 air horn
- 2 nozzle
- 3 float chamber
- 4 venturi

18 _____

19 The basic action of a carburetor is based on the principles of fluids in motion that were discovered in the 18th century by

- 1 Pascal
- 2 Bernoulli
- 3 Stromboli
- 4 Torricelli

19 _____

27 Which system is used to lubricate the internal parts on most small one-cylinder engines?

- 1 bypass
- 2 splash

- 3 filter
- 4 circulating

27 _____

28 In an engine, the friction between metal surfaces is reduced by using

- 1 water
- 2 oil

- 3 grease
- 4 antifreeze

28 _____

29 The fuel for a small two-cycle gasoline engine should be a mixture of gasoline and

- 1 kerosene
- 2 diesel oil

- 3 lubricating oil
- 4 alcohol

29 _____

30 Oil is mixed with the gasoline in order to lubricate the internal parts of most

- (1) rotating combustion engines
- (2) 2-cycle gasoline engines
- (3) diesel engines
- (4) 4-cycle gasoline engines

30 _____

31 Which type of oil should be used for 2-cycle gasoline engines?

- 1 high detergent oil
- 2 multiviscosity oil
- 3 nondetergent or SA oil
- 4 castor oil

31 _____

Unit D. Cooling Systems (32-39)

32. In air-cooled engines, most of the heat produced by the engine is transferred into the air by the cooling
- | | | |
|---------|-----------|----------|
| 1 ducts | 3 vanes | |
| 2 fins | 4 shrouds | 32 _____ |
33. On a small air-cooled engine, the largest and most numerous cooling fins are found
- | | | |
|------------------------------|--|----------|
| 1 near the engine crankcase | | |
| 2 around the intake valve | | |
| 3 at the top of the cylinder | | |
| 4 near the magneto | | 33 _____ |
34. If the fins on an air-cooled engine become clogged, the engine will most likely
- | | | |
|-------------|----------------|----------|
| 1 not start | 3 overheat | |
| 2 burn oil | 4 stall easily | 34 _____ |
35. On most air-cooled engines, air is forced past the engine by
- | | | |
|------------------------|------------------|----------|
| 1 the exhaust gases | 3 the carburetor | |
| 2 fins on the flywheel | 4 the magneto | 35 _____ |
36. The sheetmetal shrouds on an air-cooled engine
- | | | |
|---|--|----------|
| 1 hold the engine together | | |
| 2 streamline the engine for higher speeds | | |
| 3 make the engine look larger and more powerful | | |
| 4 direct the flow of air for maximum cooling efficiency | | 36 _____ |
37. The primary purpose of the shroud on an air-cooled engine is to
- | | | |
|--|--|----------|
| 1 provide a decorative cover | | |
| 2 direct the flow of air | | |
| 3 protect the operator from moving parts | | |
| 4 provide a safety cover for the heat radiating fins | | 37 _____ |

38 What would happen if a small air-cooled engine is set at too low an idle speed and left to run at that idle speed for a long period of time?

- 1 The spark plug would foul.
- 2 The engine would overheat.
- 3 The oil would be used up.
- 4 The points would burn.

38 _____

39 Where is an impeller-type water pump located in most marine outboard engines?

- 1 in the lower gear housing
- 2 behind the power head
- 3 in the flywheel
- 4 midway in the drive unit

39 _____

Unit E. Ignition Systems (40-55)

40 In a two-cycle engine, the ignition system supplies a high voltage surge to the spark plug toward the end of which stroke?

- 1 intake
- 2 compression
- 3 power
- 4 exhaust

40 _____

41 Which device produces the electricity needed to fire the spark plug in small engines?

- 1 battery
- 2 magneto
- 3 electromagnet
- 4 governor

41 _____

42 The gap of a spark plug should be checked with a

- 1 wire gauge
- 2 cam angle meter
- 3 flat feeler gauge
- 4 micrometer

42 _____

43 After cleaning a spark plug, it should be regapped by

- 1 filing the ground electrode
- 2 bending the ground electrode
- 3 filing the center electrode
- 4 bending the center electrode

43 _____

44 Spark plugs which are fouled with carbon deposits should be

- 1 scraped with a knife
- 2 tapped with a hammer
- 3 held over a flame
- 4 cleaned in a sand blaster

44 _____

45 It is especially important on small air-cooled engines to use a spark plug with the proper

- 1 color
- 2 ceramic composition
- 3 heat range
- 4 compression ratio

45 _____

46 Which type of spark plug is used in many late-model outboard engines?

- 1 multi-electrode
- 2 glow plug
- 3 surface gap
- 4 extended nose

46 _____

47 A very important and often overlooked adjustment in the magneto ignition assembly of many small air-cooled engines is the setting of the armature

- 1 timing
- 2 magnetism
- 3 air vane
- 4 air gap

47 _____

48 In many late-model four- and six-cylinder marine outboard engines, the magneto ignition system has been replaced by

- 1 a capacitor discharge ignition system
- 2 an alternator
- 3 an automotive distributor
- 4 a glow plug

48 _____

49 A magneto ignition system is different from a battery ignition system in that the magneto ignition system

- 1 uses two sets of points
- 2 does not use a condenser
- 3 needs a larger spark plug
- 4 does not contain a source of stored electricity

49 _____

- 50 When magneto breaker points are being set on a small engine, the crankshaft should be rotated in the forward direction until the points are
- 1 fully closed
 - 2 just starting to open
 - 3 halfway open
 - 4 open to their widest gap
- 50 _____
- 51 Which component fires the air-fuel mixture in a gasoline engine?
- 1 ignition point
 - 2 ignition coil
 - 3 spark plug
 - 4 condenser
- 51 _____
- 52 What should be the color of properly working ignition points?
- 1 black
 - 2 blue
 - 3 white
 - 4 gray
- 52 _____
- 53 The coil used by an ignition system to obtain its high voltage acts as a
- 1 step-up transformer
 - 2 high voltage transformer
 - 3 stepdown transformer
 - 4 low voltage transformer
- 53 _____
- 54 Which type of ignition system is used on most one-cylinder engines?
- 1 transistor
 - 2 ignition coil
 - 3 transformer
 - 4 flywheel magneto
- 54 _____
- 55 Some small air-cooled gasoline engines contain a special soft flywheel key. If this key is partially sheared or distorted, it will affect the
- 1 ignition timing
 - 2 flywheel balance
 - 3 valve timing
 - 4 engine cooling
- 55 _____

Unit F. Care and Maintenance (56-62)

56 Which test is made by giving the flywheel on a small engine a quick spin?

- 1 main bearing test
- 2 compression test
- 3 governor test
- 4 air cleaner test

56 _____

57 The fuel tank should be drained and the carburetor should always be run dry on a small engine that is to be

- 1 left outdoors overnight
- 2 stored for several months
- 3 tuned up
- 4 used for racing

57 _____

58 The fins and sheetmetal shrouds on a small two- or four-cycle gasoline engine should always be kept clean of grass, dirt, and oil in order to

- 1 avoid flooding the engine
- 2 prevent excessive fuel consumption
- 3 provide adequate cooling
- 4 avoid hard starting

58 _____

59 How often should the air filter on a small gasoline engine used on a lawnmower or garden tractor be cleaned?

- 1 during tuneups, only
- 2 whenever it is dirty
- 3 once a year
- 4 every ten hours

59 _____

60 What should always be done to an outboard engine after it is run in salt water?

- 1 Flush the cooling system.
- 2 Drain the gas tank.
- 3 Change the crankcase oil.
- 4 Clean the spark plugs.

60 _____

61 Which material should be put into the cylinder of an engine that is being stored for several months?

- 1 kerosene
- 2 liquid wrench

- 3 oil
- 4 gas

61 _____

62 Which part of the exhaust fumes is odorless, colorless, and a deadly poison?

- 1 carbon dioxide
- 2 carbon monoxide

- 3 hydrogen
- 4 nitrogen

62 _____

Unit G. Power Transmission (63-68)

63 Which parts are used to transmit power from one sprocket to another sprocket?

- 1 belts
- 2 universals

- 3 gears
- 4 chains

63 _____

64 Which component is used to engage and disengage an engine from its running gear?

- 1 brake
- 2 choke

- 3 throttle
- 4 clutch

64 _____

65 Which device automatically couples and uncouples an engine from the transmission when starting and stopping?

- 1 slip clutch
- 2 Prony brake

- 3 centrifugal clutch
- 4 cog belt

65 _____

66 What type of gearing is used in the lower unit of an outboard engine?

- 1 spur
- 2 planetary

- 3 bevel
- 4 worm

66 _____

67 Which type of simple machine is a gear?

- 1 lever
- 2 wheel
- 3 screw
- 4 inclined plane

67 _____

68 The total force required to bring a crankshaft to a dead stop is

- 1 engine r.p.m.
- 2 engine torque
- 3 engine horsepower
- 4 brake horsepower

68 _____

Unit H. Industry and Careers (69-73)

69 Where can a person find information about careers in small engine or outboard engine sales and service?

- 1 the yellow pages
- 2 the encyclopedia
- 3 Occupational Outlook Handbook
- 4 the dictionary

69 _____

70 The trade name "Wisconsin," "Kohler," or "Briggs & Stratton," on a piece of equipment indicates that it is powered by a

- (1) electric motor
- (2) 2-cycle engine
- (3) liquid cooled engine
- (4) 4-cycle engine

70 _____

71 The trade name "Jacobsen," "Lawn Boy," or "Tecumseh," on a piece of equipment indicates that it is powered by a

- (1) electric motor
- (2) 2-cycle engine
- (3) liquid cooled engine
- (4) 4-cycle engine

71 _____

72 The first one or two numbers in the serial number of a Briggs & Stratton engine indicate its approximate

- 1 horsepower
- 2 displacement in cubic inches
- 3 weight
- 4 torque

72 _____

73 The persons responsible for developing and designing a new engine are the

- 1 management personnel
- 2 industrial designers
- 3 engineers
- 4 technicians

73 _____

Part II Vehicle Power

Unit A. Gasoline Engines (74-96)

74 How many crank throws does a 6-cylinder in-line engine have?

- (1) 6
- (2) 8

- (3) 3
- (4) 4

74 _____

75 What is the name given to the amount of time the ignition points stay closed as the cam revolves?

- (1) point opening
- (2) dwell angle

- (3) r.p.m.
- (4) point pressure

75 _____

76 Late ignition timing will cause

- 1 a loss of power
- 2 engine knock

- 3 increased power
- 4 detonation

76 _____

77 There is a good spark from the secondary of the ignition coil, but the spark is not reaching the spark plugs. It is most likely that the malfunction is located in the

- 1 primary wiring
- 2 points or condenser

- 3 ignition switch
- 4 distributor cap or rotor

77 _____

78 During which season is an automotive radiator pressure cap most useful?

- 1 summer
- 2 fall

- 3 winter
- 4 spring

78 _____

79 What type of lubrication system is used to oil the bearings in modern multiple-cylinder engines?

- 1 full force feed
- 2 splash

- 3 bypass
- 4 pressure

79 _____

- 80 How efficient is the modern gasoline engine?
(1) 5% to 10% (3) 15% to 25%
(2) 10% to 15% (4) 25% to 30% 80 _____
- 81 Which process is used to obtain a gastight seal between the valve and valve seat in a gasoline engine?
1 lapping 3 filing
2 grinding 4 polishing 81 _____
- 82 Which tool is used in a repair shop to measure crankshaft journals?
1 telescoping gauge 3 calipers
2 go/no-go gauge 4 micrometer 82 _____
- 83 Which engine part changes reciprocating motion to rotary motion?
1 camshaft 3 crankshaft
2 connecting rod 4 piston 83 _____
- 84 Which engine part is considered to be part of the basic frame of an engine?
1 crankcase 3 cylinder head
2 cylinder block 4 crankshaft 84 _____
- 85 Which part of a vehicle changes chemical energy to electrical energy?
1 generator 3 alternator
2 battery 4 regulator 85 _____
- 86 Which device in the cooling system keeps an engine at a constant operating temperature?
1 water pump 3 thermostat
2 temperature gauge 4 radiator 86 _____

95 Which cylinder block design is used on many 8-cylinder engines?

- (1) Y
- (2) V
- (3) opposed
- (4) radial

95 _____

96 The ignition distributor centrifugal advance mechanism advances the timing of a vehicle when

- 1 the brakes are suddenly applied
- 2 the engine speed is increased
- 3 the car is started in cold weather
- 4 high-octane gasoline is being burned

96 _____

Unit B. Diesel Engines (97-105)

97 In which type of engine is the fuel charge fired by the heat of compression?

- 1 diesel
- 2 gasoline
- 3 outboard
- 4 steam

97 _____

98 What do diesel engines use to force air into the cylinders?

- 1 pump
- 2 compressor
- 3 blower
- 4 injector

98 _____

99 What does a diesel engine use in place of a carburetor?

- 1 an injector
- 2 a blower
- 3 a compressor
- 4 a fuel filter

99 _____

100 What is the average compression ratio in a diesel engine?

- (1) 32:1
- (2) 18:1
- (3) 8:1
- (4) 4:1

100 _____

101 In a diesel engine, the fuel and air are mixed in the

- 1 carburetor
- 2 intake manifold
- 3 blower
- 4 cylinders

101 _____

102 Which type of pump forces fuel into the cylinders of a diesel engine?

- | | | |
|-------------|----------|-----------|
| 1 fuel | 3 water | |
| 2 injection | 4 vacuum | 102 _____ |

103 One difference between a two- and four-cycle diesel engine is that the two-cycle engine has

- | | | |
|-------------------------|------------------------|-----------|
| 1 two carburetors | 3 a blower and ports | |
| 2 a larger intake valve | 4 a smaller spark plug | 103 _____ |

104 In the diesel engine, fuel is injected into the cylinder at the end of which stroke?

- | | | |
|---------------|-----------|-----------|
| 1 intake | 3 power | |
| 2 compression | 4 exhaust | 104 _____ |

105 Diesel fuel is most similar to

- | | | |
|-------------------|------------|-----------|
| 1 gasoline | 3 benzine | |
| 2 mineral spirits | 4 kerosene | 105 _____ |

Unit C. Rotary Engines (106-112)

106 The gas turbine engine is most often used in

- | | | |
|--|--|-----------|
| 1 commuter vehicles | | |
| 2 stop-start delivery service | | |
| 3 short haul trucks | | |
| 4 long distance express trucks and buses | | 106 _____ |

107 The four basic parts of an automotive gas turbine engine are the

- | | | |
|---|--|-----------|
| 1 compressor, burner, turbine, reduction gear | | |
| 2 injector, compressor, burner, pump | | |
| 3 turbine, compressor, rotor, stator | | |
| 4 turbine, free piston, burner, rotor | | 107 _____ |

- 108 Compared to a gasoline engine, a gas turbine with the same horsepower rating will
- 1 weigh more
 - 2 produce more excess heat
 - 3 vibrate more
 - 4 use less fuel
- 108 _____
- 109 Who was the original inventor and developer of the rotating combustion engine?
- 1 Curtis-Wright
 - 2 Chevrolet Motor Co.
 - 3 Felix Wankel
 - 4 Mazda
- 109 _____
- 110 The Wankel engine does not have a
- 1 lubricating system
 - 2 cooling system
 - 3 ignition system
 - 4 valve system
- 110 _____
- 111 In place of a piston, rotary engines use a
- 1 field
 - 2 rotor
 - 3 stator
 - 4 commutator
- 111 _____
- 112 Which is the simplest type of rotary engine?
- 1 Wankel
 - 2 turbo jet
 - 3 gas turbine
 - 4 turbo fan
- 112 _____

Unit D. Maintenance (113-124)

- 113 The paint on a vehicle should be protected by applying a coat of
- 1 wax
 - 2 varnish
 - 3 thinner
 - 4 tar remover
- 113 _____
- 114 The ignition primary circuit is working, but there is no spark at the coil secondary. This problem is most likely caused by a defective
- 1 rotor
 - 2 distributor cap
 - 3 set of points
 - 4 coil
- 114 _____

- 115 A dirty carburetor air cleaner could cause
1 too rich a fuel mixture 3 detonation
2 too lean a fuel mixture 4 dieseling 115 _____
- 116 The main ingredient of permanent antifreeze is
1 alcohol 3 ethylene glycol
2 methanol 4 sodium propionate 116 _____
- 117 A battery is tested under load with a voltmeter. The battery will not stand up under normal use if any cell tests below
(1) 1.0 volt (3) 1.5 volts
(2) 2.0 volts (4) 12 volts 117 _____
- 118 The corrosion on a battery may be cleaned by using water and
1 baking soda 3 baking powder
2 acetic acid 4 a detergent 118 _____
- 119 If a battery needs water added quite often, a check should be made of the
1 battery capacity
2 battery charge
3 generating system
4 tension of the fan belt 119 _____
- 120 In the lubrication system, waste materials in the oil are collected by the
1 screen in the oil sump 3 oil pump
2 oil filter 4 oil gallery 120 _____
- 121 Before air enters the engine, it should pass through the
1 gas filter 3 air filter
2 oil filter 4 air strainer 121 _____

122 What should be done first if a brake pedal feels spongy when it is pressed?

- 1 Check the wheel cylinder.
- 2 Adjust the brakes.
- 3 Replace the brakes.
- 4 Check the master cylinder.

122 _____

123 Which material is put in the master cylinder?

- 1 oil
- 2 grease
- 3 water
- 4 brake fluid

123 _____

124 When a small amount of oil is added to a cylinder, the compression pressure increases. This indicates that there is leakage past the

- 1 valves
- 2 head gasket
- 3 piston rings
- 4 guides

124 _____

Unit E. Power Transmission (125-140)

125 Which system in an automobile operates according to the principle of hydraulics?

- 1 lubricating
- 2 cooling
- 3 brake
- 4 fuel

125 _____

126 What does a mechanic remove from the brake lines when he bleeds a hydraulic brake system?

- 1 dirt
- 2 air
- 3 water
- 4 extra brake fluid

126 _____

127 Spongy brakes are usually caused by

- 1 air in the lines
- 2 worn brake linings
- 3 glazed brake linings
- 4 oil-soaked brake linings

127 _____

128 A car swerves to the right when the brakes are applied. This problem is most likely caused by

- 1 an unequal fluid pressure on the two sides
- 2 an improperly adjusted master cylinder linkage
- 3 foreign material on one of the brake linings
- 4 a leak in the master cylinder

128 _____

129 Which gears are located in the planetary gear system of an automatic transmission?

- 1 sun, hypoid, and ring gears
- 2 sun, planet pinion, and ring gears
- 3 planetary, ring, and pinion gears
- 4 planetary, hypoid, and external gears

129 _____

130 Two meshed gears have a ratio of 4:1. This means that while the large gear is turning five times, the small gear will turn

- (1) $\frac{4}{5}$ of a turn
- (2) $\frac{5}{4}$ of a turn
- (3) 10 times
- (4) 20 times

130 _____

131 Two meshed gears have a gear ratio of 3:1. Each time the smaller gear turns once, the larger gear will turn

- (1) once
- (2) twice
- (3) 3 times
- (4) $\frac{1}{3}$ of a turn

131 _____

132 Which type of gear can transmit power between two shafts that form an angle of 90°?

- 1 spur
- 2 rack
- 3 helical
- 4 bevel

132 _____

133 One gear has twice as many teeth as a second gear. The mechanical advantage of the two gears is

- (1) 1
- (2) $\frac{1}{2}$
- (3) 3
- (4) 4

133 _____

134 A gear turning at 500 r.p.m. with 60 teeth on it, turns a second gear with 15 teeth. How many r.p.m. does the second gear turn?

- (1) 75 r.p.m.
- (2) 250 r.p.m.
- (3) 2,000 r.p.m.
- (4) 2,500 r.p.m.

134 _____

135 What is used to transmit power between two shafts that are not always exactly in line?

- 1 worm gear
- 2 bevel gear
- 3 universal joint
- 4 ball joint

135 _____

136 The purpose of a shock absorber is to

- 1 support the vehicle's weight
- 2 retard spring action
- 3 absorb road shock directly
- 4 raise the vehicle's center of gravity

136 _____

137 Which parts of the propeller shaft compensate for the change in the driving angle as the differential moves up and down?

- 1 slip joints
- 2 flanges
- 3 universal joints
- 4 splines

137 _____

138 Which part of a torque converter reflects oil back to aid the pump?

- 1 stator
- 2 turbine
- 3 pump
- 4 clutch

138 _____

139 If operated correctly, overdrive transmissions help save on gas by

- 1 giving more power on hills
- 2 providing a passing gear
- 3 providing a freewheeling device
- 4 decreasing engine speed in relation to wheel speed

139 _____

- 140 The clutch disc is forced against the flywheel by the
- | | | |
|-----------------|--------------------------|-----------|
| 1 housing | 3 clutch release bearing | |
| 2 torsion coils | 4 pressure plate | 140 _____ |

Unit F. Industrial Organization (141-146)

- 141 The system of inspection in which parts are checked at many points along the production line is called
- | | | |
|--------------------------|--|-----------|
| 1 preventive maintenance | | |
| 2 quality control | | |
| 3 sampling | | |
| 4 spot checking | | 141 _____ |

- 142 The idea of "interchangeable parts" is usually credited to
- | | | |
|----------------------|-----------------------|-----------|
| 1 Henry Ford | 3 John D. Rockefeller | |
| 2 Frank Lloyd Wright | 4 Eli Whitney | 142 _____ |

- 143 Which occupational group is one of the largest in the United States?
- | | | |
|-----------------|------------------|-----------|
| 1 taxi drivers | 3 racing drivers | |
| 2 truck drivers | 4 chauffeurs | 143 _____ |

- 144 Which of the following jobs is done by a factory employee?
- | | | |
|----------------------|-------------------------|-----------|
| 1 technical teacher | 3 automotive dealership | |
| 2 assembly inspector | 4 truck driver | 144 _____ |

- 145 A person who examines a car which has been in an accident and determines the cost of repairs is
- | | | |
|-------------------------------|--|-----------|
| 1 an insurance adjuster | | |
| 2 an insurance representative | | |
| 3 a service manager | | |
| 4 an automotive dealer | | 145 _____ |

- 146 A mechanic who becomes an expert in one phase of repair work is called
- | | | |
|------------------------|--|-----------|
| 1 an auto mechanic | | |
| 2 a specialty mechanic | | |
| 3 a shop foreman | | |
| 4 a service manager | | 146 _____ |

142

Group Questions (147-151)

147 Name the five circuits of a carburetor and briefly tell how each operates. [5]

a _____

b _____

c _____

d _____

e _____

148 a List two ways in which oil can enter the combustion chamber and be burned. [2]

1 _____

2 _____


b List three ways in which oil can leak out of an engine without being burned. [3]

1 _____

2 _____

3 _____


149 For each of parts a through e in the diagram of the valve shown below, write in the space provided the name of the part of the valve that is indicated by that letter. [5]



- a _____
- b _____
- c _____
- d _____
- e _____

100

150 For each of parts a through e in the diagram below, write in the space provided the name of the part of the simple carburetor that is indicated by that letter. [5]



- a _____
- b _____
- c _____
- d _____
- e _____

151. On the line at the left of each measuring instrument listed in parts a through e, write the number of the type of measurement, chosen from the list below, that would be made by that instrument. [5]

Measurements

- (1) Bearing clearance
- (2) Cylinder bore diameter
- (3) Tappet clearance
- (4) Spark plug gap
- (5) Strength of battery electrolyte
- (6) Ignition point gap
- (7) Crankshaft journal clearance


- _____ a feeler gauge
- _____ b inside micrometer
- _____ c hydrometer
- _____ d plastigage
- _____ e dwell angle meter

152 On the line at the left of parts a through e, write the number of the valve-linkage part, chosen from the list below, that is indicated by that letter in the diagram. [5]

Valve-Linkage Parts

- (1) Gear block
- (2) Rocker arm
- (3) Valve
- (4) Oil plunger
- (5) Camshaft
- (6) Pushrod
- (7) Cam bearing
- (8) Valve spring

_____ a
_____ b
_____ c
_____ d
_____ e



Industrial Arts Examination Materials

POWER MECHANICS

Scoring Key

(1)	3	(31)	3	(61)	3	(91)	1
(2)	2	(32)	2	(62)	2	(92)	2
(3)	2	(33)	3	(63)	4	(93)	4
(4)	1	(34)	3	(64)	4	(94)	3
(5)	3	(35)	2	(65)	3	(95)	2
(6)	2	(36)	4	(66)	3	(96)	2
(7)	4	(37)	2	(67)	1	(97)	1
(8)	1	(38)	2	(68)	4	(98)	3
(9)	2	(39)	4	(69)	3	(99)	1
(10)	4	(40)	2	(70)	4	(100)	2
(11)	2	(41)	2	(71)	2	(101)	4
(12)	3	(42)	1	(72)	2	(102)	2
(13)	1	(43)	2	(73)	3	(103)	3
(14)	1	(44)	4	(74)	1	(104)	2
(15)	4	(45)	3	(75)	2	(105)	4
(16)	2	(46)	3	(76)	1	(106)	4
(17)	1	(47)	4	(77)	4	(107)	1
(18)	4	(48)	1	(78)	1	(108)	2
(19)	2	(49)	4	(79)	1	(109)	3
(20)	2	(50)	4	(80)	3	(110)	4
(21)	1	(51)	3	(81)	1	(111)	2
(22)	3	(52)	4	(82)	4	(112)	2
(23)	3	(53)	1	(83)	3	(113)	1
(24)	2	(54)	4	(84)	2	(114)	4
(25)	2	(55)	1	(85)	2	(115)	1
(26)	1	(56)	2	(86)	3	(116)	3
(27)	2	(57)	2	(87)	2	(117)	3
(28)	2	(58)	3	(88)	2	(118)	1
(29)	3	(59)	2	(89)	3	(119)	3
(30)	2	(60)	1	(90)	3	(120)	2

- (121) 3
- (122) 4
- (123) 4
- (124) 3
- (125) 3
- (126) 2
- (127) 1
- (128) 3
- (129) 2
- (130) 4
- (131) 4
- (132) 4
- (133) 2
- (134) 3
- (135) 3
- (136) 2
- (137) 3
- (138) 1
- (139) 4
- (140) 4
- (141) 2
- (142) 4
- (143) 2
- (144) 2
- (145) 1
- (146) 2

(147) Allow any order:

- a idle circuit - runs engine during low r.p.m.'s
- b high speed circuit - operates engine at speeds over 20 m.p.h.
- c choke circuit - enriches mixture for starting purposes
- d float circuit - keeps fuel at correct level for proper operation of carburetor
- e acceleration circuit - gives extra fuel necessary for engine to speed up quickly

- (148) a 1. through the intake valve guides
2. through the piston rings
- b 1. through the valve cover gasket
2. through a rear oil seal
3. through the timing gear cover

- (149) a head
b margin
c face
d stem
e valve locks

- (151) a 3
b 2
c 5
d 1
e 6

- (150) a air horn
b body
c fuel nozzle
d throttle plate
e venturi

- (152) a 5
b 6
c 2
d 8
e 3

Industrial Arts Examination Materials

WOODS

Directions (1-160): In the space provided, write the number preceding the word or expression that, of those given, best completes the statement or answers the question.

Part I Wood Products

Unit A. Design and Planning (1-9)

- 1 What part of an object would the following line represent in a working drawing?



- 1 a visible edge of an object
- 2 a hidden edge of an object
- 3 the center of an object
- 4 a break in an object

1 _____

- 2 What part of an object would the following line represent in a working drawing?



- 1 a visible edge of an object
- 2 a hidden edge of an object
- 3 the center of an object
- 4 a break in an object

2 _____

- 3 What part of an object would the following line represent in a working drawing?



- 1 a visible edge of an object
- 2 a hidden edge of an object
- 3 the center of an object
- 4 a break in an object

3 _____

4 Which type of balance is created when a vertical line is drawn through the center of an object and divides it into two equal halves?

- 1 contemporary
- 2 formal

- 3 informal
- 4 traditional

4 _____

5 Which set of measurements would be correct lengths for the right triangle used to lay out a 90° corner for a building?

(1) 6 × 7 × 8

(3) 3 × 4 × 5

(2) 2 × 4 × 8

(4) 7 × 8 × 9

5 _____

6 The three keys to a good design are

- 1 appearance, color, and texture
- 2 balance, harmony, and rhythm
- 3 lines, shape, and mass
- 4 function, appearance, and sound construction

6 _____

7 In the principles of design, the "golden mean" rectangle is considered to have the most nearly perfect proportion. The golden mean rectangle proportion is

- (1) 2 × 3
- (2) 3 × 5

- (3) 5 × 8
- (4) 8 × 12

7 _____

8 A small object that is constructed to scale and shows what the full-sized product will look like is called a

- 1 form
- 2 model

- 3 mold
- 4 pattern

8 _____

9 When designing a piece of furniture, what is the most important fact to consider?

- 1 the appearance of the furniture
- 2 the function of the furniture
- 3 the construction techniques that will be used
- 4 the materials to be used

9 _____

Unit B. Hand Tools and Fixed Machines (10-30)

10 Which type of handsaw would be used for cutting fitted wood joints?

- | | | |
|---------------|--------------|----------|
| 1 backsaw | 3 ripsaw | |
| 2 compass saw | 4 coping saw | 10 _____ |

11 Which type of saw blade can be used for the greatest variety of sawing operations?

- | | | |
|----------|---------------|----------|
| 1 rip | 3 crosscut | |
| 2 planer | 4 combination | 11 _____ |

12 Which type of saw would be best for crosscutting boards that are 10 feet or more in length?

- | | | |
|--------------|---------|----------|
| 1 band | 3 table | |
| 2 radial arm | 4 jig | 12 _____ |

13 Which type of saw should be used for internal cutting?

- | | | |
|-------------|--------------|----------|
| 1 bandsaw | 3 radial saw | |
| 2 table saw | 4 jigsaw | 13 _____ |

14 How far should the top of a circular saw blade be above the stock?

- | | | |
|--------------------------|------------------------|----------|
| (1) 1/32 in. to 1/16 in. | (3) 1/2 in. to 3/4 in. | |
| (2) 1/8 in. to 1/4 in. | (4) 3/4 in. to 1 in. | 14 _____ |

15 How many 1/4-inch-thick boards can be sawed from a 1 1/4-inch-thick board if all surfaces are to be planed?

- | | | |
|-------|-------|----------|
| (1) 5 | (3) 3 | |
| (2) 2 | (4) 4 | 15 _____ |

16 Bench rules, try squares, combination squares, sliding T-bevels, dividers, trammel points, and scratch awls are all classified as

- | | | |
|-----------------|------------------|----------|
| 1 cutting tools | 3 leveling tools | |
| 2 layout tools | 4 machine tools | 16 _____ |

17 Planes, chisels, surfboard tools, rasps, draw knives, gouges, spokeshavers, and hand and cabinet scrapers are all classified as

- | | | |
|-------------------|-----------------|----------|
| 1 cutting tools | 3 sawing tools | |
| 2 finishing tools | 4 testing tools | 17 _____ |

18 Ripsaws, crosscut saws, coping saws, backsaws, miter box saws, dovetail saws, compass saws, and hacksaws are all classified as

- | | | |
|-----------------|------------------|----------|
| 1 layout tools | 3 leveling tools | |
| 2 shaving tools | 4 cutting tools | 18 _____ |


19 Auger bits, expansion bits, forstner bits, twist drills, braces, hand drills, and automatic drills are all classified as

- | | | |
|-------------------|-----------------------------|----------|
| 1 cutting tools | 3 drilling and boring tools | |
| 2 accessory tools | 4 forming tools | 19 _____ |

20 Which type of sander should always be tracked before use?

- | | | |
|--------|-------------|----------|
| 1 belt | 3 drum | |
| 2 disc | 4 finishing | 20 _____ |

21. Which type of clamp is shown below?



- | | | |
|---------------|--------------------|----------|
| (1) C-clamp | (3) spring clamp | |
| (2) bar clamp | (4) parallel clamp | 21 _____ |

22 The best way to cut dados with a router is to

- | | | |
|---------------------------|--|----------|
| 1 use a bit with a pilot | | |
| 2 use an edge guide | | |
| 3 use a dovetail template | | |
| 4 cut freehand | | 22 _____ |

2153


23 Which machine should be used to dovetail the ends of boards when forming the corners of drawers?

- 1 table saw
- 2 bandsaw

- 3 router
- 4 drill press

23 _____

24 The router bit shown below would be used to



- 1 make rabbet joints
- 2 make dovetail joints
- 3 cut beading
- 4 cut coves

24 _____

25 Which tool should not be used in a drill press?

- 1 twist drill
- 2 power bit
- 3 machine spur bit
- 4 auger bit with threaded point

25 _____

26 Which tool should be used to bore a blind flat-bottomed hole in a thin piece of wood?

- 1 forstner bit
- 2 power bit
- 3 machine spur bit
- 4 twist drill

26 _____

27 Which instrument is usually used to scribe circles on a board?

- 1 divider
- 2 inside caliper
- 3 outside caliper
- 4 hermaphrodite caliper

27 _____

28 The best type of square to purchase for a starting set of hand tools would be a

- | | | |
|----------------------|-------------------|----------|
| 1 try square | 3 framing square | |
| 2 combination square | 4 sliding T-bevel | 28 _____ |

29 What is the shortest piece of stock that can safely be used in a jointer?

- | | | |
|------------|------------|----------|
| (1) 7 in. | (3) 16 in. | |
| (2) 12 in. | (4) 18 in. | 29 _____ |

30 Which type of hand plane should be used when planing the edge of a board that is six feet or more in length?

- | | | |
|---------------|-----------------|----------|
| 1 block plane | 3 jointer plane | |
| 2 jack plane | 4 rabbet plane | 30 _____ |

Unit C. Forestry (31-44)

31 Laminating, as done in the manufacture of plywood, is the process of gluing two or more layers of wood together in order to obtain the proper

- | | | |
|----------|-------------|----------|
| 1 weight | 3 thickness | |
| 2 length | 4 shape | 31 _____ |

32 Bending is a method of producing wood parts that must have a

- | | | |
|----------------|-------------------|----------|
| 1 flat surface | 3 straight edge | |
| 2 trueness | 4 sharp curvature | 32 _____ |

33 Wood is veneered in order to

- | | | |
|-------------------------------|--|----------|
| 1 make it stronger | | |
| 2 make it look more expensive | | |
| 3 change its color | | |
| 4 hide defects | | 33 _____ |

34 Which two types of trees supply most of our lumber?

- 1 softwood and hardwood
- 2 broadleaves and deciduous
- 3 conebearing and coniferous
- 4 fir and pine

34 1

35 Which wood is least resistant to decay caused by moisture?

- 1 redwood
- 2 sugar pine
- 3 red cedar
- 4 cypress

35 _____

36 Which hardwood has an open grain?

- 1 cherry
- 2 maple
- 3 rosewood
- 4 oak

36 _____

37 New cell formation takes place in the part of a tree called the

- 1 pith
- 2 bark
- 3 wood rays
- 4 cambium layer

37 _____

38 The three main parts of a tree are the

- 1 bark, branches, and leaves
- 2 crown, trunk, and roots
- 3 sapwood, hartwood, and annular rings
- 4 trunk, crown, and leaves

38 _____

39 The standard dimensions of lumber are given in terms of

- (1) $T \times L \times W$
- (2) $T \times W \times L$
- (3) $L \times W \times T$
- (4) $W \times T \times L$

39 _____

40 How many board feet are there in a $3/4$ -in. \times 12-in. \times 20-ft. piece of stock?

- (1) 10
- (2) 12
- (3) 20
- (4) 26.6

40 20

48 Which joint is often used in the leg and rail construction of chairs and tables?

- | | | |
|------------|---------------------|----------|
| 1 dovetail | 3 mortise and tenon | |
| 2 miter | 4 lap | 48 _____ |

49 The easiest and simplest joint to use is a

- | | | |
|--------|---------------------|----------|
| 1 butt | 3 miter | |
| 2 dado | 4 mortise and tenon | 49 _____ |

50 The best saw to use for cutting an angular joint is a

- | | | |
|--------------|-------------|----------|
| 1 jigsaw | 3 miter saw | |
| 2 coping saw | 4 saber saw | 50 _____ |

51 When stock is glued edge to edge, a trace of light appears through the center of the joint being glued. What kind of a joint is this?

- | | | |
|--------|----------|----------|
| 1 butt | 3 spring | |
| 2 dado | 4 rabbet | 51 _____ |

52 When gluing stock edge to edge, the clamps should be placed every

- | | | |
|--------------------|--------------------|----------|
| (1) 8 - 12 inches | (3) 22 - 28 inches | |
| (2) 15 - 18 inches | (4) 30 - 36 inches | 52 _____ |

53 In industry, the time it takes for glue to dry can be decreased by using

- | | | |
|-------------------------|--|----------|
| 1 low-frequency heat | | |
| 2 hot presses | | |
| 3 high-pressure presses | | |
| 4 electronic curing | | 53 _____ |

54 Dowel rods are usually made from

- | | | |
|---------|--------|----------|
| 1 birch | 3 oak | |
| 2 cedar | 4 pine | 54 _____ |

Unit E. Fasteners (55-63)

55 Which type of bolt has a spring type head and is often used in concrete block walls?

- | | | |
|-----------------|---------------|----------|
| 1 carriage bolt | 3 lag bolt | |
| 2 molly bolt | 4 toggle bolt | 55 _____ |

56 Which type of screw is measured from the top of the head to the tip to determine its size?

- | | |
|----------------------------|----------|
| 1 roundhead wood screw | |
| 2 flathead wood screw | |
| 3 oval head wood screw | |
| 4 Phillips head wood screw | 56 _____ |

57 Board A is being fastened to board B with a wood screw. How much of the screw should enter board B?

- | | |
|----------------------------|----------|
| 1 one-quarter of the screw | |
| 2 one-third of the screw | |
| 3 one-half of the screw | |
| 4 two-thirds of the screw | 57 _____ |

58 A nail set is used to

- | | |
|---|----------|
| 1 drive nails below the surface of the wood | |
| 2 predrill a nail hole | |
| 3 start nails in hardwood | |
| 4 start nails in softwood | 58 _____ |

59 How many times the diameter of the head of a finishing nail should the nail be set below the surface of wood?

- | | | |
|-------|-------|----------|
| (1) 1 | (3) 3 | |
| (2) 2 | (4) 4 | 59 _____ |

60 Which type of nail is most often used when constructing the frame of a house?

- | | | |
|-------------|----------|----------|
| 1 finishing | 3 box | |
| 2 common | 4 casing | 60 _____ |

61 Which type of nail often has a resin coating which produces a high withdrawal resistance?

- 1 finishing
- 2 common

- 3 box
- 4 casing

61 _____

62 Toenailing should always be used when nailing

- 1 sheetrock
- 2 the bottom of a stud

- 3 underlayment
- 4 shingles

62 _____

63 Which type of hammer is most often used to install nails?

- 1 wooden mallet
- 2 claw hammer

- 3 ball peen hammer
- 4 plastic hammer

63 _____

Unit F. Mass Production (64-68)

64 The basic function of a fixture is to

- 1 assist in forming or cutting parts
- 2 provide a pattern for a specific shape
- 3 move parts in mass production
- 4 package the final product

64 _____

65 The basic function of a template is to

- 1 move parts in mass production
- 2 hold parts in place during assembly
- 3 provide a pattern for a specific shape
- 4 package the final product

65 _____

66 Which device is commonly used to make and measure interchangeable parts?

- 1 jig
- 2 fastener

- 3 clamp
- 4 gauge

66 _____

67 The total time it takes to design, plan, and start a product in production manufacturing is called

- 1 starting time
- 2 research time

- 3 lead time
- 4 production time

67 _____

68 The finishing solvent made from the resin of pine trees is called

- | | | |
|-------------------|---------------|----------|
| 1 alcohol | 3 turpentine | |
| 2 mineral spirits | 4 linseed oil | 68 _____ |

Unit G. Finishes (69-82)

69 Which material is a pure distillation of petroleum?

- | | | |
|---------------|-------------------|----------|
| 1 alcohol | 3 turpentine | |
| 2 linseed oil | 4 mineral spirits | 69 _____ |

70 The finishing material made from flax seed is called

- | | | |
|-------------------|---------------|----------|
| 1 alcohol | 3 linseed oil | |
| 2 mineral spirits | 4 turpentine | 70 _____ |

71 The solvent used for shellac is

- | | | |
|-------------------|-------------------|----------|
| 1 alcohol | 3 lacquer thinner | |
| 2 mineral spirits | 4 turpentine | 71 _____ |

72 The three classifications of finishes are

- | | | |
|---|--|----------|
| 1 transparent, opaque, and special effect | | |
| 2 natural, transparent, and opaque | | |
| 3 flat, gloss, and semigloss | | |
| 4 oil, latex, and water base | | 72 _____ |

73 What should be applied before stain is used on the end grain of a piece of wood?

- | | | |
|---------------|--------------|----------|
| 1 shellac | 3 lacquer | |
| 2 linseed oil | 4 turpentine | 73 _____ |

74 When a workman is applying a quality finish, the final step after rubbing and polishing is

- | | | |
|-----------|-------------|----------|
| 1 sealing | 3 stripping | |
| 2 glazing | 4 waxing | 74 _____ |

75 The process of adding a highlighted, shaded, or antiqued effect is called

- | | | |
|------------|---------------|----------|
| 1 blending | 3 glazing | 75 _____ |
| 2 crazing | 4 distressing | |

76 When cleaning a brush, a painter must know

- | | |
|----------------------------------|----------|
| 1 what the finish looks like | 76 _____ |
| 2 the type of brush used | |
| 3 the drying time of the finish | |
| 4 the vehicle of the finish used | |

77 The markings "XXX" on a brush means that the

- | | |
|---|----------|
| 1 length of the bristles are three times the width of the brush, only | 77 _____ |
| 2 bristles are put up in three rows, only | |
| 3 length of the bristles is one-third the width of the brush | |
| 4 bristles are put in three rows and their length is three times the width of the brush | |

78 What grade of wet-dry abrasive paper should be used for wood finishing?

- | | | |
|--------------|---------------|----------|
| (1) A - D | (3) 240 - 400 | 78 _____ |
| (2) 80 - 120 | (4) "XXX" | |

79 Excess paste filler should be removed by a coarse cloth or

- | | | |
|-------------|----------------|----------|
| 1 burlap | 3 a tack cloth | 79 _____ |
| 2 a scraper | 4 turpentine | |

80 If a tack cloth is not tacky enough, it may be revived by

- | | |
|---|----------|
| 1) placing it in warm water | 80 _____ |
| 2 holding it in the hand | |
| 3 placing it in a solution of turpentine | |
| 4 placing it in a solution of mineral spirits | |

81 A tack cloth is used to

- | | |
|---|----------|
| 1 prepare a surface for finishing | 81 _____ |
| 2 pick up dust, lint, and sand particles from a surface | |
| 3 remove small imperfections and pencil marks | |
| 4 seal open grain wood | |

82 A varnish finish is affected more by dust particles than a lacquer finish because it

- 1 produces a harder surface
- 2 produces a softer surface
- 3 dries faster
- 4 dries slower

82 _____

Unit H. Industrial Organization (83-87)

83 Which type of chart shows the steps to be followed in manufacturing a product?

- 1 operation flow chart
- 2 procedure chart
- 3 production flow chart
- 4 industrial manufacture chart

83 _____

84 The process of getting the necessary machines and tools ready to start production of a product is called

- 1 automation
- 2 quality control
- 3 tooling up
- 4 time study

84 _____

85 Which term describes the process of making things in large quantities?

- 1 quantity manufacture
- 2 industrial industrialization
- 3 industrial production
- 4 mass production

85 _____

86 Which people determine how long it takes to do particular jobs in industry?

- 1 foremen
- 2 quality control workers
- 3 blue-collar workers
- 4 time study workers

86 _____

87 The process of inspecting products to check the accuracy of the work is called

- 1 development
- 2 quantity control
- 3 quality control
- 4 research

87 _____

Part II Housing

Unit A. Design and Planning (88-103)

88 Building codes have been established by many local governments to protect the

- 1 workers on the construction site
- 2 builder in charge
- 3 homeowner
- 4 building inspectors

88 _____

89 The term prefabrication refers to

- 1 assembling parts or sections of a home before it is shipped to the site
- 2 assembling an entire structure on the site piece by piece
- 3 precutting the framing members before they are shipped to the site
- 4 building sections on the site, and then assembling them together

89 _____

90 Which type of house framing is most often used in the United States today?

- 1 platform framing
- 2 balloon framing
- 3 plank-and-beam framing
- 4 braced framing

90 _____

91 What is the most common method of house construction in the United States?

- 1 concrete block
- 2 brick
- 3 wood frame
- 4 veneer

91 _____

92 The place where a building is to be built is called the

- 1 building block
- 2 building site
- 3 plot plan
- 4 building plan


92 _____

93 After the plot markers have been established, batter boards are used to lay out and locate the

- 1 substructure and superstructure
- 2 lines for excavation, footers, and foundation walls
- 3 length, width, and elevation
- 4 building location

93 _____

94 When laying out the site for the rectangular building shown below, at what point or points should batter boards be set up?



- 1 at the first corner, only
- 2 at corners 1 and 2, only
- 3 at corners 1 and 3, only
- 4 at all four corners

94 _____

95 The footings for a foundation wall are usually

- 1 twice as wide and at least as thick as the foundation wall
- 2 twice as thick and at least as wide as the foundation wall
- 3 the same thickness and width as the foundation wall
- 4 twice as thick and twice as wide as the foundation wall

95 _____

96 Which item would help to prevent a foundation wall from sliding off its footing?

- 1 a chine
- 2 a sole plate
- 3 a keyway
- 4 a batten

96 _____

97 Bridging is used in a house frame to

- 1 brace the rafters
- 2 support loads over doors and windows
- 3 bridge across gaps in wall framing
- 4 brace and stiffen floor joists

97 _____

98 Which roof pitch would form a 45° angle with a level line?

- (1) 3/12
- (2) 4/12
- (3) 6/12
- (4) 12/12

98 _____

99 Measurements of a working drawing are usually placed so that they may be read from the

- 1 top and right
- 2 right and bottom
- 3 bottom and left
- 4 left and top

99 _____

100 A drawing of a building has a scale of $1/4$ in. = 1 ft. If a wall measures 4 in. on the drawing, its size in the building would be

- (1) 1 ft.
- (2) 8 ft.
- (3) 16 ft.
- (4) 4 ft.

100 _____

101 When designing a home, the location of the bearing beam is usually determined by the

- 1 location of the partitions in the main floor
- 2 distance between the floor joists
- 3 thickness of the foundation wall
- 4 thickness of the subfloor

101 _____

102 Which type of home has the main entrance between floor levels and stairways which go upward and downward from the entrance level?

- (1) 1 1/2-story
- (2) 2-story colonial
- (3) ranch
- (4) raised ranch

102 _____

103 Which style of furniture has developed from the Old World, is small in size, and has graceful curves?

- 1 French Provincial
- 2 Early American
- 3 Mission
- 4 contemporary

103 _____


Unit B. Hand Tools and Portable Machines (104-114)

104 The size of a portable circular saw is determined by the

- 1 diameter of the blade
- 2 horsepower of the motor
- 3 length of the shoe plate
- 4 amperage of the motor

104 _____

105 The diagram below shows a 2-x-4 on a set of sawhorses. Which would be the safest place to cut the 2-x-4 with a portable circular saw?



- (1) a
- (2) b
- (3) c
- (4) d

105 _____

106 Which type of saw should be used to cut a pocket opening in a subfloor?

- 1 radial arm
- 2 table saw
- 3 bandsaw
- 4 portable circular saw

106 _____

107 Which type of saw should be used to cut an opening in the center of a sheet of wall paneling for a convenience outlet?

- | | | |
|---------|---------------------|-------|
| 1 hack | 3 coping | 107 |
| 2 saber | 4 portable circular | _____ |

108 The top of the arc of the knives of a jointer should always be level with the

- | | | |
|---------|-----------------|-------|
| 1 fence | 3 infeed table | 108 |
| 2 guard | 4 outfeed table | _____ |

109 The size of a jointer is usually determined by the

- | | | |
|---------------------------|--|-----------|
| 1 length of the blades | | |
| 2 length of the tables | | |
| 3 weight of the base | | |
| 4 horsepower of the motor | | 109 _____ |

110 Which tool is most often used for laying out a sole plate for wall studs that are 16 inches on center?

- | | | |
|--------------------|-------------|-----------|
| (1) try square | (3) level | |
| (2) framing square | (4) T-bevel | 110 _____ |

111 How long is the blade of a framing square?

- | | | |
|------------|------------|-----------|
| (1) 12 in. | (3) 24 in. | |
| (2) 18 in. | (4) 36 in. | 111 _____ |

112 When checking the top of a foundation wall to be sure that each corner is level with the other corners, the best instrument to use would be a

- | | | |
|--------------------|------------------|-----------|
| (1) transit | (3) plumb bob | |
| (2) framing square | (4) 4-foot level | 112 _____ |

113 A gain should always be cut when installing

- | | | |
|---------------|--------------|-----------|
| 1 locksets | 3 thresholds | |
| 2 butt hinges | 4 stairways | 113 _____ |

114 The corner of the plane iron in a handplane is gouging the surface being planed. This problem can be corrected by adjusting the

- 1 plane iron cap
- 2 lateral adjusting lever
- 3 chip breaker
- 4 thumbscrew

114 _____

Unit C. Lumber, Panels, and Boards (115-128)

115 Plywood is sold by the

- 1 square foot
- 2 board foot
- 3 linear foot
- 4 surface foot

115 _____

116 Softwood lumber is usually sold in lengths of

- (1) 6 in.
- (2) 12 in.
- (3) 18 in.
- (4) 24 in.

116 _____

117 Which is the poorest grade of softwood lumber?

- (1) #1 common
- (2) #2 common
- (3) d select
- (4) clear

117 _____

118 Which type of lumber is usually the thickest?

- 1 boards
- 2 planks
- 3 sheeting
- 4 timbers

118 _____

119 Which building material is often "tempered" by impregnating it with oils and resins that make it darker and more water resistant?

- 1 formica
- 2 hardboard
- 3 paneling
- 4 particle board

119 _____

120 Moldings, baseboard, and trim are sold by the

- 1 square foot
- 2 board foot
- 3 linear foot
- 4 surface foot

120 _____

121 Which grade of plywood would be most suitable for sheathing?

- | | | |
|---------|---------|-----------|
| (1) A-A | (3) A-D | |
| (2) A-C | (4) C-D | 121 _____ |

122 The horizontal members that support the floor of a house are called

- | | | |
|----------|-----------|-----------|
| 1 joists | 3 rafters | |
| 2 plates | 4 studs | 122 _____ |

123 The vertical 2-x-4's in the walls of most houses are called

- | | | |
|----------|-----------|-----------|
| 1 joists | 3 rafters | |
| 2 plates | 4 studs | 123 _____ |

124 The board in the drawing below has a warpage defect called a



- | | | |
|---------|---------|-----------|
| 1 bow | 3 twist | |
| 2 crook | 4 cup | 124 _____ |

125 Which thickness of plywood is usually used to make kitchen cabinet drawer bottoms?

- | | | |
|-------------|-------------|-----------|
| (1) 1/4 in. | (3) 5/8 in. | |
| (2) 1/2 in. | (4) 3/4 in. | 125 _____ |

126 The actual size of a dressed 2-x-4 would measure

- | | | |
|--|--|-----------|
| (1) 2 in. by 4 in. | (3) $1\frac{1}{2}$ in. by $3\frac{1}{2}$ in. | |
| (2) $1\frac{5}{8}$ in. by $3\frac{5}{8}$ in. | (4) $1\frac{1}{4}$ in. by $3\frac{1}{4}$ in. | 126 _____ |

127 Which building material is manufactured from wood flakes, chips, and shavings, and is usually sold in sheets?

- | | | |
|-------------|------------------|-----------|
| 1 formica | 3 paneling | |
| 2 hardboard | 4 particle board | 127 _____ |

128 A square of material will cover an area of

- | | | |
|----------------|-----------------|-----------|
| (1) 27 sq. ft. | (3) 3 sq. ft. | |
| (2) 32 sq. ft. | (4) 100 sq. ft. | 128 _____ |

Unit D. Millwork and Hardware (129-141)

129 The trim just below the window stool is called the

- | | | |
|------------|--------|-----------|
| 1 apron | 3 stop | |
| 2 casement | 4 sill | 129 _____ |

130 What is the name of the trim around the inside of a window that covers the rough opening between the window and the finish wall?

- | | | |
|----------|----------|-----------|
| 1 apron | 3 stop | |
| 2 casing | 4 facing | 130 _____ |

131 Which piece of trim is placed beneath the sill of a window?

- | | | |
|----------|--------|-----------|
| 1 apron | 3 stop | |
| 2 casing | 4 sash | 131 _____ |

132 The pieces that hold a window sash in place are called

- | | | |
|----------|---------|-----------|
| 1 sills | 3 stops | |
| 2 sashes | 4 trims | 132 _____ |

133 Which type of joint is usually used to fasten window casings together at the corners?

- | | | |
|----------|---------|-----------|
| 1 dado | 3 lap | |
| 2 rabbet | 4 miter | 133 _____ |

134 Which type of door has a smooth, flat surface?

- 1 paneled
- 2 louvered

- 3 French
- 4 flush

134 _____

135 Into which part of a paneled door should the lockset be installed?

- 1 stile
- 2 rail

- 3 panel
- 4 sill

135 _____

136 When laying out for an interior door, what amount should be added to the door size to allow for the rough opening?

- (1) 1 in.
- (2) 2 in.

- (3) 1½ in.
- (4) 2½ in.

136 _____

137 The doors of a kitchen cabinet are made of plywood. Which type of hinge should be used so that the screws can be driven into the face grain?

- 1 concealed pin
- 2 butt

- 3 semiconcealed
- 4 piano

137 _____

138 In order for a door to fit properly, the sides of the doorjamb must be

- 1 square
- 2 level

- 3 plumb
- 4 tapered

138 _____

139 The wood frame on which an interior door is hung is called the

- 1 jamb
- 2 mullion

- 3 casing
- 4 apron

139 _____

140 Which type of window has a sash that is hinged on the side and swings out?

- 1 awning
- 2 casement

- 3 double hung
- 4 sliding

140 _____

141 Which type of window is hinged on the top and swings out at the bottom?

- 1 awning
- 2 casement

- 3 double hung
- 4 sliding

141 _____

Unit E. Reconstruction and Maintenance (142-156)

142 What is the standard height of kitchen counter tops from the floor?

- (1) 30 in.
- (2) 32 in.

- (3) 34 in.
- (4) 36 in.

142 _____

143 Which type of joint is best for fastening the back of a cabinet drawer to the sides?

- 1 dado
- 2 rabbet

- 3 lap
- 4 miter

143 _____

144 To which dimension of a new window should the wall studs be framed when replacing an old window unit with a new unit?

- 1 glass size
- 2 sash size

- 3 unit dimension
- 4 rough opening

144 _____


145 Which type of plate should be used when strengthening the corner of a wood screen door?

- (1) laminating plate
- (2) T-plate


- (3) mending plate
- (4) flat corner plate

145 _____

146 Which drawing shows a counterbored wood screw?




(1)



(2)




(3)



(4)

146 _____

- 147 The drawing below represents a kitchen floor. Which number indicates the place you should start when laying floor tile?



(1) 1
(2) 2

(3) 3
(4) 4

147 _____

- 148 Which part of a wood floor is nailed directly to the floor joists?

1 subfloor
2 underlayment

3 finish floor
4 sleeper

148 _____

- 149 Which material must be applied to raw oak wood before any finish is applied?

1 varnish
2 glaze

3 filler
4 paint

149 _____

- 150 When heating a fitting in a pipeline of copper tubing, a person finds that the solder will not melt. This problem is most likely caused by

1 dirt covering the solder
2 water in the line
3 flux covering the solder
4 too much solder in the fitting

150 _____

- 151 When constructing a house or an addition with a crawl space type of foundation, the footings must be constructed below the

1 frost line
2 building line

3 plumbline
4 gravel line

151 _____

152 The base in most latex paints is

- | | | |
|-----------|-----------|-----------|
| 1 oil | 3 lacquer | |
| 2 alcohol | 4 water | 152 _____ |

153 Which paint problem is caused by too much moisture?

- | | | |
|--------------|------------|-----------|
| 1 blistering | 3 chalking | |
| 2 wrinkling | 4 cracking | 153 _____ |

154 The primary function of paint is to

- | | | |
|---------------------------------------|--|-----------|
| 1 change the color of a building | | |
| 2 hide defects in a building | | |
| 3 keep excessive moisture out of wood | | |
| 4 reflect heat rays | | 154 _____ |

155 A good quality paint should wear away normally in a period of

- | | | |
|-----------------|------------------|-----------|
| (1) 3 - 4 years | (3) 6 - 8 years | |
| (2) 4 - 6 years | (4) 8 - 10 years | 155 _____ |

156 The formula $\frac{T \times W \times L}{144}$ is used to compute the quantity of

- | | | |
|---------------|--------------|-----------|
| 1 linear feet | 3 cubic feet | |
| 2 square feet | 4 board feet | 156 _____ |

Unit F. Careers and Industry (157-160)

157 Which person is usually responsible to the owner for the construction of a home?

- | | | |
|--------------------|--------------|-----------|
| 1 finish carpenter | 3 contractor | |
| 2 laborer | 4 excavator | 157 _____ |

158 Most of the work of a finish carpenter involves

- | | | |
|-------------------------------|--|-----------|
| 1 hanging and trimming doors | | |
| 2 building forms for concrete | | |
| 3 framing | | |
| 4 roofing | | 158 _____ |

159 Which is an example of a fringe benefit?


- | | | |
|--------------------------|----------------------|-----------|
| 1 unemployment insurance | 3 vacation pay | |
| 2 social security | 4 eight-hour workday | 159 _____ |

160 In the United States, the two main types of union structures are

- | | |
|--------------------------------|-----------|
| 1 crafts and hobbies | |
| 2 craft (trade) and industrial | |
| 3 group and individual | |
| 4 skilled and unskilled | 160 _____ |

Group Questions (161-176)

161 The top of a box of wood screws is shown below. For each of a through e in the diagram, write in the space provided the type of information that is indicated by that letter. [5]




- a _____
- b _____
- c _____
- d _____
- e _____

162 On the line at the left of each diagram in parts a through e, write the number of the type of fastener, chosen from the list below, that is shown in that diagram. [5]

Fasteners

- 1 stove bolt
- 2 machine bolt
- 3 molly bolt
- 4 lag screw
- 5 spring bolt
- 6 toggle bolt
- 7 carriage bolt



163 On the line at the left of each word in parts a through e, write the number of the phrase, chosen from the list below, that best defines that word. [5]

Phrases

- (1) a list of qualifications needed by an employee
- (2) diagram of the path a product follows during production
- (3) an organized way of thinking to solve a specific problem
- (4) a device that determines the shape or design of a product
- (5) information concerning the hiring of a person to fill a specific job
- (6) device made for holding work or guiding a tool
- (7) arrangement of materials, supplies, machinery, and personnel

- _____ a Research
- _____ b Jig
- _____ c Production line
- _____ d Flow chart
- _____ e Job specification

164 Directions: On the line at the left of each type of finish listed in parts a through e, write the number of the thinner, chosen from the list below, that would be used with that finish. (A number may be used more than once). [5]

Thinners

- (1) Lacquer
- (2) Turpentine
- (3) Alcohol
- (4) Water

- ___ a shellac
- ___ b varnish
- ___ c oil base paint
- ___ d lacquer
- ___ e latex paint

165 On the line at the left of each operation in parts a through e, write the number of the power tool, chosen from the list below, that would be used to perform that operation. [5]

Tools

- (1) Jigsaw
- (2) Lathe
- (3) Planer
- (4) Jointer
- (5) Bandsaw
- (6) Drill press
- (7) Spindle sander

- ___ a reduces the thickness of a piece of stock
- ___ b squares an edge of a piece of stock
- ___ c cuts an inside circle out of a piece of stock
- ___ d cuts irregular curves of thick stock
- ___ e makes smooth inside curves

166 List the steps in determining the moisture content of a sample of wood using the oven dry method. [5]

1 _____

2 _____

3 _____

4 _____

167 List the four steps involved in laying out a common rafter. [5]

1 _____


2 _____

3 _____


4 _____

168 Five common types of roofs are shown in parts a through e.
On the line at the left of each diagram, identify the type of
roof shown. [5]


_____ (a)




_____ (d)




_____ (b)






_____ (e)








_____ (c)



169 On the line at the left of each symbol in parts a through j, tell what that symbol represents. [5]



170 Five common types of joints are shown in parts a through e. On the line at the left of each diagram, identify the type of joint. [5]



171 On the line at the left of each hand tool in parts a through e, write the number of the phrase, chosen from the list below, that gives one use of that tool. [5]


Uses

- (1) Trimming laminates
- (2) Cutting a hole for a lockset
- (3) Cutting a hole in wall paneling for a convenience outlet
- (4) Planing the edges of boards
- (5) Cutting recesses for door hinges
- (6) Trimming plywood on the edge of the roof
- (7) Installing blanket insulation

Tools


- _____ a portable drill
- _____ b portable circular saw
- _____ c saber saw
- _____ d staple gun
- _____ e router

172 For each of parts a through e in the diagram below, write in the space provided the name of the part of the window that is indicated by that letter. [5]




- a _____
- b _____
- c _____
- d _____
- e _____

173 For each of parts a through e in the diagram below, write in the space provided the name of the part of the panel door construction that is indicated by that letter. [5]



a _____
b _____
c _____
d _____
e _____

174 For each of parts a through e in the diagram below, write in the space provided the name of the part of the rough window opening that is indicated by that letter. [5]



- a _____
- b _____
- c _____
- d _____
- e _____


175 Directions: On the line at the left of each type of design job listed in parts a through e, write the number of the type of designer, chosen from the list below, who would do that type of design. (A number may be used more than once.) [5]

Types of Designers

- (1) Landscape designer
- (2) Room designer
- (3) Architect
- (4) Structural designer.

- ____ a designs the steel frame and wall units for buildings
- ____ b designs how a site should be graded and the placement of trees and shrubs
- ____ c designs space allocations and the placement of partitions in buildings
- ____ d designs the exterior size and shape of buildings
- ____ e designs the building services such as electrical wiring and plumbing

176 On the line at the left of each of parts a through e, write the number of the roof part, chosen from the list below, which is indicated by each letter on the diagram below. [5]



Roof Parts

- (1) Rise
- (2) Overhang
- (3) Run
- (4) Span
- (5) Joist
- (6) Measuring line
- (7) Stud

____ a
____ b
____ c
____ d
____ e

Industrial Arts Examination Materials

WOODS

Scoring Key

(1) 3	(31) 3	(61) 3	(91) 3	(121) 4	(151) 1
(2) 2	(32) 4	(62) 2	(92) 2	(122) 1	(152) 4
(3) 1	(33) 2	(63) 2	(93) 2	(123) 4	(153) 1
(4) 2	(34) 1	(64) 1	(94) 4	(124) 1	(154) 3
(5) 3	(35) 2	(65) 3	(95) 1	(125) 1	(155) 2
(6) 4	(36) 4	(66) 1	(96) 3	(126) 3	(156) 4
(7) 3	(37) 4	(67) 3	(97) 4	(127) 4	(157) 3
(8) 2	(38) 2	(68) 3	(98) 4	(128) 4	(158) 1
(9) 2	(39) 2	(69) 4	(99) 2	(129) 1	(159) 3
(10) 1	(40) 3	(70) 3	(100) 3	(130) 2	(160) 2
(11) 4	(41) 2	(71) 1	(101) 1	(131) 1	(161) a shape or type
(12) 2	(42) 3	(72) 1	(102) 4	(132) 3	b quantity
(13) 4	(43) 1	(73) 2	(103) 1	(133) 4	c bank (diameter)
(14) 2	(44) 4	(74) 4	(104) 1	(134) 1	d type of metal (material)
(15) 3	(45) 1	(75) 3	(105) 4	(135) 1	e length
(16) 2	(46) 4	(76) 4	(106) 4	(136) 4	(162) a 7
(17) 1	(47) 3	(77) 2	(107) 2	(137) 3	b 2
(18) 4	(48) 3	(78) 3	(108) 4	(138) 3	c 6
(19) 3	(49) 1	(79) 1	(109) 1	(139) 1	d 1
(20) 1	(50) 3	(80) 2	(110) 2	(140) 2	e 4
(21) 4	(51) 3	(81) 2	(111) 3	(141) 1	(163) a 3
(22) 2	(52) 2	(82) 4	(112) 1	(142) 4	b 6
(23) 3	(53) 4	(83) 3	(113) 2	(143) 2	c 7
(24) 2	(54) 1	(84) 3	(114) 2	(144) 4	d 2
(25) 4	(55) 4	(85) 4	(115) 1	(145) 4	e 5
(26) 1	(56) 2	(86) 4	(116) 4	(146) 3	(164) a 3
(27) 1	(57) 4	(87) 3	(117) 2	(147) 1	b 2
(28) 2	(58) 1	(88) 3	(118) 4	(148) 1	c 2
(29) 2	(59) 2	(89) 1	(119) 2	(149) 3	d 1
(30) 3	(60) 2	(90) 1	(120) 3	(150) 2	e 4
					(165) a 3
					b 4
					c 1
					d 5
					e 7

- (166) 1 Weigh wood sample.
- 2 Heat sample until it loses no more weight.
- 3 Subtract lightest weight from starting weight.
- 4 $\frac{\text{answer from step 3}}{\text{oven dry weight}} = \text{moisture content}$

- (167) 1 Determine the rise per foot of run.
- 2 Lay out the measuring line on the rafter.
- 3 While holding the square with the rise on the tongue and 12 inch on the blade, step off the number of times equal to the number of feet of run.
- 4 Lay out the plumb cut and the seat cut.

- (168) a shed
- b gable
- c hip
- d gable and valley
- e hip and valley

- (169) a concrete
- b blocks
- c exterior or outside
- d interior or inside
- e double nung
- f casement
- g water closet
- h lavatory or sink
- i outlet
- l 3-way switch

- (170) a dado
- b rabbet
- c miter
- d mortise and tenon
- e butt

- (171) a 2
- b 6
- c 3
- d 7
- e 5

- (172) a lights
- b header
- c jamb
- d sill
- e jamb

- (173) a top rail
- b stile
- c center rail
- d panel
- e bottom rail

- (174) a header
- b trimmer or jack stud
- c short stud or cripple
- d stud
- e sill

- (175) a 4
- b 1
- c 2
- d 3
- e 3

- (176) a 1
- b 3
- c 4
- d 6
- e 2