

## DOCUMENT RESUME

ED 115 871

CE 005 709

**TITLE** Fall Department Head Report--Reporting Booklet 2.0 to the Massachusetts Division of Occupational Education (Fiscal Year Ending June 30, 1975) for Woodworking.

**INSTITUTION** Management and Information System for Occupational Education, Winchester, Mass.

**SPONS AGENCY** Massachusetts State Dept. of Education, Boston. Div. of Occupational Education.

**PUB DATE** 30 Jun 75

**NOTE** 211p.; For related documents, see ED 062 553; ED 068 646-647; ED 072 225; ED 072 228; ED 072 303-304; CE 005 687-727; Instructions for completing the booklet are available in CE 005 701

**EDRS PRICE** MF-\$0.76 HC-\$10.78 Plus Postage

**DESCRIPTORS** Annual Reports; Census Figures; Data Collection; Demonstration Projects; \*Educational Objectives; Job Skills; \*Management Information Systems; Program Design; Program Evaluation; \*Records (Forms); Shop Curriculum; State Programs; \*Vocational Education; \*Woodworking

**IDENTIFIERS** Census Data System; \*Management Information System Occupational Educa; MISOE; Terminal Performance Objectives; TERMOBS

**ABSTRACT**

The reporting booklet is required for the Census Data System (CDS) of the Management Information System for Occupational Education (MISOE); it contains the reporting forms which collect data that describe program structure and job-entry skill outcomes expected of program completors in the individual occupational education area of woodworking. Utilization of instructional area is also determined. This booklet contains the terminal performance objectives (TERMOBS) for this program area. They are actually the forms by which the skills of program completors are reported by department heads. CDS, one of two major subsystems of the integrated management information system, was developed to provide occupational education managers with comprehensive data on which to base rational management decisions. Essentially, CDS contains descriptive information systematically structured in a manner which allows it to be used as a basis for sampling evaluative research studies. CDS collects and stores census data for all school systems offering occupational education programs, including all data formerly collected by the Annual Federal Report for Occupational Information, except followup data. (Author/AJ)

ED115871

22

Miscellaneous Number		Due Date
Name of School System		System ID No.
Name of School		School ID No.
Name of Preparer of Report	Title	Telephone No.
Name of Department or Instructional Area		

THE COMMONWEALTH OF MASSACHUSETTS

DEPARTMENT OF EDUCATION

FALL DEPARTMENT HEAD REPORT-REPORTING BOOKLET 2.0

to the

DIVISION OF OCCUPATIONAL EDUCATION  
(Fiscal Year Ending June 30, 1975)

for

WOODWORKING

U S DEPARTMENT OF HEALTH,  
EDUCATION & WELFARE  
NATIONAL INSTITUTE OF  
EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

CE 005-709

Before filing said statement, the superintendent shall submit it to the chairman of the school committee, who shall countersign it on oath, if, after examination, he finds it correct.  
(General Laws Relating to Education 1970: Chapter 72, Sec. 2A, Item 4, and Sec. 3, Item 2)

I hereby certify that all the statements contained in this report are true to the best of my knowledge and belief, and that this is a true statement, made under the penalties of perjury.



THE COMMONWEALTH OF MASSACHUSETTS  
DEPARTMENT OF EDUCATION  
FALL DEPARTMENT HEAD REPORT-REPORTING BOOKLET 2.0

to the

DIVISION OF OCCUPATIONAL EDUCATION  
(Fiscal Year Ending June 30, 1975)

for

WOODWORKING

U S DEPARTMENT OF HEALTH,  
EDUCATION & WELFARE  
NATIONAL INSTITUTE OF  
EDUCATION

THIS DOCUMENT HAS BEEN REPRO-  
DUCED EXACTLY AS RECEIVED FROM  
THE PERSON OR ORGANIZATION ORIGIN-  
ATING IT. POINTS OF VIEW OR OPINIONS  
STATED DO NOT NECESSARILY REPRESENT  
OFFICIAL NATIONAL INSTITUTE OF  
EDUCATION POSITION OR POLICY

Before filing said statement, the superintendent shall submit it to the chairman of the school committee, who shall countersign it on oath, if, after examination, he finds it correct.  
(General Laws Relating to Education 1970: Chapter 72, Sec. 2A, Item 4, and Sec. 3, Item 2)

I hereby certify that all the statements contained in this report are true to the best of my knowledge and belief, and that this is a true statement, made under the penalties of perjury.

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
Superintendent of Schools

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
Chairman of School Committee

3,

CE 005-709

## TABLE OF CONTENTS

	Page
Table 2.1 Enrollment in Final Grade by Student Group and Terminal Objectives (TERMOBs)	2
Table 2.11 Enrollment in Lower Grades by Student Group	6
Table 2.2 Utilization of Student Class Time: Final Grade	10
Table 2.21 Utilization of Student Class Time: Lower Grades	12
Table 2.3 Utilization of Departmental Instructional Area By Rooms	14
REPORTING TERMINAL PERFORMANCE OBJECTIVES (TERMOBs)	
Table T-1 Instructional Division and Unit Outline	T-2
Table T-1A Additional Instructional Divisions and Units	T-5
Table T-2 TERMOB Division and Unit Outline	T-6
Table T-2A Additional TERMOB Divisions and Units	T-7
TERMOBs	
Table T-3 List of Basic Supplies	T-140
Table T-4 Additional TERMOB Performance Statements	T-142
Index of TERMOB Statements	T-144

Table 2.1 Enrollment in Final Grade by Student Group & Terminal Objectives (TERMOB)

		2					3				
1.	Grade										
2.	Student Group Name and Number	101					102				
3.	USOE Code(s)										
4.	Level Code										
5.	Type Code										
6.	Session Code										
7.	Program Length (Years)	<	1	2	3	4	<	1	2	3	4
8.	Cooperative	Yes		No			Yes		No		
9.	Workstudy	Yes		No			Yes		No		
10.	Exploratory	Yes		No			Yes		No		
11.	Instructors and Teacher's Aides										
	A. Full Time										
	B. Percentage of Time										
12.	Enrollment	Male		Female			Male		Female		

TERMOB Applicability

13. TERMOB Numbers											

4.	Level Code										
5.	Type Code										
6.	Session Code										
7.	Program Length (Years)	<1	1	2	3	4	<1	1	2	3	4
8.	Cooperative	Yes	No				Yes	No			
9.	Workstudy	Yes	No				Yes	No			
10.	Exploratory	Yes	No				Yes	No			
11.	Instructors and Teacher's Aides										
	A. Full Time										
	B. Percentage of Time										
12.	Enrollment	Male	Female				Male	Female			

TERMOB Applicability

13. TERMOB Numbers									



Table 2.1 (Cont'd) Enrollment in Final Grade by Student Group

	4				5				6						
1.															
2.	103				104				105						
3.															
4.															
5.															
6.															
7.	<		2	3	4	<		2	3	4	<		2	3	4
8.	Yes		No		Yes		No		Yes		No				
9.	Yes		No		Yes		No		Yes		No				
10.	Yes		No		Yes		No		Yes		No				
11.															
12.	Male		Female		Male		Female		Male		Female				

TERMOB Applicability

13.														



Misoe Number

Table 2.1 Enrollment In Final Grade by Student Group & Terminal Objective (TERMOB)

		7					8					9									
1.	Grade																				
2.	Student Group Name and Number	106										107									
3.	USOE Code(s)																				
4.	Level Code																				
5.	Type Code																				
6.	Session Code																				
7.	Program Length (Years)	<1	1	2	3	4	<1	1	2	3	4	<1	1	2	3	4					
8.	Cooperative	Yes No					Yes No					Yes No									
9.	Workstudy	Yes No					Yes No					Yes No									
10.	Exploratory	Yes No					Yes No					Yes No									
11.	Instructors and Teacher's Aides																				
		A. Full Time																			
		B. Percentage of Time																			
12.	Enrollment	Male					Female					Male					Female				

TERMOB Applicability

13. TERMOB Numbers																				



Table 2.1 (Cont'd) Enrollment in Final Grade by Student Group and Terminal Objectives (TERMOBS)

	10					11					12				
1.															
2.															
3.	108					109					110				
4.															
5.															
6.															
7.	<1	1	2	3	4	<1	1	2	3	4	<1	1	2	3	4
8.	Yes		No			Yes		No			Yes		No		
9.	Yes		No			Yes		No			Yes		No		
10.	Yes		No			Yes		No			Yes		No		
11.															
12.	Male		Female			Male		Female			Male		Female		

TERMOB Applicability

13.															





Table 2.11 Enrollment in Lower Grades by Student Group

5

1. Grade	2. Student Group Name and Number	3.				4.				5.				6.				7.				8.		9.		10.		11.				12.					
		1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	Yes	No	Yes	No	Yes	No	A. Full Time		B. Percentage of Time		Male	Female	Male	Female	Male	Female
	201																					Yes	No	Yes	No	Yes	No					Male	Female	Male	Female	Male	Female
	202																					Yes	No	Yes	No	Yes	No					Male	Female	Male	Female	Male	Female
	203																					Yes	No	Yes	No	Yes	No					Male	Female	Male	Female	Male	Female
	204																					Yes	No	Yes	No	Yes	No					Male	Female	Male	Female	Male	Female



Table 2.11 (Cont'd) Enrollment in Lower Grades by Student Group

7 9 10 11

1. Grade	206	207	208	209
2. Student Group Name and Number				
3. USOE Code(s)				
4. Level Code				
5. Type Code				
6. Session Code				
7. Program Length (Years)	<1 1 2 3 4	<1 1 2 3 4	<1 1 2 3 4	<1 1 2 3 4
8. Cooperative	Yes No	Yes No	Yes No	Yes No
9. Workstudy	Yes No	Yes No	Yes No	Yes No
10. Exploratory	Yes No	Yes No	Yes No	Yes No
11. Instructors and Teacher's Aides				
A. Full Time				
B. Percentage of Time				
12. Enrollment	Male Female	Male Female	Male Female	Male Female



Table 2.11 - Enrollment in Lower Grades by Student Group (Cont'd)

13 14 15 16 17

1. Grade	211	212	213	214
2. Student Group Name and Number				
3. USOE Code(s)				
4. Level Code				
5. Type Code				
6. Session Code				
7. Program Length (Years)	<1 1 2 3 4	<1 1 2 3 4	<1 1 2 3 4	<1 1 2 3 4
8. Cooperative	Yes No	Yes No	Yes No	Yes No
9. Workstudy	Yes No	Yes No	Yes No	Yes No
10. Exploratory	Yes No	Yes No	Yes No	Yes No
11. Instructors and Teacher's Aides				
A. Full Time				
B. Percentage of Time				
12. Enrollment	Male	Male	Male	Male
	Female	Female	Female	Female



Table 2.11 Enrollment in Lower Grades by Student Group (Cont'd)

1. Grade	2. Student Group Name and Number	20				21				22				23			
		1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
3. USOE Code(s)																	
4. Level Code																	
5. Type Code																	
6. Session Code																	
7. Program Length (Years)		Yes	No	No	No												
8. Cooperative		Yes	No	No	No												
9. Workstudy		Yes	No	No	No												
10. Exploratory		Yes	No	No	No												
11. Instructors and Teacher's Aides																	
A. Full Time																	
B. Percentage of Time																	
12. Enrollment		Male	Female														



Table 2.2 Utilization of Student Class Time: Final Grade

	2	3	4	5	6	7	8	9
1. Student Group Number	101	102	103	104	105	106	107	108
2. Grade								
3. USOE Code(s)								
4. In Occupational Shop/Lab Area(s)								
5. In Occupational Related Area(s)								
6. Total Occupational Time (Lines 4 + 5)								
7. In Nonoccupational Areas								
8. Total All Areas (Lines 6 + 7)								
9. Length of Grade Session (weeks)								
10. Schedule Variation								
Additional Notes Necessary to Explain Lines 4 through 10								



Table 2.2 Utilization of Student Class Time (Cont'd): Final Grade

	12	13	14	15	16	17	18	19	20
1. Student Group Number	111	112	113	114	115	116	117	118	
2. Grade									
3. USOE Code(s)									
4. In Occupational Shop/Lab Area(s)									
5. In Occupational Related Area(s)									
6. Total Occupational Time (Lines 4 + 5)									
7. In Nonoccupational Areas									
8. Total All Areas (Lines 6 + 7)									
9. Length of Grade Session (weeks)									
10. Schedule Variation									
Additional Notes Necessary to Explain Lines 4 through 10									



Table 2.21 Utilization of Student Class Time: Lower Grade

	1	2	3	4	5	6	7	8	9
1. Student Group Number		201	202	203	204	205	206	207	208
2. Grade									
3. USOE Code(s)									
4. In Occupational Shop/Lab Area(s)									
5. In Occupational Related Area(s)									
6. Total Occupational Time (Lines 4 + 5)									
7. In Nonoccupational Areas			*						
8. Total All Areas (Lines 6 + 7)									
9. Length of Grade Session (Weeks)									
10. Schedule Variation									
Additional Notes Necessary to Explain Lines 4 through 10									



Table 2.21 (Cont'd) Utilization of Student Class Time: Lower Grade

	12	13	14	15	16	17	18	19	20
1. Student Group Number		211	212	213	214	215	216	217	218
2. Grade									
3. USOE Code(s)									
4. In Occupational Shop/Lab Area(s)									
5. In Occupational Related Area(s)									
6. Total Occupational Time (Lines 4 + 5)									
7. In Nonoccupational Areas									
8. Total All Areas (Lines 6 + 7)									
9. Length of Grade Session (Weeks)									
10. Schedule Variation									
Additional Notes Necessary to Explain Lines 4 through 10									

Table 2.3 Utilization of Departmental Instructional Area by Rooms

Check Applicable Program Schedule

- 1. a.  Weekly
- b.  Alternating
- c.  Variable

- 2. a.  Semester Schedule Change
- b.  No Semester Schedule Change

WEEKLY OR SCHEDULE A									
1		2		3		4		5	
Room	Day	Morning		Afternoon		Evening			
No. of the Name	of the Week	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.			
		No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.		
1A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
2A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
3A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
4A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
5A	Mon.								
	Tues.								

WEEKLY OR SCHEDULE A

		3		4		5	
Room	Day	Morning		Afternoon		Evening	
No. or Name	of the Week	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.	
		No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
1A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
2A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
3A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
4A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
5A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							

Table 2.3 (Cont'd) Utilization of Departmental Instructional Area by Rooms

Check Applicable Program Schedule

1. a.  Weekly  
 b.  Alternating  
 c.  Variable
2. a.  Semester Schedule Change  
 b.  No Semester Schedule Change

WEEKLY OR SCHEDULE B											
		6		7		8		9		10	
Room	Day	Morning		Afternoon		Evening					
No. of	of the	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.					
Name	Week	No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
1 B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
2 B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
3 B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
4 B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
5 B		Mon.									

WEEKLY OR SCHEDULE B

		8		9		10	
Room	Day	Morning		Afternoon		Evening	
No. of the Name	of the Week	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.	
		No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
1 B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
2 B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
3 B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
4 B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
5 B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							

MISOC Number

Table 2.3 (Cont'd) Utilization of Departmental Instructional Area by Room

Check Applicable Program Schedule

1. a.  Weekly  
 b.  Alternating  
 c.  Variable
2. a.  Semester Schedule Change  
 b.  No Semester Schedule Change

WEEKLY OR SCHEDULE A											
		11		12		13		14		15	
Room	Day	Morning		Afternoon		Evening					
No. or	of the	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.					
Name	Week	No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
6A	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
7A	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
8A	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
9A	Mon										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											

WEEKLY OR SCHEDULE A

		11	12	13	14	15	
Room No. or Name	Day of the Week	Morning		Afternoon		Evening	
		7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.	
		No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
6A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
7A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
8A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
9A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
10A	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							

Table 2.3 (Cont'd) Utilization of Departmental Instructional Area by Room

Check Applicable Program Schedule

- 1. a.  Weekly
- b.  Alternating
- c.  Variable

- 2. a.  Semester Schedule Change
- b.  No Semester Schedule Change

WEEKLY OR SCHEDULE-B											
		16		17		18		19		20	
Room	Day	Morning		Afternoon		Evening					
No. or	of the	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.					
Name	Week	No. of	No. of	No. of	No. of	No. of	No. of	No. of	No. of	No. of	No. of
		Hrs. Used	Stud. Hrs.	Hrs. Used	Stud. Hrs.	Hrs. Used	Stud. Hrs.	Hrs. Used	Stud. Hrs.	Hrs. Used	Stud. Hrs.
6B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
7B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
8B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
9B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
TOTALS											
10B	Mon.										

a.  Weekly  
 b.  Alternating  
 c.  Variable

b.  No Semester Schedule Change

WEEKLY OR SCHEDULE B

		16	17	18	19	20	
Room	Day	Morning		Afternoon		Evening	
No. or	of the	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.	
Name	Week	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
6B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
7B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
8B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
9B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
10B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							

Misoe Number

Table 2.3 (Cont'd) Utilization of Departmental Instructional Area by Room

Check Applicable Program Schedule

- 1. a.  Weekly
- b.  Alternating
- c.  Variable
- 2. a.  Semester Schedule Change
- b.  No Semester Schedule Change

WEEKLY OR SCHEDULE A											
Room No. or Name	Day of the Week	21		22		23		24		25	
		Morning 7:00 a.m.-12:00N		Afternoon 12:00N-6:00 p.m.		Evening 6:00 p.m.-11:00 p.m.					
		No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
11A	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
12A	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
13A	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
14A	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
	Mon.										

WEEKLY OR SCHEDULE A									
21		22		23		24		25	
Room	Day	Morning		Afternoon		Evening			
No. of	of the	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.			
Name	Week	No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.		
11A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
12A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
13A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
14A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
15A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									

Table 2.3 (Cont'd) Utilization of Departmental Instructional Area by Room

Check Applicable Program Schedule

1. a.  Weekly  
 b.  Alternating  
 c.  Variable
2. a.  Semester Schedule Change  
 b.  No Semester Schedule Change

WEEKLY OR SCHEDULE B											
		26		27		28		29		30	
Room	Day	Morning		Afternoon		Evening					
No. of	of the	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.					
Name	Week	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
11B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
12B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
13B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
14B	Mon.										
	Tues.										
	Wed.										
	Thurs.										
	Fri.										
LS C	Sat.										
TOTALS											
15B	Mon.										

WEEKLY OR SCHEDULE B

		26	27	28	29	30	
Room No. or Name	Day of the Week	Morning 7:00 a.m.-12:00N		Afternoon 12:00N-6:00 p.m.		Evening 6:00 p.m.-11:00 p.m.	
		No. of Hrs.Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
		11B	Mon.				
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
12B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
13B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
14B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
15B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							

Visor Number \_\_\_\_\_

Table 2.3 Utilization of Departmental Instructional Area By Room

Check Applicable Program Schedule

- 1. a.  Weekly
- b.  Alternating
- c.  Variable

- 2. a.  Semester Schedule Change
- b.  No Semester Schedule Change

WEEKLY OR SCHEDULE A									
31		32		33		34		35	
Room No. or Name	Day of the Week	Morning 7:00 a.m.-12:00N		Afternoon 12:00N-6:00 p.m.		Evening 6:00 P.M.-11:00 p.m.			
		No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.		
		16A	Mon.						
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
17A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
18A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
19A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									

Check Applicable Program Schedule

1. a.  Weekly  
 b.  Alternating  
 c.  Variable

2. a.  Semester Schedule Change  
 b.  No Semester Schedule Change

WEEKLY OR SCHEDULE A

31		32		33		34		35	
Room No. or Name	Day of the Week	Morning 7:00 a.m.-12:00N		Afternoon 12:00N-6:00 p.m.		Evening 6:00 P.M.-11:00 p.m.			
		No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.		
		16A	Mon.						
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
17A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
18A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
19A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
20A	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									

Table 2.3 (Cont d) Utilization of Departmental Instructional Area by Room

Check Applicable Program Schedule

1. a.  Weekly  
 b.  Alternating  
 c.  Variable
2. a.  Semester Schedule Change  
 b.  No Semester Schedule Change

WEEKLY OR SCHEDULE B									
36		37		38		39		40	
Room No. or Name	Day of the Week	Morning 7:00 a.m.-12:00N		Afternoon 12:00N-6:00 p.m.		Evening 6:00 p.m.-11:00 p.m.			
		No. of Hrs. Used	No. of Stud. Hrs	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.		
		16B	Mon.						
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
17B	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
18B	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
19B	Mon.								
	Tues.								
	Wed.								
	Thurs.								
	Fri.								
LS C	Sat.								
TOTALS									
20B	Mon.								
	Tues.								

WEEKLY OR SCHEDULE B

		36	37	38	39	40	
Room	Day	Morning		Afternoon		Evening	
No. or	of the	7:00 a.m.-12:00N		12:00N-6:00 p.m.		6:00 p.m.-11:00 p.m.	
Name	Week	No. of Hrs.Used	No. of Stud. Hrs	No. of Hrs. Used	No. of Stud. Hrs.	No. of Hrs. Used	No. of Stud. Hrs.
16B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
17B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
18B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
19B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							
20B	Mon.						
	Tues.						
	Wed.						
	Thurs.						
	Fri.						
LS C	Sat.						
TOTALS							

**REPORTING TERMINAL PERFORMANCE OBJECTIVES (TERMOBS)**

## WOODWORKING PROGRAM

DOES THIS OUTLINE CONTAIN ALL OF THE INSTRUCTIONAL CONTENT OF YOUR PROGRAM: YES \_\_\_ NO \_\_\_

CODE	DIVISION	CODE	UNIT
01	SAFETY	01	GENERAL SHOP SAFETY
		02	MACHINERY
		03	PORTABLE POWER TOOLS
		04	STAGING & SCAFFOLDING
		05	LADDERS
		06	SITE HAZARDS
02	BENCH WORK	01	SANDING
		02	GLUING
		03	ASSEMBLING
		04	FORMING
		05	CUTTING
		06	FITTING
		07	LAMINATING
03	HAND TOOLS	01	MEASURING TOOLS
		02	LAYOUT TOOLS
		03	TESTING TOOLS
		04	FRAMING SQUARE
		05	SAWING TOOLS
		06	CLAMPS
		07	EDGE CUTTING TOOLS
		08	BORING TOOLS
		09	FASTENING TOOLS
		10	SMOOTHING TOOLS
		11	LATHE TOOLS
04	PORTABLE POWER TOOLS	01	CIRCULAR SAWS
		02	RECIPROCATING SAWS
		03	DRILLS
		04	PLANES
		05	ROUTERS
		06	NAILING MACHINES
		07	FLOOR SANDERS
		08	BELT SANDERS
		09	DISC SANDERS
		10	FINISHING SANDERS
05	MACHINERY	01	JOINTERS
		02	THICKNESS PLANERS
		03	TABLE SAWS
		04	RADIAL ARM SAWS
		05	SCROLL SAWS
		06	BAND SAWS
		07	BELT SANDERS
		08	SPINDLE SANDERS
		09	DISC SANDERS
		10	DRUM SANDERS
		11	SHAPERS
		12	VARIETY MOULDERS
		13	ROUTERS
		14	MORTISERS
		15	COPER-TENONERS
		16	GRINDERS
		17	DRILL PRESSES

		05	LADDERS
		06	SITE HAZARDS
02	BENCH WORK	01	SANDING
		02	GLUING
		03	ASSEMBLING
		04	FORMING
		05	CUTTING
		06	FITTING
		07	LAMINATING
03	HAND TOOLS	01	MEASURING TOOLS
		02	LAYOUT TOOLS
		03	TESTING TOOLS
		04	FRAMING SQUARE
		05	SAWING TOOLS
		06	CLAMPS
		07	EDGE CUTTING TOOLS
		08	BORING TOOLS
		09	FASTENING TOOLS
		10	SMOOTHING TOOLS
		11	LATHE TOOLS
04	PORTABLE POWER TOOLS	01	CIRCULAR SAWS
		02	RECIPROCATING SAWS
		03	DRILLS
		04	PLANES
		05	ROUTERS
		06	NAILING MACHINES
		07	FLOOR SANDERS
		08	BELT SANDERS
		09	DISC SANDERS
		10	FINISHING SANDERS
05	MACHINERY	01	JOINTERS
		02	THICKNESS PLANERS
		03	TABLE SAWS
		04	RADIAL ARM SAWS
		05	SCROLL SAWS
		06	BAND SAWS
		07	BELT SANDERS
		08	SPINDLE SANDERS
		09	DISC SANDERS
		10	DRUM SANDERS
		11	SHAPERS
		12	VARIETY MOULDERS
		13	ROUTERS
		14	MORTISERS
		15	COPER-TENONERS
		16	GRINDERS
		17	DRILL PRESSES
		18	BORING MACHINES
		19	LATHES
06	MAINTENANCE	01	SHOP
		02	MACHINES
		03	PORTABLE POWER TOOLS
		04	HAND TOOLS
		05	EQUIPMENT

## TABLE T-1 INSTRUCTIONAL DIVISION AND UNIT OUTLINE

## WOODWORKING PROGRAM

(CONTINUED)

CODE	DIVISION	CODE	UNIT
07	LAYOUT	01	PLOT
		02	BENCH
		03	FRAMING
		04	CASTING
08	FINISHING	01	SURFACE PREPARATION
		02	COATING
		03	ABRADING
09	STAGING AND SCAFFOLDING	01	PIPE
		02	BRACKET
		03	PUMP
		04	POST
10	FORMS	01	FOOTINGS
		02	PIERS
		03	COLUMNS
		04	WALLS
		05	BEAMS
		06	STAIRS
		07	SLABS
11	FRAMING	01	COLUMNS
		02	GIRDERS
		03	SILLS
		04	FLOORS
		05	WALLS
		06	CEILINGS
		07	ROOFS
		08	SHEATHING
		09	STAIRS
		10	INSULATION
12	INTERIOR FINISH	01	TRIM
		02	DOOR UNITS
		03	WALL COVERINGS
		04	CABINETS
		05	CLOSETS
		06	FLOORS
		07	CEILINGS
		08	STAIRS
		09	HARDWARE
		10	FIREPLACE MANTLES
13	EXTERIOR FINISH	01	CORNICES
		02	TRIM
		03	ROOF COVERINGS
		04	EVE TROUGHS
		05	DOOR UNITS
		06	WINDOW UNITS
		07	SIDING
	RELATED TECHNOLOGY	01	TRADE ORIENTATION
		02	TERMINOLOGY
		03	NOMENCLATURE
		04	WOODS

		03	ABRADING
09	STAGING AND SCAFFOLDING	01	PIPE
		02	BRACKET
		03	PUMP
		04	POST
10	FORMS	01	FOOTINGS
		02	PIERS
		03	COLUMNS
		04	WALLS
		05	BEAMS
		06	STAIRS
		07	SLABS
11	FRAMING	01	COLUMNS
		02	GIRDERS
		03	SILLS
		04	FLOORS
		05	WALLS
		06	CEILINGS
		07	ROOFS
		08	SHEATHING
		09	STAIRS
		10	INSULATION
12	INTERIOR FINISH	01	TRIM
		02	DOOR UNITS
		03	WALL COVERINGS
		04	CABINETS
		05	CLOSETS
		06	FLOORS
		07	CEILINGS
		08	STAIRS
		09	HARDWARE
		10	FIREPLACE MANTLES
13	EXTERIOR FINISH	01	CORNICES
		02	TRIM
		03	ROOF COVERINGS
		04	EVE TROUGHS
		05	DOOR UNITS
		06	WINDOW UNITS
		07	SIDING
14	RELATED TECHNOLOGY	01	TRADE ORIENTATION
		02	TERMINOLOGY
		03	NOMENCLATURE
		04	WOODS
		05	NON-WOOD MATERIALS
		06	HARDWARE
		07	CONSTRUCTION PROCEDURES
		08	BUILDING CODES
		09	METALLURGY

TABLE T-1 INSTRUCTIONAL DIVISION AND UNIT OUTLINE

WOODWORKING PROGRAM

(CONTINUED)

CODE	DIVISION	CODE	UNIT
15	BLUEPRINT READING AND DRAWING	01	ORTHOGRAPHIC
		02	DIMENSIONING
		03	SECTIONS
		04	ISOMETRICS
		05	OBLIQUES
		06	PLAN VIEWS
		07	ELEVATIONS
		08	DETAILS
		09	SYMBOLS AND INDICATIONS
		10	SCHEDULES
		11	SPECIFICATIONS
			12
16	RELATED MATH	01	WHOLE NUMBERS
		02	DECIMALS
		03	FRACTIONS
		04	PERCENTAGE
		05	MENSURATION
		06	LUMBER AND BOARD MEASURES
		07	PLANE GEOMETRY
17	PROJECTS	01	MILLWORK
		02	CABINETS
		03	FURNITURE
		04	OTHER

TABLE T-1A ADDITIONAL INSTRUCTIONAL DIVISIONS AND UNITS

CODE	DIVISIONS	CODE	UNIT
------	-----------	------	------

TABLE T-2 TERMOB DIVISION AND UNIT OUTLINE

WOODWORKING PROGRAM

DOES THIS OUTLINE CONTAIN ALL TOPICS IN WHICH GRADUATES ACQUIRE JOB-ENTRY SKILLS: YES \_\_\_ NO \_\_\_

CODE	DIVISION	CODE	UNIT
01	FOUNDATION FORMWORK	01	BATTERBOARDS
		02	FOOTINGS FORMS
		03	STAIR FORMS
		04	WALL FORMS
02	FRAMING	01	COLUMNS AND BEAMS
		02	SILLS AND JOISTS
		03	SUB FLOORING
		04	WALLS
		05	ROUGH EXTERIOR
		06	ROOFS
03	EXTERIOR FINISH	01	CORNICE AND GUTTERS
		02	DOORS AND WINDOWS
		03	TRIM
		04	SIDING
		05	ROOFS
04	INTERIOR FINISH	01	WALLS
		02	FLOORS
		03	CEILINGS
		04	STAIRS
		05	TRIM
05	MILLWORK & CABINETMAKING	01	MILL CARPENTRY
		02	CABINETMAKING

TABLE T-2A ADDITIONAL TERMOB DIVISIONS AND UNITS

CODE                      DIVISION                      CODE                      UNIT

---

**TERMINAL PERFORMANCE OBJECTIVES (TERMOBS)**

**and**

**REPORTING FORMS**

54

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

UNIT 01 BATTERBOARDS

TERMOB NO. 11-001

1.00 CONDITION

- ( ) 1.01 LEVEL LOT WITH HOUSE STAKED OUT
- ( ) 1.02 BLUEPRINT OF HOUSE WITHOUT BASEMENT
- ( ) 1.03 ARCHITECTURAL PLOT PLAN
- ( ) 1.04 STOCK 2 X 4, 2 X 3, 2 X 6
- ( ) 1.05 CHALK LINE AND PLUMBOB
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT BATTERBOARDS EMPLOYING THE FOLLOWING OPERATIONS:
- ( ) 2.02 SELECT THREE PIECES OF STOCK FOR EACH CORNER AND SHARPEN ENDS
- ( ) 2.03 DRIVE STAKES IN PROPER LOCATION AT EACH CORNER
- ( ) 2.04 NAIL LEDGER BOARDS TO STAKES
- ( ) 2.05 STRETCH CHALK LINES OVER LEDGER BOARDS WHERE LINE PASSES AND FASTEN LINE TO NAIL
- ( ) 2.06 MAKE SHALLOW SAW KERF IN LEDGER BOARDS WHERE LINE PASSES AND FASTEN LINE TO NAIL

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BATTERBOARDS ERECTED AT ALL NECESSARY CORNERS APPROPRIATELY LOCATING BUILDING LINES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 3 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 APPROXIMATELY 4 FEET LONG
- ( ) 3.03 PARALLEL TO AND FOUR FEET AWAY FROM BUILDING LINES
- ( ) 3.04 LEVEL
- ( ) 3.05 TO BLUEPRINT  $\pm$  1/8 INCH
- ( ) 3.06 ACCURATELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

USOE CODE NO(S) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

UNIT 01 BATTERBOARDS

TERMOB NO. 11-001

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

UNIT 02 FOOTINGS FORMS

TERMOB NO. II-002

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF HOUSE WITHOUT BASEMENT
- ( ) 1.02 ARCHITECTURAL PLOT PLAN
- ( ) 1.03 LEVEL LOT WITH LOT CORNERS IDENTIFIED WITH STAKES
- ( ) 1.04 LOCAL BUILDING CODE
- ( ) 1.05 STAKES
- ( ) 1.06 ~~LEVEL TRANSIT~~
- ( ) 1.07 BUILDER'S LEVEL
- ( ) 1.08 CHALK LINE AND PLUMBOB
- ( ) 1.09 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 STAKE OUT A HOUSE EMPLOYING THE FOLLOWING OPERATIONS:
  - ( ) 2.02 FASTEN LINES BETWEEN STAKES SET UP AT LOT CORNERS
  - ( ) 2.03 LOCATE CORNER POINTS OF BUILDING LINE FOR ONE SIDE OF BUILDING AT PROPER DISTANCE FROM LOT LINE AND SET STAKES
  - ( ) 2.04 MAKE RIGHT ANGLE CORNERS AT STAKES
  - ( ) 2.05 MEASURE PROPER DISTANCES ON BUILDING LINES TO LOCATE ALL CORNERS
  - ( ) 2.06 CHECK DIMENSIONS OF ALL BUILDING LINES, DIAGONALS OF RECTANGLES, AND DISTANCES TO LOT LINES

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 HOUSE STAKED OUT AS SPECIFIED IN BLUEPRINT AND ARCHITECTURAL PLOT PLAN TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 6 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
  - ( ) 3.02 TAUT AND CLEARLY VISIBLE
  - ( ) 3.03 TO  $\pm$  1/2 INCH
  - ( ) 3.04 TO  $\pm$  1 DEGREE
  - ( ) 3.05 TO  $\pm$  1 INCH
  - ( ) 3.06 TO CONFORM TO BLUEPRINT  $\pm$  1/2 INCH

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

USOE CODE NO(S) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

UNIT 02 FOOTINGS FORMS

TERMOB NO. 11-002

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

UNIT 02 FOOTINGS FORMS

TERMOB NO. 11-003

### 1.00 CONDITION

- 1.01 BLUEPRINT OF HOUSE ON SLAB
- 1.02 ARCHITECTURAL PLOT PLAN
- 1.03 BATTERBOARDS WITH CHALK LINES INDICATING BUILDING LINES
- 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)
- 1.05 CHALK LINE AND PLUMBOB
- 1.06 LEVEL TRANSIT
- 1.07 BUILDER'S LEVEL
- 1.08 STAKES

### 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- 2.01 LAY OUT FORMS FOR FOOTINGS EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 DROP LINE AND PLUMBOB WHERE LINES INTERSECT FOR ALL CORNERS
- 2.03 DRIVE A STAKE AT POSITION SHOWN BY PLUMBOB
- 2.04 LEVEL ALL STAKES AND MARK
- 2.05 PLACE NAIL AT EACH BUILDING CORNER POINT
- 2.06 TIE CHALK LINES TO NAILS ON CORNER STAKES TO REPRESENT BUILDING LINES

### 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- 3.01 LAYOUT OF FORMS FOR FOOTING TO BE CONSTRUCTED TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 3 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 ACCURATELY
- 3.03 PROPER DEPTH INDICATING TOP OF FOOTING
- 3.04 TO + 1/2 INCH
- 3.05 CENTER OF STAKES + 1/4 INCH
- 3.06 CHALK LINES TAUT AND AT RIGHT ANGLES TO EACH OTHER WITHIN + 1 DEGREE

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 FOOTINGS FORMS

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-003

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

61

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

UNIT 02 FOOTINGS FORMS

TERMOB NO. 11-004

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A ONE-STORY HOUSE WITH NO BASEMENT
- ( ) 1.02 BLUEPRINT OF A TWO-STORY HOUSE WITH BASEMENT
- ( ) 1.03 BLUEPRINT OF A GARAGE WITH NO BASEMENT
- ( ) 1.04 BLUEPRINT OF A SPLIT-LEVEL WITH HALF BASEMENT
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 EXCAVATED TRENCH
- ( ) 1.08 BATTERBOARDS IN POSITION
- ( ) 1.09 STAKES

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 CONSTRUCT FORMS FOR FOUNDATION FOOTINGS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DRIVE GRADE STAKES
- ( ) 2.03 INSTALL OUTSIDE FORM
- ( ) 2.04 LEVEL FROM GRADE STAKE
- ( ) 2.05 NAIL FORM TO OUTSIDE STAKES
- ( ) 2.06 INSTALL INSIDE FORM
- ( ) 2.07 INSTALL SPREADERS
- ( ) 2.08 LEVEL INSIDE FORM TO OUTSIDE FORM
- ( ) 2.09 NAIL FORM TO STAKES
- ( ) 2.10 BACKFILL
- ( ) 2.11 REMOVE ALL LOOSE DIRT FROM INSIDE FORM

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 FORMS ARE BUILT IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY AND SECURELY
- ( ) 3.03 CONFORMING TO BUILDING LINE + 1/8 INCH
- ( ) 3.04 LEVEL
- ( ) 3.05 PLUMB AND SECURE
- ( ) 3.06 TO BLUEPRINT + 1/8 INCH
- ( ) 3.07 SECURELY
- ( ) 3.08 LEVEL
- ( ) 3.09 PLUMB AND SECURE

- ( ) 1.01 BLUEPRINT OF A ONE-STORY HOUSE WITH NO BASEMENT
- ( ) 1.02 BLUEPRINT OF A TWO-STORY HOUSE WITH BASEMENT
- ( ) 1.03 BLUEPRINT OF A GARAGE WITH NO BASEMENT
- ( ) 1.04 BLUEPRINT OF A SPLIT-LEVEL WITH HALF BASEMENT
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 EXCAVATED TRENCH
- ( ) 1.08 BATTERBOARDS IN POSITION
- ( ) 1.09 STAKES

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 CONSTRUCT FORMS FOR FOUNDATION FOOTINGS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DRIVE GRADE STAKES
- ( ) 2.03 INSTALL OUTSIDE FORM
- ( ) 2.04 LEVEL FROM GRADE STAKE
- ( ) 2.05 NAIL FORM TO OUTSIDE STAKES
- ( ) 2.06 INSTALL INSIDE FORM
- ( ) 2.07 INSTALL SPREADERS
- ( ) 2.08 LEVEL INSIDE FORM TO OUTSIDE FORM
- ( ) 2.09 NAIL FORM TO STAKES
- ( ) 2.10 BACKFILL
- ( ) 2.11 REMOVE ALL LOOSE DIRT FROM INSIDE FORM

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 FORMS ARE BUILT IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY AND SECURELY
- ( ) 3.03 CONFORMING TO BUILDING LINE  $\pm$  1/8 INCH
- ( ) 3.04 LEVEL
- ( ) 3.05 PLUMB AND SECURE
- ( ) 3.06 TO BLUEPRINT  $\pm$  1/8 INCH
- ( ) 3.07 SECURELY
- ( ) 3.08 LEVEL
- ( ) 3.09 PLUMB AND SECURE
- ( ) 3.10 CONCRETE WILL NOT ESCAPE FROM UNDERNEATH
- ( ) 3.11 COMPLETELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 FOOTINGS FORMS

TERMOB NO. 11-004

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

UNIT 03 STAIR FORMS

TERMOB NO. 11-005

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE ENTRANCE REQUIRING CONCRETE STAIRS WITH THREE RISERS AND A 3'6" X 3'6" TOP PLATFORM.
- ( ) 1.02 BLUEPRINT OF A BELOW GRADE BASEMENT ENTRANCE REQUIRING CONCRETE STAIRS WITH THREE RISERS AND A 3'6" X 3'6" BOTTOM PLATFORM WITH DRAIN.
- ( ) 1.03 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.05 EXCAVATED TRENCH WITH FOOTINGS WHERE NECESSARY
- ( ) 1.06 STAKES

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 CONSTRUCT FORMS FOR CONCRETE STAIRS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 FIND CENTER OF DOOR
- ( ) 2.03 MARK HALF THE WIDTH OF PLATFORM FROM CENTER MARK
- ( ) 2.04 DRAW LEVEL LINE TO FOOTING
- ( ) 2.05 INSTALL PANELS AND BRACE
- ( ) 2.06 INSTALL RISERS AND BRACE
- ( ) 2.07 CHECK FOR SQUARENESS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
( ) 3.01 FORMS FOR STAIRS ARE BUILT IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO + 1/8 INCH
- ( ) 3.03 TO ± 1/8 INCH
- ( ) 3.04 LEVEL
- ( ) 3.05 SECURELY
- ( ) 3.06 SECURELY
- ( ) 3.07 FORM IS SQUARE

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01

FOUNDATION FORMWORK

USOE CODE NO(S) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

UNIT 03

STAIR FORMS

TERMOB NO:

11-005

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

66

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

UNIT 04 WALL FORMS

TERMOB NO. 11-006

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE REQUIRING POURED CONCRETE BELOW GRADE FOUNDATION WALLS
- ( ) 1.02 BLUEPRINT OF A GARAGE REQUIRING ABOVE GRADE CONCRETE WALLS
- ( ) 1.03 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.05 BATTERBOARDS IN POSITION
- ( ) 1.06 FOOTINGS IN POSITION
- ( ) 1.07 FORM PANELS WITH PLYWOOD FACES
- ( ) 1.08 SNAP TIES
- ( ) 1.09 BAND IRON/METAL STRAPS

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT FORMS FOR POURED CONCRETE WALLS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DROP PLUMB BOB FROM BATTERBOARDS
- ( ) 2.03 ALLOW HALF THICKNESS OF WALL AND MARK
- ( ) 2.04 CHALK WALL LINES ON FOOTINGS
- ( ) 2.05 NAIL LEDGER BOARDS TO FOOTING
- ( ) 2.06 PLACE PANELS ON LINES
- ( ) 2.07 SECURE PANELS WITH SNAP TIES AND DOG
- ( ) 2.08 INSTALL WALES
- ( ) 2.09 BRACE
- ( ) 2.10 CHECK FOR SQUARE, LEVEL AND PLUMB

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 FORMS ARE ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITH 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY
- ( ) 3.03 TO BLUEPRINT  $\pm$  1/8 INCH
- ( ) 3.04 ACCURATELY
- ( ) 3.05 ACCURATELY AND SECURELY
- ( ) 3.06 ACCURATELY
- ( ) 3.07 SECURELY
- ( ) 3.08 SECURELY

- ( ) 1.02 BLUEPRINT OF A GARAGE REQUIRING ABOVE GRADE CONCRETE WALLS
- ( ) 1.03 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.05 BATTERBOARDS IN POSITION
- ( ) 1.06 FOOTINGS IN POSITION
- ( ) 1.07 FORM PANELS WITH PLYWOOD FACES
- ( ) 1.08 SNAP TIES
- ( ) 1.09 BAND IRON/METAL STRAPS

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT FORMS FOR POURED CONCRETE WALLS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DROP PLUMB BOB FROM BATTERBOARDS
- ( ) 2.03 ALLOW HALF THICKNESS OF WALL AND MARK
- ( ) 2.04 CHALK WALL LINES ON FOOTINGS
- ( ) 2.05 NAIL LEDGER BOARDS TO FOOTING
- ( ) 2.06 PLACE PANELS ON LINES
- ( ) 2.07 SECURE PANELS WITH SNAP TIES AND DOG
- ( ) 2.08 INSTALL WALES
- ( ) 2.09 BRACE
- ( ) 2.10 CHECK FOR SQUARE, LEVEL AND PLUMB

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 FORMS ARE ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITH 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY
- ( ) 3.03 TO BLUEPRINT  $\pm$  1/8 INCH
- ( ) 3.04 ACCURATELY
- ( ) 3.05 ACCURATELY AND SECURELY
- ( ) 3.06 ACCURATELY
- ( ) 3.07 SECURELY
- ( ) 3.08 SECURELY
- ( ) 3.09 SECURELY
- ( ) 3.10 ACCURATELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 01 FOUNDATION FORMWORK

USOE CODE NO(S) \_\_\_\_\_

UNIT 04 WALL FORMS

TERMOB NO. 11-006

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 01 COLUMNS AND BEAMS

TERMOB NO. 11-007

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A TWO-STORY HOUSE - WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A TWO-STORY HOUSE - BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL HOUSE
- ( ) 1.04 BLUEPRINT OF A COLONIAL HOUSE
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 FOUNDATION WITH SILL
- ( ) 1.08 MOISTURE RETARDANT MIXTURE
- ( ) 1.09 FOOTINGS FOR COLUMNS WITH ANCHOR RODS
- ( ) 1.10 METAL CAPS/FLASHING AS NECESSARY

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT TWO WOODEN BEAMS EACH SUPPORTED BY TWO WOOD COLUMNS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 MEASURE FROM BEAM BOX TO BEAM BOX
- ( ) 2.03 CUT BEAM
- ( ) 2.04 DROP BEAM IN BOX
- ( ) 2.05 INSTALL "A" FRAME
- ( ) 2.06 CUT WOOD POST
- ( ) 2.07 FIND CENTER OF POST AND DRILL FOR ANCHOR RODS ON BOTTOM
- ( ) 2.08 INSTALL POST

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 COLUMNS AND BEAMS ARE SECURED IN POSITION IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY
- ( ) 3.03 1" SMALLER FOR PROPER CLEARANCE
- ( ) 3.04 SAFELY IN PROPER POSITION
- ( ) 3.05 BEAM REMAINS STRAIGHT
- ( ) 3.06 ACCURATELY
- ( ) 3.07 ACCURATELY
- ( ) 3.08 SECURELY TO BLUEPRINT  $\pm 1/8$  INCH

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02

FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 01

COLUMNS AND BEAMS

TERMOB NO.

11-007

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOF NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 02 SILLS AND JOISTS

TERMOB NO. 11-008

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL WITH FULL BASEMENT
- ( ) 1.04 BLUEPRINT OF A RANCH
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 APPROPRIATE HARDWARE
- ( ) 1.08 POURED CONCRETE FOUNDATION WITH ANCHOR BOLTS
- ( ) 1.09 METAL FLASHING/CAPS AS NECESSARY

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 LAY FOUNDATION SILL ON CONCRETE FOUNDATION EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SQUARE FOUNDATION ALLOWING FOR WIDTH OF SILL
- ( ) 2.03 SNAP LINES
- ( ) 2.04 DRILL HOLES FOR ANCHOR BOLTS
- ( ) 2.05 INSTALL TERMITE SHIELD
- ( ) 2.06 PLACE DRILLED SILL IN POSITION
- ( ) 2.07 TIGHTEN NUTS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
( ) 3.01 SILL IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY
- ( ) 3.03 TO BLUEPRINT + 1/8 INCH
- ( ) 3.04 STRAIGHT LESS THAN 1/8 INCH OVERSIZE
- ( ) 3.05 TO EFFECTIVELY DETER TERMITES
- ( ) 3.06 ACCURATELY
- ( ) 3.07 SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 SILLS AND JOISTS

TERMOB NO. 11-008

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 02 SILLS AND JOISTS

TERMOB NO. 11-009

1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- 1.03 BLUEPRINT OF A SPLIT-LEVEL WITH FULL BASEMENT
- 1.04 BLUEPRINT OF A RANCH
- 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- 1.07 IRON STIRRUPS/JOIST HANGERS
- 1.08 APPROPRIATE HARDWARE

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- 2.01 INSTALL JOISTS HUNG ON A BEAM WITH IRON STIRRUPS EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 MARK BEAM 16" ON CENTER
- 2.03 MARK JOISTS HEADER 16" ON CENTER
- 2.04 NAIL STIRRUPS TO BEAM
- 2.05 MEASURE FROM BEAM TO HEADER
- 2.06 CUT JOISTS TO LENGTH
- 2.07 SLIP JOISTS INTO STIRRUPS
- 2.08 NAIL JOISTS TO HEADER
- 2.09 NAIL JOISTS IN STIRRUPS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- 3.01 JOISTS ARE INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 6 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 TO  $\pm$  1/16 INCH
- 3.03 TO  $\pm$  1/16 INCH
- 3.04 SECURELY IN PROPER POSITION
- 3.05 ACCURATELY  $\pm$  1/8 INCH
- 3.06 ACCURATELY  $\pm$  1/8 INCH
- 3.07 SAFELY
- 3.08 SECURELY
- 3.09 SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 SILLS AND JOISTS

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-009

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 02 SILLS AND JOISTS

TERMOB NO. 11-010

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL WITH HALF BASEMENT
- ( ) 1.04 BLUEPRINT OF A RANCH
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL SOLID BRIDGING ON LAPPED JOISTS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 FIND CENTER OF JOISTS
- ( ) 2.03 SNAP LINE ON CENTERS
- ( ) 2.04 SQUARE DOWN FROM CHALK LINE
- ( ) 2.05 MEASURE FROM JOIST TO JOIST
- ( ) 2.06 CUT BRIDGING
- ( ) 2.07 NAIL BRIDGING

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BRIDGING IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY + 1/4 INCH
- ( ) 3.03 ACCURATELY
- ( ) 3.04 ACCURATELY
- ( ) 3.05 TO INSURE SOUND CONSTRUCTION
- ( ) 3.06 ACCURATELY + 1/8 INCH
- ( ) 3.07 SECURELY USING 3 SPIKES AND STAGGERED FROM JOIST TO JOIST

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 SILLS AND JOISTS

TERMOB NO. 11-010

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO.                     

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 03 SUB-FLOORING

TERMOB NO. 11-011

1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE
- 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- 2.01 INSTALL PLYSCORD SUB-FLOORING EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 NAIL FIRST PANEL
- 2.03 NAIL REMAINING PANELS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- 3.01 SUB-FLOORING IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 5 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 IN CORNER INSURING SQUARE CONSTRUCTION
- 3.03 ALL JOINTS STAGGERED ON JOISTS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 03 SUB-FLOORING

\_\_\_\_\_

TERMOB NO. 11-011

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 04 WALLS

TERMOB NO. 11-012

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 ERECT AN EXTERIOR WALL WITH PROVISIONS FOR A BEDROOM WINDOW, FRONT DOOR AND A PICTURE WINDOW EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 LAY DOWN 2 X 4 PLATE AND SOLE
- ( ) 2.03 MARK CENTER OF BEDROOM WINDOW, DOOR AND PICTURE WINDOW
- ( ) 2.04 MARK HALF ROUGH OPENING ON EACH SIDE OF CENTER LINE
- ( ) 2.05 MARK 16" O C FOR STUDS
- ( ) 2.06 MARK CORNER POST
- ( ) 2.07 CUT STUDS TO LENGTH
- ( ) 2.08 MAKE CORNER POST
- ( ) 2.09 NAIL CORNER POST
- ( ) 2.10 NAIL STUDS
- ( ) 2.11 CUT JACKS
- ( ) 2.12 NAIL JACKS
- ( ) 2.13 CUT HEADERS
- ( ) 2.14 NAIL HEADERS
- ( ) 2.15 CUT TAILS
- ( ) 2.16 NAIL TAILS
- ( ) 2.17 CUT APRONS
- ( ) 2.18 NAIL APRONS
- ( ) 2.19 NAIL DOUBLE TOP PLATE
- ( ) 2.20 TACK SOLE PLATE TO PLATFORM
- ( ) 2.21 SQUARE WALL CORNER TO CORNER
- ( ) 2.22 LIFT WALL
- ( ) 2.23 NAIL SOLE TO JOISTS
- ( ) 2.24 BRACE WALL

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 04 WALLS

TERMOB NO. 11-012

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 04 WALLS

TERMOB NO. 11-012 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 WALL IS IN PLACE IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATER. TO BE COMPLETED WITHIN 6 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 OF PROPER LENGTH
- ( ) 3.03 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.04 ACCURATELY  $\pm$  1/8 INCH
- ( ) 3.05 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.06 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.07 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.08 SQUARE AND PLUMB
- ( ) 3.09 SECURELY
- ( ) 3.10 SECURELY IN PROPER POSITION
- ( ) 3.11 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.12 SECURELY
- ( ) 3.13 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.14 SECURELY
- ( ) 3.15 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.16 SECURELY
- ( ) 3.17 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.18 SECURELY
- ( ) 3.19 SECURELY
- ( ) 3.20 TO BLUEPRINT  $\pm$  1/8 INCH
- ( ) 3.21 WALL SQUARE
- ( ) 3.22 SAFELY INTO POSITION
- ( ) 3.23 SECURELY
- ( ) 3.24 SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 04 WALLS

TERMOB NO. 11-012 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

83

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 04 WALLS

TERMOB NO. 11-013

1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE
- 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

2.01 ERECT AN INTERIOR WALL WITH PROVISIONS FOR AN ARCHED ENTRY AND CONCEALED SOIL PIPE IN A 4-FOOT SECTION OF THE WALL EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 LAY DOWN TOP AND BOTTOM PLATES
- 2.03 MARK LOCATION OF DOORWAY AND SOIL PIPE
- 2.04 MARK STUDS
- 2.05 CUT STUDS TO LENGTH
- 2.06 NAIL STUDS
- 2.07 NAIL JACKS
- 2.08 NAIL HEADER
- 2.09 CONSTRUCT DOORWAY FRAMING
- 2.10 CUT NOTCH FOR SOIL PIPE
- 2.11 LIFT WALL
- 2.12 PLUMB WALL
- 2.13 NAIL WALL TO FLOOR
- 2.14 NAIL WALL TO CEILING

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

3.01 WALL IS ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 OF PROPER LENGTH
- 3.03 ACCURATELY  $\pm 1/16$  INCH
- 3.04 16 INCH ON CENTER
- 3.05 ACCURATELY  $\pm 1/16$  INCH
- 3.06 SECURELY
- 3.07 SECURELY
- 3.08 SECURELY
- 3.09 TO BLUEPRINT  $\pm 1/16$  INCH
- 3.10 TO BLUEPRINT  $\pm 1/16$  INCH

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

### GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT AN INTERIOR WALL WITH PROVISIONS FOR AN ARCHED ENTRY AND CONCEALED SOIL PIPE IN A 4-FOOT SECTION OF THE WALL EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 LAY DOWN TOP AND BOTTOM PLATES
- ( ) 2.03 MARK LOCATION OF DOORWAY AND SOIL PIPE
- ( ) 2.04 MARK STUDS
- ( ) 2.05 CUT STUDS TO LENGTH
- ( ) 2.06 NAIL STUDS
- ( ) 2.07 NAIL JACKS
- ( ) 2.08 NAIL HEADER
- ( ) 2.09 CONSTRUCT DOORWAY FRAMING
- ( ) 2.10 CUT NOTCH FOR SOIL PIPE
- ( ) 2.11 LIFT WALL
- ( ) 2.12 PLUMB WALL
- ( ) 2.13 NAIL WALL TO FLOOR
- ( ) 2.14 NAIL WALL TO CEILING

## 3.00 EXTENT

### GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 WALL IS ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATER. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 OF PROPER LENGTH
- ( ) 3.03 ACCURATELY + 1/16 INCH
- ( ) 3.04 16 INCH ON CENTER
- ( ) 3.05 ACCURATELY + 1/16 INCH
- ( ) 3.06 SECURELY
- ( ) 3.07 SECURELY
- ( ) 3.08 SECURELY
- ( ) 3.09 TO BLUEPRINT + 1/16 INCH
- ( ) 3.10 TO BLUEPRINT ± 1/16 INCH
- ( ) 3.11 SAFELY IN PROPER POSITION
- ( ) 3.12 WALL PLUMB
- ( ) 3.13 SECURELY
- ( ) 3.14 SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 04 WALLS

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-013

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02

FRAMING

UNIT 05

ROUGH EXTERIOR

TERMOB NO.

11-014

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A GARAGE
- ( ) 1.02 BLUEPRINT OF A ONE-STORY HOUSE
- ( ) 1.03 BLUEPRINT OF A TWO-STORY HOUSE
- ( ) 1.04 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.05 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL PLYWOOD ROUGH EXTERIOR SHEATHING EMPLOYING THE  
THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 INSTALL FIRST PANEL IN LOWER CORNER
- ( ) 2.04 INSTALL REMAINING PANELS
- ( ) 2.05 MAKE CUTS FOR DOORS AND WINDOWS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 STRUCTURE IS SHEATHED IN CONFORMANCE WITH LOCAL  
BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES  
TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COM-  
PLETED WITHIN 15 HOURS WITH EACH OPERATION JUDGED AS  
SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST WITH  
CONSIDERATION SHOWN FOR SEASONING GRAIN AND KNOTS
- ( ) 3.03 SQUARE AND PLUMB WITH BUILDING
- ( ) 3.04 JOINTS STAGGERED ON STUDS
- ( ) 3.05 ACCURATELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 05 ROUGH EXTERIOR

\_\_\_\_\_

TERMOB NO. 11-014

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

PROGRAM WOODWORKINGDIVISION 02 FRAMINGUNIT 06 ROOFSTERMOB NO. 11-0151.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL
- ( ) 1.04 BLUEPRINT OF A COLONIAL
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 ROOF WITH RIDGE AND COMMON RAFTERS INSTALLED

2.00 PERFORMANCEGENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT HIP AND HIPJACK RAFTERS FOR AN EQUAL PITCH HIP ROOF EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OFF HIP RAFTER
- ( ) 2.04 MAKE RIDGE CUT
- ( ) 2.05 CUT HEEL
- ( ) 2.06 CUT BIRD'S MOUTH
- ( ) 2.07 NAIL HIP
- ( ) 2.08 LAY OFF HIPJACK RAFTERS
- ( ) 2.09 CUT HIPJACK RAFTERS
- ( ) 2.10 NAIL HIPJACK RAFTERS
- ( ) 2.11 ADJUST HIP RAFTERS AS NECESSARY

3.00 EXTENTGENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 HIP RAFTERS ARE ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH STEP OF PROCEDURE JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST WITH CONSIDERATION SHOWN FOR SEASONING GRAIN AND KNOTS
- ( ) 3.03 ACCURATELY USING A SQUARE
- ( ) 3.04 ACCURATELY + 1/16 INCH
- ( ) 3.05 ACCURATELY + 1/16 INCH
- ( ) 3.06 ACCURATELY + 1/16 INCH
- ( ) 3.07 SECURELY
- ( ) 3.08 ACCURATELY USING A SQUARE
- ( ) 3.09 ACCURATELY + 1/16 INCH

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL
- ( ) 1.04 BLUEPRINT OF A COLONIAL
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 ROOF WITH RIDGE AND COMMON RAFTERS INSTALLED

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT HIP AND HIPJACK RAFTERS FOR AN EQUAL PITCH HIP ROOF EMPLOYING THE FOLLOWING OPERATIONS:
- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OFF HIP RAFTER
- ( ) 2.04 MAKE RIDGE CUT
- ( ) 2.05 CUT HEEL
- ( ) 2.06 CUT BIRD'S MOUTH
- ( ) 2.07 NAIL HIP
- ( ) 2.08 LAY OFF HIPJACK RAFTERS
- ( ) 2.09 CUT HIPJACK RAFTERS
- ( ) 2.10 NAIL HIPJACK RAFTERS
- ( ) 2.11 ADJUST HIP RAFTERS AS NECESSARY

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 HIP RAFTERS ARE ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH STEP OF PROCEDURE JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST WITH CONSIDERATION SHOWN FOR SEASONING GRAIN AND KNOTS
- ( ) 3.03 ACCURATELY USING A SQUARE
- ( ) 3.04 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.05 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.06 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.07 SECURELY
- ( ) 3.08 ACCURATELY USING A SQUARE
- ( ) 3.09 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.10 SECURELY
- ( ) 3.11 TO INSURE SOUND CONSTRUCTION AND PROPER FIT OF ROOF SHEATHING

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 06 ROOFS

\_\_\_\_\_

TERMOB NO. 11-015

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

91

PROGRAM WOODWORKING

DIVISION 02

FRAMING

UNIT 06

ROOFS

TERMOB NO.

11-016

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL
- ( ) 1.04 BLUEPRINT OF A COLONIAL
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 ROOF WITH RIDGE AND COMMON RAFTERS INSTALLED

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT VALLEY AND VALLEY JACK RAFTERS FOR AN EQUAL PITCH ROOF VALLEY EMPLOYING THE FOLLOWING OPERATIONS:
- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OFF VALLEY RAFTER
- ( ) 2.04 MAKE RIDGE CUT
- ( ) 2.05 CUT HEEL
- ( ) 2.06 CUT BIRD'S MOUTH
- ( ) 2.07 NAIL VALLEY RAFTER
- ( ) 2.08 LAY OFF VALLEY RAFTER
- ( ) 2.09 CUT VALLEY JACK RAFTERS
- ( ) 2.10 NAIL VALLEY JACK RAFTERS
- ( ) 2.11 ADJUST VALLEY RAFTERS AS NECESSARY.

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 VALLEY IS CONSTRUCTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST WITH CONSIDERATION SHOWN FOR SEASONING GRAIN AND KNOTS
- ( ) 3.03 ACCURATELY USING A SQUARE
- ( ) 3.04 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.05 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.06 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.07 SECURELY
- ( ) 3.08 ACCURATELY USING A SQUARE
- ( ) 3.09 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.10 SECURELY

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL
- ( ) 1.04 BLUEPRINT OF A COLONIAL
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 ROOF WITH RIDGE AND COMMON RAFTERS INSTALLED

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 ERECT VALLEY AND VALLEY JACK RAFTERS FOR AN EQUAL PITCH ROOF VALLEY EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OFF VALLEY RAFTER
- ( ) 2.04 MAKE RIDGE CUT
- ( ) 2.05 CUT HEEL
- ( ) 2.06 CUT BIRD'S MOUTH
- ( ) 2.07 NAIL VALLEY RAFTER
- ( ) 2.08 LAY OFF VALLEY RAFTER
- ( ) 2.09 CUT VALLEY JACK RAFTERS
- ( ) 2.10 NAIL VALLEY JACK RAFTERS
- ( ) 2.11 ADJUST VALLEY RAFTERS AS NECESSARY

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 VALLEY IS CONSTRUCTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST WITH CONSIDERATION SHOWN FOR SEASONING GRAIN AND KNOTS
- ( ) 3.03 ACCURATELY USING A SQUARE
- ( ) 3.04 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.05 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.06 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.07 SECURELY
- ( ) 3.08 ACCURATELY USING A SQUARE
- ( ) 3.09 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.10 SECURELY
- ( ) 3.11 TO INSURE SOUND CONSTRUCTION AND PROPER FIT OF ROOF SHEATHING

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 06 ROOFS

TERMOB NO. 11-016

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02

FRAMING

UNIT 06

ROOFS

TERMOB NO.

11-017

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE WITH WESTERN FRAMING
- ( ) 1.02 BLUEPRINT OF A HOUSE WITH BALLOON FRAMING
- ( ) 1.03 BLUEPRINT OF A SPLIT-LEVEL
- ( ) 1.04 BLUEPRINT OF A COLONIAL
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 ERECT A GABLE ROOF EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 MARK RIDGE
- ( ) 2.03 NAIL TWO RAFTERS ON RIDGE
- ( ) 2.04 LIFT RIDGE
- ( ) 2.05 NAIL TWO RAFTERS ON OTHER SIDE
- ( ) 2.06 NAIL RAFTERS TO CEILING JOIST
- ( ) 2.07 LEVEL RIDGE
- ( ) 2.08 NAIL REMAINING RAFTERS
- ( ) 2.09 NAIL COLLAR TIES

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 ROOF IS ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 5 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.03 SECURELY
- ( ) 3.04 SAFELY ADEQUATELY BRACED IN POSITION
- ( ) 3.05 SECURELY IN PROPER POSITION
- ( ) 3.06 SECURELY
- ( ) 3.07 RIDGE LEVEL
- ( ) 3.08 SECURELY
- ( ) 3.09 SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 06 ROOFS

\_\_\_\_\_

TERMOB NO. 11-017

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

UNIT 06 ROOFS

TERMOB NO. 11-018

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A GABLE ROOF
- ( ) 1.02 BLUEPRINT OF A HIP ROOF
- ( ) 1.03 BLUEPRINT OF A GAMBREL ROOF
- ( ) 1.04 BLUEPRINT OF A GABLE ROOF WITH A VALLEY
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL PLYSCORD ROOF SHEATHING EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 INSTALL BOTTOM CORNER PANEL
- ( ) 2.03 INSTALL REMAINING PANELS
- ( ) 2.04 LAY OFF STOCK
- ( ) 2.05 MAKE CUTS
- ( ) 2.06 ASSEMBLE MEMBERS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 SHEATHING IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 7 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 FLUSH WITH END OF RAFTERS AND EDGE OF LAST RAFTER
- ( ) 3.03 BUTT AND STAGGER ALL JOINTS. USE LAP JOINT AT PEAK
- ( ) 3.04 TO INSURE SOUND CONSTRUCTION USING AN ACCEPTED CONSTRUCTION STYLE
- ( ) 3.05 CUTS MADE WITH APPROPRIATE TOOL. CUTS SHALL BE SQUARE/ PLUMB. STRAIGHT AND COMPOUND ANGLE CUTS SHALL BE ACCURATE
- ( ) 3.06 TO CONFORM TO BLUEPRINT. NAILING SHALL BE ADEQUATE TO INSURE SOUND, DURABLE CONSTRUCTION WITH MINIMUM SPLITTING DUE TO NAILING

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 02 FRAMING

USOE CODE NO(S) \_\_\_\_\_

UNIT 06 ROOFS

\_\_\_\_\_

TERMOB NO. 11-018

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

PROGRAM WOODWORKINGDIVISION 03 EXTERIOR FINISHUNIT 01 CORNICE AND GUTTERSTERMOB NO. 11-019

## 1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE WITH GABLE ROOF
- 1.02 BLUEPRINT OF A HOUSE WITH HIP ROOF
- 1.03 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)
- 1.05 CEDAR GUTTERS

## 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- 2.01 INSTALL CEDAR GUTTERS WITH A DOWN SPOUT AT EACH END, CONNECTING ANOTHER GUTTER AT ONE END EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 DETERMINE NECESSARY BOW
- 2.03 CUT TO LENGTH
- 2.04 BORE FOR DOWN SPOUTS
- 2.05 INSTALL GUTTER BLOCKING
- 2.06 INSTALL GUTTER
- 2.07 LEAD PAINT ENDS OF GUTTERS
- 2.08 LEAD CORNER AND END JOINTS
- 2.09 INSTALL LEAD DOWN SPOUTS

## 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- 3.01 CEDAR GUTTERS ARE INSTALLED IN CONFORMANCE TO LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 12 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 TO ALLOW FOR PROPER DRAINAGE
- 3.03 TO CONFORM TO BLUEPRINT. MITRE ONE END TO INSURE TIGHTEST POSSIBLE FIT.
- 3.04 HOLES PROPERLY LOCATED, OF PROPER DIAMETER AND PERPENDICULAR TO LAY OF GUTTER
- 3.05 BLOCKS OF ADEQUATE DIMENSIONS NAILED THROUGH FASCIA TO ENDS OF RAFTERS
- 3.06 NAILED SECURELY TO BLOCKS WITHOUT SPLITTING GUTTER AND TO INSURE PROPER BOW
- 3.07 SUFFICIENTLY TO RETARD ROTTING AT ENDS DUE TO MOISTURE SEEPAGE
- 3.08 LEAD SECURED IN PLACE TO RETARD ANY MOISTURE SEEPAGE
- 3.09 SECURE IN PLACE TO RETARD MOISTURE SEEPAGE AND FLUSH

- ( ) 1.02 BLUEPRINT OF A HOUSE WITH HIP ROOF
- ( ) 1.03 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.05 CEDAR GUTTERS

2.00 PERFORMANCE


GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
 ( ) 2.01 INSTALL CEDAR GUTTERS WITH A DOWN SPOUT AT EACH END, CONNECTING ANOTHER GUTTER AT ONE END EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DETERMINE NECESSARY BOW
- ( ) 2.03 CUT TO LENGTH
- ( ) 2.04 BORE FOR DOWN SPOUTS
- ( ) 2.05 INSTALL GUTTER BLOCKING
- ( ) 2.06 INSTALL GUTTER
- ( ) 2.07 LEAD PAINT ENDS OF GUTTERS
- ( ) 2.08 LEAD CORNER AND END JOINTS
- ( ) 2.09 INSTALL LEAD DOWN SPOUTS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
 ( ) 3.01 CEDAR GUTTERS ARE INSTALLED IN CONFORMANCE TO LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 12 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO ALLOW FOR PROPER DRAINAGE
- ( ) 3.03 TO CONFORM TO BLUEPRINT. MITRE ONE END TO INSURE TIGHTEST POSSIBLE FIT.
- ( ) 3.04 HOLES PROPERLY LOCATED, OF PROPER DIAMETER AND PERPENDICULAR TO LAY OF GUTTER
- ( ) 3.05 BLOCKS OF ADEQUATE DIMENSIONS NAILED THROUGH FASCIA TO ENDS OF RAFTERS
- ( ) 3.06 NAILED SECURELY TO BLOCKS WITHOUT SPLITTING GUTTER AND TO INSURE PROPER BOW
- ( ) 3.07 SUFFICIENTLY TO RETARD ROTTING AT ENDS DUE TO MOISTURE SEEPAGE
- ( ) 3.08 LEAD SECURED IN PLACE TO RETARD ANY MOISTURE SEEPAGE
- ( ) 3.09 SECURE IN PLACE TO RETARD MOISTURE SEEPAGE AND FLUSH WITH INSIDE OF GUTTER FOR PROPER DRAINAGE



MISOE NO. \_\_\_\_\_  
PROGRAM WOODWORKING DIVISION 03 EXTERIOR FINISH  
USOE CODE NO(S) \_\_\_\_\_ UNIT 01 CORNICE AND GUTTERS  
\_\_\_\_\_ TERMOB NO. 11-019  
\_\_\_\_\_  
\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 01 CORNICE AND GUTTERS

TERMOB NO. 11-020

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A RANCH
- ( ) 1.02 BLUEPRINT OF A CAPE
- ( ) 1.03 BLUEPRINT OF A COLONIAL
- ( ) 1.04 BLUEPRINT OF A GARAGE
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 ROOF RAFTERS NOT CUT TO FINISH LENGTH
- ( ) 1.08 PLUMB HOUSE WALL

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL FASCIA AND PLANCIER EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DETERMINE PROPER OVERHANG LENGTH
- ( ) 2.03 SNAP LINE ON RAFTERS FOR FINISHED LENGTH
- ( ) 2.04 ESTABLISH PLUM CUT ON EACH RAFTER
- ( ) 2.05 CUT RAFTERS
- ( ) 2.06 INSTALL PLANCIER BLOCKING
- ( ) 2.07 INSTALL FASCIA AND PLANCIER

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 FASCIA AND PLANCIER ARE INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 6 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO CONFORM TO BLUEPRINT
- ( ) 3.03 PARALLEL TO HOUSE LINE
- ( ) 3.04 TO CONFORM TO BLUEPRINT
- ( ) 3.05 TO CONFORM TO BLUEPRINT. CUTS SHALL BE PLUMB AND SQUARE.
- ( ) 3.06 TO INSURE LEVEL PLANCIER INSTALLATION
- ( ) 3.07 TOP OF FASCIA NOT ABOVE RAFTERS, BOTTOM OF FASCIA EXTENDING BELOW PLANCIER TO ALLOW FOR DRIP (1/2 INCHES MINIMUM). FASCIA AND PLANCIER SHALL BUTT OVER ENTIRE LENGTH

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 01 CORNICE AND GUTTERS

TERMOB NO. 11-020

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

PROGRAM WOODWORKINGDIVISION 03 EXTERIOR FINISHUNIT 02 DOORS AND WINDOWSTERMOB NO. 11-021

## 1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE
- 1.02 PRIMED SET UP DOOR FRAME
- 1.03 METAL FLASHING/CAPS AS NECESSARY
- 1.04 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.05 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- 2.01 INSTALL AN EXTERIOR DOOR EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 CUT JAMBS
- 2.03 CUT HEADER AND SILL
- 2.04 INSTALL PAPER AND FLASHING TO HEADER
- 2.05 WEDGE AND LEVEL SILL
- 2.06 WEDGE AND PLUMB JAMBS
- 2.07 NAIL JAMBS TO STUDS AND CASINGS TO EXTERIOR SHEATHING
- 2.08 CUT BUTT HINGES INTO DOOR
- 2.09 CUT LOCK SET
- 2.10 HANG DOOR

## 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- 3.01 EXTERIOR DOOR INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 5 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 TO ALLOW FOR PROPER FIT INTO THE OPENING JAMBS NOT TO EXTEND MORE THAN 3/4 INCH ABOVE HEADER OR BELOW SILL
- 3.03 SILL TO EXTEND BEYOND EDGE OF CASING AN AMOUNT EQUAL TO THE DISTANCE FROM FACE OF CASING TO EDGE OF SILL
- 3.04 TO EFFECTIVELY RETARD MOISTURE
- 3.05 SILL SHALL BE LEVEL AND OF PROPER HEIGHT TO CONFORM TO FINISHED FLOOR
- 3.06 JAMBS SHALL BE PLUMB WITH WEDGES LOCATED SO AS TO PROVIDE EXTRA STIFFNESS AT BUTT AND STRIKE. FRAME SHALL BE CENTERED IN OPENING.
- 3.07 MAINTAINING LEVEL AND PLUMB
- 3.08 WITH PROPER SPACING FROM TOP AND BOTTOM

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 PRIMED SET UP DOOR FRAME
- ( ) 1.03 METAL FLASHING/CAPS AS NECESSARY
- ( ) 1.04 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.05 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 INSTALL AN EXTERIOR DOOR EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 CUT JAMBS
- ( ) 2.03 CUT HEADER AND SILL
- ( ) 2.04 INSTALL PAPER AND FLASHING TO HEADER
- ( ) 2.05 WEDGE AND LEVEL SILL
- ( ) 2.06 WEDGE AND PLUMB JAMBS
- ( ) 2.07 NAIL JAMBS TO STUDS AND CASINGS TO EXTERIOR SHEATHING
- ( ) 2.08 CUT BUTT HINGES INTO DOOR
- ( ) 2.09 CUT LOCK SET
- ( ) 2.10 HANG DOOR

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 EXTERIOR DOOR INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 5 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO ALLOW FOR PROPER FIT INTO THE OPENING JAMBS NOT TO EXTEND MORE THAN 3/4 INCH ABOVE HEADER OR BELOW SILL
- ( ) 3.03 SILL TO EXTEND BEYOND EDGE OF CASING AN AMOUNT EQUAL TO THE DISTANCE FROM FACE OF CASING TO EDGE OF SILL
- ( ) 3.04 TO EFFECTIVELY RETARD MOISTURE
- ( ) 3.05 SILL SHALL BE LEVEL AND OF PROPER HEIGHT TO CONFORM TO FINISHED FLOOR
- ( ) 3.06 JAMBS SHALL BE PLUMB WITH WEDGES LOCATED SO AS TO PROVIDE EXTRA STIFFNESS AT BUTT AND STRIKE. FRAME SHALL BE CENTERED IN OPENING.
- ( ) 3.07 MAINTAINING LEVEL AND PLUMB
- ( ) 3.08 WITH PROPER SPACING FROM TOP AND BOTTOM
- ( ) 3.09 AT PROPER HEIGHT
- ( ) 3.10 DOOR OPERATES PROPERLY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION: 03 EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 DOORS AND WINDOWS

TERMOB NO. 11-021

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 02 DOORS AND WINDOWS

TERMOB NO. 11-022

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 SET UP BAY WINDOW UNIT
- ( ) 1.03 METAL FLASHING/CAPS AS NECESSARY
- ( ) 1.04 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.05 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

**GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME**

- ( ) 2.01 INSTALL BAY WINDOW WITH A ROOF EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 STUD OUT FOR OVERHANG
- ( ) 2.03 CUT ROOF RAFTERS
- ( ) 2.04 BOARD IN ROOF
- ( ) 2.05 SET IN BAY WINDOW
- ( ) 2.06 FLASH ROOF

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

- ( ) 3.01 BAY WINDOW INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 6 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CONFORMING TO BLUEPRINT
- ( ) 3.03 WITH COMPOUND ANGLE CUTS BUTTING SECURELY
- ( ) 3.04 PANELS FLUSH WITH ENDS OF RAFTERS WITH MITERED JOINTS
- ( ) 3.05 WITH SILLS LEVEL AND JAMBS PLUMB
- ( ) 3.06 TO EFFECTIVELY RETARD MOISTURE

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 DOORS AND WINDOWS

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-022

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 02 DOORS AND WINDOWS

TERMOB NO. 11-023

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 SET UP DOUBLE HUNG WINDOW UNITS WITH ASSORTED JAMB SIZES
- ( ) 1.03 BUILDING PAPER
- ( ) 1.04 HOUSE WALL WITH PLYWOOD ROUGH EXTERIOR
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 INSTALL A SET UP DOUBLE HUNG WINDOW UNIT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT UNIT WITH PROPER JAMB SIZE
- ( ) 2.03 INSTALL BUILDING PAPER AROUND ROUGH OPENING
- ( ) 2.04 SET UNIT IN OPENING
- ( ) 2.05 LEVEL SILL
- ( ) 2.06 PLUMB JAMBS
- ( ) 2.07 NAIL OUTSIDE CASING TO HOUSE
- ( ) 2.08 DEMONSTRATE PROPER OPERATION

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
( ) 3.01 DOUBLE HUNG WINDOW UNIT INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO ALLOW FOR EXTERIOR AND INTERIOR FINISHED WALL COVERING
- ( ) 3.03 TO EFFECTIVELY RETARD MOISTURE
- ( ) 3.04 TO CONFORM TO BLUEPRINT
- ( ) 3.05 TO INSURE PROPER WINDOW SEAL
- ( ) 3.06 TO INSURE PROPER WINDOW OPERATION
- ( ) 3.07 MAINTAINING PLUMB JAMBS AND LEVEL SILL
- ( ) 3.08 TO BOARDS SATISFACTION

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 DOORS AND WINDOWS

TERMOB NO. 11-023

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 03 TRIM

TERMOB NO. 11-024

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL CORNER BOARDS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DETERMINE GRAIN OF STOCK
- ( ) 2.03 CUT TO LENGTH
- ( ) 2.04 BEVEL ONE PIECE
- ( ) 2.05 NAIL TOGETHER
- ( ) 2.06 INSTALL PAPER
- ( ) 2.07 INSTALL CORNER BOARDS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 CORNER BOARDS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 3 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO RETARD SEPARATION DUE TO WARPING
- ( ) 3.03 TO CONFORM TO BLUEPRINT
- ( ) 3.04 APPROXIMATELY 3° TO INSURE TIGHT FIT OF CORNER BOARD
- ( ) 3.05 FLUSH OVER ENTIRE LENGTH
- ( ) 3.06 TO EFFECTIVELY RETARD MOISTURE
- ( ) 3.07 TO CONFORM TO BLUEPRINT

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 03 TRIM

TERMOB NO. 11-024

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 04 SIDING

TERMOB NO. 11-025

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 PAPERED HOUSE
- ( ) 1.03 METAL FLASHING/CAPS AS NECESSARY
- ( ) 1.04 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.05 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 INSTALL SIDEWALL SHINGLING EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DETERMINE EXPOSURE TO WEATHER
- ( ) 2.03 INSTALL BOTTOM DOUBLE COURSE
- ( ) 2.04 SNAP LINE FOR FIRST COURSE
- ( ) 2.05 INSTALL REMAINING COURSES

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
( ) 3.01 SHINGLES ARE INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 30 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 EXPOSURE OF ALL COURSES AS EQUAL AS POSSIBLE WITH EDGES OF COURSES LINING UP WITH TOP AND BOTTOM WINDOWS
- ( ) 3.03 PLUMB AND LEVEL, EXTENDING BELOW SILL WITH JOINTS' STAGGERED
- ( ) 3.04 LINE SHALL BE LEVEL AND MAINTAIN DESIRED EXPOSURE
- ( ) 3.05 JOINTS TIGHT AND STAGGERED

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 04 SIDING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 17-025

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 04 SIDING

TERMOB NO. 11-026

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 CLAPBOARDS
- ( ) 1.03 FREEZE BOARD/WATER TABLE IN PLACE
- ( ) 1.04 METAL FLASHING/CAPS AS NECESSARY
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

**GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME**

( ) 2.01 INSTALL CLAPBOARDS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DETERMINE EXPOSURE TO WEATHER
- ( ) 2.03 MAKE STOREY POLE
- ( ) 2.04 INSTALL BOTTOM COURSE
- ( ) 2.05 SNAP LINE FOR NEXT COURSE
- ( ) 2.06 INSTALL REMAINING COURSES

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

( ) 3.01 CLAPBOARDS ARE INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 30 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 EXPOSURE OF ALL COURSES AS EQUAL AS POSSIBLE WITH EDGES OF COURSES LINING UP WITH TOP AND BOTTOM OF WINDOWS
- ( ) 3.03 RUGGED AND ACCURATE
- ( ) 3.04 FIRST PIECE BEVELED ON BOTTOM EDGE TO FIT TIGHTLY ON DRIP CAP
- ( ) 3.05 LINE SHALL BE LEVEL AND MAINTAIN DESIRED EXPOSURE
- ( ) 3.06 JOINTS TIGHT, STAGGERED AND BUTTED SECURELY AGAINST FRAMES AND CORNER BOARDS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 04 SIDING

TERMOB NO. II-026

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 05 ROOFS

TERMOB NO. 11-027

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 ASPHALT / SHINGLES
- ( ) 1.03 BUILDING PAPER
- ( ) 1.04 CHIMNEY WITH COUNTER FLASHING
- ( ) 1.05 METAL FLASHING AS NECESSARY
- ( ) 1.06 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.07 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 INSTALL ASPHALT ROOFING SHINGLES ON A ROOF WITH A CHIMNEY AND A DORMER EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 INSTALL SADDLE AND SIDEFLASHING AND APRON AND VALLEY FLASHING
- ( ) 2.03 LAY FIRST COURSE INVERTED
- ( ) 2.04 LAY REMAINING COURSES

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
( ) 3.01 ROOF IS SHINGLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 20 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO EFFECTIVELY RETARD MOISTURE
- ( ) 3.03 LEVEL AND WITH PROPER OVERHANG
- ( ) 3.04 WITH JOINTS STAGGERED AND USING FOOTLOCKS TO PREVENT DAMAGE TO ROOFING MATERIAL



MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03      EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT      05      ROOFS

TERMOB NO.      11-027

1.00    CONDITION

2.00    PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00    EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03 EXTERIOR FINISH

UNIT 05 ROOFS

TERMOB NO. 11-028

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A HOUSE
- ( ) 1.02 #1 CEDAR SHINGLES (PRE-SOAKED)
- ( ) 1.03 SHINGLING HATCHET
- ( ) 1.04 METAL FLASHING/CAPS AS NECESSARY
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

**GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME**

- ( ) 2.01 INSTALL WOOD SHINGLE ROOF EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 NAIL FIRST ROW
- ( ) 2.03 DOUBLE FIRST ROW
- ( ) 2.04 NAIL REMAINING SHINGLES
- ( ) 2.05 NAIL RIDGE AND HIP SHINGLES

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

- ( ) 3.01 ROOF SHINGLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 15 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ALL BUTTS EVEN WITH PROPER SPACING BETWEEN SHINGLES
- ( ) 3.03 TO COVER SHEATHING EXPOSED BETWEEN SHINGLES
- ( ) 3.04 WITH PROPER SPACING AND LEVEL. JOINTS SHALL BE STAGGERED AND NOT COINCIDE OVER THE COURSE OF 3 ROWS.
- ( ) 3.05 WITH LAP/OVERLAY ALTERNATED TO AVOID A CONTINUOUS JOINT

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 03

EXTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 05

ROOFS

TERMOB NO.

11-028

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 01 WALLS

TERMOB NO. 11-029

1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE
- 1.02 PANELLING
- 1.03 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
 2.01 INSTALL PANELLING EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 NAIL STRAPPING TO STUDS
- 2.03 NAIL PANELLING TO STRAPPING

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
 3.01 WALLS ARE PANELED IN CONFORMANCE WITH ACCEPTED BUILDING CODES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 8 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 TO INSURE SOUND CONSTRUCTION USING PROPER SPACING STRAPPING SHIMMED AS NECESSARY FOR PLUMB
- 3.03 ALL PANELS SHALL BUTT FLUSH WITH NO DAMAGE RESULTING FROM NAILING. CORNER PANELS CUT TO INSURE PLUMB JOINTS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 01 WALLS

\_\_\_\_\_

TERMOB NO. 11-029

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 01 WALLS

TERMOB NO. 11-030

1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE
- 1.02 GYPSUM WALLBOARD
- 1.03 WALLBOARD TAPE
- 1.04 JOINT COMPOUND
- 1.05 TAPING KNIVES
- 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- 2.01 INSTALL WALLBOARD EMPLOYING THE FOLLOWING OPERATIONS:
  - 2.02 CUT WALLBOARD AS NECESSARY
  - 2.03 NAIL WALLBOARD TO STUDS
  - 2.04 SEAL JOINTS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- 3.01 WALLBOARD IS INSTALLED IN CONFORMANCE WITH ACCEPTED BUILDING CODES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
  - 3.02 TO PRODUCE SOUND JOINTS WITH NO BROKEN EDGES
  - 3.03 WITH PROPER SPACING AND INDENTION TO INSURE SOUND CONSTRUCTION AND SMOOTH FINISH
  - 3.04 USING ACCEPTED TECHNIQUES TO PRODUCE PAINT READY SURFACE

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 01 WALLS

TERMOB NO. 11-030

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 01 WALLS

TERMOB NO. 11-031

1.00 CONDITION

- 1.01 BLUEPRINT OF A HOUSE
- 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
 2.01 INSTALL TONGUE AND GROOVE WOOD BOARD PANELING  
EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 INSTALL FURRING STRIPS
- 2.03 INSTALL BOARD PANELING

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
 3.01 PANELING IS INSTALLED IN CONFORMANCE WITH ACCEPTED  
BUILDING CODES TO APPROVAL OF BOARD OF EXPERT RATERS.  
TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION  
JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- 3.02 WITH PROPER SPACING TO INSURE SOUND CONSTRUCTION.  
FURRING SHIMMED AS NECESSARY FOR PLUMB CONSTRUCTION.
- 3.03 WITH NO DAMAGE DUE TO NAILING. ALL BOARDS SHALL BUTT  
FLUSH AND BE PLUMB.

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 01 WALLS

TERMOB NO. 11-031

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 02 FLOORS

TERMOB NO. 11-032

1.00 CONDITION

- 1.01 TONGUE AND GROOVE OAK FLOORING
- 1.02 CASE HARDENED NAILS
- 1.03 SUBFLOOR WITH PAPER
- 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
 2.01 INSTALL TONGUE AND GROOVE OAK FLOORING EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 FACE NAIL FIRST BOARD
- 2.03 BLIND NAIL REMAINING BOARDS
- 2.04 FACE NAIL LAST BOARD(S)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
 3.01 FLOOR IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 15 HOURS WITH EACH OPERATION JUDGED SATISFACTORY OR UNSATISFACTORY.

- 3.02 PARALLEL TO MAIN WALL OF KEY ROOM
- 3.03 BOARD SHALL BE TIGHT WITH NO DAMAGE DUE TO NAILING; JOINTS STAGGERED 6 INCH MINIMUM
- 3.04 WITH GROOVE(S) ALTERED TO FACILITATE FUTURE REMOVAL

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

UNIT 02 FLOORS

TERMOB NO. 11-032

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 03 CEILINGS

TERMOB NO. 11-033

1.00 CONDITION

- 1.01 12 FEET X 12 FEET ROOM WITHOUT FURRING
- 1.02 12 INCH X 12 INCH ACOUSTICAL TILES
- 1.03 STAPLER AND STAPLES
- 1.04 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

**GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME**

2.01 INSTALL TILE CEILING EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 LOCATE CENTER OF ROOM
- 2.03 MEASURE WIDTH OF TILE
- 2.04 MARK JOIST
- 2.05 SNAP LINES
- 2.06 INSTALL FURRING
- 2.07 INSTALL TILE

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

3.01 CEILING IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED SATISFACTORY OR UNSATISFACTORY.

- 3.02 TO + 1/32 INCH
- 3.03 TO + 1/32 INCH
- 3.04 12 INCHES ON CENTER
- 3.05 LINES SNAPPED
- 3.06 TO + 1/32 INCH ON DESIRED LOCATIONS
- 3.07 STARTING FROM CENTER. NO DAMAGE FROM STAPLES. ALL LINES STRAIGHT

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USGE CODE NO(S) \_\_\_\_\_

UNIT 03 CEILINGS

TERMOB NO. 11-033

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

PROGRAM WOODWORKINGDIVISION 04 INTERIOR FINISHUNIT 04 STAIRSTERMOB NO. 11-034

## 1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A TWO STORY HOUSE
- ( ) 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 ERECT A 13 STEP STRAIGHT STAIRWAY IN A STAIR WELL EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DETERMINE RISE AND RUN
- ( ) 2.03 LAYOUT STOCK FOR STRINGERS
- ( ) 2.04 CUT STOCK
- ( ) 2.05 INSTALL STRINGERS
- ( ) 2.06 CUT RISERS
- ( ) 2.07 LAYOUT SKIRT BOARD
- ( ) 2.08 CUT SKIRT BOARD
- ( ) 2.09 INSTALL SKIRT BOARD
- ( ) 2.10 NAIL RISERS
- ( ) 2.11 CUT TREADS
- ( ) 2.12 NAIL TREADS
- ( ) 2.13 NAILSET ALL NAILS

## 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 STAIRS ARE ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 8 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY TO BLUEPRINT  $\pm$  1/16 INCH
- ( ) 3.03 ACCURATELY USING SQUARE
- ( ) 3.04 ACCURATELY  $\pm$  1/16 INCH
- ( ) 3.05 SECURELY
- ( ) 3.06 TO  $\pm$  1/16 INCH
- ( ) 3.07 ACCURATELY USING SQUARE
- ( ) 3.08 TO  $\pm$  1/16 INCH
- ( ) 3.09 SECURELY
- ( ) 3.10 SECURELY
- ( ) 3.11 TO  $\pm$  1/16 INCH
- ( ) 3.12 SECURELY
- ( ) 3.13 COMPLETELY

- ( ) 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 ERECT A 13 STEP STRAIGHT STAIRWAY IN A STAIR WELL  
EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 DETERMINE RISE AND RUN
- ( ) 2.03 LAYOUT STOCK FOR STRINGERS
- ( ) 2.04 CUT STOCK
- ( ) 2.05 INSTALL STRINGERS
- ( ) 2.06 CUT RISERS
- ( ) 2.07 LAYOUT SKIRT BOARD
- ( ) 2.08 CUT SKIRT BOARD
- ( ) 2.09 INSTALL SKIRT BOARD
- ( ) 2.10 NAIL RISERS
- ( ) 2.11 CUT TREADS
- ( ) 2.12 NAIL TREADS
- ( ) 2.13 NAILSET ALL NAILS

## 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
( ) 3.01 STAIRS ARE ERECTED IN CONFORMANCE WITH LOCAL BUILDING  
CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL  
OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 8  
HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR  
UNSATISFACTORY.

- ( ) 3.02 ACCURATELY TO BLUEPRINT  $\pm 1/16$  INCH
- ( ) 3.03 ACCURATELY USING SQUARE
- ( ) 3.04 ACCURATELY  $\pm 1/16$  INCH
- ( ) 3.05 SECURELY
- ( ) 3.06 TO  $+ 1/16$  INCH
- ( ) 3.07 ACCURATELY USING SQUARE
- ( ) 3.08 TO  $+ 1/16$  INCH
- ( ) 3.09 SECURELY
- ( ) 3.10 SECURELY
- ( ) 3.11 TO  $+ 1/16$  INCH
- ( ) 3.12 SECURELY
- ( ) 3.13 COMPLETELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

UNIT 04 STAIRS

TERMOB NO. 11-034

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 04 STAIRS

TERMOB NO. 11-035

1.00 CONDITION

- 1.01 BLUEPRINT OF A ONE STORY HOUSE WITH BASEMENT
- 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- 2.01 ERECT AN 11 STEP OPEN RISER BASEMENT STAIRWAY WITH NO STAIR WELL EMPLOYING THE FOLLOWING OPERATIONS:

- 2.02 DETERMINE RISE AND RUN
- 2.03 LAY OUT STOCK FOR STRINGERS
- 2.04 CUT STOCK
- 2.05 INSTALL STRINGERS
- 2.06 CUT TREADS
- 2.07 NAIL TREADS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- 3.01 STAIRWAY IS ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 8 HOURS WITH EACH OPERATION JUDGED SATISFACTORY OR UNSATISFACTORY.

- 3.02 ACCURATELY TO BLUEPRINT + 1/16 INCH
- 3.03 ACCURATELY USING A SQUARE
- ~~3.04~~ TO + 1/16 INCH
- 3.05 SECURELY
- 3.06 TO + 1/16 INCH
- 3.07 SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

UNIT 04 STAIRS

TERMOB NO. 11-035

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

PROGRAM WOODWORKINGDIVISION 04 INTERIOR FINISHUNIT 04 STAIRSTERMOB NO. 11-036

## 1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A SPLIT-LEVEL HOUSE
- ( ) 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME
--

- |   |
|---|
| ( ) 2.01 <u>ERECT AN 8 STEP STAIRWAY WITH WINDERS EMPLOYING THE FOLLOWING OPERATIONS:</u> |
|---|

- ( ) 2.02 MAKE STORY POLE
- ( ) 2.03 DETERMINE RISE AND RUN
- ( ) 2.04 CUT 2 X 8 FOR FIRST WINDER
- ( ) 2.05 NAIL 2 X 8 TO OPENING
- ( ) 2.06 ATTACH PLYWOOD TO FIRST STEP
- ( ) 2.07 CUT 2 X 8 FOR SECOND STEP
- ( ) 2.08 NAIL 2 X 8 TO OPENING
- ( ) 2.09 ATTACH PLYWOOD FOR SECOND STEP
- ( ) 2.10 CUT 2 X 8 FOR THIRD WINDER
- ( ) 2.11 NAIL 2 X 8 TO OPENING
- ( ) 2.12 NAIL PLYWOOD TO THIRD STEP
- ( ) 2.13 MARK STRINGER
- ( ) 2.14 CUT STRINGERS
- ( ) 2.15 NAIL STRINGERS TO OPENING
- ( ) 2.16 NAIL RISERS
- ( ) 2.17 NAIL TREADS
- ( ) 2.18 NAILSET ALL NAILS

## 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME
---

- |   |
|---|
| ( ) 3.01 <u>STAIRWAY IS ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 12 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.</u> |
|---|

- ( ) 3.02 ACCURATELY AND OF CONVENIENT DIMENSIONS
- ( ) 3.03 TO BLUEPRINT  $\pm 1/16$
- ( ) 3.04 TO  $\pm 1/16$
- ( ) 3.05 SECURELY AND LEVEL
- ( ) 3.06 SECURELY AND LEVEL
- ( ) 3.07 TO  $\pm 1/16$
- ( ) 3.08 SECURELY AND LEVEL

- ( ) 1.02 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.03 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

### GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 ERECT AN 8 STEP STAIRWAY WITH WINDERS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 MAKE STORY POLE
- ( ) 2.03 DETERMINE RISE AND RUN
- ( ) 2.04 CUT 2 X 8 FOR FIRST WINDER
- ( ) 2.05 NAIL 2 X 8 TO OPENING
- ( ) 2.06 ATTACH PLYWOOD TO FIRST STEP
- ( ) 2.07 CUT 2 X 8 FOR SECOND STEP
- ( ) 2.08 NAIL 2 X 8 TO OPENING
- ( ) 2.09 ATTACH PLYWOOD FOR SECOND STEP
- ( ) 2.10 CUT 2 X 8 FOR THIRD WINDER
- ( ) 2.11 NAIL 2 X 8 TO OPENING
- ( ) 2.12 NAIL PLYWOOD TO THIRD STEP
- ( ) 2.13 MARK STRINGER
- ( ) 2.14 CUT STRINGERS
- ( ) 2.15 NAIL STRINGERS TO OPENING
- ( ) 2.16 NAIL RISERS
- ( ) 2.17 NAIL TREADS
- ( ) 2.18 NAILSET ALL NAILS

## 3.00 EXTENT

### GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 STAIRWAY IS ERECTED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 12 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY AND OF CONVENIENT DIMENSIONS
- ( ) 3.03 TO BLUEPRINT  $\pm 1/16$
- ( ) 3.04 TO  $\pm 1/16$
- ( ) 3.05 SECURELY AND LEVEL
- ( ) 3.06 SECURELY AND LEVEL
- ( ) 3.07 TO  $\pm 1/16$
- ( ) 3.08 SECURELY AND LEVEL
- ( ) 3.09 SECURELY AND LEVEL
- ( ) 3.10 TO  $\pm 1/16$
- ( ) 3.11 SECURELY AND LEVEL
- ( ) 3.12 SECURELY AND LEVEL
- ( ) 3.13 ACCURATELY USING A SQUARE
- ( ) 3.14 TO  $\pm 1/16$
- ( ) 3.15 SECURELY AND LEVEL
- ( ) 3.16 SECURE AND PLUMB
- ( ) 3.17 SECURE AND LEVEL
- ( ) 3.18 COMPLETELY

7/74

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 04 STAIRS

\_\_\_\_\_

TERMOB NO. 11-036

\_\_\_\_\_

1.00 CONDITION



2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 05 TRIM

TERMOB NO. 11-037

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A CAPE
- ( ) 1.02 BLUEPRINT OF A RANCH
- ( ) 1.03 BLUEPRINT OF A COLONIAL
- ( ) 1.04 BLUEPRINT OF A GARRISON
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.07 MITER BOX

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL EXTERIOR AND INTERIOR TRIM ON A FRONT DOOR EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT OUTSIDE TRIM
- ( ) 2.03 MEASURE HEIGHT OF TRIM NEEDED
- ( ) 2.04 MITER TRIM AS NECESSARY
- ( ) 2.05 NAIL TRIM
- ( ) 2.06 INSTALL INSIDE TRIM

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 TRIM IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 2 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST WITH CONSIDERATION SHOWN FOR SEASONING GRAIN AND KNOTS
- ( ) 3.03 TO CONFORM TO BLUEPRINT
- ( ) 3.04 CUTS MADE WITH APPROPRIATE TOOL. CUTS SHALL BE SQUARE/ PLUMB. STRAIGHT AND COMPOUND ANGLE CUTS SHALL BE ACCURATE
- ( ) 3.05 TO CONFORM TO BLUEPRINT. NAILING SHALL BE ADEQUATE TO INSURE SOUND, DURABLE CONSTRUCTION WITH MINIMUM SPLITTING DUE TO NAILING
- ( ) 3.06 PROPERLY ALIGNED AND FASTENED SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 05 TRIM

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-037

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

140

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 05 TRIM

TERMOB NO. 11-038

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A CAPE
- ( ) 1.02 BLUEPRINT OF A RANCH
- ( ) 1.03 BLUEPRINT OF A COLONIAL
- ( ) 1.04 BLUEPRINT OF A GARRISON
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL BASEBOARD, BASE CAP MOULDING AND BASE SHOE EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 MEASURE LONGEST WALL
- ( ) 2.03 CUT BASEBOARD TO LENGTH AND NAIL
- ( ) 2.04 SCRIBE NEXT PIECE TO BASEBOARD
- ( ) 2.05 CUT BASEBOARD
- ( ) 2.06 NAIL SECOND PIECE
- ( ) 2.07 INSTALL REMAINING BASEBOARD
- ( ) 2.08 INSTALL BASE SHOE AND CAP MOULD IN SAME MANNER
- ( ) 2.09 NAILSET ALL NAILS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BASEBOARD, BASE CAP MOULDING AND BASE SHOE ARE INSTALLED IN ACCORDANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 ACCURATELY TO + 1/32
- ( ) 3.03 CUTS MADE WITH APPROPRIATE TOOL. CUTS SHALL BE SQUARE/ PLUMB. STRAIGHT AND COMPOUND ANGLE CUTS SHALL BE ACCURATE
- ( ) 3.04 INSURING TIGHT FIT
- ( ) 3.05 CUTS MADE WITH APPROPRIATE TOOL. CUTS SHALL BE SQUARE/ PLUMB. STRAIGHT AND COMPOUND ANGLE CUTS SHALL BE ACCURATE
- ( ) 3.06 TO CONFORM TO BLUEPRINT. NAILING SHALL BE ADEQUATE TO INSURE SOUND, DURABLE CONSTRUCTION WITH MINIMUM SPLITTING DUE TO NAILING
- ( ) 3.07 IN NORMAN-LIKE MANNER USING A FOUR-EDGED

- ( ) 1.01 BLUEPRINT OF A CHIP
- ( ) 1.02 BLUEPRINT OF A RANCH
- ( ) 1.03 BLUEPRINT OF A COLONIAL
- ( ) 1.04 BLUEPRINT OF A GARRISON
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

### GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 INSTALL BASEBOARD, BASE CAP MOULDING AND BASE SHOE EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 MEASURE LONGEST WALL
- ( ) 2.03 CUT BASEBOARD TO LENGTH AND NAIL
- ( ) 2.04 SCRIBE NEXT PIECE TO BASEBOARD
- ( ) 2.05 CUT BASEBOARD
- ( ) 2.06 NAIL SECOND PIECE
- ( ) 2.07 INSTALL REMAINING BASEBOARD
- ( ) 2.08 INSTALL BASE SHOE AND CAP MOULD IN SAME MANNER
- ( ) 2.09 NAILSET ALL NAILS

## 3.00 EXTENT

### GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BASEBOARD, BASE CAP MOULDING AND BASE SHOE ARE INSTALLED IN ACCORDANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 ACCURATELY TO + 1/32
- ( ) 3.03 CUTS MADE WITH APPROPRIATE TOOL. CUTS SHALL BE SQUARE/PLUMB. STRAIGHT AND COMPOUND ANGLE CUTS SHALL BE ACCURATE
- ( ) 3.04 INSURING TIGHT FIT
- ( ) 3.05 CUTS MADE WITH APPROPRIATE TOOL. CUTS SHALL BE SQUARE/PLUMB. STRAIGHT AND COMPOUND ANGLE CUTS SHALL BE ACCURATE
- ( ) 3.06 TO CONFORM TO BLUEPRINT. NAILING SHALL BE ADEQUATE TO INSURE SOUND, DURABLE CONSTRUCTION WITH MINIMUM SPLITTING DUE TO NAILING
- ( ) 3.07 IN WORKMANLIKE MANNER USING ABOVE PROCEDURE
- ( ) 3.08 IN WORKMANLIKE MANNER USING ABOVE PROCEDURE
- ( ) 3.09 COMPLETELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 05 TRIM

\_\_\_\_\_

TERMOB NO. II-038

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

人

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

UNIT 05 TRIM

TERMOB NO. 11-039

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A CAPE
- ( ) 1.02 BLUEPRINT OF A RANCH
- ( ) 1.03 BLUEPRINT OF A COLONIAL
- ( ) 1.04 BLUEPRINT OF A GARRISON
- ( ) 1.05 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.06 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 INSTALL WINDOW TRIM EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SCRIBE STOOL TO SASH
- ( ) 2.03 CUT STOOL TO SCRIBE
- ( ) 2.04 NAIL STOOL TO SILL
- ( ) 2.05 MEASURE CASING
- ( ) 2.06 CUT CASING AT 45° ANGLE
- ( ) 2.07 NAIL CASING
- ( ) 2.08 MEASURE LENGTH OF APRON
- ( ) 2.09 CUT TO LENGTH
- ( ) 2.10 NAIL APRON

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 WINDOW TRIM IS INSTALLED IN CONFORMANCE WITH LOCAL BUILDING CODES AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 3 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 INSURING TIGHT FIT
- ( ) 3.03 CUTS MADE WITH APPROPRIATE TOOL. CUTS SHALL BE SQUARE/PLUMB. STRAIGHT AND COMPOUND ANGLE CUTS SHALL BE ACCURATE
- ( ) 3.04 TO CONFORM TO BLUEPRINT. NAILING SHALL BE ADEQUATE TO INSURE SOUND, DURABLE CONSTRUCTION WITH MINIMUM SPLITTING DUE TO NAILING
- ( ) 3.05 ACCURATELY TO CONFORM TO BLUEPRINT
- ( ) 3.06 TO + 1/16
- ( ) 3.07 SECURELY
- ( ) 3.08 TO + 1/16
- ( ) 3.09 TO + 1/16
- ( ) 3.10 SECURELY

MISGE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 04 INTERIOR FINISH

USOE CODE NO(S) \_\_\_\_\_

UNIT 05 TRIM

\_\_\_\_\_

TERMOB NO. 11-039

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

145

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 01 MILL CARPENTRY

TERMOB NO. 11-040

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A FIREPLACE MANTLE SUPPORTED BY TWO OAK BRACKETS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 JOINTER
- ( ) 1.04 PLANER
- ( ) 1.05 BAND SAW
- ( ) 1.06 SHAPER
- ( ) 1.07 LAYOUT TOOLS
- ( ) 1.08 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.09 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.10 APPROPRIATE ADHESIVES

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 BUILD TWO OAK BRACKETS TO SUPPORT A FIREPLACE MANTLE EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OUT STOCK
- ( ) 2.04 MAKE CUTS FOR LENGTH
- ( ) 2.05 MAKE CUTS FOR SHAPE ON BAND SAW
- ( ) 2.06 SHAPE EDGES
- ( ) 2.07 DRILL HOLES FOR SCREWS
- ( ) 2.08 MAKE WOOD PLUGS FOR SCREW HOLES
- ( ) 2.09 PREPARE FOR FINISH

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 BRACKETS BUILT AND READY FOR INSTALLATION TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST IN CONFORMANCE WITH BLUEPRINT
- ( ) 3.03 TO BLUEPRINT + 1/32 INCH
- ( ) 3.04 TO + 1/16 INCH
- ( ) 3.05 TO ± 1/16 INCH
- ( ) 3.06 NEATLY AND IN A WORKMANLIKE MANNER
- ( ) 3.07 ACCURATELY COUNTERSUNK
- ( ) 3.08 OF PROPER SIZE
- ( ) 3.09 TO INSURE SMOOTH, EVEN COVERAGE WITH NO BURRS OR CRACKS

- ( ) 1.01 BLUEPRINT OF A FIREPLACE MANTLE SUPPORTED BY TWO OAK BRACKETS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 JOINTER
- ( ) 1.04 PLANER
- ( ) 1.05 BAND SAW
- ( ) 1.06 SHAPER
- ( ) 1.07 LAYOUT TOOLS
- ( ) 1.08 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.09 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.10 APPROPRIATE ADHESIVES

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 BUILD TWO OAK BRACKETS TO SUPPORT A FIREPLACE MANTLE EMPLOYING THE FOLLOWING OPERATIONS:
  - ( ) 2.02 SELECT STOCK
  - ( ) 2.03 LAY OUT STOCK
  - ( ) 2.04 MAKE CUTS FOR LENGTH
  - ( ) 2.05 MAKE CUTS FOR SHAPE ON BAND SAW
  - ( ) 2.06 SHAPE EDGES
  - ( ) 2.07 DRILL HOLES FOR SCREWS
  - ( ) 2.08 MAKE WOOD PLUGS FOR SCREW HOLES
  - ( ) 2.09 PREPARE FOR FINISH

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BRACKETS BUILT AND READY FOR INSTALLATION TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 4 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
  - ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST IN CONFORMANCE WITH BLUEPRINT
  - ( ) 3.03 TO BLUEPRINT + 1/32 INCH
  - ( ) 3.04 TO + 1/16 INCH
  - ( ) 3.05 TO + 1/16 INCH
  - ( ) 3.06 NEATLY AND IN A WORKMANLIKE MANNER
  - ( ) 3.07 ACCURATELY COUNTERSUNK
  - ( ) 3.08 OF PROPER SIZE
  - ( ) 3.09 TO INSURE SMOOTH, EVEN COVERAGE WITH NO BURRS, CREVICES OR CRACKS UNLESS SPECIFIED

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 01

CABINETMAKING

MILL CARPENTRY

TERMOB NO.

11-040

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

148

DIVISION 05

MILLWORK AND

CABINETMAKING

UNIT 01

MILL CARPENTRY

TERMOB NO.

11-041

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF AN INTERIOR DOOR WITH 4 RAISED PANELS, SQUARE STICKING, RAISED PLANTED MOULDING USING MORTISE AND TENON CONSTRUCTION
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 TENONER
- ( ) 1.08 BAND SAW
- ( ) 1.09 DRUM SANDER
- ( ) 1.10 BELT SANDER
- ( ) 1.11 SHAPER
- ( ) 1.12 STICKER
- ( ) 1.13 LAYOUT TOOLS
- ( ) 1.14 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.15 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.16 APPROPRIATE ADHESIVES
- ( ) 1.17 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.18 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 BUILD AN INTERIOR DOOR WITH 4 RAISED PANELS, SQUARE STICKING AND RAISED PLANTED MOULDING EMPLOYING THE FOLLOWING OPERATIONS:
  - ( ) 2.02 SELECT STOCK
  - ( ) 2.03 LAY OUT STOCK
  - ( ) 2.04 MAKE CUTS FOR LENGTH
  - ( ) 2.05 MAKE CUTS WITH MORTISER AND TENONER
  - ( ) 2.06 MAKE CUTS FOR STICKING
  - ( ) 2.07 ASSEMBLE MEMBERS
  - ( ) 2.08 MAKE MOULDING
  - ( ) 2.09 ATTACH MOULDING

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 DOOR IS BUILT IN CONFORMANCE WITH BLUEPRINT TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

SQUARE STICKING, PLANTED MOULDING USING  
MORTISE AND TENON CONSTRUCTION

- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 TENONER
- ( ) 1.08 BAND SAW
- ( ) 1.09 DRUM SANDER
- ( ) 1.10 BELT SANDER
- ( ) 1.11 SHAPER
- ( ) 1.12 STICKER
- ( ) 1.13 LAYOUT TOOLS
- ( ) 1.14 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.15 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.16 APPROPRIATE ADHESIVES
- ( ) 1.17 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.18 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED

3.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 BUILD AN INTERIOR DOOR WITH 4 RAISED PANELS, SQUARE STICKING AND RAISED PLANTED MOULDING EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OUT STOCK
- ( ) 2.04 MAKE CUTS FOR LENGTH
- ( ) 2.05 MAKE CUTS WITH MORTISER AND TENONER
- ( ) 2.06 MAKE CUTS FOR STICKING
- ( ) 2.07 ASSEMBLE MEMBERS
- ( ) 2.08 MAKE MOULDING
- ( ) 2.09 ATTACH MOULDING

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 DOOR IS BUILT IN CONFORMANCE WITH BLUEPRINT TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 TO + 1/32 INCH
- ( ) 3.04 TO ± 1/32 INCH
- ( ) 3.05 TO + 1/32 INCH
- ( ) 3.06 TO ± 1/32 INCH
- ( ) 3.07 SECURELY
- ( ) 3.08 AS SPECIFIED IN BLUEPRINT
- ( ) 3.09 SECURELY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 01 CABINETMAKING

\_\_\_\_\_

TERMOB NO. 11-041

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME



MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 01 MILL CARPENTRY

TERMOB NO. 11-042

1.00 CONDITION

- 1.01 BLUEPRINT OF A HANDRAIL WITH BALUSTER SUPPORTS ON A CLOSED STRING OF STAIRS
- 1.02 CUT-OFF SAW
- 1.03 RIP AND TRIM SAW
- 1.04 PLANER
- 1.05 BAND SAW
- 1.06 BELT SANDER
- 1.07 LATHE
- 1.08 LAYOUT TOOLS
- 1.09 BASIC WOODWORKING TOOLS (TABLE T-3)
- 1.10 APPROPRIATE SIZES AND GRADES OF STOCK
- 1.11 APPROPRIATE ADHESIVES
- 1.12 ASSOCIATED HARDWARE AS NEEDED
- 1.13 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED

2.00 PERFORMANCE

**GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME**

- 2.01 BUILD 3 BALUSTERS EMPLOYING THE FOLLOWING OPERATIONS:
- 2.02 SELECT STOCK
- 2.03 LAY OUT STOCK
- 2.04 MAKE NECESSARY CUTS FOR LENGTH
- 2.05 TURN BALUSTERS
- 2.06 PREPARE FOR SURFACE FINISH

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

- 3.01 BALUSTERS ARE BUILT TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 5 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST IN CONFORMANCE WITH BLUEPRINT
- 3.03 TO CONFORM TO BLUEPRINT AND INSURE SOUND CONSTRUCTION
- 3.04 CUTS MADE WITH APPROPRIATE TOOLS, FINISHED PIECES TO CONFORM TO BLUEPRINT TOLERANCE
- 3.05 TO BLUEPRINT + 1/32 INCH
- 3.06 TO INSURE SMOOTH, EVEN COVERAGE WITH NO BURRS, CREVICES OR CRACKS UNLESS SPECIFIED

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND  
CABINETMAKING

USOE CODE NO(S) \_\_\_\_\_

UNIT 01

MILL CARPENTRY

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO.

11-042

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

CABINETMAKING

UNIT 01 MILL CARPENTRY

TERMOB NO. 11-043

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A FRONT ENTRANCE PEDIMENT WITH SCROLLWORK AND RAKE RETURN
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 BAND SAW
- ( ) 1.07 DRUM SANDER
- ( ) 1.08 BELT SANDER
- ( ) 1.09 SHAPER
- ( ) 1.10 LATHE
- ( ) 1.11 LAYOUT TOOLS
- ( ) 1.12 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.13 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.14 APPROPRIATE ADHESIVES
- ( ) 1.15 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.16 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 BUILD FRONT ENTRANCE PEDIMENT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OUT STOCK
- ( ) 2.04 MAKE NECESSARY CUTS FOR LENGTH
- ( ) 2.05 MAKE NECESSARY CUTS FOR SHAPE
- ( ) 2.06 MAKE SCROLLWORK
- ( ) 2.07 TURN CENTER ORNAMENT
- ( ) 2.08 PREPARE FOR SURFACE FINISH
- ( ) 2.09 ASSEMBLE MEMBERS

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 PEDIMENT IS BUILT TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST IN CONFORMANCE WITH BLUEPRINT
- ( ) 3.03 TO CONFORM TO BLUEPRINT AND INSURE SOUND CONSTRUCTION
- ( ) 3.04 CUTS MADE WITH APPROPRIATE TOOLS FINISHED

- ( ) 1.01 BLUEPRINT OF A FRONT ENTRANCE PEDIMENT WITH SCROLLWORK AND RAKE RETURN
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 BAND SAW
- ( ) 1.07 DRUM SANDER
- ( ) 1.08 BELT SANDER
- ( ) 1.09 SHAPER
- ( ) 1.10 LATHE
- ( ) 1.11 LAYOUT TOOLS
- ( ) 1.12 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.13 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.14 APPROPRIATE ADHESIVES
- ( ) 1.15 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.16 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED

## 2.00 PERFORMANCE

### GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 BUILD FRONT ENTRANCE PEDIMENT EMPLOYING THE FOLLOWING OPERATIONS:
- ( ) 2.02 SELECT STOCK
- ( ) 2.03 LAY OUT STOCK
- ( ) 2.04 MAKE NECESSARY CUTS FOR LENGTH
- ( ) 2.05 MAKE NECESSARY CUTS FOR SHAPE
- ( ) 2.06 MAKE SCROLLWORK
- ( ) 2.07 TURN CENTER ORNAMENT
- ( ) 2.08 PREPARE FOR SURFACE FINISH
- ( ) 2.09 ASSEMBLE MEMBERS

## 3.00 EXTENT

### GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 PEDIMENT IS BUILT TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST IN CONFORMANCE WITH BLUEPRINT
- ( ) 3.03 TO CONFORM TO BLUEPRINT AND INSURE SOUND CONSTRUCTION
- ( ) 3.04 CUTS MADE WITH APPROPRIATE TOOLS. FINISHED PIECES TO CONFORM TO BLUEPRINT TOLERANCE
- ( ) 3.05 USING BAND SAW
- ( ) 3.06 IN WORKMANLIKE MANNER
- ( ) 3.07 USING LATHE SAFELY
- ( ) 3.08 TO INSURE SMOOTH, EVEN COVERAGE WITH NO BURRS, CREVICES OR CRACKS UNLESS SPECIFIED
- ( ) 3.09 USING NAILS, SPLINES ETC. OF PROPER SIZE OR ADHESIVE OF PROPER CHARACTERISTICS TO INSURE SOUND CONSTRUCTION

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 01 CABINETMAKING

\_\_\_\_\_

TERMOB NO. 11-043

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

156

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND

CABINETMAKING

UNIT 02

CABINETMAKING

TERMOB NO.

11-044

1.00 CONDITION

- ( ) 1.01 UNFINISHED 8 FOOT SECTION OF MAHOGANY COUNTER TOP
- ( ) 1.02 FORMICA
- ( ) 1.03 CONTACT CEMENT
- ( ) 1.04 ROUTER
- ( ) 1.05 PAPER
- ( ) 1.06 SERRATED TROWELL
- ( ) 1.07 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 LAMINATE KITCHEN COUNTER TOPS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 GLUE TOP AND FORMICA
- ( ) 2.05 LET GLUE DRY
- ( ) 2.06 COVER TOP WITH PAPER IF NECESSARY
- ( ) 2.07 POSITION FORMICA
- ( ) 2.08 SLIDE PAPER OUT
- ( ) 2.09 ROLL FORMICA
- ( ) 2.10 ROUT FORMICA
- ( ) 2.11 FILE FORMICA
- ( ) 2.12 CLEAN FORMICA

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 COUNTER TOPS ARE LAMINATED IN CONFORMANCE WITH ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 3 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 1/2 INCH OVERSIZE
- ( ) 3.04 GLUE SPREAD EVENLY
- ( ) 3.05 GLUE DRY
- ( ) 3.06 PREVENTING BONDING
- ( ) 3.07 PROPERLY ALIGNED
- ( ) 3.08 KEEPING FORMICA IN CORRECT POSITION
- ( ) 3.09 ALL AIR BUBBLES REMOVED
- ( ) 3.10 TO 220 REVEL

- ( ) 1.01 UNFINISHED 8 FOOT SECTION OF MAROGANY COUNTER TOP
- ( ) 1.02 FORMICA
- ( ) 1.03 CONTACT CEMENT
- ( ) 1.04 ROUTER
- ( ) 1.05 PAPER
- ( ) 1.06 SERRATED TROWELL
- ( ) 1.07 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 LAMINATE KITCHEN COUNTER TOPS EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 GLUE TOP AND FORMICA
- ( ) 2.05 LET GLUE DRY
- ( ) 2.06 COVER TOP WITH PAPER IF NECESSARY
- ( ) 2.07 POSITION FORMICA
- ( ) 2.08 SLIDE PAPER OUT
- ( ) 2.09 ROLL FORMICA
- ( ) 2.10 ROUT FORMICA
- ( ) 2.11 FILE FORMICA
- ( ) 2.12 CLEAN FORMICA

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 COUNTER TOPS ARE LAMINATED IN CONFORMANCE WITH ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 3 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 1/2 INCH OVERSIZE
- ( ) 3.04 GLUE SPREAD EVENLY
- ( ) 3.05 GLUE DRY
- ( ) 3.06 PREVENTING BONDING
- ( ) 3.07 PROPERLY ALIGNED
- ( ) 3.08 KEEPING FORMICA IN CORRECT POSITION
- ( ) 3.09 ALL AIR BUBBLES REMOVED
- ( ) 3.10 TO 22° BEVEL
- ( ) 3.11 SHARP EDGES REMOVED
- ( ) 3.12 FORMICA IS FREE OF DIRT AND EXCESS GLUE

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_

TERMOB NO. 11-044

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-045

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A PICNIC TABLE
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.05 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.06 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.07 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

**GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME**

- ( ) 2.01 MAKE A PICNIC TABLE AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 ASSEMBLE "A" FRAME
- ( ) 2.05 MAKE CROSSLAP JOINT
- ( ) 2.06 ASSEMBLE TABLE
- ( ) 2.07 FINISH SAND TABLE

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

- ( ) 3.01 PICNIC TABLE IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 3 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 SQUARE
- ( ) 3.04 SECURELY, ANGLES CORRECT
- ( ) 3.05 SQUARE
- ( ) 3.06 SQUARE AND PLUMB
- ( ) 3.07 ALL SURFACES SMOOTH, NO SPLINTERS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_

TERMOB NO. 11-045

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

161

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND  
CABINETMAKING

UNIT 02

CABINETMAKING

TERMOB. NO.

11-046

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A 14 FOOT CHURCH PEW
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 DRUM SANDER
- ( ) 1.05 BELT SANDER
- ( ) 1.06 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.07 APPROPRIATE ADHESIVES
- ( ) 1.08 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.09 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.10 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A 14 FOOT CHURCH PEW AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 GLUE UP STOCK
- ( ) 2.05 CUT LEG SUPPORTS
- ( ) 2.06 DRILL HOLES
- ( ) 2.07 ASSEMBLE PEW
- ( ) 2.08 PLUG HOLES
- ( ) 2.09 FINISH SAND PEW

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 CHURCH PEW IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 SQUARE
- ( ) 3.04 NEATLY AND SECURELY
- ( ) 3.05 TO + 1/32 INCH
- ( ) 3.06 TO + 1/32 INCH ON LOCATION, SIZE EXACT
- ( ) 3.07 SECURELY, SQUARE AND PLUMB
- ( ) 3.08 NEATLY
- ( ) 3.09 ALL SURFACES SMOOTH, NO SPLINTERS

- ( ) 1.01 BLUEPRINT OF A 14 FOOT CHURCH PEW
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 DRUM SANDER
- ( ) 1.05 BELT SANDER
- ( ) 1.06 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.07 APPROPRIATE ADHESIVES
- ( ) 1.08 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.09 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.10 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A 14 FOOT CHURCH PEW AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:
  - ( ) 2.02 SELECT STOCK
  - ( ) 2.03 CUT STOCK
  - ( ) 2.04 GLUE UP STOCK
  - ( ) 2.05 CUT LEG SUPPORTS
  - ( ) 2.06 DRILL HOLES
  - ( ) 2.07 ASSEMBLE PEW
  - ( ) 2.08 PLUG HOLES
  - ( ) 2.09 FINISH SAND PEW

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 CHURCH PEW IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 SQUARE
- ( ) 3.04 NEATLY AND SECURELY
- ( ) 3.05 TO + 1/32 INCH
- ( ) 3.06 TO ± 1/32 INCH ON LOCATION, SIZE EXACT
- ( ) 3.07 SECURELY, SQUARE AND PLUMB
- ( ) 3.08 NEATLY
- ( ) 3.09 ALL SURFACES SMOOTH, NO SPLINTERS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02

CABINETMAKING

CABINETMAKING

TERMOB NO.

11-046

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

UNIT 02 CABINETMAKING

TERMOB NO. 11-047

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A BOOKCASE WITH FIVE SHELVES
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 DRUM SANDER
- ( ) 1.05 BELT SANDER
- ( ) 1.06 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.07 APPROPRIATE ADHESIVES
- ( ) 1.08 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.09 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.10 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A BOOKCASE WITH FIVE SHELVES AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 MAKE DADOES
- ( ) 2.05 ASSEMBLE BOOKCASE
- ( ) 2.06 FINISH SAND BOOKCASE

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BOOKCASE IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 8 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 SQUARE
- ( ) 3.04 TO + 1/32 INCH
- ( ) 3.05 SECURELY SQUARE AND PLUMB
- ( ) 3.06 ALL SURFACES SMOOTH, NO SPLINTERS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02

CABINETMAKING

\_\_\_\_\_

CABINETMAKING

\_\_\_\_\_

TERMOB NO.

11-047

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-048

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A DRUM TOP TABLE WITH CENTER POST AND FOUR LEGS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 PLANER
- ( ) 1.05 BAND SAW
- ( ) 1.06 DRUM SANDER
- ( ) 1.07 BELT SANDER
- ( ) 1.08 SHAPER
- ( ) 1.09 LATHE
- ( ) 1.10 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.11 APPROPRIATE ADHESIVES
- ( ) 1.12 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.13 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.14 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.15 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A DRUM TOP TABLE AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 TURN CENTER POST
- ( ) 2.05 SAND CENTER POST
- ( ) 2.06 CUT PATTERN FOR LEGS
- ( ) 2.07 SHAPE LEGS
- ( ) 2.08 LOCATE HOLES
- ( ) 2.09 DRILL HOLES
- ( ) 2.10 INSTALL DOWELS
- ( ) 2.11 GLUE DOWELS
- ( ) 2.12 CUT RABBETS
- ( ) 2.13 ASSEMBLE TOP
- ( ) 2.14 ATTACH TOP TO CENTER POST
- ( ) 2.15 FINISH SAND TABLE
- ( ) 2.16 ATTACH HARDWARE

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_

TERMOB NO. 11-048

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

UNIT 02 CABINETMAKING

TERMOB NO. 11-048 (CONT'D)

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

( ) 3.01 DRUM TOP TABLE IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST

( ) 3.03 SQUARE, TO + 1/32 INCH

( ) 3.04 TO DESIRED DESIGN RADIUS

( ) 3.05 SMOOTH

( ) 3.06 1/16 INCH OVERSIZE

( ) 3.07 TO + 1/32 INCH

( ) 3.08 TO + 1/32 INCH

( ) 3.09 ON CENTER

( ) 3.10 DOWELS OF CORRECT LENGTH AND SIZE INSTALLED

( ) 3.11 SECURELY AND NEATLY

( ) 3.12 TO + 1/32 INCH

( ) 3.13 SECURELY

( ) 3.14 SECURELY, PROPERLY ALIGNED

( ) 3.15 ALL SURFACES SMOOTH, NO SPLINTERS

( ) 3.16 PROPERLY ALIGNED

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-048 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-049

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A QUEEN ANNE COFFEE TABLE
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 PLANER
- ( ) 1.05 MORTISER
- ( ) 1.06 TENONER
- ( ) 1.07 BAND SAW
- ( ) 1.08 DRUM SANDER
- ( ) 1.09 BELT SANDER
- ( ) 1.10 SHAPER
- ( ) 1.11 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.12 APPROPRIATE ADHESIVES
- ( ) 1.13 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.14 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.15 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A QUEEN ANNE COFFEE TABLE AS SPECIFIED IN  
BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 GLUE UP STOCK FOR TOP
- ( ) 2.05 PASS TOP THROUGH PLANER TO DESIRED THICKNESS
- ( ) 2.06 CUT RABBETS
- ( ) 2.07 CUT PATTERN FOR FRAME
- ( ) 2.08 CUT TENONS
- ( ) 2.09 CUT PATTERN FOR LEGS
- ( ) 2.10 SHAPE FRAME AND LEGS
- ( ) 2.11 CUT MORTISES
- ( ) 2.12 ASSEMBLE FRAME AND LEGS
- ( ) 2.13 ATTACH TOP
- ( ) 2.14 FINISH SAND TABLE

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND

CABINETMAKING

USOE CODE NO(S) \_\_\_\_\_

UNIT 02

CABINETMAKING

TERMOB NO.

11-049

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING  
UNIT 02 CABINETMAKING

TERMOB NO. 11-049 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 COFFEE TABLE IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 15 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST

( ) 3.03 SQUARE

( ) 3.04 NEATLY AND SECURELY

( ) 3.05 TO + 1/32 INCH

( ) 3.06 TO + 1/32 INCH

( ) 3.07 1/16 INCH OVERSIZE

( ) 3.08 TO + 1/32 INCH

( ) 3.09 1/16 INCH OVERSIZE

( ) 3.10 TO + 1/32 INCH

( ) 3.11 TO + 1/32 INCH

( ) 3.12 SECURELY, SQUARE AND PLUMB

( ) 3.13 SECURELY, PROPERLY ALIGNED

( ) 3.14 ALL SURFACES SMOOTH; NO SPLINTERS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-049 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

174

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-050

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A COLONIAL BED HEAD AND FOOT
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 MORTISER
- ( ) 1.06 TENONER
- ( ) 1.07 BAND SAW
- ( ) 1.08 DRUM SANDER
- ( ) 1.09 BELT SANDER
- ( ) 1.10 SHAPER
- ( ) 1.11 LATHE
- ( ) 1.12 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.13 APPROPRIATE ADHESIVES
- ( ) 1.14 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.15 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.16 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A COLONIAL BED AS SPECIFIED IN BLUEPRINT  
EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 TURN LEGS
- ( ) 2.05 SAND LEGS
- ( ) 2.06 CUT PANELS TO SIZE
- ( ) 2.07 CUT TENONS
- ( ) 2.08 CUT MORTISES
- ( ) 2.09 ASSEMBLE BED
- ( ) 2.10 FINISH BED

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 COLONIAL BED IS MADE IN CONFORMANCE WITH BLUEPRINT  
AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF  
BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 20  
HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY  
OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION  
AT ECONOMICAL COST

- ( ) 1.01 BLUEPRINT OF A COLONIAL BED HEAD AND FOOT
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 MORTISER
- ( ) 1.06 TENONER
- ( ) 1.07 BAND SAW
- ( ) 1.08 DRUM SANDER
- ( ) 1.09 BELT SANDER
- ( ) 1.10 SHAPER
- ( ) 1.11 LATHE
- ( ) 1.12 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.13 APPROPRIATE ADHESIVES
- ( ) 1.14 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.15 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.16 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 MAKE A COLONIAL BED AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 TURN LEGS
- ( ) 2.05 SAND LEGS
- ( ) 2.06 CUT PANELS TO SIZE
- ( ) 2.07 CUT TENONS
- ( ) 2.08 CUT MORTISES
- ( ) 2.09 ASSEMBLE BED
- ( ) 2.10 FINISH BED

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 COLONIAL BED IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 20 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 SQUARE
- ( ) 3.04 TO DESIRED DESIGN, ALL LEGS ARE THE SAME
- ( ) 3.05 SMOOTH
- ( ) 3.06 TO  $\pm 1/32$  INCH
- ( ) 3.07 TO  $\pm 1/32$  INCH
- ( ) 3.08 TO  $\pm 1/32$  INCH
- ( ) 3.09 SECURELY, SQUARE AND PLUMB
- ( ) 3.10 ALL SURFACES SMOOTH, NO SPLINTERS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_

TERMOB NO. 11-050

\_\_\_\_\_

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKINGDIVISION 05 MILLWORK AND  
CABINETMAKINGUNIT 02 CABINETMAKINGTERMOB NO. 11-051

## 1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A MAPLE KITCHEN TABLE WITH DROP LEAFS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 TENONER
- ( ) 1.08 DRUM SANDER
- ( ) 1.09 BELT SANDER
- ( ) 1.10 LATHE
- ( ) 1.11 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.12 APPROPRIATE ADHESIVES
- ( ) 1.13 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.14 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.15 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.16 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
 ( ) 2.01 MAKE A KITCHEN TABLE AS SPECIFIED IN BLUEPRINT  
EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 EDGE STOCK FOR LEGS
- ( ) 2.04 DRESS STOCK FOR LEGS
- ( ) 2.05 TURN LEGS
- ( ) 2.06 LOCATE CENTERS OF LEGS
- ( ) 2.07 MORTISE LEGS
- ( ) 2.08 CUT LENGTH FOR RAILS
- ( ) 2.09 GLUE RAILS TO LEGS
- ( ) 2.10 CUT OUT TOP
- ( ) 2.11 ATTACH TOP
- ( ) 2.12 ATTACH DROP LEAFS
- ( ) 2.13 FINISH TABLE

## 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME  
 ( ) 3.01 KITCHEN TABLE IS MADE IN CONFORMANCE WITH BLUEPRINT AND  
ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD  
OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH  
EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 1.01 BLUEPRINT OF A MAPLE KITCHEN TABLE WITH DROP LEAFS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 TENONER
- ( ) 1.08 DRUM SANDER
- ( ) 1.09 BELT SANDER
- ( ) 1.10 LATHE
- ( ) 1.11 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.12 APPROPRIATE ADHESIVES
- ( ) 1.13 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.14 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.15 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.16 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

### GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A KITCHEN TABLE AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 EDGE STOCK FOR LEGS
- ( ) 2.04 DRESS STOCK FOR LEGS
- ( ) 2.05 TURN LEGS
- ( ) 2.06 LOCATE CENTERS OF LEGS
- ( ) 2.07 MORTISE LEGS
- ( ) 2.08 CUT LENGTH FOR RAILS
- ( ) 2.09 GLUE RAILS TO LEGS
- ( ) 2.10 CUT OUT TOP
- ( ) 2.11 ATTACH TOP
- ( ) 2.12 ATTACH DROP LEAFS
- ( ) 2.13 FINISH TABLE

## 3.00 EXTENT

### GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 KITCHEN TABLE IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 10 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 NEATLY
- ( ) 3.04 NEATLY
- ( ) 3.05 TO DESIRED DESIGN, ALL LEGS ARE THE SAME
- ( ) 3.06 TO  $\pm 1/32$  INCH
- ( ) 3.07 LOCATION AND SIZE ACCURATE TO  $\pm 1/32$  INCH
- ( ) 3.08 TO  $\pm 1/32$  INCH
- ( ) 3.09 SECURELY
- ( ) 3.10 TO  $\pm 1/32$  INCH
- ( ) 3.11 SECURELY, PROPERLY ALIGNED
- ( ) 3.12 SECURELY, PROPERLY ALIGNED
- ( ) 3.13 ALL SURFACES SMOOTH, NO SPLINTERS

7/74

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-051

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-052

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A CONTEMPORARY DESK
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 BAND SAW
- ( ) 1.08 DRUM SANDER
- ( ) 1.09 BELT SANDER
- ( ) 1.10 SHAPER
- ( ) 1.11 LATHE
- ( ) 1.12 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.13 APPROPRIATE ADHESIVES
- ( ) 1.14 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.15 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.16 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.17 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A CONTEMPORARY DESK AS SPECIFIED IN BLUEPRINT  
EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 GLUE UP STOCK FOR SIDES
- ( ) 2.04 CUT STOCK FOR SIDES
- ( ) 2.05 CUT RABBETS
- ( ) 2.06 CUT DADOES
- ( ) 2.07 ASSEMBLE FRAME
- ( ) 2.08 ASSEMBLE DRAWERS
- ( ) 2.09 TURN LEGS
- ( ) 2.10 CUT MORTISES
- ( ) 2.11 CUT RAILS
- ( ) 2.12 GLUE UP STOCK FOR TOP
- ( ) 2.13 CUT STOCK FOR TOP
- ( ) 2.14 ASSEMBLE DESK
- ( ) 2.15 FINISH DESK

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02

CABINETMAKING

\_\_\_\_\_

TERMOB NO.

CABINETMAKING

\_\_\_\_\_

11-052

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-052 (CONT'D)

3.00 EXTENT

**GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME**

- ( ) 3.01 DESK IS MADE IN CONFORMANCE WITH BLUEPRINT AND  
ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD  
OF EXPERT RATERS. TO BE COMPLETED WITHIN 15 HOURS WITH  
EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION  
AT ECONOMICAL COST
- ( ) 3.03 NEATLY AND SECURELY
- ( ) 3.04 TO + 1/32 INCH
- ( ) 3.05 TO + 1/32 INCH
- ( ) 3.06 TO + 1/32 INCH
- ( ) 3.07 SQUARE AND PLUMB, SECURELY
- ( ) 3.08 SQUARE AND PLUMB, SECURELY
- ( ) 3.09 TO + 1/32 INCH
- ( ) 3.10 TO + 1/32 INCH
- ( ) 3.11 TO + 1/32 INCH
- ( ) 3.12 NEATLY AND SECURELY
- ( ) 3.13 TO + 1/32 INCH
- ( ) 3.14 SECURELY, SQUARE AND PLUMB
- ( ) 3.15 ALL SURFACES SMOOTH, NO SPLINTERS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05

MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02

CABINETMAKING

\_\_\_\_\_

TERMOB NO.

CABINETMAKING

\_\_\_\_\_

11-052 (CONT'D)

\_\_\_\_\_

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

184

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-053

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A CONTEMPORARY DESK CHAIR WITH FRAME AND RAIL CONSTRUCTION
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 TENONER
- ( ) 1.08 BAND SAW
- ( ) 1.09 DRUM SANDER
- ( ) 1.10 BELT SANDER
- ( ) 1.11 SHAPER
- ( ) 1.12 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.13 APPROPRIATE ADHESIVES
- ( ) 1.14 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.15 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.16 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A CONTEMPORARY DESK CHAIR AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 CUT PATTERNS
- ( ) 2.05 CUT LEG MORTISES
- ( ) 2.06 CUT TENONS ON RAILS
- ( ) 2.07 RIP THE CHEEKS TO SIZE
- ( ) 2.08 ASSEMBLE CHAIR
- ( ) 2.09 FINISH CHAIR

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 DESK CHAIR IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 12 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST

- ( ) 1.01 BLUEPRINT OF A CONTEMPORARY DESK CHAIR WITH FRAME AND RAIL CONSTRUCTION
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 TENONER
- ( ) 1.08 BAND SAW
- ( ) 1.09 DRUM SANDER
- ( ) 1.10 BELT SANDER
- ( ) 1.11 SHAPER
- ( ) 1.12 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.13 APPROPRIATE ADHESIVES
- ( ) 1.14 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.15 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.16 BASIC WOODWORKING TOOLS (TABLE T-3)

## 2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A CONTEMPORARY DESK CHAIR AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 CUT PATTERNS
- ( ) 2.05 CUT LEG MORTISES
- ( ) 2.06 CUT TENONS ON RAILS
- ( ) 2.07 RIP THE CHEEKS TO SIZE
- ( ) 2.08 ASSEMBLE CHAIR
- ( ) 2.09 FINISH CHAIR

## 3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 DESK CHAIR IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 12 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 SQUARE
- ( ) 3.04 ON LINE
- ( ) 3.05 TO  $\pm 1/32$  INCH ON LOCATION AND SIZE
- ( ) 3.06 TO  $\pm 1/32$  INCH
- ( ) 3.07 TO  $\pm 1/32$  INCH
- ( ) 3.08 SECURELY SQUARE AND PLUMB
- ( ) 3.09 ALL SURFACES SMOOTH, NO SPLINTERS

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-053

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

187

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-054

1.00 CONDITION

- ( ) 1.01 ASSEMBLY BLUEPRINT OF A MAHOGANY COFFEE TABLE WITH FRAME AND RAIL CONSTRUCTION
- ( ) 1.02 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.03 GLUE AND FASTENERS
- ( ) 1.04 SANDPAPER
- ( ) 1.05 NINE BOARD FEET OF 1 INCH MAHOGANY; FOUR BOARD FEET OF 2 INCH MAHOGANY
- ( ) 1.06 JOINTER
- ( ) 1.07 CIRCULAR TABLE SAW
- ( ) 1.08 PLANER
- ( ) 1.09 MORTISING MACHINE
- ( ) 1.10 BELT AND DISC SANDING MACHINES

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A MAHOGANY COFFEE TABLE EMPLOYING THE FOLLOWING OPERATIONS:
- ( ) 2.02 LAYOUT AND CUT ROUGH STOCK TO SIZE
- ( ) 2.03 SQUARE UP THE STOCK
- ( ) 2.04 GLUE UP STOCK TO FORM PIECES OF REQUIRED SIZE, WHERE NECESSARY
- ( ) 2.05 MAKE MORTISE AND TENON JOINTS
- ( ) 2.06 CUT CORNER DADOS FOR LEGS AND SHELF
- ( ) 2.07 GLUE UP END RAILS AND LEGS
- ( ) 2.08 MAKE MITER FRAME WITH DOWELS FOR TABLE TOP
- ( ) 2.09 ASSEMBLE TABLE

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 COFFEE TABLE MADE TO BLUEPRINT SPECIFICATIONS TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 18 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 PIECES CUT 1/4 INCH WIDER AND 1/2 INCH LONGER THAN FINISHED SIZE.
- ( ) 3.03 SURFACES FLAT AND PARALLEL TO WITHIN FINISHED SIZES + 1/32 INCHES
- ( ) 3.04 EDGE JOINTS STRENGTHENED WITH DOWELS, PIECES SQUARED TO SIZE WITHIN + 1/32 INCHES

- ( ) 1.01 ASSEMBLY BLUEPRINT OF A MAHOGANY COFFEE TABLE WITH  
FRAME AND RAIL CONSTRUCTION
- ( ) 1.02 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.03 GLUE AND FASTENERS
- ( ) 1.04 SANDPAPER
- ( ) 1.05 NINE BOARD FEET OF 1 INCH MAHOGANY; FOUR BOARD FEET  
OF 2 INCH MAHOGANY
- ( ) 1.06 JOINTER
- ( ) 1.07 CIRCULAR TABLE SAW
- ( ) 1.08 PLANER
- ( ) 1.09 MORTISING MACHINE
- ( ) 1.10 BELT AND DISC SANDING MACHINES

## 2.00 PERFORMANCE

### GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A MAHOGANY COFFEE TABLE EMPLOYING THE  
FOLLOWING OPERATIONS:
- ( ) 2.02 LAYOUT AND CUT ROUGH STOCK TO SIZE
- ( ) 2.03 SQUARE UP THE STOCK
- ( ) 2.04 GLUE UP STOCK TO FORM PIECES OF REQUIRED SIZE,  
WHERE NECESSARY
- ( ) 2.05 MAKE MORTISE AND TENON JOINTS
- ( ) 2.06 CUT CORNER DADOS FOR LEGS AND SHELF
- ( ) 2.07 GLUE UP END RAILS AND LEGS
- ( ) 2.08 MAKE MITER FRAME WITH DOWELS FOR TABLE TOP
- ( ) 2.09 ASSEMBLE TABLE

## 3.00 EXTENT

### GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 COFFEE TABLE MADE TO BLUEPRINT SPECIFICATIONS TO  
APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED  
WITHIN 18 HOURS WITH EACH OPERATION JUDGED AS SAT-  
ISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 PIECES CUT 1/4 INCH WIDER AND 1/2 INCH LONGER THAN  
FINISHED SIZE
- ( ) 3.03 SURFACES FLAT AND PARALLEL TO WITHIN FINISHED SIZES  
+ 1/32 INCHES
- ( ) 3.04 EDGE JOINTS STRENGTHENED WITH DOWELS, PIECES SQUARED  
TO SIZE WITHIN + 1/32 INCHES
- ( ) 3.05 TENONS FIT INTO MORTISE SNUGLY AND MARKED FOR CORRECT  
ASSEMBLY
- ( ) 3.06 SHELF SNUGLY FITS INTO CORNER DADO
- ( ) 3.07 LEGS ARE SQUARE AND PARALLEL WITH RAILS
- ( ) 3.08 MITER IS 45 DEGREES
- ( ) 3.09 IN ACCORDANCE WITH BLUEPRINT USING PROPER FASTENING  
TECHNIQUES

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

TERMOB NO. 11-054

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKINGDIVISION 05 MILLWORK ANDCABINETMAKINGUNIT 02 CABINETMAKINGTERMOB NO. 11-055

## 1.00 CONDITION

- ( ) 1.01 ASSEMBLY BLUEPRINT OF BOOKCASE-DESK COMBINATION HAVING SHELVES FOR BOOKS, THREE SUPPLY DRAWERS, AND CENTER DRAWER WITH PENCIL TRAYS AND PARTITIONS
- ( ) 1.02 BASIC WOODWORKING TOOLS (TABLE T-3)
- ( ) 1.03 GLUE AND FASTENERS
- ( ) 1.04 SANDPAPER
- ( ) 1.05 METAL EXTENSION SLIDES FOR DRAWERS
- ( ) 1.06 METAL FURNITURE PULLS, LEG SCREWS AND PLATES
- ( ) 1.07 31½ BOARD FEET OF WALNUT, MAHOGANY OR OAK, 13 BOARD FEET OF ASH, SYCAMORE OR POPLAR, 7½ BOARD FEET OF FIR PLYWOOD
- ( ) 1.08 CIRCULAR TABLE SAW
- ( ) 1.09 WOOD LATHE
- ( ) 1.10 JOINTER
- ( ) 1.11 SHAPER
- ( ) 1.12 BELT AND DISC SANDER
- ( ) 1.13 SPINDLE SHAPER

## 2.00 PERFORMANCE

## GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A BOOKCASE-DESK COMBINATION AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 LAY OUT AND CUT ROUGH STOCK TO SIZE
- ( ) 2.03 SQUARE UP THE STOCK
- ( ) 2.04 GLUE UP STOCK TO FORM PIECES OF REQUIRED SIZE, WHERE NECESSARY
- ( ) 2.05 CUT RABBETS, DADOES AND GAINS
- ( ) 2.06 CUT TONGUES
- ( ) 2.07 CUT GROOVES
- ( ) 2.08 SHAPE EDGES OF TOP
- ( ) 2.09 TURN LEGS
- ( ) 2.10 ASSEMBLE ALL SECTIONS

## 3.00 EXTENT

## GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BOOKCASE-DESK MADE TO BLUEPRINT SPECIFICATIONS TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 20 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 PIECES CUT 1/4 INCH WIDER AND 1/2 INCH LONGER THAN

- HAVING SHELVES FOR BOOKS, THREE SUPPLY DRAWERS,  
AND CENTER DRAWER WITH PENCIL TRAYS AND PARTITIONS
- ( ) 1.02 BASIC WOODWORKING TOOLS (TABLE T-3)
  - ( ) 1.03 GLUE AND FASTENERS
  - ( ) 1.04 SANDPAPER
  - ( ) 1.05 METAL EXTENSION SLIDES FOR DRAWERS
  - ( ) 1.06 METAL FURNITURE PULLS, LEG SCREWS AND PLATES
  - ( ) 1.07 31½ BOARD FEET OF WALNUT, MAHOGANY OR OAK, 13 BOARD FEET OF ASH, SYCAMORE OR POPLAR, 7½ BOARD FEET OF FIR PLYWOOD
  - ( ) 1.08 CIRCULAR TABLE SAW
  - ( ) 1.09 WOOD LATHE
  - ( ) 1.10 JOINTER
  - ( ) 1.11 SHAPER
  - ( ) 1.12 BELT AND DISC SANDER
  - ( ) 1.13 SPINDLE SHAPER

## 2.00 PERFORMANCE

### GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE A BOOKCASE-DESK COMBINATION AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 LAY OUT AND CUT ROUGH STOCK TO SIZE
- ( ) 2.03 SQUARE UP THE STOCK
- ( ) 2.04 GLUE UP STOCK TO FORM PIECES OF REQUIRED SIZE, WHERE NECESSARY
- ( ) 2.05 CUT RABBETS, DADOES AND GAINS
- ( ) 2.06 CUT TONGUES
- ( ) 2.07 CUT GROOVES
- ( ) 2.08 SHAPE EDGES OF TOP
- ( ) 2.09 TURN LEGS
- ( ) 2.10 ASSEMBLE ALL SECTIONS

## 3.00 EXTENT

### GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 BOOKCASE-DESK MADE TO BLUEPRINT SPECIFICATIONS TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 20 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.
- ( ) 3.02 PIECES CUT 1/4 INCH WIDER AND 1/2 INCH LONGER THAN FINISHED SIZE
- ( ) 3.03 SURFACES FLAT AND PARALLEL TO WITHIN + 1/32 INCH
- ( ) 3.04 PIECES SQUARE TO SIZE TO WITHIN + 1/32 INCH
- ( ) 3.05 WIDTH HALF THE THICKNESS OF STOCK, DEPTH HALF TO TWO-THIRDS THE THICKNESS
- ( ) 3.06 TO + 1/32 INCH
- ( ) 3.07 TO + 1/32 INCH
- ( ) 3.08 SMOOTH TO SPECIFIED CONTOUR
- ( ) 3.09 TO + 1/32 INCH
- ( ) 3.10 IN ACCORDANCE WITH BLUEPRINT USING PROPER FASTENING TECHNIQUES

7/74

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

TERMOB NO. 11-055

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-056

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A CONTEMPORARY DESIGN CHINA CABINET WITH SLIDING GLASS DOORS ON TOP AND WOODEN DOORS ON BOTTOM, REQUIRING GROOVE AND DOWELED STUB TENON WITH BEAD STICKING
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 JOINTER
- ( ) 1.05 PLANER
- ( ) 1.06 MORTISER
- ( ) 1.07 TENONER
- ( ) 1.08 BAND SAW
- ( ) 1.09 DRUM SANDER
- ( ) 1.10 BELT SANDER
- ( ) 1.11 SHAPER
- ( ) 1.12 LATHE
- ( ) 1.13 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.14 APPROPRIATE ADHESIVES
- ( ) 1.15 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.16 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.17 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.18 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

**GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME**  
( ) 2.01 MAKE A CONTEMPORARY DESIGN CHINA CABINET AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 GLUE UP STOCK FOR PANELS
- ( ) 2.05 PASS PANELS THROUGH PLANER
- ( ) 2.06 CUT RABBETS
- ( ) 2.07 CUT DADOES
- ( ) 2.08 CUT GROOVES
- ( ) 2.09 LOCATE HOLES
- ( ) 2.10 DRILL HOLES
- ( ) 2.11 CUT GROOVES
- ( ) 2.12 BEAD DOORS
- ( ) 2.13 INSTALL DOWELS
- ( ) 2.14 GLUE DOWELS
- ( ) 2.15 TURN LEGS
- ( ) 2.16 SAND LEGS
- ( ) 2.17 ASSEMBLE CHINA CABINET
- ( ) 2.18 FINISH SAND CHINA CABINET
- ( ) 2.19 ATTACH HARDWARE (HINGES, HANDLES, ETC.)
- ( ) 2.20 INSTALL DOORS



MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_

TERMOB NO. 11-056

\_\_\_\_\_

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-056 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 CHINA CABINET IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 20 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST

( ) 3.03 SQUARE

( ) 3.04 EVENLY AND SECURELY

( ) 3.05 TO + 1/32 INCH OF DESIRED THICKNESS

( ) 3.06 TO + 1/32 INCH

( ) 3.07 TO + 1/32 INCH

( ) 3.08 TO + 1/32 INCH, CLEAN CUT

( ) 3.09 TO + 1/32 INCH

( ) 3.10 ON CENTER, SIZE TO + 1/32 INCH

( ) 3.11 TO + 1/32 INCH, CLEAN CUT

( ) 3.12 SHAPED AS SPECIFIED ON BLUEPRINT

( ) 3.13 DOWELS OF CORRECT LENGTH AND SIZE INSTALLED

( ) 3.14 SECURELY AND NEATLY

( ) 3.15 TO DESIRED DESIGN, ALL LEGS ARE THE SAME

( ) 3.16 SMOOTH

( ) 3.17 SQUARE AND PLUMB, SECURELY

( ) 3.18 ALL SURFACES SMOOTH, NO SPLINTERS

( ) 3.19 CORRECTLY ALIGNED AND OPERATING PROPERLY

( ) 3.20 DOORS OPERATE PROPERLY

MISOE NO. 1

PROGRAM WOODWORKING  
USOE CODE NO(S) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DIVISION 05 MILLWORK AND  
CABINETMAKING  
UNIT 02 CABINETMAKING  
TERMOB NO. 11-056 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME



MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

UNIT 02 CABINETMAKING

TERMOB NO. 11-057

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A CHIPPENDALE STYLE HUTCH CABINET WITH TWO TOP SHELVES AND TWO DRAWERS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 PLANER
- ( ) 1.05 MORTISER
- ( ) 1.06 TENONER
- ( ) 1.07 BAND SAW
- ( ) 1.08 DRUM SANDER
- ( ) 1.09 BELT SANDER
- ( ) 1.10 SHAPER
- ( ) 1.11 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.12 APPROPRIATE ADHESIVES
- ( ) 1.13 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.14 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.15 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.16 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME  
( ) 2.01 MAKE A HUTCH CABINET AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 GLUE UP STOCK
- ( ) 2.05 LAYOUT LOCATIONS OF BLIND DADOES AND RABBETS
- ( ) 2.06 CUT GROOVES
- ( ) 2.07 CUT RABBETS
- ( ) 2.08 CUT GAINS
- ( ) 2.09 ASSEMBLE BASE CABINET
- ( ) 2.10 CUT PATTERN FOR FRAME
- ( ) 2.11 SHAPE FRAME
- ( ) 2.12 CUT MORTISES
- ( ) 2.13 CUT TENONS
- ( ) 2.14 CUT DESIGNS
- ( ) 2.15 SHAPE DESIGNS
- ( ) 2.16 ASSEMBLE HUTCH
- ( ) 2.17 FINISH SAND HUTCH

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-057

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND  
CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-057 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 HUTCH CABINET IS MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 30 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST

( ) 3.03 SQUARE

( ) 3.04 NEATLY AND SECURELY

( ) 3.05 TO + 1/32 INCH

( ) 3.06 TO + 1/32 INCH

( ) 3.07 TO + 1/32 INCH

( ) 3.08 TO + 1/32 INCH

( ) 3.09 SECURELY, SQUARE AND PLUMB

( ) 3.10 1/16 INCH OVERSIZE

( ) 3.11 TO + 1/32 INCH

( ) 3.12 TO + 1/32 INCH

( ) 3.13 TO + 1/32 INCH

( ) 3.14 1/16 INCH OVERSIZE

( ) 3.15 TO + 1/32 INCH

( ) 3.16 SECURELY SQUARE AND PLUMB

( ) 3.17 ALL SURFACES SMOOTH, NO SPLINTERS

( ) 3.18 CORRECTLY ALIGNED, OPERATING PROPERLY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-057 (CONT'D)

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

MISOE\*NO. \_\_\_\_\_

201

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

CABINETMAKING

UNIT 02 CABINETMAKING

TERMOB NO. 11-058

1.00 CONDITION

- ( ) 1.01 BLUEPRINT OF A 14 FOOT SET OF KITCHEN CABINETS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 MORTISER
- ( ) 1.05 TENONER
- ( ) 1.06 BAND SAW
- ( ) 1.07 DRUM SANDER
- ( ) 1.08 BELT SANDER
- ( ) 1.09 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.10 APPROPRIATE ADHESIVES
- ( ) 1.11 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.12 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.13 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.14 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

- ( ) 2.01 MAKE KITCHEN CABINETS AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 MAKE DADOES
- ( ) 2.05 CUT RABBETS
- ( ) 2.06 CUT MORTISES
- ( ) 2.07 CUT TENONS
- ( ) 2.08 ASSEMBLE CABINETS
- ( ) 2.09 FINISH SAND CABINETS
- ( ) 2.10 ATTACH HARDWARE

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

- ( ) 3.01 KITCHEN CABINETS ARE MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATER. TO BE COMPLETED WITHIN 30 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST

- ( ) 3.03 SQUARE

- ( ) 1.01 BLUEPRINT OF A 14 FOOT SET OF KITCHEN CABINETS
- ( ) 1.02 CUT-OFF SAW
- ( ) 1.03 RIP AND TRIM SAW
- ( ) 1.04 MORTISER
- ( ) 1.05 TENONER
- ( ) 1.06 BAND SAW
- ( ) 1.07 DRUM SANDER
- ( ) 1.08 BELT SANDER
- ( ) 1.09 APPROPRIATE SIZES AND GRADES OF STOCK
- ( ) 1.10 APPROPRIATE ADHESIVES
- ( ) 1.11 APPROPRIATE NAILS, SCREWS, ETC.
- ( ) 1.12 ASSOCIATED HARDWARE AS NEEDED
- ( ) 1.13 ASSOCIATED CUTTERS, BLADES, ETC. AS NEEDED
- ( ) 1.14 BASIC WOODWORKING TOOLS (TABLE T-3)

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

( ) 2.01 MAKE KITCHEN CABINETS AS SPECIFIED IN BLUEPRINT EMPLOYING THE FOLLOWING OPERATIONS:

- ( ) 2.02 SELECT STOCK
- ( ) 2.03 CUT STOCK
- ( ) 2.04 MAKE DADOES
- ( ) 2.05 CUT RABBETS
- ( ) 2.06 CUT MORTISES
- ( ) 2.07 CUT TENONS
- ( ) 2.08 ASSEMBLE CABINETS
- ( ) 2.09 FINISH SAND CABINETS
- ( ) 2.10 ATTACH HARDWARE

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

( ) 3.01 KITCHEN CABINETS ARE MADE IN CONFORMANCE WITH BLUEPRINT AND ACCEPTED CONSTRUCTION PRACTICES TO APPROVAL OF BOARD OF EXPERT RATERS. TO BE COMPLETED WITHIN 30 HOURS WITH EACH OPERATION JUDGED AS SATISFACTORY OR UNSATISFACTORY.

- ( ) 3.02 CORRECT STOCK SELECTED TO INSURE SOUND CONSTRUCTION AT ECONOMICAL COST
- ( ) 3.03 SQUARE
- ( ) 3.04 TO + 1/32 INCH
- ( ) 3.05 TO + 1/32 INCH
- ( ) 3.06 TO + 1/32 INCH, ON LOCATION AND SIZE
- ( ) 3.07 TO + 1/32 INCH, ON LOCATION AND SIZE
- ( ) 3.08 SECURELY SQUARE AND PLUMB
- ( ) 3.09 ALL SURFACES SMOOTH, NO SPLINTERS
- ( ) 3.10 CORRECTLY ALIGNED AND OPERATING PROPERLY

MISOE NO. \_\_\_\_\_

PROGRAM WOODWORKING

DIVISION 05 MILLWORK AND

USOE CODE NO(S) \_\_\_\_\_

UNIT 02 CABINETMAKING

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TERMOB NO. 11-058

1.00 CONDITION

2.00 PERFORMANCE

GENERAL STATEMENT OF PERFORMANCE AND RESULTING OUTCOME

3.00 EXTENT

GENERAL STATEMENT OF EXTENT AND EXTENT OF RESULTING OUTCOME

TABLE T-3

BASIC WOODWORKING TOOLS

LAYOUT TOOLS

1001 STEEL TAPE  
6' ZIG-ZAG RULE  
TAPE RULE  
COMBINATION SQUARE  
TRY SQUARE  
T BEVEL  
SPIRIT LEVEL  
CHALK LINES  
PLUMB BOB  
DIVIDERS  
FRAMING SQUARE

SHARPENING TOOLS

FILES (MILL, SAW, BIT)

FORMING AND CUTTING TOOLS

SAWS (CROSSCUT, RIP, KEYHOLE, COPING, HACK, BACK)  
PLANES (SCRUB, JOINTER, FORE, JACK, BLOCK)  
CHISELS  
DRILLS AND BITS  
BIT BRACE

ASSEMBLING TOOLS

HAMMERS (CLAW, RIPPING, BALLPEEN)  
SCREWDRIVERS  
PLIERS

MISCELLANEOUS

NAIL SET  
SCRIBER  
SELF-CENTERING PUNCH  
HATCHET  
TIN SNIPS  
30" WRECKING BAR

Table T-4 Additional TERMOB Performance Statements

This form is provided for the addition of TERMOB performance statements to ensure more complete coverage of your program. Please provide a comprehensive performance statement (coded 2.01 on each TERMOB) for each area of deficiency that you have identified.

The performance statement need only be listed identified by the division and unit numbers of the deficient areas; the conditions and extents will be incorporated later.

1.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
2.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
3.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
4.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
5.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
6.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____

- 1. Division \_\_\_\_\_ Performance Statement \_\_\_\_\_  
Unit \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- 2. Division \_\_\_\_\_ Performance Statement \_\_\_\_\_  
Unit \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- 3. Division \_\_\_\_\_ Performance Statement \_\_\_\_\_  
Unit \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- 4. Division \_\_\_\_\_ Performance Statement \_\_\_\_\_  
Unit \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- 5. Division \_\_\_\_\_ Performance Statement \_\_\_\_\_  
Unit \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- 6. Division \_\_\_\_\_ Performance Statement \_\_\_\_\_  
Unit \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- 7. Division \_\_\_\_\_ Performance Statement \_\_\_\_\_  
Unit \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



## Table T-4 (Cont'd) Additional TERMOB Performance Statements

This form is provided for the addition of TERMOB performance statements to ensure more complete coverage of your program. Please provide a comprehensive performance statement (coded 2.01 on each TERMOB) for each area of deficiency that you have identified.

The performance statement need only be listed identified by the division and unit numbers of the deficient areas; the conditions and extents will be incorporated later.

8.	Division _____ Unit _____	Performance Statement _____ _____ _____
9.	Division _____ Unit _____	Performance Statement _____ _____ _____
10.	Division _____ Unit _____	Performance Statement _____ _____ _____
11.	Division _____ Unit _____	Performance Statement _____ _____ _____
12.	Division _____ Unit _____	Performance Statement _____ _____ _____
13.	Division _____ Unit _____	Performance Statement _____ _____ _____

8.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
9.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
10.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
11.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
12.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
13.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____
14.	Division _____ Unit _____	Performance Statement _____ _____ _____ _____



## INDEX OF TERMOB STATEMENTS

PROGRAM:

WOODWORKING

<u>TERMOB NO.</u>		<u>PAGE</u>
11-001	ERECT BATTERBOARDS	T-10
11-002	STAKE OUT A HOUSE	T-12
11-003	LAY OUT FORMS FOR FOOTINGS	T-14
11-004	CONSTRUCT FORMS FOR FOUNDATION FOOTINGS	T-16
11-005	CONSTRUCT FORMS FOR CONCRETE STAIRS	T-18
11-006	ERECT FORMS FOR POURED CONCRETE WALLS	T-20
11-007	ERECT TWO WOODEN BEAMS	T-22
11-008	LAY FOUNDATION SILL ON CONCRETE FOUNDATION	T-24
11-009	INSTALL JOISTS	T-26
11-010	INSTALL SOLID BRIDGING	T-28
11-011	INSTALL PLYSCORD SUB-FLOORING	T-30
11-012	ERECT AN EXTERIOR WALL	T-32
11-013	ERECT AN INTERIOR WALL	T-36
11-014	INSTALL PLYWOOD ROUGH EXTERIOR SHEATHING	T-38
11-015	ERECT HIP AND HIPJACK RAFTERS	T-40
11-016	ERECT VALLEY AND VALLEY JACK RAFTERS	T-42
11-017	ERECT A GABLE ROOF	T-44
11-018	INSTALL PLYSCORD ROOF SHEATHING	T-46
11-019	INSTALL CEDAR BUTTERS	T-48
11-020	INSTALL FASCIA AND PLANCIER	T-50
11-021	INSTALL AN EXTERIOR DOOR	T-52
11-022	INSTALL BAY WINDOW	T-54
11-023	INSTALL A SET UP DOUBLE HUNG WINDOW UNIT	T-56
11-024	INSTALL CORNER BOARDS	T-58
11-025	INSTALL SIDEWALL SHINGLING	T-60
11-026	INSTALL CLAPBOARDS	T-62
11-027	INSTALL ASPHALT ROOFING SHINGLES	T-64
11-028	INSTALL WOOD SHINGLE ROOF	T-66

11-004	CONSTRUCT FORMS FOR FOUNDATION FOOTINGS	T-16
11-005	CONSTRUCT FORMS FOR CONCRETE STAIRS	T-18
11-006	ERECT FORMS FOR POURED CONCRETE WALLS	T-20
11-007	ERECT TWO WOODEN BEAMS	T-22
11-008	LAY FOUNDATION SILL ON CONCRETE FOUNDATION	T-24
11-009	INSTALL JOISTS	T-26
11-010	INSTALL SOLID BRIDGING	T-28
11-011	INSTALL PLYSCORD SUB-FLOORING	T-30
11-012	ERECT AN EXTERIOR WALL	T-32
11-013	ERECT AN INTERIOR WALL	T-36
11-014	INSTALL PLYWOOD ROUGH EXTERIOR SHEATHING	T-38
11-015	ERECT HIP AND HIPJACK RAFTERS	T-40
11-016	ERECT VALLEY AND VALLEY JACK RAFTERS	T-42
11-017	ERECT A GABLE ROOF	T-44
11-018	INSTALL PLYSCORD ROOF SHEATHING	T-46
11-019	INSTALL CEDAR BUTTERS	T-48
11-020	INSTALL FASCIA AND PLANCIER	T-50
11-021	INSTALL AN EXTERIOR DOOR	T-52
11-022	INSTALL BAY WINDOW	T-54
11-023	INSTALL A SET UP DOUBLE HUNG WINDOW UNIT	T-56
11-024	INSTALL CORNER BOARDS	T-58
11-025	INSTALL SIDEWALL SHINGLING	T-60
11-026	INSTALL CLAPBOARDS	T-62
11-027	INSTALL ASPHALT ROOFING SHINGLES	T-64
11-028	INSTALL WOOD SHINGLE ROOF	T-66
11-029	INSTALL PANELLING	T-68
11-030	INSTALL WALLBOARD	T-70
11-031	INSTALL TONGUE AND GROOVE WOOD BOARD PANELLING	T-72
11-032	INSTALL TONGUE AND GROOVE OAK FLOORING	T-74
11-033	INSTALL TILE CEILING	T-76
11-034	ERECT A 13 STEP STRAIGHT STAIRWAY	T-78
11-035	ERECT AN 11 STEP OPEN RISER BASEMENT STAIRWAY	T-80

INDEX OF TERMOB STATEMENTS (CONT'D)

PROGRAM:

WOODWORKING

<u>TERMOB NO.</u>		<u>PAGE</u>
11-036	ERECT AN 8 STEP STAIRWAY	T-82
11-037	INSTALL EXTERIOR AND INTERIOR TRIM	T-84
11-038	INSTALL BASEBOARD, BASE CAP MOULDING AND BASE SHOE	T-86
11-039	INSTALL WINDOW TRIM	T-88
11-040	BUILD TWO OAK BRACKETS	T-90
11-041	BUILD AN INTERIOR DOOR WITH 4 RAISED PANELS	T-92
11-042	BUILD 3 BALUSTERS	T-94
11-043	BUILD FRONT ENTRANCE PEDIMENT	T-96
11-044	LAMINATE KITCHEN COUNTER TOPS	T-98
11-045	MAKE A PICNIC TABLE	T-100
11-046	MAKE A 14 FOOT CHURCH PEW	T-102
11-047	MAKE A BOOKCASE WITH FIVE SHELVES	T-104
11-048	MAKE A DRUM TOP TABLE	T-106
11-049	MAKE A QUEEN ANNE COFFEE TABLE	T-110
11-050	MAKE A COLONIAL BED	T-114
11-051	MAKE A KITCHEN TABLE	T-116
11-052	MAKE A CONTEMPORARY DESK	T-118
11-053	MAKE A CONTEMPORARY DESK CHAIR	T-122
11-054	MAKE A MAHOGANY COFFEE TABLE	T-124
11-055	MAKE A BOOKCASE-DESK COMBINATION	T-126
11-056	MAKE A CONTEMPORARY DESIGN CHINA CABINET	T-128
11-057	MAKE A HUTCH CABINET	T-132
11-058	MAKE KITCHEN CABINETS	T-136