

DOCUMENT RESUME

ED 223 469

SE 039 723

AUTHOR Leece, Catherine G.
 TITLE The Development and Evaluation of the Microcomputer Modules Entitled Photophosphorylation.
 INSTITUTION Michigan Technological Univ., Houghton. Dept. of Biological Sciences.
 SPONS AGENCY National Science Foundation, Washington, D.C.
 PUB DATE [82]
 GRANT SED-7919051
 NOTE 154p.; A report submitted for the Master of Science, Michigan Technological University.
 PUB TYPE Reports - Research/Technical (143) -- Dissertations/Theses - Master Theses (042)
 EDRS PRICE MF01/PC07 Plus Postage.
 DESCRIPTORS Academic Achievement; Biology; *College Science; *Computer Assisted Instruction; *Computer Programs; Higher Education; Learning Modules; Material Development; *Microcomputers; *Photosynthesis; Science Education; *Science Instruction; Teaching Methods
 IDENTIFIERS Apple II; National Science Foundation; Science Education Research

ABSTRACT

This study investigated short term information retention of college biology students who used computer assisted instruction (CAI) with students who studied the same subject matter in printed form. An introductory computer program on photophosphorylation (the light reactions of photosynthesis) was written in Applesoft Basic for the Apple II microcomputer. From this, a printed version was made, almost verbatim. After using either the computer module or the written version in a laboratory environment, all students were tested using the same multiple-choice objective test. Results indicated that, when teaching photophosphorylation, CAI induced better learning in students than written materials, as measured by the test employed. The study is organized into these sections: (1) introduction (barriers to CAI, types of CAI, principles of learning, CAI compared to textbooks, past research); (2) methods/materials (development, formative/summative evaluation, data analysis); (3) results; (4) discussion; and (5) summary and conclusions. Appendices include complete photophosphorylation program listings, user's guide, written version, study guide, text (with correct answers), and related lecture material. (Author/JN)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *

ED223469

U.S. DEPARTMENT OF EDUCATION
NATIONAL INSTITUTE OF EDUCATION
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- ✓ This document has been reproduced as received from the person or organization originating it.
Minor changes have been made to improve reproduction quality.
- Points of view or opinions stated in this document do not necessarily represent official NIE position or policy.

The Development and Evaluation
of the Microcomputer Module Entitled Photophosphorylation

by

Catherine G. Leece

Developed for the SUMIT Courseware Development Project
Department of Biological Sciences
Michigan Technological University
Houghton, MI 49931

"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

*National Science
Foundation*

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)."

SE039723

The Development and Evaluation
of the Microcomputer Module Entitled Photophosphorylation

by

Catherine G. Leece

A REPORT

Submitted in partial fulfillment of the requirements
for the degree of

MASTER OF SCIENCE IN THE BIOLOGICAL SCIENCES

ACKNOWLEDGEMENTS

First of all, I am grateful for the support of the NSF, who funded the SUMIT project of which I was part. I am also grateful to Dr. Spain, who took me on as a graduate assistant and stuck with me through my entire project. He provided support at the right times and steered me in the right direction when necessary. Next I would like to thank Dr. Evans and Dr. Keen for their willingness to help me on more than a few occasions. In addition, my appreciation extends to Dr. Erbisch, who, despite his busy schedule, provided encouragement, useful suggestions and smiles to keep me going. I also greatly appreciate the constant positive reinforcement, suggestions, information and help offered to me throughout the past two years by two special friends Ted Soldan and Mark Shaltz. Their humor enlightened many gray situations. I would also like to thank those people who made major contributions to this study by cooperating with me and participating in the formative and summative evaluations of my module. This includes Dr. Krear, who tolerated and even liked some of my ideas for BL104 and who allowed the use of his class for my project.

Finally, I would like to dedicate this report to Dan, whose appearance into my life, helped make the past two years even more worthwhile.

This material is based upon work supported by the National Science Foundation under grant number SED-7919051. Any opinions, findings and conclusions or recommendations expressed in this report are those of the author and do not necessarily reflect the views of the National Science Foundation.

Table of Contents

Introduction	1
Barriers to CAI	1
Types of CAI	4
Principles of Learning	7
CAI versus Textbooks	8
Past Research	12
Problem Statement	17
Methods and Materials	20
Development	20
Formative Evaluation	24
Summative Evaluation	25
Data Analysis	30
Results	33
Discussion	50
Summary and Conclusions	67
Literature Cited	71
Appendices	
A. Photophosphorylation Diskette	A1
B. Photophosphorylation Subprogram Listings	B1
C. Photophosphorylation User's Guide	C1
D. Photophosphorylation Written Version	D1
E. Photophosphorylation Study Guide	E1
F. Photophosphorylation Quiz	F1
G. Photophosphorylation Lecture	G1
H. BL104 Class Statistics	H1
I. Schedule of Lab Topics and SUMIT Programs Used in BL104	I1

INTRODUCTION

In the realm of education, computers may be used in a variety of ways. Basically they are used for information storage and retrieval, course management, test administration and computer-aided instruction (CAI). The use which has been considered the most controversial is CAI. CAI shall be defined here as a process by which text and visual information is presented in a logical sequence to a student by a computer (Friedel, 1980).

Barriers to CAI

In the past it was predicted that computers would become a major part of the educational process (Luskin, 1972; Carnegie Commission, 1977). Current studies have shown, however, that the use of computers (especially for CAI) is increasing, but it has not yet become widely accepted (CONDUIT, 1978; Chambers and Sprecher, 1980). Basically there have been technological and educational barriers to the success of CAI in higher education. Namely, these barriers are affordability of hardware (computers and equipment), availability of good software, and lack of faculty interest and training. As a result, efforts are now being directed at eliminating these barriers.

In the past, hardware has been unaffordable for many institutions (CONDUIT, 1978), therefore it has not been acquired, much less utilized for CAI. High costs are mainly attributable to mainframe (time-share) computers.

Researchers in the field now predict that educational computing is rapidly moving toward the use of inexpensive microcomputers (personal computers) (Bork, 1978; Chambers and Bork, 1980; Chambers and Sprecher, 1980). The cost of a computer, disk drive and monitor (video display) ranges between \$1,000 - \$2,000 today, and is rapidly declining.

Bork (1981) predicts that the cost of computers will continue to decline, and has currently been dropping by 30%

per year. He attributes this to increasing technological skill and mass production of components. Additional instructional costs, such as that of books and teachers, have increased at a rate of 13% per year between 1977 and 1980 (Chambers and Sprecher, 1980). As a result of the lower cost for microcomputers, an increasing number of institutions may be apt to try CAI on an experimental basis.

Microcomputers are also advantageous in terms of size and speed. The microcomputer fits on a desk top and may be easily transported from office to classroom or laboratory. The user may choose the type of learning conditions desired. Microcomputers also eliminate time-sharing, down-time, passwords and slow graphics display all due to the number of users on mainframe systems. Many

microcomputers have high resolution color monitors, text editing and some permit voice input and output. One disadvantage of microcomputers at this point is their small storage capacity, however better forms of mass storage are becoming available.

One of the problems associated with CAI software has been cost of development. According to Chambers and Sprecher (1980), about 50 - 500 hours of preparation time are needed for one hour of CAI user contact time on the computer. Lack of author sources is also limiting, because CAI authors must be knowledgeable in the subject matter, the principles of teaching, and computer programming, in order to produce educationally worthwhile material. This creates the necessity for software production by teams, thus increasing the investment of human labor into its production.

Software availability is also affected by lack of good material and lack of a good CAI language which can be transported (translated to another language or for other systems). Only a few sources of CAI material are available. In the early 1970's the universities of North Carolina, Oregon, Dartmouth, Iowa and Texas formed a consortium (CONDUIT) to acquire, evaluate and distribute instructional computing software (Chambers and Sprecher, 1980). CONDUIT is presently converting existing software for mainframes, to forms that may be used on microcomputers, as well as seeking new material. However, it is felt that the

conversion of existing programs from other systems, may not take full advantage of the unique capabilities of microcomputers (Spain, 1979). Alfred Bork is also producing both microcomputer and mainframe CAI material at the University of California at Irvine.

The final block to CAI success has been the attitude and background of educators. A prevailing attitude on many campuses has been intolerance of CAI, skepticism about its usefulness and hostility about its intrusion into the curriculum (Mösmann, 1980). Many CAI developers have attempted to replace traditional teaching methods (lecture etc.) with CAI. For this reason, Luehrmann (1978) went so far as to say that CAI will not be successful in schools because it threatens teachers. This may be true of some types of CAI, however, the human element in teaching has been found to play a major role in CAI success (Bunderson, 1981). Therefore the focus has been placed on the need for teachers to be trained in computer use, at least in CAI implementation. Hopefully CAI can be developed to the point where administrator, faculty and student fears can be overcome. For, in addition to technological advance, only involvement and belief by educators can ensure that CAI is used to its full power (Bork, 1981).

Types of CAI

Of the limited CAI software that has been developed

and implemented so far, there are two major categories: adjunct and primary (Chambers and Sprecher, 1980). Adjunct CAI is considered to be that which supplements the learning situation; the programs are used to support or illustrate concepts and generally take one-half hour to run. Primary CAI programs are usually lengthier and are developed for stand-alone use, or as a substitute for other modes of instruction.

Under these categories there are several formats or types of CAI programs. Those CAI types which are the most common are drill and practice, tests, games, tutorial and simulation. Drill and practice programs basically present problems and provide feedback. They are advantageous in that they can repeat problems, present problems based on previous answers and keep records. This type of drill may be tedious for a teacher, as the student's need for practice may exceed the teacher's time and/or patience. The use of CAI for testing is limited mainly to adjunct use. Test questions are stored in the computer, to be randomly generated for each individual student. Tests can be graded and scores recorded and summarized for the teacher. CAI games are commonly used in elementary schools to introduce children to computers, and may improve students' attitudes toward the subject area. Tutorial programs present basic information, then lead the user to discoveries by means of strategic questions. This type of CAI is interactive and essentially consists of a dialog between the computer,

(specifically the programmer) and the learner. Finally, there are CAI simulations, which attempt to substitute for and/or supplement experiences and interactions with a given phenomenon.

Of the types of CAI discussed above, tutorials and simulations are the two types of CAI that come closest to real life learning experiences. CAI programs can provide a type of indirect experience, and experience is believed to enhance learning (Bork, 1980a). Also, many educators agree that the student/tutor relationship is the optimal teaching and learning situation (McKenzie et al., 1978; Tsai and Pohl, 1980; Bunderson, 1981). This is based on the fact that such situations are personalized for the individual, as are many CAI programs. Just as a tutor would do, CAI tutorials and simulations put the initiative in the hands of the student, and they are capable of giving reasonably flexible responses (McKenzie, et al., 1978).

Computer simulations may serve as a powerful tool in science education, especially in the laboratory. It may not always be practical or possible for students to interact with real phenomena in an attempt to learn. CAI simulations simplify an experience or phenomenon by means of a representative model, in order to make it accessible to the student's perceptions and understanding. If space, time, size or complexity are limiting, they can be altered in such a way that a simulation may be better for teaching purposes than the real thing (Dale, 1946). Simulations do

not take the place of experience, but unlike most other modes of instruction besides experience, they may help create student insight (Able, 1980; Bork, 1981; Petrakos, 1981).

Principles of Learning

In order to create educational media which are effective teaching instruments, educational technologists should follow a general learning theory upon which they can model their innovations. For the purpose of this report, the following quotation presented by Eisele (1980) serves as a good description of the processes which a student must go through to learn:

The core problem in a science of instruction is the process by which the individual student learns. Instrumentation has potential for each step in the process. The learner is exposed to some material or stimuli; he must interact with that material in some active fashion as writing, talking, thinking or reasoning and the adequacy of the interaction must in some way be evaluated and reinforced.

What I would like to stress here are the ways in which CAI can affect and improve learning. With this in mind I will focus on what I feel to be the key words in the quotation above: interact, active and reinforce.

Most psychologists agree that active learning is superior to passive learning (Bork, 1981). That is, students do not learn merely by looking, they learn by

becoming involved (Dean, 1946).. CAI is capable of stimulating this type of active involvement which aids learning (McKenzie et al., 1978; Spain, 1979, Bork, 1980b). Dean (1946) believes that various instructional materials differ primarily in the degree of sensory experience they are able to provide. The more senses the student employs, the better may be the learning experience. These reasons form the foundation for the belief that CAI can be superior to printed material in establishing more effective learning.

CAI versus Textbooks

There are several properties of CAI which distinguish it from printed material in terms of facilitating active learning. In the reading of textbooks the process is commonly one of passively letting the textbook information "flow" into the individual (Bork, 1980a), that is, the material is not seriously thought about. As a tutor/student dialogue is created with CAI, the student can be induced to think.

CAI programmers attempt to actively involve students in learning by presenting frequent questions throughout CAI programs. The student can not pass by questions in CAI and (s)he is provided with immediate feedback. Psychologists agree that the best feedback occurs immediately after the event, to immediately reinforce learning and increase its

effectiveness (Chambers and Sprecher, 1980; Bork, 1981).

The student's active involvement with CAI can also be reinforced by the immediate visual display of graphics; this is true mostly of microcomputers. This strategy has been termed interactive computer graphics (ICG) by McKenzie et al. (1978). As the student interacts with the computer terminal, graphical feedback is provided as a consequence of the interaction, such as when using CAI simulations. Many researchers believe that this visual immediacy of graphics enhances instruction, thus aiding the learning process (McKenzie et al., 1978; Heck et al., 1981). Books and CAI both allow information to be replicated accurately, but only CAI can replicate interactions accurately with true feedback (Bunderson, 1981).

Bork (1977) feels that visual presentation of material is often superior to verbal presentation. This may be related to the hypothesized learning strategy of mental imagery. If people generate mental images of the material they are learning, as suggested by Rigney and Munro (1981), graphics may aid them in establishing this mental image. The use of mental imagery is considered to have positive effects on the acquisition or processing of information. It is true that printed illustrations may also aid this strategy, but it is the animation and student manipulation offered by CAI which may make its illustrations superior in this respect. Also, CAI graphics may be used to cue the student on specific points by using strategic delays, or by

flashing or moving things on the screen. There is no other medium which can offer this type of graphical display combined with user interaction. Finally, unlike printed material, CAI has no visual limitations. Information can be presented in a visually appealing manner, using different print styles, letter sizes, colors and spacing without additional cost.

Computer graphics are also believed to be highly motivational (Bork, 1980b, 1981). The topics which lend themselves to ICG are typically those which are difficult to teach (Spain, 1979). In addition, such topics are presumably difficult for students to comprehend. In such cases, Bork (1980b) sees graphics as providing the motivation needed to help students stay with the difficult parts. Not only are graphics considered to provide motivation, but in general, CAI has the capability of creating student interest, thus motivating students to learn (Bork, 1981; Bunderson, 1981).

Finally, CAI can facilitate learning at higher levels than can normally be accomplished with printed material. The recall of knowledge and the development of intellectual abilities and skills are considered cognitive functions (Ahmann and Glock, 1981). In the cognitive realm there are basically six hierarchical levels of performance (from simple to complex): knowledge, comprehension, application, analysis, synthesis and evaluation (Bloom, 1956). CAI is believed to have the ability to instill learning at the

higher levels (Spain, 1979) by improving problem analysis, organization (Petrakos, 1981) and insight (Bork, 1980b), among other things.

The point being made here is not that CAI should replace printed media in education, but that CAI can be a valuable tool just as books have proven to be. The fact that print media usage builds on hundreds of years of development and traditions (Bunderson, 1981) creates the necessity for CAI developers to substantiate the fact that CAI can be the equal of books in terms of learning. It is a common belief that CAI alone is not a complete learning experience (Elder, 1975; McKenzie et al., 1978, Bork, 1981). In fact, no media is considered to offer a complete learning experience when used alone. This attitude was expressed long ago by Dean (1946) when he stated that "the more numerous and varied the media we employ, the richer and more secure will be the concepts we develop." This posture has also been taken more recently by Bork (1981). He feels that an environment truly responsive to students must have a variety of materials and techniques for learning. In light of this, any attempts made here to prove superiority of CAI over printed media, are done so only to establish the merit of CAI and clarify its potential role relative to other forms of media in education.

Past Research

Most research in the field, up to the present, has dealt with primary CAI and its comparison to the traditional teaching method of lecture. Very little work has been done concerning the comparison of books and CAI, especially adjunct CAI. The most significant projects involved in developing and evaluating CAI material for higher education are TICCIT (Time-shared Interactive Computer Controlled Television) and PLATO (Program Logic for Automatic Teaching Operations).

The TICCIT project was developed at Brigham Young University; CAI materials were developed based on concept and rule learning (Bunderson, 1981). TICCIT involved primary CAI English and mathematics courses that were taught at Phoenix and Alexandria Community Colleges. An evaluation of TICCIT was conducted by Donald Alderman of the Educational Testing Service (ETS); it contrasted the TICCIT courses with the same courses taught using regular classroom lectures. Chambers and Sprecher (1980) report that the mathematics course evaluation showed significant achievement effect of TICCIT over the regular classroom. However, fewer students completed the former than the latter course proportionally. Student attitudes towards TICCIT were less favorable than towards the regular lectures in the mathematics course, and did not differ in the English course. Achievement favored the TICCIT approach

in English also, and the course completion rate was the same for both teaching methods. When reviewing these results it is important to note that the English TICCIT program included much more personal interaction between students and faculty than did the mathematics course (Chambers and Sprecher, 1980). Also, TICCIT allows limited use of video (Bork, 1981) which means reduced ICG.

The PLATO project was proposed by Donald Bitzer at the University of Illinois. It is a large mainframe educational system, however, since 1973 microcomputers have also been used (Bork, 1981). PLATO uses the CAI language, Tutor, which has full graphics capabilities. Donald Alderman of ETS also evaluated the use of PLATO in five fields in five community colleges as either a supplement to, or replacement of, regular classroom instruction. In no cases were PLATO programs used in lieu of an entire course. Chambers and Sprecher (1980) reported the ETS findings; basically, a significant increase in student achievement favored PLATO in mathematics, but not in accounting, biology, chemistry or English. Overall, students' attitudes toward PLATO-type materials did improve.

In a smaller scale study, Brown and Ellinger (1978) substantiated the idea that CAI is capable of inducing higher learning. An evaluation of a CAI spacial marketing package for Geology students was given to one group and traditional methods were used on another group. Posttests revealed a significant difference in learning between the

two groups at the relationship and problem solving levels (CAI doing better), and no significant difference at the definitions level.

Most other studies based on the comparison of CAI and traditional methods have yielded somewhat consistent results in terms of learning differences (Chambers and Sprecher, 1980). Basically, the use of CAI either improved learning or showed no difference when compared to traditional methods (Paden et al., 1977; Deignan and Duncan, 1978; Magidson, 1978; Splittgerber, 1979). These studies, among others, also revealed that the use of CAI reduced learning time compared to traditional methods.

In spite of these conclusions, Herman (1977) points out a problem with most primary CAI studies - the drop out rate is usually much higher in primary CAI courses than in traditionally taught courses. Usually it is the poor achievers who drop out, thus raising the final class average. Herman suggests that this tendency for drop-outs may be the result of student attitude. Many studies have shown that the use of CAI improved student attitudes towards the use of computers in the learning situation (Chambers and Sprecher, 1980). However, Herman has found evidence that some students find the basic CAI format unstimulating and confusing. Students have expressed their dislike for a controlled frame-by-frame approach. Some feel pressured and anxious because they usually can not retrace their steps. Contrary to the support given by most

psychologists, Herman also reports that some students find that prompts and constant feedback interfere with their understanding of the material.

Finally, many people who implement primary CAI as an entire course do not seem to consider the problem of depersonalization. In a situation where CAI dominated a college freshman course for a year, at least 25% of the students expressed resentment against impersonal instruction (Herman, 1977). Thus some research does point to the need for sufficient human interaction when using primary CAI (Chambers and Sprecher, 1980; Bork, 1981; Bunderson, 1981), emphasizing again that CAI should not be used as the primary means of instruction.

The most conclusive study comparing CAI to printed material and other traditional methods of teaching was done by Tsai and Pohl (1980). The study was designed to determine significant differences in learning achievement and retention of university students exposed to an introductory level package on descriptive statistics. The study implemented the following treatment groups: lecture, programmed instruction (printed text), CAI, programmed instruction plus planned student/teacher contacts, and CAI plus planned student/teacher contacts. After eight class meetings, each group was given multiple choice and problem solving tests. Retention tests consisted of ten minute multiple choice quizzes given six weeks after the achievement test. The results showed that the CAI group did

significantly better than the other groups on the multiple choice test, and the CAI-plus group did significantly better than all other groups on the problem solving test. There was no significant difference between groups for retention, whereas previous studies have indicated that CAI-taught students may not retain as much as those taught traditionally (Tsal and Pohl, 1980; Splittgerber, 1979).

Another project which has involved the development and evaluation of adjunct CAI materials is SUMIT (Single-concept User-adaptable Microcomputer-based Instructional Technique). SUMIT was developed at Michigan Technological University by James D. Spain and supported by a National Science Foundation grant. The objective of the SUMIT project was to develop, evaluate and disseminate 20 interactive graphics programs for use on Apple II microcomputers in general biology and ecology. Unlike any other attempt to produce marketable microcomputer CAI to date, the SUMIT approach encourages the integration of computer simulation into a course, especially biology laboratories (Spain, 1979). Programs utilize mathematical models, feedback, interactive graphics and many are programmed to facilitate modification by the user. A majority of the material developed by SUMIT has undergone evaluation in various biology courses, but the results have not yet been compiled or published. By administering pre- and posttests immediately before and after students run a program, the general finding has been that students show

increased achievement in the subject area to which they were exposed (Soldan, 1982).

Problem Statement

In spite of the numerous studies which have been done to test the effectiveness of CAI, there is still a need for research. After reviewing the literature, Chambers and Sprecher (1980) concluded that well-designed, tightly controlled evaluative studies on the use of CAI are rare. It was their recommendation that the appropriate use of CAI materials in the learning situation should be studied and implemented.

Considering the forecast of increasing microcomputer popularity in education, it is important that more research focuses on the use of CAI on microcomputers. Due to the prevalence of mainframe CAI, very few studies have looked into using microcomputers in their evaluations. Also, since most evaluations have centered on primary CAI, it is important to develop and evaluate adjunct CAI materials. Since CAI is slowly being ruled out as the means of teaching entire courses, it is important to investigate its use as a supplement to traditional methods, especially in laboratories. I have not encountered any literature in which CAI was incorporated into laboratory work. Finally, any studies which may deal with adjunct CAI have not compared CAI learning to learning from printed text. In

view of these deficiencies, I developed an adjunct microcomputer program for use in a general college biology laboratory course.

After carefully considering the existing software in biology and considering what topic would lend itself to CAI on the microcomputer, I chose to write an introductory program on photophosphorylation (the light reactions of photosynthesis) for the Apple II Plus microcomputer. I chose this topic to fill not only a need for microcomputer CAI, but to fill a need for biological programs specifically. CONDUIT, a leading software distributor, offered a total of eight biology CAI packages for microcomputers in a recent catalogue (CONDUIT, 1981). None of these dealt with photosynthesis. I have encountered one Apple II BASIC program by J&S Software (1980) which deals with photosynthesis; it is a drill and practice program for review purposes. I chose photophosphorylation specifically, due to the need for CAI development in plant physiology, and because I felt it would lend itself to interactive computer graphics. I also believed that it could be easily incorporated into photosynthesis laboratory work. Finally, I felt that it was a topic which could employ interaction and many of the capabilities offered by an Apple II, thus it would serve to highlight any differences between CAI and printed material in those respects. Since the program was to be used as actual instructional material in a course, I also felt it was

important to provide the students with a topic from which they could benefit; my experience indicates that the photophosphorylation pathway is often difficult for students to understand and learn.

In view of the above considerations, the purpose of the present study was to compare the short term information retention of students who used CAI, with those who had been exposed to the same subject matter in printed form.

METHODS AND MATERIALS

Development

The design and development of the microcomputer program entitled Photophosphorylation was largely based on styles and techniques which have been recommended or proven successful by others in the field. Since tutorial CAI is best suited to enhance concept learning and simulations are best suited for enhancing concept integration and higher learning. (Bunderson, 1981), I chose to combine the two types into one program. Instructional simulations may either present information to a passive learner or interact with a participating learner (Fortner, 1979). I chose to implement the former type in this program; this was mandated by the length and complexity of the lesson. The program design and construction followed the approach outlined below, adapted from Spain (1979), and Agin and Simonsen (1982) in combination.

I. Program Design

- A. Specify learning objectives of subject area
- B. Specify appropriate level of abstraction for anticipated users
- C. Write preliminary guide containing necessary background information

II. Program Development

- A. Write preliminary flow chart based on objectives and desired sequence of learning
- B. Write initial program using open structure for later modification
- C. Edit, add to, debug, document and modify program in preparation for trial use
- D. Write User's Guide

Since the development of this program was done in conjunction with the SUMIT project, SUMIT guidelines were used in preparing the User's Guide. A User's Guide is essentially a student/teacher manual designed to explain and supplement a specific program. The basic guide format included an abstract, program prerequisites, learning objectives, background information, applications, exercises, program description/documentation, and references. The Photophosphorylation User's Guide is presented in Appendix C. The User's Guide was not used in the module* evaluation for two reasons: 1) users of both the written and computer modules would have had to use it to prevent bias, and much of it would not apply to the written material, and 2) past experience with SUMIT has shown very few students even glance at the User's Guide when it is available. (* I will use the term module to encompass both the program and the written version.)

Program content was based on information presented by Lehninger (1975) and Stryer (1981). Since these are advanced biochemistry texts, care was taken not to use information above the general biology level; Curtis and

Barnes' Invitation to Biology (1981) was used as a guideline in this respect. The program basically consists of four parts, an introduction, explanations of the non-cyclic and cyclic pathways and a simulation of the entire pathway. The explanation sections consist of a step-by-step analysis of the pathways at the molecular level. The student is led through the program in an ordered fashion and after each section (s)he is allowed to review any portion of the program, as well as watch the pathway simulation for an ample amount of time. The program took approximately 200 hours to develop, and it takes 30 - 45 minutes to run, depending on the study patterns of the individual. Agin and Simonsen (1982) consider this a desirable length for an adjunct CAI program. The diskette on which the program is stored can be found in Appendix A, and complete listings of all subprograms are presented in Appendix B.

The programming style that was utilized, was based on anticipation of user needs and preferences. In order to motivate students to read the text portions of the module, two strategies recommended by Kehrberg (1979) were used: 1) text was broken up with questions, and 2) the amount of text on the screen at any one time was kept to a minimum. In addition, dialogue was kept informal, as suggested by Bork (1979, 1981). The screen display was put in the hands of the user to avoid frustration; pages are controlled by pressing the return key, not by timed pause loops.

Questions are not put in endless loops, but allow the user to go on after a maximum of two incorrect responses. Also, the user may not pass by questions without trying to answer them. Users are warned if there is to be a delay, for example when loading subprograms, so they do not feel as if something went wrong with the program. User confusion is also minimized by consistency in the nature of input required by the student (Kehrberg, 1979). All actions are initiated by pressing the return key, and all inputs have to be followed by pressing return before they are analyzed by the computer. Finally, when a particular action is to occur, the user's attention is drawn to it prior to the event. Fortner (1979) stressed the importance of briefing the student before a simulation so the student knows what to expect, thus aiding his/her understanding of the event. In essence, the majority of the programming tactics implemented, were used to incorporate effective teaching strategies into the CAI program.

The printed material, hereafter termed the written version, served as the traditional form of instructional media. The written version consisted of the same information contained in the program, almost verbatim, except that: 1) entire pages were filled with text as is commonly done in textbooks, 2) computer terminology was eliminated (e.g. "Press Return," etc.). When students encounter questions in the written version, they are referred to an appendix to check their answers. No

reinforcement is given, just the correct answers and pertinent explanatory notes. CAI simulations are represented in the written version by printed flow diagrams, which are placed preceding those sections which refer to them. A copy of the written version is presented in Appendix D.

In addition to the written version, a one page study guide was prepared for issuance to each student at the time of the evaluation (see Appendix E). The study guide consists of general instructions, motivation statements and 12 learning objectives to be achieved as a result of using the module. Motivation was mainly provided by announcing that the test score achieved by each student participating in the evaluation, could be used to replace the student's lowest quiz grade in the course. Bork (1981) and McKenzie et al. (1978) feel that for many students, grades influence their classroom performance and commonly serve as motivation. The learning objectives were based on the original objectives I set up when developing the program. I tried to touch as many levels of learning as possible with these objectives; unfortunately many of them were aimed at the knowledge level.

Formative Evaluation

The evaluation process began with a formative or "midstream" evaluation of the program and the test. This

evaluation served to provide information on the effectiveness of the material at an intermediate point in development. Ideally a large group of students representative of the target population should have been used for this process (Brown and Ellinger, 1978). This was not possible due to lack of a test group. Therefore a small scale more intensive evaluation was performed. The program was initially reviewed by members of the SUMIT research team; Agin and Simonsen (1982) recognize this as an appropriate first approach to checking a program. Essentially, attempts were made to "bomb out" the program and detect programming errors. The second step was to get comments, criticisms and suggestions from as many professors and graduate students as possible, who were knowledgeable in photosynthesis. These people basically analyzed subject validity, ambiguity, readability etc.

Summative Evaluation

A class of 102 students enrolled in General Biology (104) at Michigan Technological University participated in the summative evaluation. Class statistics (major curricula etc.) are presented in Appendix H. Students were exposed to a lecture on the topic of photophosphorylation, given by their regular lecture instructor, approximately 42 days before they used the module. A copy of the fundamental lecture is presented in Appendix G. At

the time of the lecture, students were also required to read pages 110-122 and 287-292 of Curtis and Barnes' Invitation to Biology (1981); this material covered the leaf and photosynthesis. Two weeks before the summative evaluation, the students took a midterm examination in the course; at that time they were responsible for the photophosphorylation lecture and reading material. Based on this, it was assumed that a majority of the students had studied the topic material at some time prior to the summative evaluation.

Students had been exposed to the Apple II micro-computer and a series of SUMIT CAI programs in laboratory prior to the evaluation. All students were required to run a program introducing them to the Apple II computer, the first week of the course. All but one of the five lab sections was required to run a mandatory CAI program in lab every other week. A schedule of the lab topics and CAI programs used in lab each week up through the evaluation are presented in Appendix I. Current and previously offered programs were made available in the lab at all times.

The tool used to perform the summative evaluation was the 20 item objective test developed from the learning objectives. Test items can be considered direct expressions or operational definitions of the learning objectives (Ahmann and Glock, 1981). The importance of each objective, in terms of the total lesson, was used to determine the number of test items related to each. The numbers of the

test items which satisfy each objective, are presented in parentheses after each objective in Appendix E; an item may satisfy more than one objective. Objective test items were used to eliminate all subjectivity when determining the correctness of each answer. The test consisted of 18 multiple choice and 2 true/false items; it is presented in Appendix F. The construction of these items followed guidelines presented by Ahmann and Glock (1981) on pages 78 - 89. The length of the test was more or less arbitrarily determined, being long enough to provide statistically valid data and short enough so as not to take up too much lab time. Based on the method of construction and purpose of the test, I would consider it to be a norm-referenced achievement test. That is, it served to find each student's performance level in relation to the performance of others taking the test (Ahmann and Glock, 1981). Thus the test attempted to produce variability among test scores, so differences between the two groups of students could be accentuated and attributed to the educational media they used.

Test items were analyzed by a professor of biology and a professor of education. They were also analyzed by a colleague who had run the program; he reasoned through the test aloud, in my presence. This allowed me to recognize major problems with question wording and distracters (choices). I edited the necessary questions based on evaluation findings and verified the relationship between

each of the items and the objectives on which each was based, to assure content validity as suggested by Ahmann and Glock (1981).

The summative evaluation took place over a two day period involving all five laboratory sections with approximately 20 people in each. The lab schedule is presented in Appendix H. Two of the labs were taught by myself, the other three were taught by two other graduate teaching assistants. Unfortunately, it could not be arranged for the lab work to correlate with the module lesson, in subject matter. Thus, the lab work dealt with ecology and soil testing. This lab is presented on pages 99-110 of Christianson and Krear's Laboratory Scripts for General Biology (1981).

The students received two brief lectures before starting the lab work or module. The first was an explanation of the lab work to be done, given by the regular instructor. This was followed by a set of instructions presented by myself to insure that the same thing was said to each group. The following points were stressed:

- You are participating in an experiment with carefully designed controls.
- It is important to the field of education and to my Master's work.
- Think of the module as an integrated part of your labwork.
- Do not bias the experiment with your personal feelings about which teaching method is better.
- Do not communicate with others in the lab or in other lab sections about the module or the test.

- Try to follow the instructions and do your best to learn the material.

I also presented two reasons for learning photophosphorylation during an ecology lab: 1) it would help prepare students for the photosynthesis lab two weeks later, and 2) photophosphorylation is commonly a difficult thing for students to comprehend, thus I thought a special module would help. According to Herman (1977), cues that the material is going to be a challenge, are more effective in stimulating learning than cues that the material is going to be easy. Study guides were distributed to each student; from these I read the instructions and stressed the use of the objectives as a learning guide to the material. The objectives were generally presented in the same order as they were covered in the module.

After the instructions, each student was told which group (s)he would participate in. Each lab section had been randomly divided into two groups, control (written version) and experimental (CAI), by means of an Apple II randomizing program written by Shaltz (1982). Each of these groups was randomly divided in half again; this determined who was to do the lab work before looking at the module and vice versa. In cases where extra or missing students caused a major group imbalance, a coin was tossed to rectify the situation. The random experimental design described above was used to eliminate possible bias between sections or individuals and eliminate congestion in the lab.

After I completed my instructions the students began their work. Seven microcomputers were set up in an area which was remote from the main lab. Written versions were passed out by the instructors and most students read these in the study carrels. The written versions had to be handed in before students could receive the test. The same test was used for all students. Also, the test was not timed and it was taken on an individual basis in the designated test area immediately after students finished their modules. Notes etc. were not allowed during the test; the test area was periodically "patrolled." Lab instructors handled problems the students had with the module or the lab work. Students recorded their test answers on IBM computer answer forms, which were then scored against a key by the M.T.U. Academic Computing Services.

Data Analysis

The data (test scores) were divided into four groups: Written version/Lab work first (WL); Computer version/Lab work first (CL), Written version/Module first (WM) and Computer version/Module first (CM). One score from each of the WL and CL groups was randomly thrown out to equalize all four groups resulting in 25 scores in each; this was not done to the item analyses data, discussed later. Bartlett's test for homogeneity of variances (Zar, 1980) was performed to determine if all samples came from the

same population. To determine if each sample group came from a normally distributed population, D'Agostino's test for departure from normality (Zar, 1980) was used. These tests were followed by the use of a Model I 2X2 Factorial Analysis of Variance (ANOVA) with replication (Zar, 1980). ANOVA served to determine the effects of the instructional media on the scores, the effects of the order in which lab work was done and the interaction of these two factors. Consequently, Duncan's New Multiple Range Test (Duncan, 1955) was used to compare all four group means to detect differences.

To analyze the data at the test item level, a program entitled Item Analysis (Fehlberg and Flatham, 1969) was run on a UNIVAC 1110. Each student's answers were coded onto a general purpose punch card and cards were divided into two groups (computer and written). These group data were each separately incorporated into the analysis program and run through the computer, with an additional run using all data collectively. The program produced the following usable statistics: KR-20 Reliability Coefficient, item difficulty indices, item test score means, item z-score means, item serial correlations and item reliability indices. These statistics are used to determine the strengths and flaws of each item, as well as to distinguish between the two treatment groups. The difficulty indices for each group were compared for each item, by means of a test of the equality of two proportions (Fruend et al., 1960). Items

which revealed significant differences in difficulty were further analyzed at the distracter level to determine where the differences existed. From this, postulations of what caused specific learning differences between the two treatment groups were made.

RESULTS

The majority of conclusions made about the effectiveness of the CAI program versus the written version were based on the following statistics. ANOVA assumptions were satisfied first by using Bartlett's test for homogeneity of variances which yielded a calculated chi-square value of 1.207. The critical value at $\alpha = 0.05$ and 3 degrees of freedom was 7.815. Thus the null hypothesis (all sample variances estimate the same population variance) was not rejected. D'Agostino's test for departure from normality resulted in acceptance of the null hypothesis (the sample came from a normal population) for all groups. The distribution of the data can be seen in histogram form for the whole class, computer (CAI) group and written version (W) group in Figures 1, 2 and 3 respectively. The means, variances and standard deviations of each group are also presented in these figures. A comparison of Figures 2 and 3 reveals that the CAI group had a larger mean (14.80) and smaller standard deviation (2.79) than the W group (mean = 12.16, $s = 3.52$).

Table I. Analysis of Variance summary table for Photophosphorylation test scores. Factor A is the type of media used (computer or written) and Factor B is the order of task completion (lab or module first).

Source of Variation	SS	DF	MS	F
Cells	277.92	3		
Media (A)	174.24	1	174.24	18.86**
Order (B)	51.84	1	51.84	5.61*
A X B	51.84	1	51.84	5.61*
Error	887.04	96	9.24	
Total	1164.96	99		

* significant at alpha = 0.05

** significant at alpha = 0.01

Freq.	0	0	0	1	0	3	1	6	7	4	6	8	4	5	4	1
8												+				
7									+				+			
6								+	+			+	+			
5								+	+			+	+		+	
4								+	+	+		+	+	+	+	+
3						+		+	+	+	+	+	+	+	+	+
2						+		+	+	+	+	+	+	+	+	+
1				+		+	+	+	+	+	+	+	+	+	+	+

	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	Test Score															

Mean = 14.80 Variance = 7.80 St. Dev. = 2.79

Figure 2. Frequency distribution of Photophosphorylation test scores for the computer group. + = 1 score, N = 50.

Freq.	1	3	1	5	3	4	3	3	8	5	5	2	4	3	0	0
8									+							
7									+							
6									+							
5				+					+	+	+					
4				+		+			+	+	+		+			
3		+		+	+	+	+	+	+	+	+		+	+		
2		+		+	+	+	+	+	+	+	+	+	+	+	+	
1	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	

	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	Test Scores															

Mean = 12.16 Variance = 12.42 St. Dev. = 3.52

Figure 3. Frequency distribution of Photophosphorylation test scores for written version group. + = 1 score, N = 50

The results of the ANOVA test are presented in Table I. The null hypotheses of no effect of media on achievement scores, no effect of task completion order on achievement scores, and no interaction effect of media and order on achievement scores, were all rejected at $\alpha = 0.05$. The Factor A (media) hypothesis was also rejected at $\alpha = 0.01$. As a result of rejecting these hypotheses, Duncan's New Multiple Range Test was employed to detect which group means differed; Table II presents these results. Significant differences were found to lie between both levels (WM and WL) of the W group and between the entire W group and the entire CAI group at the 0.05 level as indicated in Table II. At the 0.01 level only the WL group stood out as significantly different from the other three groups. After examining these general trends in the data, they were scrutinized more closely by means of item analyses.

The pertinent item analyses data for the class as a whole are presented in Table III. The KR (Kuder Richardson)-20 value at the top of the table is a measure of test reliability estimated on the basis of the consistency of student performance from item to item within the test (Ahmann and Glock, 1981). This value can theoretically range from -1 to 1, with these limits being perfect internal consistency, i.e. students consistently got all questions wrong or consistently got all questions right. The Photophosphorylation test had a KR-20 value of

Freq.	1	3	1	6	3	7	4	9	15	9	11	10	8	8	4	1
15									+							
14									+							
13									+							
12									+							
11									+		+					
10									+		+	+				
9								+	+	+	+	+				
8								+	+	+	+	+	+	+		
7						+		+	+	+	+	+	+	+		
6				+		+		+	+	+	+	+	+	+		
5				+		+		+	+	+	+	+	+	+		
4				+		+	+	+	+	+	+	+	+	+	+	
3		+		+	+	+	+	+	+	+	+	+	+	+	+	
2		+		+	+	+	+	+	+	+	+	+	+	+	+	
1	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	Test Score															

Mean = 13.48 Variance = 11.76 St. Dev. = 3.43

Figure 1. Frequency distribution of Photophosphorylation test scores for entire class. + = 1 score, N = 100.

Table II. Duncan's New Multiple Range Test for mean Photo-phosphorylation scores of the four treatment groups. CL = Computer/Lab 1st, CM = Computer/Module 1st, WM = Written/Module 1st, WL = Written/Lab 1st

Group	CL (14.80)	CM (14.80)	WM (13.60)	WL (10.72)	Crit. Vals (.01)(.05)
CL (14.80)	0	0	1.20*	4.08**	
CM (14.80)	0	0	1.20*	4.08**	-2.80 1.21
WM (13.60)	0	0	0	2.88**	-2.61 0.97
WL (10.72)	0	0	0	0	-2.29 0.58

14.80 14.80 13.60 10.72

* significant at alpha = 0.05
 ** significant at alpha = 0.01

0.666. Item difficulty indices indicate the proportion of students correctly answering each item out of 102 examinees. (Note: Item 20 was computed on the basis of 99 individuals. The computer assumed that the 3 people who did not answer the question did not have time to finish the test; the missing responses were not treated as incorrect answers by the computer for item analysis purposes. Responses missing from items 13 and 14 were treated as incorrect answers when computing item analysis data.) A large or small item difficulty indicates that the item was too hard or too easy respectively. Items with difficulty indices between 0.40 and 0.70 are considered at a "good" difficulty level for a norm-referenced achievement test (Ahmann and Glock, 1981). Items which fall in this range are indicated in Table III. Ahmann and Glock (1981) recommend that these values be considered rough approximations because we do not know whether the number of people who knew the answers was the same as the number of people who got them correct.

Item biserial correlation values provide an index of discrimination, or a measure of the degree to which students with higher test scores answer an item correctly and students with lower test scores answer an item incorrectly (Kehlberg and Flatham, 1969). Indices of discrimination are often determined by an internal consistency method. That is, the scores from the test itself are used as internal criterion and divided into

upper and lower groups (for example, the top and bottom 1/5). Maximum discriminating power of an item means everyone in the upper group answered the item correctly and everyone in the lower group answered it incorrectly (Ahmann and Glock, 1981). Thus, items with high biserial correlations are the best discriminators. The following criteria have been used in Table III: items with biserial correlations below 0.2 are considered poor discriminators, those between 0.2 and 0.299 are fair discriminators, and those above 0.3 are good discriminators (Ahmann and Glock, 1981). A negative value means the item is unsatisfactory at discriminating between students who know the material and those who do not; item 18 has both a negative reliability index and a negative biserial correlation. The item reliability indices are indicators of item effectiveness. This index takes into account biserial correlation and the proportions of students getting a question correct or incorrect.

Those items which have both a difficulty index between 0.4 - 0.7, and a biserial correlation above 0.3, have been tagged as good discriminators of moderate difficulty (Table III), i.e. good items relative to the others on the test. Ten of the 20 items on the test fit this category (Nos. 2, 6, 7, 10, 11, 14, 15, 16, 19, 20). Items 14 and 19 were included because they have high biserial correlations (0.504 and 0.688 respectively), with difficulties of 0.706 each. The worst item, in this respect, is number 18 with

Table III. Summary of item analyses performed on Photo-phosphorylation test scores for the whole class. N = no. students answering each item, DIF = item difficulty index, REL = item reliability index, BIS = item biserial correlation

KR-20 Reliability Coefficient = 0.666

Item #	N	DIF	REL	BIS
1	102	0.765	0.276	0.651+
2*	102	0.422<	0.265	0.537+
3	102	0.794	0.241	0.597+
4	102	0.843	0.256	0.704+
5	102	0.902	0.108	0.363+
6*	102	0.608<	0.256	0.525+
7*	102	0.637<	0.283	0.588+
8	102	0.784	0.265	0.645+
9	102	0.363	0.139	0.289
10*	102	0.657<	0.162	0.341+
11*	102	0.618<	0.354	0.729+
12	102	0.324	0.126	0.269
13	101	0.824	0.180	0.473+
14*	101	0.706	0.230	0.504+
15*	102	0.637<	0.268	0.558+
16*	102	0.686<	0.306	0.660+
17	102	0.765	0.260	0.613+
18	102	0.833	-0.013	-0.035
19*	102	0.706	0.314	0.688+
20*	99	0.598<	0.259	0.532+

* Good discrimination/difficulty level
 < Item difficulty index between 0.4 - 0.7
 + Good discriminator (> 0.3)

DIF = 0.833, REL = -0.013 and BIS = -0.035.

In a manner similar to that discussed above, the data were separated into the CAI and W groups, and an item analysis was run on each of these. The item difficulty and item reliability indices are presented in Table IV. All difficulty indices were calculated on the basis of 51 individuals except item 20, for reasons explained earlier. The item reliability indices are presented to provide evidence that the items are still reliable when considered separately for each treatment group. Item difficulty indices in Table IV were used strictly for comparison purposes between the two groups. The test for the equality of two proportions was executed using the item difficulties of each group for each item. This test resulted in a z-score for each item; these were compared to the critical value of +/- 1.65 at the 0.05 level to conclude acceptance or rejection of the null hypothesis, $DIF(CAI) \leq DIF(W)$.

Six of 20 items (Nos. 3, 7, 11, 14, 19, 20) showed a significantly larger difficulty index for the CAI group than for the W group. Only item 18 showed a smaller difficulty index for the CAI group (0.824) than for the W group (0.843); however, a test against the null hypothesis, $DIF(CAI) \geq DIF(W)$, revealed that the values were not significantly different. Therefore the W group did not do significantly better than the CAI group on any of the items. Of the six items which showed a significant

Table IV. Summary of Item Difficulty, Reliability and Z-Score Data for the CAI and W groups taking the photo-phosphorylation test. N = no. students answering each item, DIF = item difficulty indices, REL = item reliability indices

Item #	CAI			WRITTEN			
	N	DIF	REL	N	DIF	REL	Z
1	51	0.765	0.326	51	0.765	0.280	.0
2	51	0.490	0.151	51	0.353	0.339	-3.4
3	51	0.863	0.138	51	0.725	0.282	-1.72*
4	51	0.902	0.133	51	0.784	0.316	-1.64
5	51	0.941	0.090	51	0.863	0.090	-1.32
6	51	0.647	0.145	51	0.569	0.347	-0.81
7	51	0.725	0.150	51	0.549	0.347	-1.85*
8	51	0.843	0.293	51	0.725	0.229	-1.45
9	51	0.431	0.118	51	0.294	0.114	-1.44
10	51	0.686	0.226	51	0.627	0.110	-0.63
11	51	0.765	0.336	51	0.471	0.302	-3.06*
12	51	0.353	0.204	51	0.294	0.055	-0.64
13	50	0.863	0.138	51	0.784	0.197	-1.05
14	50	0.863	0.261	51	0.549	0.114	-3.48*
15	51	0.686	0.170	51	0.588	0.339	-1.03
16	51	0.745	0.290	51	0.627	0.312	-1.28
17	51	0.804	0.150	51	0.725	0.342	-0.94
18	51	0.824	0.051	51	0.843	-0.056	-0.26
19	51	0.784	0.205	51	0.627	0.369	-1.74*
20	50	0.800	0.287	49	0.471	0.124	-3.82*

* significant at the 0.05 level
critical z-score = +/- 1.65

difference, only item 3 was considered a poor discriminator (Table III). Therefore it was not considered a good item to yield information at the distracter level.

Items 7, 11, 14, 19 and 20 were further analyzed by looking at the percent distribution of people answering each distracter in both treatment groups. These data are presented in Tables V and VI. Shown for each group and each item are the number of people answering each item, the difficulty indices, and the proportion of students choosing each distracter. The latter can be considered the percentage distribution of student answers, if multiplied by 100. Also shown in these tables are the average total test scores of the people choosing each distracter. The mean scores are presented only for reference and not for comparative purposes. These means were transformed to standard z-scores having a normal distribution and a mean of zero, useful for relative comparisons between groups. The z-scores are useful for determining the distribution about the mean or the achievement level (based on Photophosphorylation test scores) of the students choosing each distracter. It must be kept in mind that the z-scores are useful for relative comparisons between groups, but not for absolute comparisons. The correct answers are indicated in the tables; for all items presented here, the correct answers were all chosen by the greatest proportion of students in each group.

An examination of the distracters of item 7 reveals

that 27% of the W group tended to choose distracter B (Table V), compared to 12% choosing B in the CAI group. The z-scores of item 7 (Table V) indicate that the people choosing the correct answer in the W group generally scored higher on the test ($z=0.46$) relative to each other, than did the CAI group ($z=0.02$). Even though 14 people in the W group chose distracter B, the people who did, scored lower on the test ($z=-0.75$) relative to others in the W group, than did the 6 people choosing B in the CAI group ($z=-0.54$).

Table V reveals a similar pattern for item 11, with a higher percentage of people choosing the correct answer E in the CAI group (76%) than in the W group (47%). In the W group, 12 people (24%) also chose distracter C. No one in the CAI group chose distracter B, and the people who did choose B in the W group scored low on the test relative to others in the W group ($z=-0.75$). The z-scores for people in both groups choosing the correct answer were relatively close and above the mean.

A different pattern shows up in item 20 (Table V). One person in the CAI group and two in the W group did not answer the question. 39 of the students in the C group (78%) chose the correct answer, whereas the distribution for the W group was spread between distracters A, B and C (29%, 25% and 41% respectively). No one in the W group

Table V. Item statistics for items 7, 11, and 20, as calculated for both treatment groups. Shown are the proportion of students choosing each distracter (A - E) in each group, average test score means of the students who chose each distracter, N = no. students answering the item, DIF = item difficulty index, *correct answer

<u>Item 7</u>	N	DIF	A*	B	C	D	
COMP	51	0.725	0.73	0.12	0.04	0.12	Distrib.
			15.20	13.30	11.00	14.80	Mean scores
			0.02	-0.54	-1.35	0.02	Z-scores
WRIT	51	0.549	0.55	0.27	0.02	0.16	Dis.
			13.90	9.00	8.00	12.10	Means
			0.46	-0.75	-1.05	-0.17	Z

<u>Item 11</u>	N	DIF	A	B	C	D	E*	
COMP	51	0.765	0.06	0.00	0.10	0.08	0.76	Dis.
			13.30	0.00	12.60	10.00	15.60	Means
			-0.54	0.00	-0.54	-1.65	0.38	Z
WRIT	51	0.471	0.16	0.10	0.24	0.04	0.47	Dis.
			10.40	8.60	10.80	15.00	14.00	Means
			-0.54	-0.75	-0.35	0.75	0.46	Z

<u>Item 20</u>	N	DIF	A	B	C*	D	
COMP	50	0.800	0.04	0.14	0.78	0.02	Dis.
			10.50	12.40	15.50	12.00	Means
			-1.35	-1.01	0.38	-1.01	Z
WRIT	49	0.429	0.29	0.25	0.41	0.00	Dis.
			12.10	11.00	13.00	0.00	Means
			-0.17	-0.35	0.12	0.00	Z

chose distracter D. The z-scores of people choosing the correct answer was slightly above the mean ($z=0.12$). The z-score of the CAI group choosing the correct answer was relatively higher than the mean ($z=0.38$).

The data for item 14 are presented in Table VI. One person in the CAI group did not answer the question. 45 of 50 people in the CAI group chose the correct answer B, and no one chose either distracter C or D. No one in the W group chose distracter D either, and nearly as many people chose distracter A (41%) as chose the correct answer (55%) in this group. The z-score of students choosing the correct answer was 0.02 in the CAI group and 0.12 in the W group.

The choice distributions for item 19 (Table VI) show that the most people choosing an incorrect distracter in the W group chose distracter A (16%), whereas the same proportion of students in the CAI group chose distracter C. The remainder of the people not choosing the correct answer, was somewhat evenly distributed between distracters B and C in the W group. The z-score for the correct answer in the W group (0.46) is much higher than that for the CAI group (0.02).

In addition to statistical analyses, a few personal observations were made. The students were not asked to record how long it took them to complete the module; however, I found that it took most of them approximately 30

Table VI. Item statistics for items 14 and 19, as calculated for both treatment groups. Shown are the proportion of students choosing each distracter (A - D) in each group, average test score means of the students who chose each distracter, z-scores of each mean score, N = no. students answering each item, DIF = item difficulty index, *correct answer

Item 14	N	DIF	A	B*	C	D	
COMP	50	0.863	0.12	0.86	0.00	0.00	Distrib.
			11.70	15.30	0.00	0.00	Mean scores
			-1.01	0.02	0.00	0.00	Z
WRIT	51	0.549	0.41	0.55	0.04	0.00	Dis.
			11.20	12.70	14.50	0.00	Means
			-0.35	0.12	0.75	0.00	Z

Item 19	N	DIF	A	B	C	D*	
COMP	51	0.784	0.02	0.04	0.16	0.78	Dis.
			12.00	13.00	13.00	15.30	Means
			-1.01	-0.54	-0.54	0.02	Z
WRIT	51	0.627	0.16	0.10	0.12	0.63	Dis.
			11.00	7.20	9.30	13.80	Means
			-0.35	-1.35	-0.75	.46	Z

minutes to run the computer program. Generally people reading the written version took less than 30 minutes. Noise in the lab did not seem to distract anyone working on the module or taking the quiz; it was kept relatively quiet. All of the labs seemed to react cooperatively to the evaluation except a handful of people in the Thursday evening and Friday afternoon labs who expressed the desire to leave the lab as soon as possible. No one seemed to have any problems with the programs and everything else ran smoothly. In the two labs that I taught, I received many positive comments about both forms of media to the effect that students felt they had learned photophosphorylation better than the first time they attempted to learn it. Overall, the general attitude toward the evaluation of the lecture instructor, graduate teaching assistants and students involved was positive during, and after the evaluation.

DISCUSSION

After analyzing the statistical and item analyses data, certain conclusions can be made regarding the question: "do differences in learning result from the use of CAI or written material?" This question is basically answered by the rejection of the ANOVA hypothesis, no effect of media on achievement scores, at the 0.01 level (Table I). Thus the computer group mean score of 14.8 was significantly greater than the 12.16 mean of the written group. This must be considered cautiously, as the KR-20 value for the test was 0.666, and 0.5 is considered low (Ahman and Glock, 1981). Despite the reliability of the test, however, some items showed a significant difference between groups. One would expect that if the test was modified and made more reliable, the differences between CAI and W group scores would be even more significant.

A look at the class statistics (Appendix H) reveals that this difference can not really be attributed to more biology/forestry majors (people who may have been

previously exposed to photophosphorylation) in one group than the other. There are also no other imbalances between the two groups due to the random experimental design. A further investigation of why these differences exist must

be made by analyzing the item analyses data.

Use of ANOVA also showed that there was a significant difference between the mean scores of the lab work first (12.76) and module first (14.2) groups (Table I). Again, I do not feel that this difference was caused by excessive imbalances of different individuals in the class. The factor which I would expect to cause this difference would be an excessive number of people from lab sections 3 and 5 in the lab-first group, but sections were basically evenly distributed. Since it was these sections in which I noticed anxiety about getting out of lab, I anticipated that these sections would rush through the evaluation. Perhaps this happened, but due to the experimental design it had little noticeable effect.

A further analysis of the ANOVA results revealed an interaction effect between the media and order of task completion. Duncan's New Multiple Range test pinpointed the interaction to the written group only (Table II). The mean scores of the CL and CM groups were equal at the 0.05 and 0.01 levels, with the WM and WL means not equal to each other or the CAI group at 0.05. At the 0.01 level, only the WL mean was significantly different from the mean. This implies that the order of task completion affected student achievement, if students learned using the written material. It appears as if task order specifically affects achievement if the written material is done after the lab

work. This could be due to fatigue after doing the lab work, however the CL group would have also been affected in this manner. The CL mean score did not indicate this.

I believe the explanation lies in student motivation. According to Bernard (1965) motivation is provided by rewards, knowledge of progress and novelty. For one thing the program may have been considered more novel than the written version, even though the majority of students had used CAI throughout the previous month (Appendix I). I got this feeling from those people who had been assigned to read the written version, many of whom seemed openly disappointed (expressed with comments etc.) when they discovered they were assigned to read the written version. This, and the fact that I felt that students were starting to tire of CAI programs, worried me at the time. However, I did not observe that type of open disappointment in the computer group. Knowledge of progress was provided in both the computer and written versions by informing students of the correct answers to questions imbedded in the module. The big difference between the two was in terms of rewards, student responses could not be evaluated nor praised, etc. in the written version. These factors seemed to decrease motivation for the W group, thus affecting their learning and resultant achievement.

Even more specifically I feel that the students who read the written version after their lab work, became bored

with the material more than the students who read it before the lab work. Also, by the time these students were ready to take the test they were probably anxious to leave, perhaps causing them to rush through the test questions. Even though these postulations may be based on subjective observation, I feel that motivation and boredom were factors in causing this difference between the WL group and the other three groups. The purpose of assigning lab-first and module-first groups was strictly for randomization, therefore, with this analysis aside I will focus on the differences between the computer and written version groups.

If differing group achievement can be attributable to certain features of either medium, this may be detected by analyzing group responses to individual items. It is the distracter/stem (question) quality which makes the ten questions marked in Table III, good discriminators. Basically the z-score means associated with the distracters of these items were all negative numbers, with a positive z-score being associated with the correct choice. Thus people who generally scored low on the test had a difficult time distinguishing the incorrect distracters from the correct answer. This means the distracters seemed plausible to students who did not possess the knowledge to answer the question. This is the sign of a multiple choice item which functions well with the test; it does a good job of

distinguishing those who know the material from those who do not (Ahmann and Glock, 1981). Thus it is best to examine these items to determine where the group learning differences lie. The other items did not function as well on this test, therefore they may lead to false assumptions.

An attempt was made to determine why different numbers of people with differing test achievement levels chose certain distracters in items 7, 11, 20, 14 and 19. The choice distributions for item 7 (reproduced below) seemed to indicate that the students in the W group had a hard time determining whether 1 or 2 electrons were needed to form 1 NADPH, since most of them chose distracters A and B (Table V).

7. Which of the following is needed to form a molecule of NADPH from NADP+?
- >A. 2 electrons, 1 H+
 - B. 1 electrons, 1 H+
 - C. 1 electrons, 2 H+
 - D. 2 electrons, 2 H+

(Note: distracters B and C used improper grammar, however this should have affected all groups equally, if at all; > indicates the correct answer.)

I believe that the simulated movement of electrons and H+ from water to NADP+, helped create an image in the minds of the CAI group individuals. The W group, however, had to rely totally on recall of verbal information, as nothing in the illustrations indicated the number of electrons needed

to form NADPH. Duchastel (1978) reported that illustrations can teach by showing, and sometimes they can be more important in this respect than verbal descriptions. In addition, psychologists believe that learning with illustrations can facilitate later retrieval from memory (Paivio, 1975). I believe that the animated movement of electrons etc. on the monitor, and user control of each reaction, helped focus student attention on the critical points which were stressed in the text. This seemed to facilitate learning in the CAI group. The written version simply referred to the pathway illustration; lack of more involved pictorial information may have caused the W group to rely more on what they acquired from the text, to answer item 7. This is not to say that retention was improved in either group; investigation of this possibility is beyond the scope of this study.

It seems that mainly those people who scored high on the test in the W group, chose the correct answer to item 7. Whereas, in the CAI group, either students who answered correctly had scored near the mean, or they were widely distributed about the mean, resulting in a z-score of 0.02. According to Koran et al. (1980), low ability students benefit the most from cues which enable them to discriminate relevant from irrelevant information (such as the electron moving around the pathway). Thus low ability students may have learned the material by focusing on the

cues, and the higher ability students learned it from the text (as in the W group), such that many students of all levels could answer item 7 correctly in the CAI group. If this is true, The combination of text with simulation could be a powerful tool in the classroom.

Item 11 (reproduced below) resulted in a large difference in difficulty indices between the CAI and W groups (76% and 47% respectively).

11. Which of the following is associated with the cyclic pathway of photophosphorylation?

- A. Q (plastoquinone)
- B. P680.
- C. NADP+
- D. H+
- >E. ADP

The distribution of responses was more widely distributed among the incorrect distracters in the W group than in the CAI group (Table V). Thus it seems that many of the W group could not distinguish the correct answer, whereas the distracters must have seemed more obviously incorrect to most of the CAI group. The CAI group even totally eliminated distracter B as a possible choice. It appears that the major problem in the W group, was remembering whether ADP or NADP+ was the product of the cyclic pathway.

Again, I feel that this is related to the animation of the pathway, i.e. the computer version simulated an.

electron cycling around the cyclic pathway, thus producing ATP from ADP. Especially important here is the animated movement of ATP off of the video screen, thus simulating its use in the dark reactions. The pathway illustration in the written version merely showed a curved arrow with ADP producing ATP as a branch of the pathway. Those people in the W group who chose C (24%) seem to have been misled in their learning, perhaps by seeing NADP+ printed next to ferredoxin, appearing as if it were part of the cyclic pathway (page D4, Appendix D). Those W group students may have recalled the pictorial relationship instead of the text description. This seems odd, as it was stressed in the text, that NADP+ must be lacking in order for the cyclic pathway to function. Thus it seems as if some of the W group students did not pay attention to, or remember, what was in the text. Again, the students who seemed to have had this problem were those below the mean ($z = -0.35$).

Due to the CAI group z-score of 0.38 for the correct answer to item 11, I feel that this item relied on a different type of learning than did item 7. Since item 11 required broader knowledge (all components of the cyclic pathway) than item 7 (number of electrons and H+ ions needed to form NADPH), it seems that cues may not have played as big a role in item 11. Cues only aid in obtaining information directly from a cue, and do not produce general scanning behavior to pick up incidental information

(Kauchak et al., 1978). Therefore, I feel this resulted in fewer "low achievers" answering correctly in the CAI group, as had in item 7, thus the z-score was relatively higher (0.38 vs. 0.02) for the correct answer. Since no one specific cue could have provided a learner with all of the information necessary to answer this question correctly, some of the low ability learners were not as apt to learn or remember the pertinent information.

Item 20 (reproduced below) is the only one of the five items being discussed here; which was a higher level question. That is, it was not based on simple recall of knowledge, it also required some application of that knowledge. By recalling that the exciting of P680 by light causes water to split, and that NADP⁺ requires two hydrogens from water to form NADPH, one can apply this knowledge to answering the question.

20. How many times does a molecule of P680 (PS II) need to be activated by light to produce one molecule of NADPH?
- A. 0 (P680) is not involved in producing NADPH
 - B. 1 time
 - >C. 2 times
 - D. 4 times

In addition to the fact that the proportion of students getting this item correct in the CAI group (78%) was almost twice that of the W group (41%), two people in the W group did not answer the question (Table V). This

seems to imply that the W group, on the whole, found item 20 difficult. Another indicator of this fact is that the proportion of students choosing distracters A and B were nearly equal (29% and 25% respectively) and near that of the correct answer (41%) in the W group. The proportions in the CAI group were again distributed similarly to those in item 11.

The W group could only answer this item on the basis of verbal information, as the printed illustration in no way indicated how many times P680 is activated by light. The computer version, however, simulated light activating P680 twice, before one molecule of NADPH forms. Since the choice distributions seem to indicate that many of the W group students were answering the question based on intuition, instead of knowledge, perhaps they ruled out distracter D just because it seemed unlikely. Thus it appears that the W group either 1) did not learn the material necessary to answer this question, due to insufficient illustrations or 2) written material does a poor job of teaching concepts at a higher learning level. However, the latter is a broad conclusion to draw based on the results of one item, despite past findings that CAI can teach higher level concepts that books often can not (Bork, 1981).

Item 14 (reproduced below) also had a wide spread in difficulty indices (86% vs. 55%), and again the material

was presented in different ways in each medium.

14. Based on the equation given in the module, how many electrons (total) can one molecule of water contribute to photophosphorylation?

- A. 1
- >B. 2
- C. 3
- D. 4

The computer program cued on water every time its two electrons had both been donated to P680, by reprinting the complete equation for the splitting of water, next to the water molecule. This animation and repetition seemed to aid learning in the CAI group. The W group, however, had to rely on learning it from the equation printed beneath the pathway illustration. Perhaps this difference caused the 21 W group students to choose distracter A. This item functioned as did item 7, in the respect that the CAI group z-score of those people correctly answering both items was 0.02. Since both questions relate to numbers of electrons, I again feel that the specific cue used in the computer program to illustrate this point may have aided learning in the "low achievers." Again, perhaps students in higher achievement levels acquired the information from the text. Thus a broad range of students (test score-wise) answered the question correctly.

Finally, an examination of item 19 (reproduced below) provides little conclusive evidence. The difficulty indices

of the two groups did not vary much, but were significantly different (Table VI).

19. Which of the following correctly describes the sequence followed by electrons which leave P680 (PS II)?

- A. cytochromes, Q (plastoquinone), P700
- B. P700, Q, cytochromes
- C. cytochromes, P700, Q
- >D. Q, cytochromes, P700

The text of both media ~~stress~~ the order followed by electrons, in step-by-step descriptions. The only way for a student to put it together, is to watch the pathway simulation in the program or look at the pathway illustration in the written version. The only advantage had by the CAI group was that of seeing each step animated.

The z-scores for each distracter of item 19, in both groups, show a similar pattern to those in item 7. Especially in that $z = 0.02$ in the CAI group and 0.46 in the W group for the correct answer. Since this item was rather broad, as was item 11, I feel that cues may have been less significant here also, with animation and direction of movement being the keys.

The general conclusion to be drawn from the analysis of these items, is that the illustrations in each type of media formed the root of the learning differences between the groups. Paivio (1969) suggests that the effectiveness of pictures may be due to the possibility that pictures are

encoded in both verbal, and non-verbal storage, with retrieval from both stores being possible. It is my feeling that the computer program offered illustrations far superior in usefulness (in terms of learning) and quality than the written version. For one thing, there was an illustration on nearly every page. The W group received few illustrations and were offered text discussions of things which were not illustrated. Researchers have proven that providing a learner with relevant pictures during a learning session facilitates science learning (Holliday, 1975; Rigney and Lutz, 1976). For another thing, the CAI pictures were sharp and appealing, with animation to create interest and focus attention on aspects discussed in the text. There were only four summary diagrams presented in the written version, placed at the beginning of each major section. Thus readers had to rely on their own motivation to flip the pages back and forth to reinforce what they had just read in the text. This is a common malady of textbooks, in that it is often too expensive to incorporate a profuse amount of quality illustrations throughout the text.

Questions incorporated into the modules may have also played a big role. Questions are supposed to keep the student thinking and provide regular reinforcement. However, the necessity of having to search out the answers may have stifled the usefulness of the questions, as W

group students may have skipped looking at the answers, or even skipped the questions. With this in mind, it seems that module questions could have played a role in increasing the achievement of the CAI group. This may be a key to item 7, in which W group students had trouble determining if one or two electrons are used to form NADPH. A question in the module specifically asks where the second electron comes from. Perhaps many W group students did not attempt to answer this question. There were also questions dealing with P680's involvement in the cyclic pathway, and with the number of hydrogen ions needed to form NADPH. The point is that much pertinent information was given in each module as a result of students attempting to answer each question. However, such information was presented in the appendix of the written version. If it had been placed in the text it would have revealed the answers to the questions. If individuals in the W group never turned to the back page for the answers they missed information needed to fulfill the learning objectives. Even though the CAI group could press return to pass the explanations which followed the questions, the material was easily accessed required less effort to examine than did the written explanations. Also, students in the written group may have had the impression that information in the appendix was supplemental and not necessary for an understanding of the material.

Another difference between the CAI and written version questions dealt with their wording. Many of the questions in the computer version relied on action that had just occurred on the screen. The equivalent written version questions were worded such that the learner was told to assume that a particular action had just occurred. This could have curbed the learning effectiveness of the written version questions relative to the computer questions, for often students did not have as much to go on when answering them. Thus they may have had a hard time answering them correctly. Students in the written group may have become more discouraged with the questions than students in the computer group. This may have influenced the W group students to skip questions. This tends to be another problem commonly associated with textbooks; most books have to rely on student imagination to set the scene for questions. There is nothing wrong with this, but one can not be sure whether one is testing the student's understanding of the material or his/her imaginative ability. This is also a bias in the way the written version was developed; it was copied from the CAI program to make the two forms of media equivalent. The written version may have been a better teaching tool had it been developed independently of the CAI version.

Finally, the W group received relatively few cues throughout the module. They had to rely on their own

interest to look at, nonetheless analyze, specific portions of the diagrams. In a study done by Kauchak et al. (1978), the use of cues in learning was tested on 4th - 6th graders. Three groups of students were all given a written description of a plant growth experiment and a graph of the results. Each group received either a specific cue, a general cue or no cue about the graph. Groups were then tested with questions related to the cue, questions incidental to the cue and general questions. The cued group did the best, but only on the cue-related questions. A similar study by Koran et al. (1980) dealt with high school students who were given cued and non-cued slides of monocots and dicots to study. The cued students achieved higher posttest scores than the non-cued. I feel that a similar thing happened in this study. Certain questions certainly dealt with information which was specifically cued in the computer module, and not cued in the written version. Thus a difference in learning was evidenced by significant differences in difficulty indices between the two groups, for those questions. I feel that the questions which did not yield significant differences in difficulty indices between the two groups were either poorly functioning questions and/or they did not require information which was accentuated by cues, animation or module questions, to be correctly answered.

A look at the item analyses for items 2, 6, 10, 15 and

16 (good discriminators but did not show a significant difference between groups) reveals limited differences in the proportion of students choosing each distracter, between groups. None of these questions address the same information; only questions 15 and 16 touch the same objective, but deal with different pathways. Of these, item 6 is the only one which may have been accentuated by animation in the CAI version. The information needed to answer the other items was not reinforced by cues etc. in the CAI version any more than it was in the written version. This seems to substantiate the idea that the items which were not significantly different between groups, did not rely on information which was highlighted by cues etc. in the CAI version.

SUMMARY and CONCLUSIONS

A CAI program presenting photophosphorylation at the level of general college biology was developed. From this, a printed version was made, almost verbatim. After using either the computer module or the written version in a laboratory environment, all students were tested using the same multiple choice objective test. The test results yielded certain conclusions about learning via CAI and text. On the whole it can be inferred that CAI induces better learning in students than written material, when teaching photophosphorylation, as measured by the test employed. This may also be true when teaching other biological pathways which lend themselves to animation. It was also concluded that, of all treatment groups, the students reading the written version after the lab work showed the poorest achievement. Thus, text which is modelled after CAI material and implemented directly after lab work, may reduce the ability of the material to induce learning.

Ten of the 20 questions were determined to be good discriminators, and 5 of these showed a significant difference in correct responses between the computer and written version groups. Ideally all questions on the test should have been good discriminators for the purposes of

this evaluation. From analyzing these selected items at the distracter level, certain inferences about learning were made. It appears that illustrations can provide a learning advantage in use with certain topics; generally they prove to be most useful when presented with a verbal description. More specifically, animated pictures served to promote higher test achievement in this study. Those questions which relied on information which had to be obtained from illustrations, resulted in higher achievement in the CAI group than in the W group. The major difference between the illustrations in these two media was the animation of the computer version.

Cues in the illustrations also seem to play an important role. They were prevalent in the CAI program, and many of the questions which showed significant differences between groups dealt with topics which had been cued in the program but not in the written version. Also, those questions which seemed to rely on cues revealed a trend in z-scores for the correct answers. Based on student scores on this test, it seems that cues tend to aid learning in low achievers more than in high achievers.

Finally, the use of intermittent questions in the text of both modules seemed to be more useful in the CAI material than in the written version. Test questions which dealt with material that had been previously covered by questions in the module, resulted in a higher proportion of

correct answers in the CAI group than in the W group. This suggests that perhaps questions are passed over in written material and important information is missed, whereas this is not easy to do with CAI material. Students reading the written material may suffer from decreased motivation to learn as a result of skipping questions; it has been proven that intermittent questions in the text can provide motivation.

It is important to note that the importance of cues, animation and effective questions can not be generalized to encompass all tutorial/simulation CAI programs. However, the learning differences between the CAI and written version groups in this specific study, as indicated by objective test scores, were mainly attributed to these factors. To test the application of the major inferences made here to other CAI and written material, further research is needed. The importance that simulation or animation plays in learning is of prime consideration. Both still and animated pathways could be presented to groups in the form of CAI. These situations could include or lack text descriptions and include or lack cues. It would also be interesting to test whether learning was affected by the lecture and reading assignment prior to the evaluation. It is important in such studies to use and revise the test to be used as the evaluation instrument, a number of times with the guidance of item analyses. This helps to insure a

high test reliability and good discriminating questions which can be utilized to acquire reliable information.

Finally, continuing development and research need to go into other forms of media and instruction. Even though this study resulted in certain conclusions pertaining to the teaching functions of CAI and written material, it is important to note that the influences of lab work, lecture, previous readings, etc. can not be sorted out from what was learned from the module. Perhaps CAI functions best with text supplements prior to use. Just as other forms of media work best with certain types of information, perhaps CAI is useful only for teaching certain concepts. To continue effectively stimulating learning, all forms of media and teaching must be constantly improved, in order to meet new challenges and the needs of new students.

Literature Cited

- Able, William A. 1980. Simulations: an applied approach to teaching business, T.H.E. Journal 7(4):45-49.
- Agin, M.L., and C.S. Simonsen 1982. Developing Materials for Microcomputers, Microcomputers in Education (D. Zalaski ed.), ERIC Publication (in press), 12pp.
- Ahmann, J.S. and M.D. Glock 1981. Evaluating Student Progress: principles of tests and measurements, Allyn & Bacon, Inc., Boston, 508pp.
- Alesandrini, K.L. and J.W. Rigney 1981. Pictorial presentation and review strategies in science learning, J. Res. Sci. Teach. 18(5):465-474.
- Bernard, Harold W. 1965. Psychology of Learning and Teaching, McGraw-Hill Book Co., NY, 539pp.
- Bloom, B.S. (Ed.) 1956. Taxonomy of educational objectives: Handbook 1: Cognitive Domain. New York, David McKay.
- Bork, A. 1977. Learning via computer graphics, In: Computer-Based Science Instruction, (A. Jones & H. Weinstock eds.) Nordhoff: Leyden.
- , A. 1979. Preparing student-computer dialogs: Advice to teachers, PCDP, 2 February.
- , A. 1980a. Interactive learning, In: The Computer in the School: Tutor, Tool, Tutee (Robert Taylor ed.), Teachers College Press, NY, pp.53-66.
- , A. 1980b. Learning through graphics, In: The Computer in the School: Tutor, Tool, Tutee (Robert Taylor ed.), Teachers College Press, NY, pp.67-82.
- , A. 1981. Learning with Computers, Digital Press, Educational Services, Digital Equipment Corp., Bedford, Mass., 286pp.
- Brown, B.R. and R.S. Ellinger 1978. Evaluation, the neglected step in CAI package development, Pipeline 4(1):4-10.
- Bunderson, C.V. 1981. Courseware, In: Computer-Based Instruction A State-of-the-Art Assessment (Harold O'Neil, Jr., ed.), Academic Press, NY, pp.91-126.

- Carnegie Commission on Higher Education 1977. The Fourth Revolution: Instructional Technology in Higher Education, McGraw-Hill, NY.
- Chambers, J. and A. Bork 1980. Computer Assisted Learning, In: Topics - Computer Education for Elementary and Secondary Schools, Assoc. for Computing Machinery, pp. 10-27.
- Chambers, J.A. and J.W. Sprecher 1980. Computer Assisted Instruction: Current trends and critical issues, Comm. of the Assoc. for Computing Machinery 23(6):332-342.
- Christianson R. and R. Krear 1981. Laboratory Scripts for General Biology (BL104), Michigan Technological University Press, Houghton, MI, 7th Edition, 180pp.
- CONDUIT, 1978. The state of the art of instructional computing, a report from CONDUIT, Pipeline 4(1):14-18.
- CONDUIT, 1981. Catalog of CONDUIT reviewed and tested materials for personal computers, Pipeline 6(1):27-30.
- Curtis, H. and N.S. Barnes 1981. Invitation to Biology, Worth Publishers, Inc., NY, 3rd Edition, 696pp.
- Dale, Edgar 1946. Audio-Visual Methods in Teaching, The Dryden Press, NY, 546pp.
- Deignan, G.M. and R.E. Duncan 1978. CAI in three medical training course: It was effective! Behavior Res. Methods and Instrumentation 10(2):228-230.
- Duchastel, P.C. 1978. Illustrating instructional texts, Ed. Tech. 18(11):36-39.
- Duncan, D.B. 1955. Multiple range and multiple F tests, Biometrics 11:1-42.
- Eisele, J.E. 1980. A case for computers in instruction, J. Res. Dev. in Ed. 14(1):1-15.
- Elder, C.D. 1975. Problems in the structure and use of educational simulation, In: Gaming-Simulation: Rationale, Design, and Applications (C.S. Greenblat & R.D. Duke eds.), John Wiley & Sons, NY, pp.292-310.
- Wentberg, D. and D. Flatham 1969. Item Analysis Program and Documentation, Div. of Educational Research Services, Univ. of Alberta, August.

- Fortner, Monica 1979. "The Evaluation of Instructional Simulations in Computer Based Education," presented at the National Association of Simulation and Gaming Conference, Austin, TX, 45pp.
- Frenzel, Lou 1980. The personal computer - last chance for computer aided instruction? Byte 5(7):86-96.
- Fruend, J.E., P.E. Livermore, and I. Miller 1960. Manual of Experimental Statistics; Prentice-Hall, Inc., NY, 132pp.
- Heck, W.P., Jerry Johnson and R.T. Kansky 1981. Guidelines for Evaluating Computerized Instructional Materials, National Council of Teachers of Mathematics, Inc., VA, pp.12-16.
- Herman, T.M. 1977. Creating Learning Environments, Allyn & Bacon, Inc., Boston, 278pp.
- Holliday, W.G. 1975. The effects of verbal and adjunct pictorial-verbal information in science instruction, J. Res. Sci. Teach. 12:77-83.
- J&S Software, 1980. Photosynthesis (Apple II BASIC Diskette), Port Washington, NY.
- Kauchak, D., P. Eggen and S. Kirk 1978. The effect of cue specificity on learning from graphical materials in science, J. Res. Sci. Teach 15(6):499-503.
- Kehrberg, K.T. 1979. Microcomputer Software Development: New Strategies for a New Technology, Proc. First National Educational Computing Conference, Iowa City, pp.343-346.
- Koran, J.L., Jr., M.L. Koran and S.D. Baker 1980. Differential response to cueing and feedback in the acquisition of an inductively presented biological concept, J. Res. Sci. Teach. 17(2):167-172.
- Lehninger, Albert L. 1975. Biochemistry, Worth Publishers, Inc., NY, 1104pp.
- Luehrmann, Arthur 1978. Pre- and Post-College Computer Education, Proc. Computing in College and University 1978 and Beyond, Gerard P. Weeg Memorial Conference, Univ. of Iowa, pp.27-33.
- Luskin, B.J., T.H. Gripp, J.R. Clark and D.A. Christianson 1972. Everything you always wanted to know about CAI, In: Computer Uses in Education, Huntington Beach, CA.

- Magidson, E.M. 1978. Issue overview: Trends in computer-assisted instruction, Ed. Tech. 18(4):5-8.
- McKenzie, J., L.R.B. Elton, and R. Lewis (eds.) 1978. Interactive Computer Graphics in Science Teaching, Ellis Horwood Ltd. Publishers, Chichester, 247pp.
- Mosmann, Charles 1980. Computer-based learning in higher education - the missing revolution, J. Res. & Dev. Sci. Educ. 14(1):69-78.
- Paden, D.W., B.R. Dalgaard and M.D. Barr 1977. A decade of computer-assisted instruction, J. Economic Educ. 9(4): 14-20.
- Paivio, A. 1969. Mental imagery in associative learning and memory, Psych. Rev. 76:241-263.
- , A. 1975. Imagery and long-term memory, In: Studies in Long-Term Memory (A. Kennedy & A. Wilkes eds.), John Wiley, NY.
- Petrakos, Pamela 1981. Project local, 80 Microcomputing, February, No.14, pp. 74-77.
- Rigney, J.W. and K.A. Lutz 1976. Effect of graphic analogies of concepts in chemistry on learning and attitude., J. Educ. Psych. 68:305-311.
- Rigney, J.W. and A. Munro 1981. Learning strategies, In: Computer-Based Instruction A State-of-the-Art Assessment (Harold O'Neil, Jr., ed.), Academic Press, NY, pp. 127-159.
- Shaltz, Mark 1982. Personal communication, Michigan Technolgical University, Houghton, MI, January.
- Soldan, Theodore 1982. Personal communication, Michigan Technological University, Houghton, MI, January.
- Spain, J.D. 1979. Project Research Proposal: User Adaptable Microcomputer Graphics for Undergraduate Life Science Instruction, Submitted to National Science Foundation, Development in Science Education Div., 29 April, 49pp.
- Spittgerber, F.L. 1979. Computer-based instruction: A revolution in the making? Educ. Tech. 19(1):20-26.

Stryer, Lubert 1981. Biochemistry, W.H. Freeman & Co.,
San Francisco, Second Edition, 887pp.

Tsai, S.W. and N.F. Pohl 1980. Computer-assisted
instruction augmented with planned teacher/student
contacts, J. Exp. Educ. 49(2):120-126.

Zar, Jerrold H. 1980. Biostatistical Analysis, Prentice-
Hall, Inc., NJ, 620pp.

Appendix A

Photophosphorylation Diskette

Attached to the following page is a 16 sector diskette created for use on an Apple II Plus Microcomputer. It contains all BASIC subprograms which constitute the educational program entitled Photophosphorylation.

A2

Appendix B

Photophosphorylation Subprogram Listings

The following BASIC program listings comprise the educational program entitled Photophosphorylation. The subprograms (page numbers in parentheses) in order are Photophos 1 (B2), Photophos 1.5 (B7), Photophos 2 (B13), Photophos 3 (B21), Photophos 4 (B27) and Photophos 5 (B33).

```

100 GOTO 200
110 POKE 103,1
120 CALL 1002
130 CALL 6144
140 PRINT CHR$(16): INPUT "PLEASE DON'T PRESS <RESET
> DURING THIS PROGRAM! PRESS <RETURN,
> TO RESTART THIS PART OF THE PROGRAM..." ;A$
200 REM THIS PROGRAM WAS DEVELOPED BY THE SUMIT I COURSEWARE DEVELOPMENT
PROJECT, DEPARTMENT OF BIOLOGICAL SCIENCES, MICHIGAN TECHNOLOGICAL U
NIVERSITY, HOUGHTON, MI 49931
210 REM THIS MATERIAL IS BASED UPON WORK SUPPORTED BY THE NATIONAL SCIEN
CE FOUNDATION UNDER GRANT NUMBER SED-7919051
220 REM ANY OPINIONS, FINDINGS, AND CONCLUSIONS OR RECOMMENDATIONS EXPRE
SSED IN THIS PUBLICATION ARE THOSE OF THE AUTHORS AND DO NOT NECESSAR
ILY REFLECT THE VIEWS OF THE NATIONAL SCIENCE FOUNDATION.
230 REM SUBPROGRAM (PHOTOPHOS 1, 0 F PHOTOPHOSPHORYLATION
240 REM BASED ON PUBLICATIONS BY STRYER (1981) AND LEHNINGER (1975)
250 REM DESIGNED BY CATHERINE LEECE
260 REM PROGRAMMED BY CATHERINE LEECE
270 REM INITIALIZE VARIABLES
280 U3$ = CHR$(16): PRINT U3$
290 PRINT CHR$(26); CHR$(12)
300 REM MAIN PROGRAM
310 UTAB 3: HTAB (14): PRINT "INTRODUCTION
"
320 UTAB 6: PRINT " PHOTOSYNTHESIS IS THE CONVERSION OF LIGHT ENERGY T
O CHEMICAL ENERGY WITHIN A PLANT. THE REACTIONS INVOLVED TAKE PLAC
E IN TWO STAGES.": GOSUB 1190
330 UTAB 1: HTAB (12): PRINT "LIGHT REACTIONS"
340 UTAB 4: PRINT " BASICALLY, IN THE FIRST STAGE, LIGHT ENERGY IS USED
TO CONVERT ADP
TO ATP
TO PROVIDE THE PLANT WITH USABLE ENERGY. ALSO, NADP
+ IS CONVERTED TO NADPH
TO PROVIDE THE HYDROGEN AND ELECTRONS"
350 PRINT "NEEDED TO REDUCE CO
100 TO CARBOHYDRATES. THESE REACTIONS REQUIRE LIGHT, THUS THEY ARE CALLED
THE LIGHT REACTIONS
OF PHOTOSYNTHESIS, OR PHOTOPHOSPHORYLATION
.": GOSUB 1190
360 UTAB 1: HTAB (12): PRINT "DARK REACTIONS"
370 UTAB 4: PRINT " IN THE SECOND STAGE, THE ENERGY PRODUCTS OF TH
E LIGHT REACTIONS ARE USED TO CONVERT CARBON DIOXIDE TO CAR
BOHYDRATES. PLANTS STORE ENERGY IN
380 PRINT "THE FORM OF CARBOHYDRATES. THE REACTIONS OF THE SECOND STAGE DO
NOT REQUIRE LIGHT, THUS THEY ARE CALLED THE DARK
390 PRINT "REACTIONS
OF PHOTOSYNTHESIS; THEY ACTUALLY TAKE PLACE UNDER LIGHT AND
DARK CONDITIONS.": GOSUB 1190

```

```

400  VTAB 4: INPUT "PRESS <RETURN
> TO SEE A SIMULATION OF PHOTOSYNTHETIC PRODUCTS BEING FORMED AND USE
D";A$
410  GOTO 570
420  VTAB 1: HTAB (12): PRINT "KEEP IN MIND...": VTAB 4: HTAB (1): PRINT "
EVEN THOUGH PRODUCTS APPEARED TO FORM ONE AT A TIME IN THE SIMULATI
ON YOU JUST SAW, THESE AND OTHER REACTIONS OCCUR SIMULTANEOUSLY IN
THE PLANT CELL.
425  GOSUB 1190
430  VTAB 1: HTAB (14): PRINT "CHLOROPLASTS"
440  VTAB 4: PRINT " PHOTOSYNTHESIS TAKES PLACE IN HIGHLY SPECIALIZED OR
GANELLES, THE CHLOROPLASTS OR CHLOROPLASTIDS. CHLOROPLASTS ARE FOU
ND IN ALL HIGHER PLANTS, BRYOPHYTES"
450  PRINT "AND MOST ALGAE. CHLOROPLASTS EXIST IN THE CYTOPLASM OF PHOTO
SYNTHETIC CELLS, SUCH AS LEAF CELLS. THE DARK AND LIGHT"
455  PRINT "
REACTIONS OCCUR IN ALL CHLOROPLASTS, BUT EACH OCCURS IN A DIFFERENT LOCATIO
N INSIDE THE ORGANELLE.": GOSUB 1190
460  VTAB 1: HTAB (13): PRINT "CHLOROPHYLL"
470  VTAB 4: PRINT " THE PIGMENT CHLOROPHYLL IS FOUND IN CHLOROPLASTS.
IT EXISTS IN MANY FORMS WHICH DIFFER IN THEIR STRUCTURE AND THE WAV
ELLENGTH OF LIGHT THEY ABSORB. THE LEAVES OF MANY PLANTS ARE GREEN
BECAUSE"
480  PRINT "THEY CONTAIN HIGH AMOUNTS OF CHLOROPHYLL RELATIVE TO OTHER PIGM
ENTS. CHLOROPHYLL ABSORBS VIOLET, BLUE AND RED LIGHT AND REFLECTS, O
R TRANSMITS, GREEN LIGHT.": GOSUB 1190
490  VTAB 1: HTAB (12): PRINT "PIGMENT SYSTEMS"
500  VTAB 4: PRINT " CHLOROPHYLL AND OTHER PIGMENTS INVOLVED IN TH
E LIGHT REACTIONS OF PHOTOSYNTHESIS MAKE UP TWO PIGMENT SYS- TEM
S. THESE SYSTEMS ARE CALLED PIGMENT SYSTEM I AND PIGMENT SYSTEM II
. THEIR"
510  PRINT "FUNCTION IS TO ABSORB LIGHT THAT STRIKE THE LEAF AND CONVERT T
HE LIGHT TO CHEMICAL ENERGY.": GOSUB 1190
520  VTAB 4: PRINT " LET'S GO ON AND LOOK AT A SIMULATION OF THE PHOTOPH
OSPHORYLATION PATHWAY IN ACTION.": PRINT : PRINT " DON'T EXPECT TO
UNDERSTAND WHAT'S "
530  PRINT "HAPPENING ON THE SCREEN JUST YET. THIS IS JUST TO GIVE YOU A
FEELING FOR THE PATHWAY AS A WHOLE. THEN WE WILL BREAK IT DOWN INT
O PARTS TO EXAMINE WHAT'S HAPPENING AT THE MOLECULAR LEVEL."
540  PRINT : INPUT "WHEN YOU ARE READY TO GO ON...PRESS <RETURN
>";A$
550  PRINT !3$: PRINT "PLEASE BE PATIENT WHILE THE PROGRAM IS LOADING..."
: PRINT CHR$(4);"RUN PHOTOPHOS 1.5": END
560  REM PHOTOSYNTHESIS SUMMARY SIMULATION
570  PRINT !3$
580  VTAB 23: HTAB (6): PRINT "** PRESS <ESC
> KEY TO STOP **"
590  VTAB 20: PRINT CHR$(22)
600  HPLLOT 39,30 TO 39,105 TO 99,105 TO 99,30 TO 39,30: HPLLOT 179,30 TO 17
9,105 TO 239,105 TO 239,30 TO 179,30
610  VTAB 8: HTAB (8): PRINT "LIGHT": HTAB (7): PRINT "REACTION": VTAB 8: HTAB
(29): PRINT "DARK": HTAB (27): PRINT "REACTION"

```

```

620 .UTAB 1: HTAB (8): PRINT "LIGHT
": UTAB 16: HTAB (1): PRINT "H1000"
630 FOR U = 1 TO 20
640 GOSUB 1210: FOR S = 1 TO 2
650 HPLLOT 66,8 TO 66,29 TO 70,24: HPLLOT 62,24 TO 66,29
660 GOSUB 1210
670 UTAB 16: HTAB (1): PRINT "H1000"
680 UTAB 16: HTAB (5): SPEED= 150: PRINT "1J60 2100 + 2H+ + 1000100"
690 GOSUB 1210
700 UTAB 16: HTAB (1): PRINT "H1000"
710 HCOLOR= 0: HPLLOT 66,8 TO 66,29 TO 70,24: HPLLOT 62,24 TO 66,29: HCOLOR=
3
720 SPEED= 355: UTAB 15: HTAB (9): PRINT "100": HTAB (8): PRINT " ": GOSUB
1240: UTAB 15: HTAB (9): PRINT " ": UTAB 13: HTAB (9): PRINT "100"
730 GOSUB 1230: UTAB 13: HTAB (9): PRINT " "
740 GOSUB 1210: UTAB 16: HTAB (9): PRINT " ": UTAB 15: HTAB (9): PRINT "
1
00": GOSUB 1240: UTAB 15: HTAB (9): PRINT " ": UTAB 13: HTAB (9): PRINT "
100": GOSUB 1230: UTAB 13: HTAB (9): PRINT " "
750 IF PEEK ( - 16384) = 155 THEN 1160
760 GOSUB 1210: UTAB 15: HTAB (13): PRINT "H+": HTAB (13): PRINT " ": GOSUB
1240: UTAB 15: HTAB (13): PRINT " ": UTAB 13: HTAB (13): PRINT "H+":
GOSUB 1230: UTAB 13: HTAB (13): PRINT " "
770 GOSUB 1210: UTAB 16: HTAB (14): PRINT " `": UTAB 15: HTAB (13): PRINT
"H+": GOSUB 1240: UTAB 15: HTAB (13): PRINT " ": UTAB 13: HTAB (13):
PRINT "H+": GOSUB 1230: UTAB 13: HTAB (13): PRINT " "
780 GOSUB 1210: IF PEEK ( - 16384) = 155 THEN 1160
790 NEXT S
800 UTAB 16: HTAB (5): PRINT " "
810 UTAB 6: HTAB (26): PRINT ">": HPLLOT 100,43 TO 181,43
820 FOR Q = 1 TO 3
830 UTAB 5: HTAB (16): PRINT "P": GOSUB 1240: UTAB 5: HTAB (16): PRINT "
TP
": GOSUB 1240: UTAB 5: HTAB (16): PRINT "ATP
": GOSUB 1240
840 FOR S = 16 TO 22: UTAB 5: HTAB (S): PRINT " ATP
": GOSUB 1240: NEXT : UTAB 5: HTAB (23): PRINT " AT
": GOSUB 1240: UTAB 5: HTAB (24): PRINT " A": GOSUB 1240: UTAB 5: HTAB (25
): PRINT " "
850 IF PEEK ( - 16384) = 155 THEN 1160
860 NEXT Q: UTAB 11: HTAB (26): PRINT ">": HPLLOT 100,83 TO 181,83
870 FOR T = 1 TO 2: UTAB 10: HTAB (16): PRINT "H": GOSUB 1240: UTAB 10: HTAB
(16): PRINT "PH
": GOSUB 1240: UTAB 10: HTAB (16): PRINT "DPH
": GOSUB 1240: UTAB 10: HTAB (16): PRINT "ADPH
": GOSUB 1240: UTAB 10: HTAB (16): PRINT "NADPH
880 GOSUB 1240
890 FOR S = 16 TO 20: UTAB 10: HTAB (S): PRINT " NADPH
": GOSUB 1240: NEXT : UTAB 10: HTAB (21): PRINT " NADP
": GOSUB 1240: UTAB 10: HTAB (22): PRINT " NAD
": GOSUB 1240: UTAB 10: HTAB (23): PRINT " NA

```

```

900 GOSUB 1240: VTAB 10: HTAB (24): PRINT " N
910 GOSUB 1240: VTAB 10: HTAB (25): PRINT " ": GOSUB 1240: IF PEEK (- 1
6384) = 155 THEN 1160
920 NEXT T
930 HCOLOR= 0: HPLLOT 100,43 TO 181,43: HTAB (26): VTAB 6: PRINT " ": HPLLOT
100,83 TO 181,83: HCOLOR= 3: HTAB (26): VTAB 11: PRINT " ": HPLLOT 179
,30 TO 179,105
940 GOSUB 1210
950 HPLLOT 242,0 TO 221,29: HPLLOT 170,0 TO 192,29: FOR S = 1 TO 4: HTAB (2
9): VTAB (S): PRINT "C0100": IF S = 1 THEN GOSUB 1210: GOTO 970
960 GOSUB 1240
970 HTAB (29): VTAB (S): PRINT " ": NEXT S: HPLLOT 179,30 TO 239,30
980 HCOLOR= 0: HPLLOT 242,0 TO 221,29: HPLLOT 170,0 TO 192,29: HCOLOR= 3
990 GOSUB 1210: VTAB 6: HTAB (15): PRINT "<": HPLLOT 97,43 TO 178,43
1000 FOR Q = 1 TO 3: VTAB 5: HTAB (25): PRINT "A": GOSUB 1240: VTAB 5: HTAB
(24): PRINT "AD": GOSUB 1240: VTAB 5: HTAB (23): PRINT "ADP
": GOSUB 1240
1010 FOR S = 22 TO 16 STEP - 1: VTAB 5: HTAB (S): PRINT "ADP

": GOSUB 1240: NEXT S: VTAB 5: HTAB (16): PRINT "DP
": GOSUB 1240: VTAB 5: HTAB (16): PRINT "P ": GOSUB 1240: VTAB 5: HTAB (1
6): PRINT " "
1020 IF PEEK (- 16384) = 155 THEN 1160
1030 NEXT Q: GOSUB 1210
1040 HTAB (15): VTAB 11: PRINT "<": HPLLOT 97,83 TO 178,83
1050 FOR Q = 1 TO 2
1060 VTAB 10: HTAB (25): PRINT "N
": GOSUB 1240: VTAB 10: HTAB (24): PRINT "NA
": GOSUB 1240: VTAB 10: HTAB (23): PRINT "NAD
": GOSUB 1240: VTAB 10: HTAB (22): PRINT "NADP
": GOSUB 1240: VTAB 10: HTAB (21): PRINT "NADP
+": GOSUB 1240
1070 FOR S = 20 TO 16 STEP - 1: VTAB 10: HTAB (S): PRINT "NADP
+ ": GOSUB 1240: NEXT S: VTAB 10: HTAB (16): PRINT "ADP
+ ": GOSUB 1240: VTAB 10: HTAB (16): PRINT "DP
+ ": GOSUB 1240: VTAB 10: HTAB (16): PRINT "P+": GOSUB 1240: VTAB 10: HTAB
(16): PRINT "+ "
1080 GOSUB 1240: VTAB 10: HTAB (16): PRINT " "
1090 GOSUB 1240: IF PEEK (- 16384) = 155 THEN 1160
1100 NEXT Q
1110 HCOLOR= 0: HPLLOT 97,43 TO 178,43: HPLLOT 97,83 TO 178,83: HCOLOR= 3: VTAB
6: HTAB (15): PRINT " ": VTAB 11: HTAB (15): PRINT " ": HPLLOT 99,30 TO
99,105
1120 HPLLOT 203,106 TO 208,125 TO 212,120: HPLLOT 208,125 TO 204,120: VTAB
17: HTAB (27): PRINT "SUGAR OR": HTAB (28): PRINT "STARCH": GOSUB 120
0: GOSUB 1200
1130 HCOLOR= 0: HPLLOT 208,106 TO 208,125 TO 212,120: HPLLOT 208,125 TO 204
,120: HCOLOR= 3: VTAB 17: HTAB (27): PRINT " ": HTAB (28): PRINT
" ": GOSUB 1210
1140 IF PEEK (- 16384) = 155 THEN 1160
1150 NEXT U
1160 POKE - 16368,0: VTAB 1: HTAB (8): PRINT "LIGHT

```

```
" : 60SUB 1200: PRINT CHR$ (25);V3$  
1170 GOTO 420  
1180 REM PAUSE & PRESS RETURN SUBROUTINES  
1190 VTAB 24: INPUT "PRESS <RETURN  
> TO CONTINUE";A$: PRINT V3$: RETURN  
1200 FOR PAUSE = 1 TO 1200: NEXT : RETURN  
1210 FOR PA = 1 TO 600: NEXT : RETURN  
1220 FOR PA = 1 TO 380: NEXT : RETURN  
1230 FOR PA = 1 TO 500: NEXT : RETURN  
1240 FOR PA = 1 TO 100: NEXT : RETURN
```

B6

80

```

100 GOTO 200
110 POKE 103,1
120 CALL 1002
130 CALL 6144
140 PRINT CHR$(16): INPUT "PLEASE DON'T PRESS <RESET
> DURING THIS PROGRAM! PRESS <RETURN
> TO RESTART THIS PART OF THE PROGRAM.":A$
200 REM THIS PROGRAM WAS DEVELOPED BY THE SUMIT I COURSEWARE DEVELOPMENT
PROJECT, DEPARTMENT OF BIOLOGICAL SCIENCES, MICHIGAN TECHNOLOGICAL U
NIVERSITY, HOUGHTON, MI 49931
210 REM THIS MATERIAL IS BASED UPON WORK SUPPORTED BY THE NATIONAL SCIEN
CE FOUNDATION UNDER GRANT NUMBER SED-7919051
220 REM ANY OPINIONS, FINDINGS, AND CONCLUSIONS OR RECOMMENDATIONS EXPRE
SSED IN THIS PUBLICATION ARE THOSE OF THE AUTHORS AND DO NOT NECESSAR
ILY REFLECT THE VIEWS OF THE NATIONAL SCIENCE FOUNDATION
230 REM SUBPROGRAM (PHOTOPHOS 1.5) OF PHOTOPHOSPHORYLATION
240 REM BASED ON PUBLICATIONS BY STRYER (1931) AND LEHNINGER (1975)
250 REM DESIGNED BY CATHERINE LEECE
260 REM PROGRAMMED BY CATHERINE LEECE
270 REM INITIALIZE VARIABLES
280 V3$ = CHR$(16): PRINT V3$:CUE = 0
290 PRINT CHR$(12)
300 F$ = "
1ABEIJ0"
310 B$ = "1 GHKL M0"
320 E$ = "1AJEIB0"
400 REM MAIN PROGRAM/NON-CYCLIC PATHWAY
410 PRINT CHR$(26): CHR$(12): GOSUB 1290
420 UTAB 23: HTAB (6): PRINT "** PRESS <ESC
> KEY TO STOP **"
430 UTAB 14: HTAB (17): PRINT "LIGHT
"
440 UTAB 17: HTAB (7): PRINT "H1000"
450 FOR Q = 1 TO 40
460 GOSUB 1870: IF PEEK (- 16384) = 155 THEN 1220
470 UTAB 17: HTAB (31): PRINT ">": HPLOT 150,100 TO 212,131: GOSUB 1870
480 UTAB 17: HTAB (32): PRINT "P10230": GOSUB 1870: HCOLOR= 0: HPLOT 150,
100 TO 212,131: UTAB 17: HTAB (31): PRINT " ": GOSUB 1880
490 IF Q = 1 THEN HPLOT 227,67 TO 227,123
500 HCOLOR= 3: UTAB 9: HTAB (33): PRINT " ": GOSUB 1880
510 FOR S = 16 TO 9 STEP - 1: HTAB (32): UTAB S + 1: PRINT " " : UTAB
S: HTAB (32): PRINT "P10230": GOSUB 1900: NEXT
520 IF PEEK (- 16384) = 155 THEN 1220
530 UTAB 9: HTAB (32): PRINT " " : UTAB 8: HTAB (35): PRINT "P10230"
540 UTAB 7: HTAB (36): PRINT "100": GOSUB 1880: UTAB 7: HTAB (36): PRINT
" " : UTAB 6: HTAB (35): PRINT "100": GOSUB 1880: UTAB 6: HTAB (35): PRINT
" "
550 UTAB 6: HTAB (34): PRINT "100": GOSUB 1880: UTAB 6: HTAB (34): PRINT
" " : UTAB 7: HTAB (33): PRINT "100": HTAB (35): PRINT "P10230+": GOSUB
1880: UTAB 8: HTAB (33): PRINT "0"
560 IF PEEK (- 16384) = 155 THEN 1220
570 UTAB 8: HTAB (35): PRINT " " : FOR S = 9 TO 17: UTAB S: HTAB (32):

```

```

PRINT "P10230+": GOSUB 1900: IF S < 17 THEN VTAB S: HTAB (32): PRINT
" ": NEXT
580 IF CUE = 2 THEN 630
590 SPEED= 150: VTAB 17: HTAB (7): PRINT "H1000 1J00 2100 + 1C00100 + 2H+
": SPEED= 355
600 GOSUB 1870
610 GOSUB 1880: VTAB 17: HTAB (7): PRINT "H1000"
620 GOSUB 1870: GOSUB 1870
630 IF CUE = 2 THEN VTAB 17: HTAB (15): PRINT " ":CUE = 0: GOTO 650
640 VTAB 17: HTAB (14): PRINT " "
650 VTAB 16: HTAB (15): PRINT "100": GOSUB 1880: IF PEEK ( - 16384) = 15
5 THEN 1220
660 GOSUB 1870: GOSUB 1870
670 FOR S = 15 TO 35: VTAB 16: HTAB (S): PRINT " ": VTAB 16: HTAB (S + 1)
: PRINT "100": GOSUB 1900: NEXT
680 GOSUB 1880: VTAB 16: HTAB (36): PRINT " ": HTAB (36): PRINT " "
690 VTAB 7: HTAB (33): PRINT " ": GOSUB 1900
700 V = 7: FOR S = 32 TO 11 STEP - 1: HTAB (S): VTAB V: PRINT "100": GOSUB
1900: IF S < > 11 THEN HTAB (S): VTAB V: PRINT " "
710 IF PEEK ( - 16384) = 155 THEN 1220
720 IF S < 31 THEN V = 8: IF S < 27 THEN V = 9: IF S < 22 THEN V = 10: IF
S < 17 THEN V = 11: IF S < 13 THEN V = 12
730 NEXT
740 GOSUB 1880
750 VTAB 12: HTAB (11): PRINT " ": HTAB (10): PRINT " ": VTAB 8: HTAB (33
): PRINT "0"
760 GOSUB 1870
770 VTAB 12: HTAB (28): PRINT "ADP
": GOSUB 1870: GOSUB 1870: VTAB 12: HTAB (22): PRINT "ATP
": TAB( 28);" "
780 GOSUB 1870: FOR S = 22 TO 37: VTAB 12: HTAB (S): PRINT " ATP
": GOSUB 1900: NEXT
790 VTAB 12: HTAB (38): PRINT " AT
": GOSUB 1900: VTAB 12: HTAB (39): PRINT " A
": GOSUB 1900: VTAB 12: HTAB (40): PRINT " ": GOSUB 1860
800 IF PEEK ( - 16384) = 155 THEN 1220
810 VTAB 12: HTAB (40): PRINT "A": GOSUB 1900: VTAB 12: HTAB (39): PRINT
"AD
": GOSUB 1900: VTAB 12: HTAB (38): PRINT "ADP
": GOSUB 1900
820 FOR S = 37 TO 28 STEP - 1: VTAB 12: HTAB (S): PRINT "ADP
": GOSUB 1900: NEXT
830 HPLOT 108,106 TO 75,99
840 GOSUB 1870: VTAB 13: HTAB (6): PRINT "P1F330": GOSUB 1870: HCOLOR= 0:
HPLOT 108,106 TO 75,99: GOSUB 1880
850 IF 0 = 1 THEN HPLOT 52,18 TO 52,95: VTAB 3: HTAB (8): PRINT " "
860 HCOLOR= 3: VTAB 13: HTAB (5): PRINT "P1F330 "
870 IF PEEK ( - 16384) = 155 THEN 1220
880 HTAB (11): VTAB 12: PRINT " "
890 FOR S = 13 TO 3 STEP - 1: HTAB (5): VTAB S + 1: PRINT " ": VTAB S
: HTAB (5): PRINT "P1F330": GOSUB 1900: NEXT

```

```

900  VTAB 3: HTAB (3): PRINT "P1F330 ": GOSUB 1870
910  VTAB 2: HTAB (6): PRINT "100": GOSUB 1890: VTAB 2: HTAB (6): PRINT "
": VTAB 1: HTAB (7): PRINT "100": GOSUB 1890: VTAB 1: HTAB (7): PRINT
" ": HTAB (8): VTAB 1: PRINT "100"
920  HTAB (8): PRINT "Z": VTAB 3: HTAB (3): PRINT "P1F330+"
930  GOSUB 1870: IF PEEK ( - 16384) = 155 THEN 1220
940  VTAB 3: HTAB (3): PRINT " ": VTAB 3: HTAB (4): PRINT "P1F330+"
950  FOR S = 3 TO 12: HTAB (4): VTAB S: PRINT " ": HTAB (4): PRINT "P
1F330+": GOSUB 1900: NEXT
960  VTAB 13: HTAB (4): PRINT " P1F330+"
970  FOR S = 8 TO 12: VTAB 1: HTAB (S): PRINT " ": VTAB 1: HTAB (S + 1): PRINT
"100": GOSUB 1900: NEXT
980  VTAB 1: HTAB (13): PRINT " ": VTAB 2: HTAB (8): PRINT "Z": VTAB 2: HTAB
(14): PRINT "100": HTAB (14): PRINT "FERREDOXIN"
990  IF PEEK ( - 16384) = 155 THEN 1220
1000 IF CUE = 3 THEN CUE = 0: GOTO 1560
1010 IF INT (Q / 2) < > Q / 2 THEN CUE = 2: VTAB 2: HTAB (14): PRINT "
": HTAB (16): "10100": GOTO 1200
1020 VTAB 16: HTAB (26): PRINT "H+": HTAB (25): PRINT " ": VTAB 15: HTAB
(26): PRINT "H+": HTAB (26): PRINT " "
1030 FOR S = 26 TO 34: HTAB (S): VTAB 15: PRINT " H+": GOSUB 1900: NEXT
1040 FOR S = 15 TO 5 STEP - 1: HTAB (35): VTAB S: PRINT " ": HTAB (35):
VTAB S - 1: PRINT "H+": GOSUB 1900: NEXT
1050 VTAB 17: HTAB (11): PRINT " "
1060 FOR S = 14 TO 21: VTAB 2: HTAB (S): PRINT " 10 00": GOSUB 1900: NEXT

1070 IF PEEK ( - 16384) = 155 THEN 1220
1080 VTAB 2: HTAB (23): PRINT " ": VTAB 5: HTAB (25): PRINT "100": GOSUB
1900: VTAB 2: HTAB (25): PRINT " ": VTAB 5: HTAB (27): PRINT "100": GOSUB
1900
1090 FOR S = 25 TO 29: VTAB 5: HTAB (S): PRINT " 10 00": GOSUB 1890: NEXT

1100 VTAB 5: HTAB (33): PRINT " ": VTAB 1: HTAB (13): PRINT " "
GOSUB 1880: VTAB 5: HTAB (31): PRINT " 100": VTAB 5: HTAB (33): PRINT
" ": VTAB 3: HTAB (14): PRINT "FERREDOXIN"
1110 VTAB 4: HTAB (29): PRINT "NADP H
": GOSUB 1870: GOSUB 1870: VTAB 2: HTAB (29): PRINT "NADPH
": VTAB 4: HTAB (29): PRINT " "
1120 IF PEEK ( - 16384) = 155 THEN 1220
1130 GOSUB 1880: FOR S = 29 TO 35: VTAB 2: HTAB (S): PRINT " NADPH

": GOSUB 1900: NEXT
1140 VTAB 2: HTAB (36): PRINT " NADP
": GOSUB 1900: VTAB 2: HTAB (37): PRINT " NAD
": GOSUB 1900: VTAB 2: HTAB (38): PRINT " NA
": GOSUB 1900: VTAB 2: HTAB (39): PRINT " N": GOSUB 1900
1150 VTAB 2: HTAB (40): PRINT " ": GOSUB 1860
1160 IF (Q / 2) / 2 < > INT ((Q / 2) / 2) THEN CUE = 3: VTAB 3: HTAB (1
3): PRINT " ": GOTO 1190
1170 VTAB 4: HTAB (40): PRINT "N": GOSUB 1900: VTAB 4: HTAB (39): PRINT "
NA
": GOSUB 1900: VTAB 4: HTAB (38): PRINT "NAD

```

```

": 60SUB 1900: UTAB 4: HTAB (37): PRINT "NADP
": 60SUB 1900: UTAB 4: HTAB (36): PRINT "NADP
+": 60SUB 1900
1180 FOR S = 35 TO 29 STEP - 1: UTAB 4: HTAB (5): PRINT "NADP+
": 60SUB 1900: NEXT
1190 IF PEEK ( - 16384) = 155 THEN 1220
1200 NEXT 0
1210 REM END SIMULATION / PRESENT MENU
1220 POKE - 16388,0: UTAB 14: HTAB (17): PRINT "LIGHT
": 60SUB 1860
1230 UTAB 23: PRINT CHR$ (5): UTAB 23: INPUT "PRESS <RETURN
> WHEN YOU HAVE FINISHED LOOKING AT THE PATHWAY FOR NOW.";A$
1240 PRINT CHR$ (25);U3$: PRINT " NOW THAT YOU HAVE SEEN THE WHOLE
PATHWAY, LET'S BREAK IT DOWN AND EXAMINETHE PARTS. WE WILL START BY
LOOKING AT"
1250 PRINT "THE TWO PIGMENT SYSTEMS INVOLVED IN PHOTOPHOSPHORYLATION,
PIGMENTS SYSTEM I AND PIGMENT SYSTEM II
"
1255 PRINT : PRINT "YOU WILL GET A CHANCE TO REVIEW THIS AGAIN AT THE
END OF THE PROGRAM, AFTER THE SUMMARY."
1260 PRINT : INPUT "PRESS <RETURN
> TO CONTINUE";A$
1270 PRINT U3$: PRINT "PLEASE BE PATIENT WHILE THE PROGRAM IS LOADING...
": PRINT CHR$ (4);"RUN PHOTOPHOS 2": END
1280 REM DRAW PATHWAY SUBROUTINE
1290 PRINT CHR$ (25);U3$: HCOLOR= 3: HTAB (1): UTAB 12: PRINT CHR$ (23)
;"ENERGY
"; CHR$ (25)
1300 HTAB (1): UTAB 1: PRINT "HIGH": HTAB (8): PRINT "Z": HTAB (13): PRINT
"2FERREDOXIN": HTAB (1): UTAB 17: PRINT "LOW"
1310 UTAB 3: HTAB (12): PRINT ">": HPLLOT 162,20 TO 181,20
1320 HPLLOT 57,11 TO 78,19
1330 UTAB 2: HTAB (27): PRINT F$.
1340 UTAB 4: HTAB (29): PRINT "NADP
+"
1350 FOR S = 2 TO 15 STEP 3: HTAB (3): UTAB S: PRINT "-": NEXT
1360 HTAB (33): UTAB 8: PRINT "0"
1370 UTAB 17: HTAB (32): PRINT "P10230"
1380 UTAB 13: HTAB (6): PRINT "P1F330+"
1390 UTAB 3: HTAB (8): PRINT "^"
1400 HPLLOT 52,18 TO 52,92
1410 UTAB 9: HTAB (33): PRINT "^"
1420 HPLLOT 227,67 TO 227,123
1430 UTAB 11: HTAB (19): PRINT "CYT"
1440 UTAB 13: HTAB (11): PRINT "<"
1450 UTAB 10: HTAB (24): PRINT "S"
1460 HPLLOT 221,62 TO 147,80: HPLLOT 123,86 TO 72,100
1470 UTAB 9: HTAB (11): PRINT "CYT"
1480 UTAB 12: HTAB (28): PRINT "NDP
"
1490 UTAB 5: HTAB (14): PRINT E$
1500 UTAB 5: HTAB (16): PRINT "ADP

```

```

1510  VTAB 12: HTAB (9): PRINT "1L0"
1520  HPL0T 102,25 TO 79,63: HPL0T 73,73 TO 63,87
1530  HPL0T 0,170 TO 279,170
1540  VTAB 19: PRINT CHR$(22): RETURN
1550  REM CYCLIC PATHWAY
1560  \FOR R = 1 TO 2: VTAB 2: HTAB (14): PRINT " ":H = 14
1570  IF PEEK ( - 16384) = 155 THEN 1220
1580  FOR S = 4 TO 11: VTAB S: HTAB (H): PRINT "100": GOSUB 1900: VTAB S: HTAB
(H): PRINT " "
1590  IF S < 7 THEN H = H - 1: GOTO 1610
1600  IF S > 7 AND S < 10 THEN H = H - 1: GOTO 1610
1610  NEXT
1620  VTAB 12: HTAB (10): PRINT "100": GOSUB 1880: VTAB 12: HTAB (10): PRINT
" ": HTAB (10): PRINT " "
1630  VTAB 3: HTAB (14): PRINT "FERREDOXIN": VTAB 5: HTAB (16): PRINT "ADP

": GOSUB 1870: GOSUB 1870: VTAB 7: HTAB (16): PRINT "ATP
": VTAB 5: HTAB (16): PRINT " "
1640  GOSUB 1870: FOR S = 16 TO 37: VTAB 7: HTAB (S): PRINT " ATP
": GOSUB 1900: NEXT
1650  IF PEEK ( - 16384) = 155 THEN 1220
1660  VTAB 7: HTAB (38): PRINT " AT
": GOSUB 1900: VTAB 7: HTAB (39): PRINT " A": GOSUB 1900: VTAB 7: HTAB (40
): PRINT " ": GOSUB 1860
1670  VTAB 5: HTAB (40): PRINT "A": GOSUB 1900: VTAB 5: HTAB (39): PRINT "
AD
": GOSUB 1900: VTAB 5: HTAB (38): PRINT "ADP
": GOSUB 1900
1680  FOR S = 37 TO 16 STEP - 1: VTAB 5: HTAB (S): PRINT "ADP
": GOSUB 1900: NEXT
1690  IF PEEK ( - 16384) = 155 THEN 1220
1700  HPL0T 108,106 TO 75,99: GOSUB 1870: VTAB 13: HTAB (6): PRINT "P1F33
0": GOSUB 1870: HCOLOR= 0: HPL0T 108,106 TO 75,99: GOSUB 1880
1710  HCOLOR= 3: VTAB 13: HTAB (5): PRINT "P1F330 "
1720  HTAB (11): VTAB 12: PRINT " "
1730  FOR S = 13 TO 3 STEP - 1: HTAB (5): VTAB S + 1: PRINT " ": VTAB
S: HTAB (5): PRINT "P1F330": GOSUB 1900: NEXT
1740  VTAB 3: HTAB (3): PRINT "P1F330 ": GOSUB 1870
1750  VTAB 2: HTAB (6): PRINT "100": GOSUB 1890: VTAB 2: HTAB (6): PRINT "
": VTAB 1: HTAB (7): PRINT "100": GOSUB 1890: VTAB 1: HTAB (7): PRINT
" ": HTAB (8): VTAB 1: PRINT "100"
1760  GOSUB 1870: IF PEEK ( - 16384) = 155 THEN 1220
1770  VTAB 3: HTAB (3): PRINT " ": VTAB 3: HTAB (4): PRINT "P1F330+"
1780  FOR S = 3 TO 12: HTAB (4): VTAB S: PRINT " ": HTAB (4): PRINT "
P1F330+": GOSUB 1900: NEXT
1790  VTAB 13: HTAB (4): PRINT " P1F330+"
1800  FOR S = 8 TO 12: VTAB 1: HTAB (S): PRINT " ": VTAB 1: HTAB (S + 1): PRINT
"100": GOSUB 1900: NEXT
1810  VTAB 1: HTAB (13): PRINT " ": VTAB 2: HTAB (8): PRINT "Z": VTAB 2: HTAB
(14): PRINT "100": HTAB (14): PRINT "FERREDOXIN"
1820  GOSUB 1870
1830  NEXT : VTAB 3: HTAB (13): PRINT "2"

```

```
1840  UTAB 2: HTAB (14): PRINT "A"; TAB( 16): PRINT "100": GOTO 1170
1850  REM  PAUSE SUBROUTINES
1860  FOR PAUSE = 1 TO 1200: NEXT : RETURN
1870  FOR PA = 1 TO 200: NEXT : RETURN
1880  FOR PA = 1 TO 150: NEXT : RETURN
1890  FOR PA = 1 TO 80: NEXT : RETURN
1900  FOR PA = 1 TO 55: NEXT : RETURN
```

B12

95

```

100 GOTO 200
110 POKE 103,1
120 CALL 1002
130 CALL 8144
140 PRINT "CHR$(16): INPUT "PLEASE DON'T PRESS <RESET
> DURING THIS PROGRAM! PRESS RETURN
> TO RESTART THIS PART OF THE PROGRAM.";A$
200 REM THIS PROGRAM WAS DEVELOPED BY THE SUMIT I COURSEWARE DEVELOPMENT
PROJECT, DEPARTMENT OF BIOLOGICAL SCIENCES, MICHIGAN TECHNOLOGICAL U
NIVERSITY, HOUGHTON, MI 49931
210 REM THIS MATERIAL IS BASED UPON WORK SUPPORTED BY THE NATIONAL SCIE
NCE FOUNDATION UNDER GRANT NUMBER SED-7919051
220 REM ANY OPINIONS, FINDINGS, AND CONCLUSIONS OR RECOMMENDATIONS EXPRE
SSED IN THIS PUBLICATION ARE THOSE OF THE AUTHORS AND DO NOT NECESSAR
ILY REFLECT THE VIEWS OF THE NATIONAL SCIENCE FOUNDATION
230 REM SUBPROGRAM (PHOTOPHOS 2) OF PHOTOPHOSPHORYLATION
240 REM BASED ON PUBLICATIONS BY STRYER (1984) AND LEHNINGER (1975)
250 REM DESIGNED BY CATHERINE LEECE
260 REM PROGRAMMED BY CATHERINE LEECE
270 REM INITIALIZE VARIABLES
280 V3$ = CHR$(16): PRINT V3$
290 PRINT CHR$(12)
300 F$ = "
1A8EIJ0"
310 E$ = "1 GHKL M0"
320 E$ = "1AJEIB0"
400 REM MAIN PROGRAM
410 PRINT CHR$(26); CHR$(12): GOSUB 1750
420 PRINT "THIS DIAGRAM REPRESENTS PART OF THE PHOTOPHOSPHORYLATION P
ATHWAY. THE COMPONENTS OF THIS PATHWAY WERE DETERMINED THROU
GH EXPERIMENTATION WITH CHLOROPLASTS.": GOSUB 1970
430 PRINT "THE REACTIVE CHLOROPHYLL MOLECULE IN PIGMENT SYSTEM I (PS I
) IS CALLED P1F33:"
440 UTAB 14: HTAB (8): PRINT "^": HTAB (7): PRINT "PS I.
": GOSUB 1970
450 UTAB 14: HTAB (8): PRINT " ": HTAB (7): PRINT " ": UTAB 19: PRINT
"THE REACTIVE CHLOROPHYLL MOLECULE IN PIGMENT SYSTEM II (PS II
) IS CALLED PF10230."
460 UTAB 17: HTAB (24): PRINT "PS II )
": GOSUB 1970
470 UTAB 17: HTAB (24): PRINT " "
480 UTAB 19: PRINT "WHEN THE APPROPRIATE COLOR OF LIGHT STRIKES PS I
OR PS II
, AN ELECTRON IN THE REACTIVE MOLECULE (P1F330 OR P10230) IS RAISED TO A
N EXCITED STATE.": GOSUB 1970
490 PRINT "THIS MEANS THAT THE REACTIVE MOLECULE IS RAISED ABOVE ITS GROUND
STATE TO A HIGHER ENERGY LEVEL. THIS ACTIVATES THE ELECTRON SO
IT MAY BE PASSED TO AN ACCEPTOR MOLECULE.": GOSUB 1970
500 PRINT "AS WE LOOK AT EACH ELECTRON ACCEPTOR, KEEP IN MIND THAT A MO
LECULE WILL NOT ACCEPT AN ELECTRON UNLESS IT IS ALREADY LACKING AN

```

```

ELECTRON.": GOSUB 1970
510 INPUT "TO SEE WHAT HAPPENS WHEN LIGHT STRIKES PS II
, PRESS <RETURN
>.";A$
520 PRINT U3$: UTAB 14: HTAB (17): PRINT "
LIGHT
": GOSUB 1980
530 UTAB 17: HTAB (31): PRINT ">": HPLLOT 150,108 TO 212,131: GOSUB 1980
540 UTAB 17: HTAB (32): PRINT "P10230": GOSUB 1980: HCOLOR= 0: HPLLOT 150,
108 TO 212,131: UTAB 17: HTAB (31): PRINT " ": GOSUB 1980
550 HPLLOT 227,67 TO 227,123: HCOLOR= 3: UTAB 9: HTAB (33): PRINT " ": GOSUB
1980
560 FOR S= 16 TO 9 STEP - 1: HTAB (32): UTAB S+ 1: PRINT " ": UTAB
S: HTAB (32): PRINT "P10230": GOSUB 2010: NEXT
570 UTAB 9: HTAB (32): PRINT " ": UTAB 8: HTAB (35): PRINT "P10230"
580 UTAB 7: HTAB (36): PRINT "100": GOSUB 1990: UTAB 7: HTAB (36): PRINT
" ": UTAB 6: HTAB (35): PRINT "100": GOSUB 1990: UTAB 6: HTAB (35): PRINT
" "
590 UTAB 6: HTAB (34): PRINT "100": GOSUB 1990: UTAB 6: HTAB (34): PRINT
" ": UTAB 7: HTAB (33): PRINT "100": HTAB (35): PRINT "P10230+"
600 GOSUB 1990: UTAB 8: HTAB (33): PRINT "Q"
610 UTAB 19: PRINT "P10230 HAS DONATED THE ELECTRON AND WILL NOW RETURN
TO A LOWER ENERGY LEVEL. THE + SIGN INDICATES THAT THE MOLECULE IS
MISSING AN ELECTRON, THUS IT IS POSITIVELY CHARGED.": GOSUB 1
970
620 UTAB 8: HTAB (35): PRINT " ": FOR S = 9 TO 17: UTAB S: HTAB (32):
PRINT "P10230+": GOSUB 2010: IF S < 17 THEN UTAB S: HTAB (32): PRINT
" ": NEXT
630 UTAB 19: INPUT "P10230 NOW DRAWS AN ELECTRON AWAY FROM A MOLECULE OF
WATER. THIS CAUSES THE WATER MOLECULE TO SPLIT, THUS OXYGEN IS
RELEASED FROM THE PLANT. TO SEE THE ELECTRON TRANSFER PRESS <RETU
RN
>.";A$
640 PRINT U3$: SPEED= 100: UTAB 17: HTAB (7): PRINT "H1000.1JB0 2100 + 1C
00100 + 2H+": SPEED= 255
650 GOSUB 1980
660 UTAB 17: HTAB (14): PRINT " ": UTAB 16: HTAB (15): PRINT "100"
670 GOSUB 1980
680 FOR S = 15 TO 35: FOR PA = 1 TO 100: NEXT : UTAB 16: HTAB (S): PRINT
" ": UTAB 16: HTAB (S + 1): PRINT "1
00": NEXT
690 GOSUB 1990: UTAB 16: HTAB (36): PRINT " ": HTAB (36): PRINT " "
700 UTAB 19: PRINT "P10230 ACCEPTED THE ELECTRON IT NEEDED, THUS IT RET
URNED TO ITS GROUND STATE, IT WILL REMAIN AT THIS ENERGY LEVEL UNTIL
IT PICKS UP MORE LIGHT WAVES OF THE APPROPRIATE WAVELENGTH.": GOSUB
1970
710 PRINT "MEANWHILE, THE EXCITED ELECTRON IS PASSED BY 'Q', A MOLEC
ULE OF PLASTO- QUINONE, TO A SERIES OF CYTOCHROMES AND OTHER ELECT
RON CARRIERS WHICH ACT AS ELECTRON ACCEPTORS AND DONORS.": GOSUB 1
970
720 PRINT "AS THE ELECTRON IS PASSED IT LOSES SOME OF ITS ENERGY TO EACH
ELECTRON CARRIER. THIS ENERGY DRIVES THE SPONTANEOUS 'DOWNWARD M

```

```

MOVEMENT OF ELECTRONS.": GOSUB 1970
730 PRINT "EVEN THOUGH THE ELECTRON LOSES ENERGY AS IT PASSES THROUGH THE
CYTOCHROME CHAIN, IT IS STILL AT A RAISED ENERGY LEVEL, RELATIVE TO
ITS INITIAL ENERGY LEVEL, WHEN IT IS FINALLY ACCEPTED BY P1F330.":
GOSUB 1970
740 PRINT "DURING THE ELECTRON TRANSFER, SOME ENERGY IS CAPTURED TO
FORM A HIGH ENERGY MOLECULE.": PRINT : INPUT "PRESS <RETURN
> TO SEE THIS HAPPEN";A$
750 PRINT V3$: VTAB 7: HTAB (33): PRINT " ": HTAB (33): PRINT "Q": GOSUB
2000
760 V = 7: FOR S = 32 TO 11 STEP - 1: HTAB (S): VTAB V: PRINT "100": GOSUB
2000: IF S < > 11 THEN HTAB (S): VTAB V: PRINT ""
770 IF S < 31 THEN V = 8: IF S < 27 THEN V = 9: IF S < 22 THEN V = 10: IF
S < 17 THEN V = 11: IF S < 13 THEN V = 12
780 NEXT
790 GOSUB 1990
800 VTAB 12: HTAB (11): PRINT " ": HTAB (10): PRINT " "
810 GOSUB 1980
820 VTAB 12: HTAB (28): PRINT "ADP
": GOSUB 1980: VTAB 12: HTAB (22): PRINT "ATP
"; TAB (28);" "
830 GOSUB 1980: FOR S = 22 TO 37: VTAB 12: HTAB (S): PRINT " ATP
": GOSUB 2010: NEXT
840 VTAB 12: HTAB (38): PRINT " AT
": GOSUB 2010: VTAB 12: HTAB (39): PRINT " A": GOSUB 2010: VTAB 12: HTAB (
40): PRINT " ": GOSUB 1980: GOSUB 1990
850 VTAB 12: HTAB (40): PRINT "A": GOSUB 2010: VTAB 12: HTAB (39): PRINT
"AD
": GOSUB 2010: VTAB 12: HTAB (38): PRINT "ADP
": GOSUB 2010
860 FOR S = 37 TO 28 STEP - 1: VTAB 12: HTAB (S): PRINT "ADP
": GOSUB 2010: NEXT
870 VTAB 9: HTAB (33): PRINT "^": HPLLOT 227,67 TO 227,123
880 VTAB 19: PRINT "AS THE ELECTRON WAS PASSED ALONG THE SERIES OF CYT
OCHROMES, THE ENERGY NEEDED TO JOIN ADP
AND INORGANIC PHOSPHATE WAS TRAPPED. THUS A MOLECULE OF ATP
WAS FORMED.": GOSUB 1970
890 PRINT "WOULD YOU LIKE A DEFINITION OF ATP
": INPUT A$
900 IF LEFT$ (A$,1) = "N" THEN PRINT : PRINT "OKAY, WE WILL GO ON...": GOSUB
1970: GOTO 940
910 IF LEFT$ (A$,1) < > "Y" THEN PRINT : INPUT "PLEASE RE-ENTER YES OR
NO...";A$: GOTO 900
920 PRINT V3$: PRINT "ATP
FUNCTIONS AS THE MAJOR CARRIER OF CHEMICAL ENERGY IN THE CELLS OF ALL
LIVING ORGANISMS. AS IT TRANSFERS ENERGY TO OTHER MOLECULES IT LOSE
S ITS TERMINAL PHOSPHATE GROUP AND BECOMES ADP
": GOSUB 1970
930 PRINT "ADP
CAN ACCEPT CHEMICAL ENERGY BY GAINING A PHOSPHATE GROUP, THUS IT
BECOMES ATP

```

```

. IN THE CASE OF PLANTS, ATP
FORMS AT THE EXPENSE OF SOLAR ENERGY.": GOSUB 1970
940 PRINT "IT IS BECAUSE OF THIS LIGHT ACTIVATED PHOSPHORYLATION OF ADP
TO FORM ATP
, THAT THE LIGHT REACTIONS OF PHOTOSYNTHESIS WERE NAMED 'PHOTO - PHOSPHOR
YLATION.": GOSUB 1970
950 PRINT "ATP
AND ADP
MOLECULES MOVED TO AND FROM THE PATHWAY TO REPRESENT THE USE OF ATP
AND THE REPLENISHMENT OF ADP
BY THE DARK REACTIONS OF PHOTOSYNTHESIS ELSEWHERE IN THE CHLOROPLAST.": GOSUB
1970
960 UTAB (9: INPUT "NOW, WHAT WILL CAUSE P1F330 TO BE BOOSTED TO A HIGHER
ENERGY LEVEL? ";A$
970 IF LEFT$(A$,3) = "LI" OR LEFT$(A$,3) = "PH" OR LEFT$(A$,3) = "S
UN" THEN PRINT : PRINT "YOU ARE CORRECT!": GOSUB 1970: GOTO 1010
975 IF LEFT$(A$,2) = "EN" THEN PRINT : PRINT "YOU ARE CORRECT, IF YOU
MEAN LIGHT ENERGY.": GOSUB 1970: GOTO 1010
980 IF A$ = "" THEN PRINT : INPUT "PLEASE TRY TO ANSWER THE QUESTION-";A
$: GOTO 970
990 IF FLAG = 1 THEN PRINT V3$: PRINT "YOU ARE INCORRECT AGAIN.": GOSUB
1970: GOTO 1010
1000 PRINT V3$: INPUT "SORRY, YOU ARE INCORRECT. THINK ABOUT WHAT HAPPE
NED TO P10230 AND TRY TO ANSWER AGAIN-";A$: FLAG = 1: GOTO 970
1010 PRINT "THE COLOR OF LIGHT APPROPRIATE FOR PS I
STRIKES A REACTIVE MOLECULE OF P1F330. THUS AN ELECTRON IS EXCITED, CA
USING P1F330 TO BE RAISED TO A HIGHER ENERGY LEVEL.": GOSUB 197
0
1020 UTAB (9: PRINT "IF THE LIGHT SOURCE IS TURNED OFF, THE ENTIRE PATHW
AY 'SHUTS DOWN' AT THE REACTIVE CHLOROPHYLL MOLECULES. THAT IS, N
O ELECTRONS CAN BE PASSED FROM THESE MOLECULES IN THE DARK.": GOSUB
1970
1030 INPUT "WHAT MUST BE MISSING FROM A P1F330 MOLECULE, AT THE MO
LECULAR LEVEL, BEFORE IT CAN ACCEPT AN ELECTRON FROM A CYTO- CHROME M
OLECULE? ";A$
1040 IF A$ = "" THEN INPUT "PLEASE TRY TO ANSWER THE QUESTION-";A$: GOTO
1040
1050 IF LEFT$(A$,4) = "AN E" OR LEFT$(A$,3) = "A E" OR LEFT$(A$,1) =
"E" THEN PRINT V3$: PRINT "ELECTRON IS CORRECT!": PRINT : GOTO 107
0
1060 PRINT V3$: PRINT "SORRY, ";A$;" IS INCORRECT.": PRINT : PRINT "REM
EMBER, A MOLECULE CANNOT ACCEPT AN ELECTRON UNLESS IT IS MISSING AN
ELECTRON.": GOSUB 1970: GOTO 1080
1070 PRINT "YOU REMEMBERED THAT A MOLECULE CANNOT ACCEPT AN ELECTRON UN
LESS IT IS ALREADY MISSING AN ELECTRON.": GOSUB 1970
1080 INPUT "TO SEE WHAT HAPPENS WHEN LIGHT STRIKES PS I
, PRESS <RETURN
>.";A$
1090 PRINT V3$: HPLLOT 108,106 TO 75,99
1100 GOSUB 1980: UTAB 13: HTAB (6): PRINT "P1F330": GOSUB 1980: HCOLOR= 0
: HPLLOT 108,106 TO 75,99: GOSUB 1980

```

```

1110 H PLOT 52,18 TO 52,95: V TAB 3: H TAB (8): PRINT " ": GOSUB 1980: HCOLOR=
3
1120 H TAB (11): V TAB 12: PRINT " "
1130 FOR S = 13 TO 3 STEP - 1: H TAB (6): V TAB S + 1: PRINT " ": V TAB
S: H TAB (6): PRINT "P1F330": GOSUB 2010: NEXT
1140 V TAB 3: H TAB (3): PRINT "P1F330 " : GOSUB 1980
1150 V TAB 2: H TAB (6): PRINT "100": GOSUB 1990: V TAB 2: H TAB (6): PRINT "
": V TAB 1: H TAB (7): PRINT "100": GOSUB 1990: V TAB 1: H TAB (7): PRINT
" ": H TAB (8): V TAB 1: PRINT "100"
1160 H TAB (8): PRINT "Z": V TAB 3: H TAB (3): PRINT "P1F330+"
1170 GOSUB 1980: GOSUB 1990
1180 V TAB 3: H TAB (3): PRINT " P1F330+": GOSUB 2010
1190 FOR S = 3 TO 12: H TAB (6): V TAB S: PRINT " " : H TAB (6): PRINT "
P1F330+": GOSUB 2010: NEXT
1200 V TAB 19: PRINT "P1F330 IS NOW AT A LOWER ENERGY LEVEL BUT WILL NOT R
ETURN TO ITS GROUND STATE- UNTIL IT ACCEPTS ANOTHER ELECTRON.": GOSUB
1970
1210 PRINT "THE MOLECULE 'Z' NOW PASSES THE ELECTRON DOWN AN ENERGY GRADIE
NT TO FERREDOXIN; AN IRON PROTEIN.": PRINT : INPUT "PRESS <RETURN
> TO SEE THE TRANSFER.": A$
1220 PRINT V3$
1230 FOR S = 8 TO 12: V TAB 1: H TAB (S): PRINT " ": V TAB 1: H TAB (S + 1): PRIN
"10": GOSUB 2010: NEXT
1240 V TAB 1: H TAB (13): PRINT " ": V TAB 2: H TAB (8): PRINT "Z": V TAB 2: H TAB
(14): PRINT "100": H TAB (13): PRINT "FERREDOXIN"
1250 V TAB 3: H TAB (8): PRINT "^": H PLOT 52,18 TO 52,92
1260 V TAB 19: PRINT "IF THERE IS SUFFICIENT NADP
+ TO ACCEPT ELECTRONS FROM FERREDOXIN, THEN FERREDOXIN DONATES IT
S ELECTRONS TO NADP
+. FOR EVERY TWO ELECTRONS DONATED, ONE MOLECULE OF NADPH
IS FORMED.": GOSUB 1970.
1270 PRINT "WOULD YOU LIKE A DEFINITION OF NADP
": INPUT A$
1280 IF LEFT$ (A$,1) = "N" THEN PRINT : PRINT "OKAY, WE WILL CONTINUE D
ISCUSSING THE TWO ELECTRONS NEEDED TO FORM NADPH
.": GOSUB 1970: GOTO 1320
1290 IF LEFT$ (A$,1) < > "Y" THEN PRINT : INPUT "PLEASE RE-ENTER YES O
R NO...": A$: GOTO 1280
1300 PRINT V3$: PRINT "NAD
P IS AN ORGANIC MOLECULE THAT CARRIES ELECTRONS FROM ELECTRON DONORS TO
ELECTRON ACCEPTORS.": GOSUB 1970
1310 PRINT "IN THIS CASE, NADP
ACCEPTS ELECTRONS FROM FERREDOXIN AND CARRIES THEM TO THE PART OF THE
CHLOROPLAST WHERE THE DARK REACTIONS OCCUR.": GOSUB 1970
1315 PRINT "THE ELECTRONS ARE THEN DONATED TO AVAILABLE ELECTRON ACCEPTO
RS IN THE DARK REACTIONS.": GOSUB 1970
1320 INPUT "FROM WHAT MOLECULE INVOLVED IN THIS PATHWAY DO YOU THINK
THE SECOND ELECTRON COMES? ": A$
1330 IF A$ = "" THEN PRINT : INPUT "PLEASE TRY TO ANSWER THE QUESTION-":
A$: GOTO 1330
1340 IF LEFT$ (A$,2) = "H2O" OR LEFT$ (A$,2) = "H2" OR LEFT$ (A$,3) = "
P68" THEN PRINT : PRINT "'WATER' IS THE BEST ANSWER.": GOSUB 1970: GOTO
1370

```

```

1350 IF FLAG = 2 THEN PRINT "YOU ARE INCORRECT AGAIN.": GOSUB 1970: GOTO
1370
1360 PRINT U3$: PRINT "";A$;" IS INCORRECT.": INPUT "THINK ABOUT WHERE
THE FIRST ELECTRON CAME FROM AND TRY TO ANSWER AGAIN-";A$:FLAG = 2
: GOTO 1340
1370 PRINT U3$: PRINT "THE SECOND ELECTRON WILL COME FROM P10230, WHICH OR
IGINALLY ACCEPTED IT FROM WATER. IT WILL FOLLOW THE SAME PATHWAY THAT
THE FIRST ELECTRON DID BECAUSE A MOLECULE OF NADP
+ IS AVAILABLE TO ACCEPT IT.": GOSUB 1970
1380 PRINT "SINCE FERREDOXIN IS ONLY A ONE-ELECTRON CARRIER, TWO MOLECULE
S OF IT ARE NEEDED, ONE FOR EACH ELECTRON. THESE ELECTRONS THEN CONVE
RGE TO FORM ONE MOLECULE OF NADPH
FROM NADP
+." : GOSUB 1970
1390 INPUT "A HYDROGEN ION IS ALSO NEEDED TO FORM NADPH
FROM NADP
+ OF THE MOLECULES WE HAVE DISCUSSED SO FAR, WHICH DO YOU THINK SUP
PLIES THE HYDROGEN ION? ";A$
1400 IF A$ = "." THEN PRINT : INPUT "PLEASE TRY TO ANSWER THE QUESTION-";
A$: GOTO 1400
1410 IF LEFT$(A$,2) = "HA" OR LEFT$(A$,2) = "H2" THEN PRINT "'WATER'
IS THE CORRECT ANSWER AGAIN!": GOSUB 1970: GOTO.1430
1420 PRINT "";A$;" IS INCORRECT.": GOSUB 1970
1430 PRINT "THERE MAY BE OTHER SOURCES OF HYDROGEN IONS IN THE CHLOROPLA
ST, BUT WATER SPLITS AND DONATES THE HYDROGENS TO NADP
+ WHEN LIGHT IS PRESENT.": GOSUB 1970
1440 UTAB 19: PRINT "LET'S ASSUME THAT THE SECOND ELECTRON HAS ALREADY
BEEN ACCEPTED BY A SECOND MOLECULE OF FERREDOXIN.": PRINT : INPUT "
TO ADD THE SECOND FERREDOXIN TO THE PATHWAY, PRESS <RETURN
>";A$
1450 PRINT U3$: UTAB 1: HTAB (13): PRINT "FERREDOXIN 100": UTAB 20: INPUT
"NOW, TO FORM NADPH
, PRESS <RETURN
>";A$
1460 PRINT U3$
1470 UTAB 16: HTAB (26): PRINT "H+": HTAB (25): PRINT " ": UTAB 15: HTAB
(26): PRINT "H+": HTAB (26): PRINT " "
1480 HCOLOR= 0: HPLOT 227,67 TO 227,123: HCOLOR= 3
1490 GOSUB 1980
1500 FOR S = 26 TO 34: HTAB (S): UTAB 15: PRINT " H+": GOSUB 2010: NEXT
1510 HPLOT 227,67 TO 227,123
1520 FOR S = 15 TO 5 STEP - 1: HTAB (35): UTAB S: PRINT " ": HTAB (35):
UTAB S - 1: PRINT "H+": GOSUB 2010: NEXT
1530 FOR S = 14 TO 23: UTAB 2: HTAB (S): PRINT " 100": GOSUB 2000: NEXT
1540 UTAB 1: HTAB (24): PRINT " ": UTAB 4: HTAB (24): PRINT "100": GOSUB
2000: UTAB 2: HTAB (24): PRINT " ": UTAB 5: HTAB (24): PRINT "100": GOSUB
2000: UTAB 4: HTAB (24): PRINT " ": HTAB (26): PRINT "100": GOSUB 200
0
1550 FOR S = 24 TO 29: UTAB 5: HTAB (S): PRINT. " 10 0": GOSUB 2000: NEXT
1560 UTAB 5: HTAB (33): PRINT " ": UTAB 1: HTAB (13): PRINT " "
: GOSUB 2000: UTAB 5: HTAB (31): PRINT " 100": UTAB 5: HTAB (33): PRINT

```

```

" ": UTAB 3: HTAB (13): PRINT "FERREDOXIN"
1570 UTAB 4: HTAB (29): PRINT "NADP H
": GOSUB 1980: UTAB 2: HTAB (29): PRINT "NADPH
": UTAB 4: HTAB (29): PRINT "
1580 GOSUB 1990: FOR S = 29 TO 35: UTAB 2: HTAB (S): PRINT " NADPH
": GOSUB 2010: NEXT
1590 UTAB 2: HTAB (36): PRINT " NADP
": GOSUB 2010: UTAB 2: HTAB (37): PRINT " NAD
": GOSUB 2010: UTAB 2: HTAB (38): PRINT " NA
": GOSUB 2010: UTAB 2: HTAB (39): PRINT " N": GOSUB 2010: UTAB 2: HTAB (40
): PRINT " ": GOSUB 1980: GOSUB 1990
1600 UTAB 4: HTAB (40): PRINT "N": GOSUB 2010: UTAB 4: HTAB (39): PRINT "
NA": GOSUB 2010: UTAB 4: HTAB (38): PRINT "NAD
": GOSUB 2010: UTAB 4: HTAB (37): PRINT "NADP
": GOSUB 2010: UTAB 4: HTAB (36): PRINT "NADP
+": GOSUB 2010
1610 FOR S = 35 TO 29 STEP - 1: UTAB 4: HTAB (S): PRINT "NADP
+,: GOSUB 2010: NEXT
1620 UTAB 19: PRINT "THE MOVEMENT OF NADP
+ AND NADPH
MOLECULES TO AND FROM THE PATHWAY REPRESENTED THE USE OF NADPH
AND REPLENISHMENT OF NADP
+ BY THE DARK REACTIONS OF PHOTOSYNTHESIS.": GOSUB 1970
1630 PRINT "WHEN TWO MOLECULES OF FERREDOXIN AGAIN HAVE ONE ELECTRON EACH
TO DONATE, THEY WILL PASS THEM TO NADP
+ IF IT IS AVAILABLE.": GOSUB 1970
1640 PRINT "THE PATHWAY THAT WE JUST TRACED THROUGH, ENDING WITH THE FORMA
TION OF NADPH
, IS CALLED NON-CYCLIC
PHOTOPHOSPHORYLATION. ": GOSUB 1970
1650 PRINT "IT IS CALLED 'NON-CYCLIC' BECAUSE ELECTRONS ESSENTIALLY
FLOW FROM WATER TO NADP
+ WITHOUT CYCLING BACK TO P1F330.": GOSUB 1970
1660 PRINT CHR$(25);U3$
1670 PRINT "THAT'S IT FOR NON-CYCLIC PHOTOPHOSPHORYLATION. WOULD YOU
LIKE TO": PRINT
1680 PRINT " 1) REVIEW THIS SECTION ON NON-CYCLIC PHOTOPHOSPHORY
LATION": PRINT : PRINT " 2) GO ON AND LEARN ABOUT CYCLIC
PHOTOPHOSPHORYLATION.": PRINT : PRINT "OR 3) EXIT FROM THE PROGRAM

1690 PRINT : INPUT "WHAT IS YOUR CHOICE (1, 2 OR 3)? ";A$: PRINT
1700 IF VAL (A$) = 1 THEN 410: END
1710 IF VAL (A$) = 2 THEN PRINT "PLEASE BE PATIENT WHILE THE PROGRAM IS
LOADING...": PRINT CHR$(4);"RUN PHOTOPHOS 3": END
1720 IF VAL (A$) = 3 THEN PRINT U3$: PRINT "I HOPE YOU BENEFITTED FROM
THIS PROGRAM.": PRINT "THANK YOU.": END
1730 INPUT "THAT WAS NOT ONE OF THE CHOICES, PLEASE RE-ENTER-";A$: GOTO 1
700: END
1740 REM DRAW PATHWAY SUBROUTINE
1750 PRINT CHR$(25);U3$: HTAB (1): UTAB 12: PRINT CHR$(23);"ENERGY
"; CHR$(25)
1760 HTAB (1): UTAB 1: PRINT "HIGH": HTAB (8): PRINT "2": HTAB (13): PRINT

```

```

"FERREDOXIN": HTAB (1): UTAB 17: PRINT "LOW"
1770 UTAB 3: HTAB (12): PRINT ">": HPLOT 156,20 TO 181,20
1780 HPLLOT 57,11 TO 79,19
1790 UTAB 2: HTAB (27): PRINT F$
1800 UTAB 4: HTAB (29): PRINT "NADP
+"
1810 FOR S = 2 TO 15 STEP 3: HTAB (3): UTAB S: PRINT "-": NEXT
1820 HTAB (33): UTAB 8: PRINT "Q"
1830 UTAB 17: HTAB (32): PRINT "P10230"
1840 UTAB 13: HTAB (6): PRINT "P1F330+"
1850 UTAB 3: HTAB (8): PRINT "^"
1860 HPLLOT 52,18 TO 52,92
1870 UTAB 9: HTAB (33): PRINT "^^"
1880 HPLLOT 227,67 TO 227,123
1890 UTAB 11: HTAB (19): PRINT "CYT"
1900 UTAB 13: HTAB (11): PRINT "<"
1910 UTAB 10: HTAB (24): PRINT B$
1920 HPLLOT 221,62 TO 147,80: HPLLOT 123,86 TO 72,100
1930 UTAB 12: HTAB (28): PRINT "ADP
"
1940 HPLLOT 0,140 TO 279,140
1950 UTAB 19: PRINT CHR$ (22): RETURN
1960 REM PAUSE & PRESS RETURN SUBROUTINES
1970 UTAB 24: INPUT "PRESS <RETURN
> TO CONTINUE":A$: PRINT U3$: RETURN
1980 FOR PAUSE = 1 TO 1200: NEXT : RETURN
1990 FOR PA = 1 TO 400: NEXT : RETURN
2000 FOR PA = 1 TO 180: NEXT : RETURN
2010 FOR PA = 1 TO 100: NEXT : RETURN

```

```

100 GOTO 200
110 POKE 103,1
120 CALL 1002
130 CALL 8144
140 PRINT CHR$(16): INPUT "PLEASE DON'T PRESS <RESET
> DURING THIS PROGRAM! PRESS <RETURN
> TO RESTART THIS PART OF THE PROGRAM.";A$
200 REM THIS PROGRAM WAS DEVELOPED BY THE SUMIT I COURSEWARE DEVELOPMENT
PROJECT, DEPARTMENT OF BIOLOGICAL SCIENCES, MICHIGAN TECHNOLOGICAL U
NIVERSITY, HOUGHTON, MI 49931
210 REM THIS MATERIAL IS BASED UPON WORK SUPPORTED BY THE NATIONAL SCIEN
CE FOUNDATION UNDER GRANT NUMBER SED-7919051
220 REM ANY OPINIONS, FINDINGS, AND CONCLUSIONS OR RECOMMENDATIONS EXPRE
SSED IN THIS PUBLICATION ARE THOSE OF THE AUTHORS AND DO NOT NECESSAR
ILY REFLECT THE VIEWS OF THE NATIONAL SCIENCE FOUNDATION
230 REM SUBPROGRAM (PHOTOPHOS 3) OF PHOTOPHOSPHORYLATION
240 REM BASED ON PUBLICATIONS BY STRYER (1981) AND LEHNINGER (1975)
250 REM DESIGNED BY CATHERINE LEECE
260 REM PROGRAMMED BY CATHERINE LEECE
270 REM INITIALIZE VARIABLES
280 V3$ = CHR$(16): PRINT V3$
290 SC(1) = 0: SC = 0: PRINT CHR$(12): CUE = 0
300 F$ = "
1ABEIJ0"
310 B$ = "1 GHKL M0"
320 E$ = "1AJEIB0"
400 REM MAIN PROGRAM
410 PRINT CHR$(26); CHR$(12): GOSUB 2010
420 UTAB 18: PRINT "THIS PATHWAY REPRESENTS WHAT BIOLOGISTS BELIEVE TO BE
CYCLIC
PHOTOPHOS- PHORYLATION, NOTICE THAT IT CONTAINS PORTIONS OF TH
E NON-CYCLIC PATHWAY.": GOSUB 2210
430 UTAB 18: PRINT "BIOLOGISTS BELIEVE THE PLANT UTILIZES THIS PATHWAY
WHEN NADP
+ IS NOT AVAILABLE TO ACCEPT ELECTRONS FROM FERREDOXIN.": GOSUB 2210
440 PRINT "NADP
+ WILL BE REMOVED FROM THIS PICTURE BECAUSE WE WOULD LIKE TO SEE WHAT
HAPPENS WHEN IT IS NOT AVAILABLE TO THE PHOTOPHOSPHORYLATION REACTI
ONS.": INPUT "PRESS <RETURN
> TO DO SO.":A$
450 PRINT V3$: FOR S = 2 TO 4: UTAB S: HTAB (23): PRINT " ": NEXT
460 UTAB 18: PRINT "LET'S ASSUME THAT AN ELECTRON HAS ALREADY BEEN
BOOSTED TO A HIGHER ENERGY LEVEL BY LIGHT, AND PASSED FROM WATER TO FE
RREDOXIN VIA NON-CYCLIC PHOTOPHOS- PHORYLATION."
470 UTAB 24: INPUT "TO SEE THE ELECTRON, PRESS <RETURN
>";A$: PRINT V3$
480 UTAB 2: HTAB (14): PRINT "10:0": HTAB (13): PRINT "FFERREDOXIN"
490 UTAB 18: PRINT "THIS MEANS THAT FERREDOXIN NEEDS TO DONATE THE EX
CITED ELECTRON TO AN ACCEPTOR SO IT CAN BECOME A STABLE MO
LECULE.": GOSUB 2210
500 UTAB 18: PRINT "SINCE NADP

```

```

+ IS UNAVAILABLE, THE ELECTRON IS DONATED TO A CHAIN OF VARIOUS CYTO- CHRO
ME MOLECULES.": GOSUB 2210
510 VTAB 18: PRINT "AS IN THE NON-CYCLIC PATHWAY, THE ELECTRON LOSE
S SOME OF ITS ENERGY TO EACH CYTOCHROME, AND SOME OF ITS ENERGY IS
TRAPPED TO FORM A MOLECULE OF ATP
": GOSUB 2210
520 VTAB 18: PRINT "BECAUSE P1F330 DONATED ITS ELECTRON TO FERREDOXIN
WHEN ACTIVATED BY LIGHT, IT HAS A NEED FOR AN ELECTRON. THEREFORE
IT ACCEPTS THE ONE PASSED 'DOWN' THROUGH THE CYTOCHROME CHAIN.": GOSUB
2210
530 VTAB 18: PRINT "UNLIKE THE FORMATION OF NADPH
, ONLY ONE
MOLECULE OF FERREDOXIN IS NEEDED TO DONATE AN ELECTRON THROUGH THE CY
TO- CHROME CHAIN BACK TO P1F330.
535 INPUT "TO SEE FERREDOXIN DONATE THE ELECTRON, PRESS <RETURN
>...";A$
540 PRINT U3$
550 VTAB 2: HTAB (14): PRINT " ":H = 14
560 FOR S = 4 TO 11: VTAB S: HTAB (H): PRINT "100": GOSUB 2250: VTAB S: HTAB
(H): PRINT " "
570 IF S < 7 THEN H = H - 1: GOTO 590
580 IF S > 7 AND S < 10 THEN H = H - 1: GOTO 590
590 NEXT
600 VTAB 12: HTAB (10): PRINT "10:0": GOSUB 2230: VTAB 12: HTAB (10): PRINT
" ": HTAB (10): PRINT " "
610 VTAB 3: HTAB (13): PRINT "FERREDOXIN": GOSUB 2230: VTAB 5: HTAB (16):
PRINT "ADP
": GOSUB 2220: VTAB 7: HTAB (16): PRINT "ATP
": VTAB 5: HTAB (16): PRINT " "
620 GOSUB 2230: FOR S = 16 TO 37: VTAB 7: HTAB (S): PRINT " ATP
": GOSUB 2260: NEXT
630 VTAB 7: HTAB (38): PRINT " AT
": GOSUB 2260: VTAB 7: HTAB (39): PRINT " A
": GOSUB 2260: VTAB 7: HTAB (40): PRINT " ": GOSUB 2220: GOSUB 2230
640 VTAB 5: HTAB (40): PRINT "A": GOSUB 2260: VTAB 5: HTAB (39): PRINT "
AD
": GOSUB 2260: VTAB 5: HTAB (38): PRINT "ADP
": GOSUB 2260
650 FOR S = 37 TO 16 STEP - 1: VTAB 5: HTAB (S): PRINT "ADP
": GOSUB 2260: NEXT
660 IF CUE < > 0 THEN RETURN
670 VTAB 18: PRINT "THE FORMATION OF ATP
IN THE CYCLIC PATHWAY KEEPS ATP
SUPPLIED TO THE CELL IN THE ABSENCE OF NON-CYCLIC PHOTOPHOS- PHORYLA
TION.": GOSUB 2210
680 PRINT "IF THERE IS A SURPLUS OF ATP
, IT CAN BE USED FOR OTHER SYNTHETIC PROCESSES, IN ADDITION TO THE DARK R
EACTIONS.": GOSUB 2210
690 INPUT "IS P1F330 NOW IN ITS GROUND STATE? ";A$
700 IF A$ = "" THEN PRINT : INPUT "PLEASE TRY TO ANSWER THE QUESTION-";A

```

```

$: GOTO 700
710 IF LEFT$(A$,1) = "Y" THEN PRINT : PRINT "YOU ARE CORRECT.": GOSUB
2210: GOTO 730
720 PRINT "YOU ARE INCORRECT. THINK ABOUT WHAT CAUSED P1F330 TO RETURN
N TO ITS GROUND STATE IN NON-CYCLIC PHOTOPHOSPHORYLATION.": GOSUB 2210
730 PRINT "SINCE P1F330 ACCEPTED THE ELECTRON THAT PASSED THROUGH THE CYTOCHROME
CHAIN, IT FULFILLED ITS NEED FOR AN ELECTRON. THUS IT RETURNED TO ITS GROUND STATE
ENERGY LEVEL.": GOSUB 2210
740 INPUT "IS PS II (P10230) INVOLVED IN CYCLIC PHOTOPHOSPHORYLATION? ";A$
750 IF A$ = "" THEN PRINT : INPUT "PLEASE TRY TO ANSWER THE QUESTION-";A$
760 IF LEFT$(A$,1) = "N" THEN PRINT : PRINT "YOU ARE CORRECT.": GOSUB
2210: GOTO 780
770 PRINT : PRINT "YOUR ANSWER IS INCORRECT.": GOSUB 2210
780 PRINT "THE ELECTRON WHICH FILLS THE 'ELECTRON HOLE' IN P1F330 (PS I) IS
CONSTANTLY RECYCLED, THUS THE REACTIVE MOLECULE IN PS II (P10230) IS NOT NEEDED
TO DONATE AN ELECTRON.": GOSUB 2210
790 PRINT "P10230 WILL STILL BE ACTIVATED WHEN LIGHT STRIKES PS II, BUT IT WILL
NOT BE ABLE TO PASS ITS EXCITED ELECTRON VERY FAR ALONG THE NON-CYCLIC PATHWAY
WHEN THE PLANT IS UTILIZING THE CYCLIC PATHWAY.": GOSUB 2210
800 INPUT "PRESS RETURN TO SIMULATE LIGHT STRIKING P1F330...";A$
810 PRINT U3$
820 UTAB 13: HTAB (19): PRINT "LIGHT": GOSUB 2220
830 UTAB 13: HTAB (10): PRINT "<": HPLLOT 125,99 TO 65,99: GOSUB 2220: UTAB
13: HTAB (6): PRINT "P1F330": GOSUB 2220: HCOLOR= 0: HPLLOT 125,99 TO
65,99: UTAB 13: HTAB (10): PRINT " ": GOSUB 2220
840 HPLLOT 52,18 TO 52,95: UTAB 3: HTAB (8): PRINT " ": GOSUB 2220: HCOLOR=
3: UTAB 13: HTAB (5): PRINT "P1F330 "
850 FOR S = 13 TO 3 STEP - 1: HTAB (5): UTAB S + 1: PRINT " ": UTAB S
: HTAB (5): PRINT "P1F330": GOSUB 2260: NEXT
860 UTAB 3: HTAB (3): PRINT "P1F330 ": GOSUB 2220
870 UTAB 2: HTAB (6): PRINT "1010": GOSUB 2230: UTAB 2: HTAB (6): PRINT "
": UTAB 1: HTAB (7): PRINT "100": GOSUB 2230: UTAB 1: HTAB (7): PRINT
" ": HTAB (8): UTAB 1: PRINT "100"
880 HTAB (8): PRINT "Z": UTAB 3: HTAB (3): PRINT "P1F330+": GOSUB 2220
890 UTAB 3: HTAB (3): PRINT " ": UTAB 3: HTAB (4): PRINT "P1F330+"
900 FOR S = 3 TO 12: HTAB (4): UTAB S: PRINT " ": HTAB (4): PRINT "P
1F330+": GOSUB 2260: NEXT
910 UTAB 13: HTAB (4): PRINT " P1F330+"
920 FOR S = 8 TO 12: UTAB 1: HTAB (S): PRINT " ": UTAB 1: HTAB (S + 1): PRINT
"100": GOSUB 2250: NEXT
930 UTAB 1: HTAB (13): PRINT " ": UTAB 2: HTAB (8): PRINT "Z": UTAB 2: HTAB
(14): PRINT "100": HTAB (13): PRINT "FERREDOXIN"
940 UTAB 3: HTAB (8): PRINT "^": HPLLOT 52,18 TO 52,95
950 CUE = 1: GOSUB 540
960 UTAB 18: PRINT "AS LONG AS 1) NADP
+ MOLECULES ARE UNAVAILABLE AND 2) LIGHT OF THE APPROPRIATE WAVELENGTH IS PRESENT, THE EXCITED ELECTRON WILL CONTINUE TO CYCLE."

```

```

: GOSUB 2210
970 UTAB 19: PRINT "THIS ENDS THE EXPLANATION OF CYCLIC PHOTOPHOSPHOR-
YLATION. NEXT YOU WILL BE PRESENTED WITH 5 QUESTIONS. EACH QUES- TI
ON MAY DEAL WITH THE CYCLIC OR NON- CYCLIC PATHWAYS, OR BOTH.": GOSUB
2210
972 INPUT "HAVE YOU TAKEN THE UPCOMING QUIZ BEFORE (I.E. WILL THIS BE A R
EVIEW FOR YOU)? ";A$
973 PRINT V3$: IF LEFT$(A$,1) = "Y" THEN 1400
974 IF LEFT$(A$,1) < > "N" THEN PRINT : INPUT "PLEASE RE-ENTER-";A$: GOTO
973
980 UTAB 19: INPUT "WHEN YOU ARE THROUGH EXAMINING THE CYCLIC PATHWA
Y SHOWN HERE, PRESS <RETURN
> FOR THE FIRST QUESTION. REMEM- BER, YOU WILL GET A CHANCE TO SEE THE E
NTIRE PATHWAY AGAIN LATER. ";A$
990 REM ,QUESTIONS
1000 PRINT CHR$(25);V3$
1020 PRINT "1) CYCLIC 2) NON-CYCLIC 3) BOTH 1 & 2": PRINT
1030 PRINT "RESPOND TO EACH QUESTION BY ENTERING THE NUMBER 1, 2 OR 3, DEP
ENDING ON WHICH CHOICE CORRECTLY ANSWERS THE QUESTION:"
1040 UTAB 9: PRINT CHR$(22): INPUT "WHICH PATHWAY PRODUCES NET ATP
? ";A$
1050 IF VAL(A$) = 3 OR LEFT$(A$,1) = "B" THEN SC(1) = 1: PRINT : PRINT
"YOUR ANSWER IS CORRECT!": GOSUB 2210: GOTO 1080
1060 PRINT : PRINT "YOUR ANSWER IS INCORRECT. BOTH THE CYCLIC AND NO
N-CYCLIC PATHWAYS PRODUCE ATP. T
HIS RESULTS IN A NET GAIN OF ATP
WHICH CAN BE USED IN THE DARK REACTIONS OF PHOTOSYNTHESIS OR IN OTHER SY
NTHETIC"
1070 PRINT "PATHWAYS WHEN IN SURPLUS.": GOSUB 2210
1080 INPUT "WHICH PATHWAY INVOLVES PS II
? ";A$
1090 IF VAL(A$) = 2 OR LEFT$(A$,1) = "N" THEN SC(1) = SC(1) + 1: PRINT
: PRINT "YOU ARE CORRECT. THE CYCLIC PATHWAY ONLY INVOLVES PS I
.": GOSUB 2210: GOTO 1110
1100 PRINT : PRINT "YOU ARE INCORRECT. THE NON-CYCLIC IS THE ONE WHICH INV
OLVES PS II
AS WELL AS PS I.
THE CYCLIC PATHWAY ONLY INVOLVES PS I
.": GOSUB 2210
1110 INPUT "WHICH PATHWAY PRODUCES OXYGEN? ";A$
1120 IF VAL(A$) = 2 OR LEFT$(A$,1) = "N" THEN SC(1) = SC(1) + 1: PRINT
: PRINT "YOUR ANSWER IS CORRECT! WHEN LIGHT STRIKES PS II
A MOLECULE OF WATER SPLITS AND RELEASES OXYGEN.": GOSUB 2210: GOTO
1140
1130 PRINT : PRINT "SORRY, YOU ARE INCORRECT. SINCE THE NON-CYCLIC PATHWA
Y IS THE ONE WHICH INVOLVES WATER, IT IS THE ONE THAT PRODUCES OX
YGEN WHEN A WATER MOLECULE SPLITS.": GOSUB 2210
1140 INPUT "WHICH PATHWAY TAKES PLACE ONLY IN THE LIGHT? ";A$
1150 IF VAL(A$) = 3 OR LEFT$(A$,1) = "B" THEN SC(1) = SC(1) + 1: PRINT
: PRINT "YOU ARE RIGHT! ": GOSUB 2210: GOTO 1170
1160 PRINT : PRINT "YOU ARE NOT RIGHT. THE ENTIRE PROCESS OF PHOTOPHOSPHOR
YLATION REQUIRES LIGHT. THEREFORE BOTH PATHWAYS REQUIRE LIGHT. RE

```

```

MEMBER HOW THE PATHWAY GOT ITS NAME.": GOSUB 2210
1170 INPUT "P1F330 IS THE REACTIVE CHLOROPHYLL MOLECULE OF WHICH P
      ATHWAY? ";A$
1180 IF VAL(A$) = 3 OR LEFT$(A$,1) = "B" THEN SC(1) = SC(1) + 1: PRINT
      : GOTO 1220
1190 PRINT : PRINT "SORRY, YOU ARE NOT CORRECT. YOU MUST HAVE FORGOTTE
      N THAT P1F330 IS THE REACTIVE MOLECULE IN PS I
      , AND PS I
      IS INVOLVED IN BOTH PATHWAYS. ALSO, DO NOT FORGET THAT THE REACTIVE MOL
      ECULE IN EACH "
1200 PRINT "PIGMENT SYSTEM DOES NOT MAKE UP THE ENTIRE PIGMENT SYSTEM
      . THERE ARE OTHER PIGMENTS INVOLVED ALSO.": GOSUB 2210
1210 GOTO 1230
1220 PRINT "GOOD FOR YOU, YOU GOT THIS ONE RIGHT! YOU MUST HAVE REMEMBE
      RED THAT P1F330 IS THE REACTIVE MOLECULE IN PS I
      , AND PS I
      IS INVOLVED IN BOTH PATHWAYS.": GOSUB 2210
1230 PRINT CHR$(25);U3$:SC = (SC(1) / 5) * 100: UTAB 4: PRINT "YOU CORR
      ECTLY ANSWERED ";SC(1);" OUT OF 5": PRINT "OF THESE QUESTIONS.": PRINT
      : PRINT "THIS GIVES YOU A PERCENTILE SCORE OF": PRINT SC;"%."
1235 PRINT : PRINT "KEEP THESE QUESTIONS IN MIND WHEN YOU REVIEW THE SI
      MULATION OF THE ENTIRE PHOTOPHOSPHORYLATION PATHWAY LATER ON."
1240 UTAB 22: INPUT "PRESS <RETURN
      > FOR A WRITTEN SUMMARY OF PHOTOPHOSPHORYLATION.":A$
1250 REM SUMMARY
1260 PRINT CHR$(25);U3$: PRINT "THE OUTSTANDING FEATURES OF CYCLIC AND
      NON-CYCLIC PHOTOPHOSPHORYLATION ARE SUMMARIZED BELOW.": PRINT
1270 PRINT "NON-CYCLIC
      :": PRINT " 1) INVOLVES PS I
      AND PS II
      ": PRINT " 2) PRODUCES ATP
      AND NADPH
      ": PRINT " 3) CAUSES WATER TO SPLIT AND RELEASE OXYGEN.": PRINT
1280 PRINT "CYCLIC
      :": PRINT " 1) INVOLVES PS I
      ONLY": PRINT " 2) PRODUCES ATP
      , BUT NOT NADPH
      ": PRINT " 3) DOES NOT INVOLVE WATER, THEREFORE OXYGEN IS NOT PRODU
      CED.": GOSUB 2210
1290 UTAB 3: PRINT "WELL, THAT SUMS UP PHOTOPHOSPHORYLATION.PRESS <RETURN
      > FOR ANOTHER LOOK AT THE SIMULATION OF THE ENTIRE PHOTOPHOS- PHORYLA
      TION PATHWAY. HOPEFULLY IT WILL HELP YOU PULL TOGETHER THE INFORMATI
      ON"
1295 PRINT "PRESENTED IN THIS MODULE "
1300 PRINT : INPUT "REMEMBER, MANY OF THE REACTIONS IN THESE PATHWAYS OCCU
      R SIMULTANEOUSLY IN THE CHLOROPLASTS OF EACH PHOTOSYNTHETIC CE
      LL, NOT ONE AT A TIME AS SHOWN IN THIS PROGRAM.":A$
1310 PRINT U3$: PRINT "PLEASE BE PATIENT WHILE THE PROGRAM IS LOADING:..
      ": PRINT CHR$(4);"RUN PHOTOPHOS 4": END
1400 PRINT CHR$(25);U3$: PRINT "SINCE THIS IS A REVIEW FOR YOU, WOULD
      YOU LIKE TO": PRINT : PRINT " 1) TAKE THE QUIZ AGAIN": PRINT : PRINT
      " 2) GO ON TO THE SUMMARY"

```

```

1405 PRINT : PRINT "OR 3) EXIT FROM THE PROGRAM"
1410 PRINT : INPUT "(1 OR 2)? ";A$
1420 IF VAL (A$) = 1 THEN 1000
1430 IF VAL (A$) = 2 THEN 1260
1440 IF VAL (A$) = 3 THEN PRINT U3$: PRINT "HOPE YOU ENJOYED THIS PROGR
AM AND BENEFITTED FROM IT.": PRINT "BYE FOR NOW.": END
1450 PRINT : INPUT "PLEASE RE-ENTER 1,2 OR 3..";A$: GOTO 1420
2000 REM DRAW PATHWAY SUBROUTINE
2010 PRINT CHR$ (25);U3$: HTAB (1): VTAB 12: PRINT CHR$ (23);"ENERGY
"; CHR$ (25)
2020 PRINT CHR$ (26); CHR$ (12)
2030 HTAB (1): VTAB 1: PRINT "HIGH": HTAB (8): PRINT "Z": HTAB (13): PRINT
"FERREDOXIN": HTAB (1): VTAB 16: PRINT "LOW"
2040 VTAB 3: HTAB (12): PRINT ">": HPLOT 156,20 TO 181,20
2050 HPLOT 57,11 TO 79,19
2060 VTAB 2: HTAB (27): PRINT F$
2070 VTAB 4: HTAB (29): PRINT "NADP
+"
2080 FOR S = 2 TO 15 STEP 3: HTAB (3): VTAB S: PRINT "-": NEXT
2090 VTAB 13: HTAB (6): PRINT "P1F330+"
2100 VTAB 15: HTAB (6): PRINT "(PS I
)"
2110 VTAB 3: HTAB (8): PRINT "^"
2120 HPLOT 52,18 TO 52,92
2130 VTAB 9: HTAB (11): PRINT "CYT"
2140 VTAB 5: HTAB (14): PRINT E$
2150 VTAB 5: HTAB (16): PRINT "ADP
"
2160 VTAB 12: HTAB (9): PRINT "1L0"
2170 HPLOT 102,25 TO 79,63: HPLOT 73,73 TO 63,87
2180 HPLOT 0,133 TO 279,133
2190 VTAB 18: PRINT CHR$ (23): RETURN
2200 REM PAUSE % PRESS RETURN SUBROUTINES
2210 VTAB 24: INPUT "PRESS <RETURN
> TO CONTINUE";A$: PRINT U3$: RETURN
2220 FOR PAUSE = 1 TO 1200: NEXT : RETURN
2230 FOR PA = 1 TO 400: NEXT : RETURN
2240 FOR PA = 1 TO 180: NEXT : RETURN
2250 FOR PA = 1 TO 300: NEXT : RETURN
2260 FOR PA = 1 TO 100: NEXT : RETURN

```

```

100 GOTO 200
110 POKE 103,1
120 CALL 1002
130 CALL 6144
140 PRINT CHR$(16): INPUT "PLEASE DON'T PRESS <RESET
> DURING THIS PROGRAM! PRESS <RETURN
> TO RESTART THIS PART OF THE PROGRAM.":A$
200 REM THIS PROGRAM WAS DEVELOPED BY THE SUMIT I COURSEWARE DEVELOPMENT
PROJECT, DEPARTMENT OF BIOLOGICAL SCIENCES, MICHIGAN TECHNOLOGICAL U
NIVERSITY, HOUGHTON, MI 49931
210 REM THIS MATERIAL IS BASED UPON WORK SUPPORTED BY THE NATIONAL SCIEN
CE FOUNDATION UNDER GRANT NUMBER SED-7919051
220 REM ANY OPINIONS, FINDINGS, AND CONCLUSIONS OR RECOMMENDATIONS EXPRE
SSED IN THIS PUBLICATION ARE THOSE OF THE AUTHORS AND DO NOT NECESSAR
ILY REFLECT THE VIEWS OF THE NATIONAL SCIENCE FOUNDATION
230 REM SUBPROGRAM (PHOTOPHOS 4) OF PHOTOPHOSPHORYLATION
240 REM BASED ON PUBLICATIONS BY STRYER (1981) AND LEHNINGER (1975)
250 REM DESIGNED BY CATHERINE LEECE
260 REM PROGRAMMED BY CATHERINE LEECE
270 REM INITIALIZE VARIABLES
280 V3$ = CHR$(16): PRINT V3$:CUE = 0
290 PRINT CHR$(12)
300 F$ = "
1ABEIJ0"
310 B$ = "1 GHKL H0"
320 E$ = "1AJEIB0"
400 REM MAIN PROGRAM ****
440 REM MAIN PROGRAM/NON-CYCLIC PATHWAY
450 PRINT CHR$(26):CHR$(12):GOSUB 1370
460 VTAB 23: HTAB (6): PRINT "** PRESS <ESC
> KEY TO STOP **"
470 VTAB 14: HTAB (17): PRINT "LIGHT
"
480 VTAB 17: HTAB (7): PRINT "H1000"
490 FOR Q = 1 TO 40
500 GOSUB 1950: IF PEEK ( - 16384) = 155 THEN 1260
510 VTAB 17: HTAB (31): PRINT ">": HPL0T 150,108 TO 212,131: GOSUB 1950
520 VTAB 17: HTAB (32): PRINT "P10230": GOSUB 1950: HCOLOR= 0: HPL0T 150,
108 TO 212,131: VTAB 17: HTAB (31): PRINT " ": GOSUB 1960
530 IF Q = 1 THEN HPL0T 227,67 TO 227,123
540 HCOLOR= 3: VTAB 9: HTAB (33): PRINT " ": GOSUB 1960
550 FOR S = 16 TO 9 STEP - 1: HTAB (32): VTAB S + 1: PRINT " ": VTAB
S: HTAB (32): PRINT "P10230": GOSUB 1980: NEXT
560 IF PEEK ( - 16384) = 155 THEN 1260
570 VTAB 9: HTAB (32): PRINT " ": VTAB 8: HTAB (35): PRINT "P10230"
580 VTAB 7: HTAB (36): PRINT "100": GOSUB 1960: VTAB 7: HTAB (36): PRINT
" ": VTAB 6: HTAB (35): PRINT "100": GOSUB 1960: VTAB 6: HTAB (36): PRINT
" "
590 VTAB 6: HTAB (34): PRINT "100": GOSUB 1960: VTAB 6: HTAB (34): PRINT
" ": VTAB 7: HTAB (33): PRINT "100": HTAB (35): PRINT "P10230+": GOSUB
1960: VTAB 8: HTAB (33): PRINT "0"
600 IF PEEK ( - 16384) = 155 THEN 1260

```

```

610  VTAB 8: HTAB (35): PRINT " ": FOR S = 9 TO 17: VTAB S: HTAB (32):
    PRINT "P10230+": GOSUB 1980: IF S < 17 THEN VTAB S: HTAB (32): PRINT
    " ": NEXT
620  IF CUE = 2 THEN 670
630  SPEED= 150: VTAB 17: HTAB (7): PRINT "H1000 1JB0 2100 + 1000100 + 2H+
    ": SPEED= 255
640  GOSUB 1950
650  GOSUB 1960: VTAB 17: HTAB (7): PRINT "H1000"
660  GOSUB 1950
670  IF CUE = 2 THEN VTAB 17: HTAB (15): PRINT " ": CUE = 0: GOTO 690
680  VTAB 17: HTAB (14): PRINT " "
690  VTAB 16: HTAB (15): PRINT "100": GOSUB 1960: IF PEEK ( - 16384) = 15
    5 THEN 1260
700  GOSUB 1950
710  FOR S = 15 TO 35: VTAB 16: HTAB (S): PRINT " ": VTAB 16: HTAB (S + 1)
    : PRINT "100": GOSUB 1980: NEXT
720  GOSUB 1960: VTAB 16: HTAB (36): PRINT " ": HTAB (36): PRINT " "
730  VTAB 7: HTAB (33): PRINT " ": GOSUB 1980
740  V = 7: FOR S = 32 TO 11 STEP - 1: HTAB (S): VTAB V: PRINT "100": GOSUB
    1980: IF S < > 11 THEN HTAB (S): VTAB V: PRINT " "
750  IF PEEK ( - 16384) = 155 THEN 1260
760  IF S < 31 THEN V = 8: IF S < 27 THEN V = 9: IF S < 22 THEN V = 10: IF
    S < 17 THEN V = 11: IF S < 13 THEN V = 12
770  NEXT
780  GOSUB 1960
790  VTAB 12: HTAB (11): PRINT " ": HTAB (10): PRINT " ": VTAB 8: HTAB (33
    ): PRINT "0"
800  GOSUB 1950
810  VTAB 12: HTAB (28): PRINT "ADP
    ": GOSUB 1950: GOSUB 1950: VTAB 12: HTAB (22): PRINT "ATP
    ": TAB( 28):" "
820  GOSUB 1950: FOR S = 22 TO 37: VTAB 12: HTAB (S): PRINT " ATP
    ": GOSUB 1980: NEXT
830  VTAB 12: HTAB (38): PRINT " AT
    ": GOSUB 1980: VTAB 12: HTAB (39): PRINT " A
    ": GOSUB 1980: VTAB 12: HTAB (40): PRINT " ": GOSUB 1940
840  IF PEEK ( - 16384) = 155 THEN 1260
850  VTAB 12: HTAB (40): PRINT "A": GOSUB 1980: VTAB 12: HTAB (39): PRINT
    "AD
    ": GOSUB 1980: VTAB 12: HTAB (38): PRINT "ADP
    ": GOSUB 1980
860  FOR S = 37 TO 28 STEP - 1: VTAB 12: HTAB (S): PRINT "ADP
    ": GOSUB 1980: NEXT
870  HPLLOT 108,106 TO 75,99
880  GOSUB 1950: VTAB 13: HTAB (6): PRINT "P1F330": GOSUB 1950: HCOLOR= 0:
    HPLLOT 108,106 TO 75,99: GOSUB 1960
890  IF Q = 1 THEN HPLLOT 52,18 TO 52,95: VTAB 3: HTAB (8): PRINT " "
900  HCOLOR= 3: VTAB 13: HTAB (5): PRINT "P1F330"
910  IF PEEK ( - 16384) = 155 THEN 1260
920  HTAB (11): VTAB 12: PRINT " "
930  FOR S = 13 TO 3 STEP - 1: HTAB (5): VTAB S + 1: PRINT " ": VTAB S
    : HTAB (5): PRINT "P1F330": GOSUB 1980: NEXT

```

```

940 UTAB 3: HTAB (3): PRINT "P1F330 ": GOSUB 1950
950 UTAB 2: HTAB (6): PRINT "100": GOSUB 1970: UTAB 2: HTAB (6): PRINT "
": UTAB 1: HTAB (7): PRINT "100": GOSUB 1970: UTAB 1: HTAB (7): PRINT
" ": HTAB (8): UTAB 1: PRINT "100"
960 HTAB (8): PRINT "2": UTAB 3: HTAB (3): PRINT "P1F330+"
970 GOSUB 1950: IF PEEK ( - 16384) = 155 THEN 1260
980 UTAB 3: HTAB (3): PRINT " ": UTAB 3: HTAB (4): PRINT "P1F330+"
990 FOR S = 3 TO 12: HTAB (4): UTAB S: PRINT " ": HTAB (4): PRINT "P
1F330+": GOSUB 1980: NEXT
1000 UTAB 13: HTAB (4): PRINT " P1F330+"
1010 FOR S = 8 TO 12: UTAB 1: HTAB (S): PRINT " ": UTAB 1: HTAB (S + 1): PRINT
"100": GOSUB 1980: NEXT
1020 UTAB 1: HTAB (13): PRINT " ": UTAB 2: HTAB (8): PRINT "Z": UTAB 2: HTAB
(14): PRINT "100": HTAB (14): PRINT "FERREDOXIN"
1030 IF PEEK ( - 16384) = 155 THEN 1260
1040 IF CUE = 3 THEN CUE = 0: GOTO 1640
1050 IF INT (Q / 2) < > Q / 2 THEN CUE = 2: UTAB 2: HTAB (14): PRINT "
": TAB ( 16): "10100": GOTO 1240
1060 UTAB 16: HTAB (26): PRINT "H+": HTAB (25): PRINT " ": UTAB 15: HTAB
(26): PRINT "H+": HTAB (26): PRINT " "
1070 FOR S = 26 TO 34: HTAB (S): UTAB 15: PRINT " H+": GOSUB 1980: NEXT
1080 FOR S = 15 TO 5 STEP - 1: HTAB (35): UTAB S: PRINT " ": HTAB (35):
UTAB S - 1: PRINT "H+": GOSUB 1980: NEXT
1090 UTAB 17: HTAB (11): PRINT " "
1100 FOR S = 14 TO 21: UTAB 2: HTAB (S): PRINT " 10 D0": GOSUB 1980: NEXT
1110 IF PEEK ( - 16384) = 155 THEN 1260
1120 UTAB 2: HTAB (23): PRINT " ": UTAB 5: HTAB (25): PRINT "100": GOSUB
1980: UTAB 2: HTAB (25): PRINT " ": UTAB 5: HTAB (27): PRINT "100": GOSUB
1980
1130 FOR S = 25 TO 29: UTAB 5: HTAB (S): PRINT " 10 D0": GOSUB 1970: NEXT
1140 UTAB 5: HTAB (33): PRINT " ": UTAB 1: HTAB (13): PRINT " "
GOSUB 1960: UTAB 5: HTAB (31): PRINT " 100": UTAB 5: HTAB (33): PRINT
" ": UTAB 3: HTAB (14): PRINT "FERREDOXIN"
1150 UTAB 4: HTAB (29): PRINT "NADP H
": GOSUB 1950: GOSUB 1950: UTAB 2: HTAB (29): PRINT "NADPH
": UTAB 4: HTAB (29): PRINT " "
1160 IF PEEK ( - 16384) = 155 THEN 1260
1170 GOSUB 1960: FOR S = 29 TO 35: UTAB 2: HTAB (S): PRINT " NADPH
": GOSUB 1980: NEXT
1180 UTAB 2: HTAB (36): PRINT " NADP
": GOSUB 1980: UTAB 2: HTAB (37): PRINT " NAD
": GOSUB 1980: UTAB 2: HTAB (38): PRINT " NA
": GOSUB 1980: UTAB 2: HTAB (39): PRINT " N": GOSUB 1980
1190 UTAB 2: HTAB (40): PRINT " ": GOSUB 1940
1200 IF (Q / 2) / 2 < > INT ((Q / 2) / 2) THEN CUE = 3: UTAB 3: HTAB (1
3): PRINT " ": GOTO 1230
1210 UTAB 4: HTAB (40): PRINT "N": GOSUB 1980: UTAB 4: HTAB (39): PRINT "
NA
": GOSUB 1980: UTAB 4: HTAB (38): PRINT "NAD

```

```

": GOSUB 1980: UTAB 4: HTAB (37): PRINT "NADP
": GOSUB 1980: UTAB 4: HTAB (36): PRINT "NADP
+": GOSUB 1980
1220 FOR S = 35 TO 29 STEP - 1: UTAB 4: HTAB (S): PRINT "NADP+
": GOSUB 1980: NEXT
1230 IF PEEK ( - 16384 ) = 155 THEN 1260
1240 NEXT Q
1250 REM END SIMULATION
1260 POKE - 16368,0: UTAB 14: HTAB (17): PRINT "LIGHT
": GOSUB 1940
1270 UTAB 23: PRINT CHR$ (5): UTAB 23: INPUT "PRESS <RETURN .
> WHEN YOU ARE THROUGH EXAMINING THIS DIAGRAM";A$
1280 PRINT CHR$ (25);U3$: PRINT "NOW THAT YOU HAVE EXAMINED THE COM-
PONENTS OF PHOTOPHOSPHORYLATION, AND REVIEWED THE SIMULATION OF T
HE ENTIRE PATHWAY, THE SIMULATION OF PHOTO- SYNTHETIC PRODUCT
S BEING FORMED AND"
1290 PRINT "USED SHOULD MAKE MORE SENSE.": PRINT : INPUT "PRESS <RETURN
> TO REVIEW THE SIMULATION OF PHOTOSYNTHESIS. AFTERWARDS YOU MAY EXIT TH
E PROGRAM OR REVIEW ANY OF ITS SECTIONS.";A$
1300 PRINT U3$: PRINT "PLEASE BE PATIENT WHILE THE PROGRAM IS LOADING...
": PRINT CHR$ (4);"RUN PHOTOPHOS 5": END
1360 REM DRAW PATHWAY SUBROUTINE
1370 PRINT CHR$ (25);U3$: HCOLOR= 3: HTAB (1): UTAB 12: PRINT CHR$ (23)
; "ENERGY
"; CHR$ (25)
1380 HTAB (1): UTAB 1: PRINT "HIGH": HTAB (8): PRINT "Z": HTAB (13): PRINT
"2FERREDOXIN": HTAB (1): UTAB 17: PRINT "LOW"
1390 UTAB 3: HTAB (12): PRINT ">": HPLLOT 162,20 TO 181,20
1400 HPLLOT 57,11 TO 79,19
1410 UTAB 2: HTAB (27): PRINT F$
1420 UTAB 4: HTAB (29): PRINT "NADP
+"
1430 FOR S = 2 TO 15 STEP 3: HTAB (3): UTAB S: PRINT "-": NEXT
1440 HTAB (33): UTAB 8: PRINT "Q"
1450 UTAB 17: HTAB (32): PRINT "P10230"
1460 UTAB 13: HTAB (6): PRINT "P1F330+"
1470 UTAB 3: HTAB (8): PRINT "^"
1480 HPLLOT 52,18 TO 52,92
1490 UTAB 9: HTAB (33): PRINT "^"
1500 HPLLOT 227,67 TO 227,123
1510 UTAB 11: HTAB (19): PRINT "CYT"
1520 UTAB 13: HTAB (11): PRINT "<"
1530 UTAB 10: HTAB (24): PRINT B$
1540 HPLLOT 221,62 TO 147,80: HPLLOT 123,86 TO 72,100
1550 UTAB 9: HTAB (11): PRINT "CYT"
1560 UTAB 12: HTAB (28): PRINT "ADP
"
1570 UTAB 5: HTAB (14): PRINT E$
1580 UTAB 5: HTAB (16): PRINT "ADP
"
1590 UTAB 12: HTAB (9): PRINT "1L0"
1600 HPLLOT 102,25 TO 79,63: HPLLOT 73,73 TO 63,87

```

```

1610 HPL0T 0,170 TO 279,170
1620 VTAB 19: PRINT CHR$(22): RETURN
1630 REM CYCLIC PATHWAY
1640 FOR R = 1 TO 2: VTAB 2: HTAB (14): PRINT " ":H = 14
1650 IF PEEK (- 16384) = 155 THEN 1260
1660 FOR S = 4 TO 11: VTAB S: HTAB (H): PRINT "100": GOSUB 1980: VTAB S: HTAB
(H): PRINT " "
1670 IF S < 7 THEN H = H - 1: GOTO 1690
1680 IF S > 7 AND S < 10 THEN H = H - 1: GOTO 1690
1690 NEXT
1700 VTAB 12: HTAB (10): PRINT "100": GOSUB 1960: VTAB 12: HTAB (10): PRINT
" ": HTAB (10): PRINT " "
1710 VTAB 3: HTAB (14): PRINT, "FERREDOXIN": VTAB 5: HTAB (16): PRINT "ADP

": GOSUB 1950: GOSUB 1950: VTAB 7: HTAB (16): PRINT "ATP
": VTAB 5: HTAB (16): PRINT " "
1720 GOSUB 1950: FOR S = 16 TO 37: VTAB 7: HTAB (S): PRINT " ATP
": GOSUB 1980: NEXT
1730 IF PEEK (- 16384) = 155 THEN 1260
1740 VTAB 7: HTAB (38): PRINT " AT
": GOSUB 1980: VTAB 7: HTAB (39): PRINT " A": GOSUB 1980: VTAB 7: HTAB (40
): PRINT " ": GOSUB 1940
1750 VTAB 5: HTAB (40): PRINT "A": GOSUB 1980: VTAB 5: HTAB (39): PRINT "
AD
": GOSUB 1980: VTAB 5: HTAB (38): PRINT "ADP
": GOSUB 1980
1760 FOR S = 37 TO 16 STEP - 1: VTAB 5: HTAB (S): PRINT "ADP"
": GOSUB 1980: NEXT
1770 IF PEEK (- 16384) = 155 THEN 1260
1780 HPL0T 108,106 TO 75,99: GOSUB 1950: VTAB 13: HTAB (6): PRINT "P1F33
0": GOSUB 1950: HCOLOR= 0: HPL0T 108,106 TO 75,99: GOSUB 1960
1790 HCOLOR= 3: VTAB 13: HTAB (5): PRINT "P1F330 "
1800 HTAB (11): VTAB 12: PRINT " "
1810 FOR S = 13 TO 3 STEP - 1: HTAB (5): VTAB S + 1: PRINT " " ": VTAB
S: HTAB (5): PRINT "P1F330": GOSUB 1980: NEXT
1820 VTAB 8: HTAB (3): PRINT "P1F330 " ": GOSUB 1950
1830 VTAB 2: HTAB (6): PRINT "100": GOSUB 1970: VTAB 2: HTAB (6): PRINT "
": VTAB 1: HTAB (7): PRINT "100": GOSUB 1970: VTAB 1: HTAB (7): PRINT
" ": HTAB (8): VTAB 1: PRINT "100"
1840 GOSUB 1950: IF PEEK (- 16384) = 155 THEN 1260
1850 VTAB 3: HTAB (3): PRINT " " ": VTAB 3: HTAB (4): PRINT "P1F330+"
1860 FOR S = 3 TO 12: HTAB (4): VTAB S: PRINT " " ": HTAB (4): PRINT "
P1F330+": GOSUB 1980: NEXT
1870 VTAB 13: HTAB (4): PRINT " P1F330+"
1880 FOR S = 8 TO 12: VTAB 1: HTAB (S): PRINT " ": VTAB 1: HTAB (S + 1): PRINT
"100": GOSUB 1980: NEXT
1890 VTAB 1: HTAB (13): PRINT " ": VTAB 2: HTAB (8): PRINT "Z": VTAB 2: HTAB
(14): PRINT "100": HTAB (14): PRINT "FERREDOXIN"
1900 GOSUB 1950
1910 NEXT : VTAB 3: HTAB (13): PRINT "2"
1920 VTAB 2: HTAB (14): PRINT " ": TAB( 16): PRINT "100": GOTO 1210
1930 REM PAUSE SUBROUTINES

```

1940 FOR PAUSE = 1 TO 1200: NEXT : RETURN
1950 FOR PA = 1 TO 200: NEXT : RETURN
1960 FOR PA = 1 TO 150: NEXT : RETURN
1970 FOR PA = 1 TO 80: NEXT : RETURN
1980 FOR PA = 1 TO 55: NEXT : RETURN

```

100 GOTO 200
110 POKE 103,1
120 CALL 1002
130 CALL 6144
140 PRINT CHR$(16): INPUT "PLEASE DON'T PRESS <RESET
> DURING THIS PROGRAM! PRESS <RETURN
> TO RESTART THIS PART OF THE PROGRAM.";A$
200 REM THIS PROGRAM WAS DEVELOPED BY THE SUHIT I COURSEWARE DEVELOPMENT
PROJECT, DEPARTMENT OF BIOLOGICAL SCIENCES, MICHIGAN TECHNOLOGICAL U
NIVERSITY, HOUGHTON, MI 49931
210 REM THIS MATERIAL IS BASED UPON WORK SUPPORTED BY THE NATIONAL SCIEN
CE FOUNDATION UNDER GRANT NUMBER SED-7919051
220 REM ANY OPINIONS, FINDINGS, AND CONCLUSIONS OR RECOMMENDATIONS EXPRE
SSED IN THIS PUBLICATION ARE THOSE OF THE AUTHORS AND DO NOT NECESSAR
ILY REFLECT THE VIEWS OF THE NATIONAL SCIENCE FOUNDATION
230 REM SUBPROGRAM (PHOTOPHOS 5) OF PHOTOPHOSPHORYLATION
240 REM BASED ON PUBLICATIONS BY STRYER (1981) AND LEHNINGER (1975)
250 REM DESIGNED BY CATHERINE LEECE
260 REM PROGRAMMED BY CATHERINE LEECE
270 REM INITIALIZE VARIABLES
280 U3$ = CHR$(16): PRINT U3$
290 PRINT CHR$(12)
1310 PRINT U3$
1320 VTAB 23: HTAB (6): PRINT "** PRESS <ESC
> KEY TO STOP **"
1330 VTAB 20: PRINT CHR$(22)
1340 HPLOT 39,30 TO 39,105 TO 99,105 TO 99,30 TO 39,30: HPLOT 179,30 TO 1
79,105 TO 239,105 TO 239,30 TO 179,30
1350 VTAB 8: HTAB (8): PRINT "LIGHT": HTAB (7): PRINT "REACTION": VTAB 8:
HTAB (29): PRINT "DARK": HTAB (27): PRINT "REACTION"
1360 VTAB 1: HTAB (8): PRINT "LIGHT
": VTAB 16: HTAB (1): PRINT "H1000"
1370 FOR U = 1 TO 20
1380 GOSUB 2230: FOR S = 1 TO 2
1390 HPLOT 66,8 TO 66,29 TO 70,24: HPLOT 62,24 TO 66,29
1400 GOSUB 2230
1410 VTAB 16: HTAB (1): PRINT "H1000"
1420 VTAB 16: HTAB (5): SPEED= 150: PRINT "1J00 210 0+ 2H+ + 1000100"
1430 GOSUB 2230
1440 VTAB 16: HTAB (1): PRINT "H1000"
1450 HCOLOR= 0: HPLOT 66,8 TO 66,29 TO 70,24: HPLOT 62,24 TO 66,29: HCOLOR=
3
1460 SPEED= 255: VTAB 15: HTAB (9): PRINT "100": HTAB (8): PRINT " ": GOSUB
2260: VTAB 15: HTAB (9): PRINT " ": VTAB 13: HTAB (9): PRINT "100"
1470 GOSUB 2250: VTAB 13: HTAB (9): PRINT " "
1480 GOSUB 2230: VTAB 16: HTAB (9): PRINT " ": VTAB 15: HTAB (9): PRINT "
1
00": GOSUB 2260: VTAB 15: HTAB (9): PRINT " ": VTAB 13: HTAB (9): PRINT "
100": GOSUB 2250: VTAB 13: HTAB (9): PRINT " "
1490 IF PEEK ( - 16384) = 155 THEN 1900
1500 GOSUB 2230: VTAB 15: HTAB (13): PRINT "H+": HTAB (13): PRINT " ": GOSUB
2260: VTAB 15: HTAB (13): PRINT " ": VTAB 13: HTAB (13): PRINT "H+":

```

```

GOSUB 2250: UTAB 13: HTAB (13): PRINT "
1510 GOSUB 2230: UTAB 16: HTAB (14): PRINT " ": UTAB 15: HTAB (13): PRINT
"H+": GOSUB 2260: UTAB 15: HTAB (13): PRINT " ": UTAB 13: HTAB (13):
PRINT "H+": GOSUB 2250: UTAB 13: HTAB (13): PRINT " "
1520 GOSUB 2230: IF PEEK ( - 16384) = 155 THEN 1900
1530 NEXT S
1540 UTAB 16: HTAB (5): PRINT "
1550 UTAB 6: HTAB (26): PRINT ">": HPLOT 100,43 TO 181,43
1560 FOR Q = 1 TO 3
1570 UTAB 5: HTAB (16): PRINT "P": GOSUB 2260: UTAB 5: HTAB (16): PRINT "
TP
": GOSUB 2260: UTAB 5: HTAB (16): PRINT "ATP
": GOSUB 2260
1580 FOR S = 16 TO 22: UTAB 5: HTAB (S): PRINT " ATP
": GOSUB 2260: NEXT : UTAB 5: HTAB (23): PRINT " AT
": GOSUB 2260: UTAB 5: HTAB (24): PRINT " A": GOSUB 2260: UTAB 5: HTAB (25
): PRINT " "
1590 IF PEEK ( - 16384) = 155 THEN 1900
1600 NEXT Q: UTAB 11: HTAB (26): PRINT ">": HPLOT 100,83 TO 181,83
1610 FOR T = 1 TO 2: UTAB 10: HTAB (16): PRINT "H": GOSUB 2260: UTAB 10: HTAB
(16): PRINT "PH
": GOSUB 2260: UTAB 10: HTAB (16): PRINT "DPH
": GOSUB 2260: UTAB 10: HTAB (16): PRINT "ADPH
": GOSUB 2260: UTAB 10: HTAB (16): PRINT "NADPH

1620 GOSUB 2260
1630 FOR S = 16 TO 20: UTAB 10: HTAB (S): PRINT " NADPH
": GOSUB 2260: NEXT : UTAB 10: HTAB (21): PRINT " NAOP
": GOSUB 2260: UTAB 10: HTAB (22): PRINT " NAD
": GOSUB 2260: UTAB 10: HTAB (23): PRINT " NA

1640 GOSUB 2260: UTAB 10: HTAB (24): PRINT " N
1650 GOSUB 2260: UTAB 10: HTAB (25): PRINT " ": GOSUB 2260: IF PEEK ( -
16384) = 155 THEN 1900
1660 NEXT T
1670 HCOLOR= 0: HPLOT 100,43 TO 181,43: HTAB (26): UTAB 6: PRINT " ": HPLOT
100,83 TO 181,83: HCOLOR= 3: HTAB (26): UTAB 11: PRINT " ": HPLOT 179
,30 TO 179,105
1680 GOSUB 2230
1690 HPLOT 242,0 TO 221,29: HPLOT 170,0 TO 192,29: FOR S = 1 TO 4: HTAB (
29): UTAB (S): PRINT "C0100": IF S = 1 THEN GOSUB 2230: GOTO 1710
1700 GOSUB 2260
1710 HTAB (29): UTAB (S): PRINT " ": NEXT : HPLOT 179,30 TO 239,30
1720 HCOLOR= 0: HPLOT 242,0 TO 221,29: HPLOT 170,0 TO 192,29: HCOLOR= 3
1730 GOSUB 2230: UTAB 6: HTAB (15): PRINT "<": HPLOT 97,43 TO 178,43
1740 FOR Q = 1 TO 3: UTAB 5: HTAB (25): PRINT "A": GOSUB 2260: UTAB 5: HTAB
(24): PRINT "AD": GOSUB 2260: UTAB 5: HTAB (23): PRINT "ADP
": GOSUB 2260
1750 FOR S = 22 TO 16 STEP - 1: UTAB 5: HTAB (S): PRINT "ADP

": GOSUB 2260: NEXT : UTAB 5: HTAB (16): PRINT "DP
": GOSUB 2260: UTAB 5: HTAB (16): PRINT "P ": GOSUB 2260: UTAB 5: HTAB (1

```

```

6): PRINT " "
1760 IF PEEK ( - 16384 ) = 155 THEN 1900
1770 NEXT Q: GOSUB 2230
1780 HTAB (15): VTAB 11: PRINT "<": HPLOT 97,83 TO 178,83
1790 FOR Q = 1 TO 2
1800 VTAB 10: HTAB (25): PRINT "N
": GOSUB 2260: VTAB 10: HTAB (24): PRINT "NA
": GOSUB 2260: VTAB 10: HTAB (23): PRINT "NAD
": GOSUB 2260: VTAB 10: HTAB (22): PRINT "NADP
": GOSUB 2260: VTAB 10: HTAB (21): PRINT "NADP
+": GOSUB 2260
1810 FOR S = 20 TO 16 STEP -1: VTAB 10: HTAB (S): PRINT "NADP
+ ": GOSUB 2260: NEXT : VTAB 10: HTAB (16): PRINT "ADP
+ ": GOSUB 2260: VTAB 10: HTAB (16): PRINT "DP
+ ": GOSUB 2260: VTAB 10: HTAB (16): PRINT "P+ ": GOSUB 2260: VTAB 10: HTAB
(16): PRINT "+ "
1820 GOSUB 2260: VTAB 10: HTAB (16): PRINT " "
1830 GOSUB 2260: IF PEEK ( - 16384 ) = 155 THEN 1900
1840 NEXT Q
1850 HCOLOR= 0: HPLOT 97,43 TO 178,43: HPLOT 97,83 TO 178,83: HCOLOR= 3: VTAB
6: HTAB (15): PRINT " ": VTAB 11: HTAB (15): PRINT " ": HPLOT 99,30 TO
99,105
1860 HPLOT 208,106 TO 208,125 TO 212,120: HPLOT 208,125 TO 204,120: VTAB
17: HTAB (27): PRINT "SUGAR OR": HTAB (28): PRINT "STARCH": GOSUB 222
0
1865 GOSUB 2220
1870 HCOLOR= 0: HPLOT 208,106 TO 208,125 TO 212,120: HPLOT 208,125 TO 204
,120: HCOLOR= 3: VTAB 17: HTAB (27): PRINT " " " : HTAB (28): PRINT
" " : GOSUB 2230
1880 IF PEEK ( - 16384 ) = 155 THEN 1900
1890 NEXT U
1900 POKE - 16368,0: VTAB 1: HTAB (8): PRINT "LIGHT
"
1905 VTAB 22: PRINT CHR$ (6): VTAB 23: INPUT "PRESS <RETURN
> FOR THE PROGRAM MENU";A$: PRINT CHR$ (25);V3$
1910 REM MENU
1915 PRINT "YOU HAVE REACHED THE END OF THIS PROGRAMON PHOTOPHOSPHORYLATI
ON.
1920 PRINT : PRINT "WOULD YOU LIKE TO": PRINT : PRINT " 1) REVIEW THE C
YCLIC PATHWAY": PRINT : PRINT " 2) REVIEW THE NON-CYCLIC PATHWAY": PRINT
1930 PRINT " 3) REVIEW THE SIMULATION OF THE PHOTOPHOSPHORYL
ATION PATHWAY": PRINT : PRINT " 4) REVIEW THE SIMULATION OF PHOTO-
SYNTHESIS": PRINT : PRINT "OR 5) EXIT FROM THE PROGRAM
1940 PRINT : PRINT "(BE SURE TO REVIEW ANY SECTION YOU DID NOT UNDERSTAN
D!)": PRINT : INPUT A$
1950 IF VAL (A$) = 2 THEN PRINT V3$: PRINT "PLEASE BE PATIENT WHILE THE
PROGRAM IS LOADING...": PRINT CHR$ (4);"RUN PHOTOPHOS 2": END
1960 IF VAL (A$) = 4 THEN 280
1970 IF VAL (A$) = 3 THEN PRINT V3$: PRINT "PLEASE BE PATIENT WHILE THE
PROGRAM IS LOADING...": PRINT CHR$ (4);"RUN PHOTOPHOS 4": END
1975 IF VAL (A$) = 1 THEN PRINT V3$: PRINT "PLEASE BE PATIENT WHILE THE

```

```
PROGRAM IS LOADING...": PRINT CHR$(4); "RUN PHOTOPHOS 3": END
1980 IF VAL (A$) < > 5 THEN PRINT : INPUT "PLEASE RE-ENTER-"; A$: GOTO
1950
1990 PRINT U3$: PRINT "THANK YOU FOR RUNNING THIS PROGRAM. HOPE IT HEL
LPED YOU!": END
2200 REM PAUSE % PRESS RETURN SUBROUTINES
2210 VTAB 24: INPUT "PRESS <RETURN
> TO CONTINUE"; A$: PRINT U3$: RETURN
2220 FOR PA = 1 TO 1200: NEXT : RETURN
2230 FOR PA = 1 TO 400: NEXT : RETURN
2240 FOR PA = 1 TO 180: NEXT : RETURN
2250 FOR PA = 1 TO 300: NEXT : RETURN
2260 FOR PA = 1 TO 100: NEXT : RETURN
```

Appendix C

Photophosphorylation
User's Guide

The User's Guide presents background information, applications, suggested exercises and documentation for the Photophosphorylation program.

C1

12.

Abstract

This program presents an introduction to the light reactions of photosynthesis, photophosphorylation. After an introduction, the complete pathway is presented to provide an overview and foundation from which to progress. The pathway is then broken into its cyclic and non-cyclic components, and each is discussed step by step at the molecular level. The program leads the user along the pathways taken by an electron which has become excited by light energy. The program also stresses the importance of the products of the light reactions to the dark reactions of photosynthesis. Several questions are presented throughout the program to test the user's understanding of the concepts and to create an interactive program.

Prerequisite: Basic understanding of molecules and atoms.

Objectives: The user will be able to:

Distinguish between cyclic and non-cyclic photophosphorylation and explain the conditions necessary for each to occur.

Explain the basic difference between an electron donor and electron acceptor at the molecular level.

Explain the roles played by light and pigments in photophosphorylation.

Background Information

Photosynthesis is the conversion of light energy to chemical energy within a plant. The reactions involved take place in two stages, the light and dark reactions. The light reactions depend on photosynthetic pigments to convert light energy to ATP and NADPH. These products are then used in the dark reactions to convert carbon dioxide to carbohydrates. The dark reactions can occur in either light or dark conditions because they do not rely on pigments. However the light reactions, also termed photophosphorylation, depend on pigments to absorb light, thus initiating the reactions involved.

The photosynthetic cells of a plant, such as leaf cells, contain organelles called chloroplast(id)s. A chloroplast is surrounded by a single membrane; an inner membrane is folded to form many flattened vesicles called thylakoid disks. These disks occur in stacks called grana on which the light reactions of photosynthesis occur; the grana contain all of the pigments and enzymes necessary for the reactions. The dark reactions occur in the stroma or liquid phase of the chloroplast. Most chloroplasts contain

the pigment chlorophyll, as well as the two classes of accessory pigments, carotenoids and phycobilins (Lehninger, 1975). All oxygen producing photosynthetic cells of higher plants contain two types of chlorophyll, chlorophyll a and chlorophyll b, c or d depending on the type of plant.

A pigment is a molecule which can absorb light because of its molecular structure, particularly the arrangement of electrons associated with the double bonds. When light strikes a pigment molecule capable of absorbing light of a given wavelength, light energy is absorbed by some of the electrons which are boosted to a higher energy level; the molecule thus becomes excited (Lehninger, 1975).

In 1937 R. Hill provided the first experimental evidence that the absorption of light energy causes electron flow (Lehninger, 1975). When he exposed a solution of cell-free preparations obtained from photosynthetic organisms (intact chloroplasts), water, and an electron acceptor to light, he found that oxygen was produced and the acceptor molecules were reduced. Light energy caused certain chlorophyll molecules to become excited and lose an electron to an acceptor molecule; then water split to lose an electron to chlorophyll to fill the "electron hole," simultaneously releasing oxygen. This discovery (called the Hill Reaction) formed the basis of the photophosphorylation pathway, and gradually each of the electron donors and acceptors was discovered to yield the pathway we know today.

Applications

This program is best suited for an introductory college level general biology or botany class. It may also be useful review for a basic biochemistry or plant physiology course. Due to the large amount of material presented in the program, it is suggested that the user should be exposed to the subject prior to running the program. That is, either through a lecture introducing the topic or through an introductory text such as *Biology of Plants* by Raven, Evert and Curtis (1976). For the more advanced user, Lehninger's *Short Course in Biochemistry* or Bidwell's *Plant Physiology* would suffice. If a more advanced look at photophosphorylation is desired after running the program, Stryer's *Biochemistry* (1981) provides an up to date, detailed coverage of the topic. A laboratory exercise dealing with the Hill Reaction is presented in the Appendix; it is suggested that such an exercise be used as a supplement to this program in a laboratory situation.

Suggested Exercises

1. Explain why the two phases of photophosphorylation are termed cyclic and non-cyclic. What makes them different? What are their products? What conditions are necessary for the cyclic pathway to operate?
2. Explain the difference between Pigment Systems I and II. Where do they fit into the light reactions?
3. Explain how light is related to the release of oxygen from a plant at the molecular level.

The Program

This program operates in a special graphics mode called the High Resolution Character Generator (HRCG). This allows the HGR screen to operate as both a graphics and a text screen. Since pressing the RESET key interferes with the proper functioning of this mode, it is suggested that the user press the CTRL and C keys simultaneously if (s)he wishes to break the program. For more information about HRCG refer to the Applesoft Tool-Kit Manual (Apple Computer Co., 1980).

LINE NUMBERS

FUNCTION

In all subprograms:

100-140 RESET error message
200-260 Remarks

Subprogram: PHOTOPHOS 1

270-290 Initialize variables
300-550 Main program (Introduction)
560-1170 Photosynthesis simulation subroutine
1180-1240 Pause subroutines

Subprogram: PHOTOPHOS 1.5

270-320 Initialize variables
400-1200 Main program (Non-cyclic pathway)
1210-1270 Menu
1280-1540 Subroutine which draws basic pathway
1440-1840 Subroutine which simulates cyclic pathway
1850-1900 Pause subroutines

Subprogram: PHOTOPHOS 2

270-320 Initialize variables
400-1650 Main program (Non-cyclic pathway)
1660-1730 Menu
1740-1950 Subroutine which draws basic pathway
1960-2010 Pause subroutines

Subprogram: PHOTOPHOS 3.

270-320 Initialize variables
400-1990 Main program (Cyclic pathway)
 990-1240 Quiz questions
 1250-1450 Summary
2000-2190 Subroutine which draws basic pathway
2210-2260 Pause subroutines,

Subprogram: PHOTOPHOS 4

~~270-320 Initialize variables~~
400-1920 Main program (Simulation of entire pathway)
1930-1980 Pause subroutines

LINE NUMBERS

FUNCTION

Subprogram: PHOTOPHOS 5

270-290 Initialize variables

1310-1950 Main program (Simulation of photosynthesis)

1910-1990 Menu

2200-2260 Pause subroutines

Glossary for Photophosphorylation Subprograms

A\$ - Holds input from keyboard
B\$ - Holds arrow shape
CUE - Flag used in printing pathways
E\$ - Holds arrow shape
F\$ - Holds arrow shape
FLAG - Flag for counting wrong answers
H - Htab counter
PA(USE) - Pause loop counter
Q - Loop counter
R - Loop counter
S - Loop counter
SC - Holds raw score out of 5 quiz questions
SC(- Holds percentile score for quiz
T - Loop counter
U - Loop counter
V - Vtab counter
V3\$: - CHR\$(16) ~ Clears screen and homes cursor*

*Function of HRCG (see Apple Computer Co., 1980)

Appendix

Laboratory Exercise: The Hill Reaction

To be used in conjunction with the Photophosphorylation program.

Note: It is important to keep the temperatures low; after the chloroplasts have been isolated, be certain that all test tube samples are kept immersed in an ice water bath.

Remove the midribs from the spinach leaves provided; weigh out 50g of leaves and homogenize them with 50ml isolation medium (0.4M sucrose in 0.06M potassium phosphate buffer, pH 6.5) in a blender for 2 minutes. Filter the green suspension through several layers of cheesecloth and then centrifuge the supernatant for 2 minutes at 600g. Remove the supernatant and centrifuge it for 10 minutes at 100g. Wash the precipitate (chloroplasts) by resuspending in a small volume of the isolation medium and centrifuge again under the same conditions. Finally, suspend the pellet in 20ml of the cold reaction medium (0.03M potassium phosphate buffer, pH 6.5, with 0.01M potassium chloride) by gently agitating with a glass stirring rod.

Dilute the original chloroplast suspension (with reaction medium) to give a chlorophyll concentration of 5mg/ml. Using 3 cuvettes, add 1ml of the chloroplast suspension to each tube, followed by 3ml of DPIP solution. Immediately wrap 1 tube in aluminum foil and place in a dark refrigerator. Add several crystals of sodium dithionite to the second tube and use it to set 100% transmission in a spectrophotometer. Next, insert the third tube and read the optical density (OD), note the time, and record OD and time. Place this tube in front of a light bulb (about 20cm) and record its OD every 5 minutes for 30 minutes. After 30 minutes read the OD of the tube kept in the dark and the tube to which sodium dithionite was added. Plot OD vs. time for the tube expose that had been exposed to light.

- What does the tube to which sodium dithionite was added represent?
- What does the tube in the dark represent?
- How can the results be explained in terms of the Hill Reaction?
- Explain the role of DPIP in the experiment.

(Source: Dr. J. Carrier, Albion College, Albion, MI, 1980)

References

Apple Computer Co., Inc. 1980. Applesoft Tool-Kit Manual, 33pp.

Bidwell, R.G.S. 1979. Plant Physiology, MacMillan Publishing, Inc., NY, 726pp.

Raven, P.H., R.F. Evert and H. Curtis 1976. Biology of Plants, Worth Publishers, Inc., NY, 685pp.

Stryer, Lubert 1981. Biochemistry, W.H. Freeman & Co., San Francisco, Second Edition, 877pp.


Lehninger, Albert L. 1973. Short Course in Biochemistry, Worth Publishers, Inc., NY, 452pp.

Lehninger, Albert L. 1975. Biochemistry, Worth Publishers, Inc., NY, 1104pp.

Appendix D

Photophosphorylation Written Version

The following is the written material which was presented to the control group in the Photophosphorylation evaluation.



Instructions

Read through this module as you would a textbook chapter. When you are instructed to refer to specific pages or figures, you should return to where you left off when you finish examining the reference. Note that terms normally containing superscript and/or subscript notation have been written here without such notation (example: H⁺).

Introduction

Photosynthesis is the conversion of light energy to chemical energy within a plant. The reactions involved take place in two stages.

Light Reactions

Basically, in the first stage, light energy is used to convert ADP to ATP to provide the plant with usable energy. Also, NADP⁺ is converted to NADPH to provide the hydrogen and electrons needed to reduce carbon dioxide to carbohydrates. These reactions require light, thus they are called the LIGHT REACTIONS of photosynthesis or PHOTOPHOSPHORYLATION.

Dark Reactions

In the second stage, the energy products of the light reactions are used to convert carbon dioxide to carbohydrates. The reactions of the second stage do not require light, thus they are called the DARK REACTIONS of photosynthesis; they actually take place under light AND dark conditions.




Figure 1. Summary diagram of photosynthesis.

Figure 1 is a diagram of photosynthetic products being formed and used. Keep in mind ... even though products appear to form one at a time in this diagram, these and other reactions occur simultaneously in the plant cell.

Chloroplasts

Photosynthesis takes place in highly specialized organelles, the chloroplasts or chloroplastids. Chloroplasts are found in all higher plants, bryophytes and most algae. Chloroplasts exist in the cytoplasm of photosynthetic cells, such as leaf cells. The dark and light reactions occur in all chloroplasts, but each occur in a different location inside the organelle.

Chlorophyll

The pigment chlorophyll is found in chloroplasts. It exists in many forms which differ in their structure and the wavelength of light they absorb. The leaves of many plants are green because they contain high amounts of chlorophyll relative to other pigments. Chlorophyll absorbs violet, blue and red light and reflects, or transmits, green light.

Pigment Systems

Chlorophyll and other pigments involved in the light reactions of photosynthesis make up two pigment systems. These systems are called Pigment System I and Pigment System II. Their function is to absorb light that strikes the leaf and convert the light to chemical energy.

Let's go on and look at a diagram of photophosphorylation. Don't expect to understand it just yet. This is just to give you a feeling for the pathway as a whole. Then we will break it down into parts to examine what's happening at the molecular level.




Figure 2. Summary diagram of photophosphorylation

When you are through looking at Figure 2 for now, go on to the next page.

Now that you have seen the whole pathway, let's break it down and examine the parts. We will start by looking at the two pigment systems involved in photophosphorylation, Pigment System I and Pigment System II.




Figure 3. Summary diagram of non-cyclic photophosphorylation

<Throughout the following description, refer to Figure 3>

This diagram (Fig. 3) represents part of the photophosphorylation pathway. The components of this pathway were determined through experimentation with chloroplasts.

The reactive chlorophyll molecule in Pigment System I (PS I) is called P700. The reactive chlorophyll molecule in Pigment System II (PS II) is called P680. When the appropriate color of light strikes PS I or PS II, an electron in the reactive molecule (P700 or P680) is raised to an excited state. This means that the reactive molecule is raised above its ground state to a higher energy level. This activates the electron so it may be passed to an acceptor molecule.

As we look at each electron acceptor, keep in mind that a molecule will not accept an electron unless it is already lacking an electron.

When light strikes P680 (PS II), it donates an electron to the acceptor molecule "Q." P680 then returns to a lower energy level. The + sign indicates that the molecule is missing an electron, thus it is positively charged.

P680 then draws an electron away from a molecule of water. This causes the water molecule to split, thus oxygen is released from the plant. Once P680 accepts the electron it needs, it returns to its ground state and remains at this energy level until it picks up more light waves of the appropriate wavelength.

Meanwhile the excited electron is passed by "Q," a molecule of plastoquinone, to a series of cytochromes and other electron carriers which act as electron acceptors and donors. As the electron is passed it loses some of its energy to each electron carrier. This energy drives the spontaneous "downward movement" of electrons. Even though the electron loses energy as it passes through the cytochrome chain, it is still at a raised energy level, relative to its initial energy level, when it is finally accepted by P700.

As the electron is passed along the series of cytochromes, the energy needed to join ADP and inorganic phosphate is trapped. Thus a molecule of ATP is formed.

If you would like a definition of ATP, briefly turn to page 10.

It is because of this light activated phosphorylation of ADP to form ATP, that the light reactions of photosynthesis were named "photo - phosphorylation."

Remember that ATP and ADP molecules move to and from the pathway. The dark reactions, which occur elsewhere in the chloroplast, use ATP and produce ADP.

What causes P700 to be boosted to a higher energy level?
<Briefly turn to page 10 (F) to check your answer>

What must be missing from a P700 molecule, at the molecular level, before it can accept an electron from a cytochrome molecule?
<Briefly turn to page 10 (A) to check your answer>

When light strikes PS I, P700 donates its electron to acceptor molecule "Z." It then returns to a lower energy level, but does not return to its ground state until it accepts another electron. The molecule Z passes the electron down an energy gradient to ferredoxin, an iron protein. If there is sufficient NADP+ to accept the electrons from ferredoxin, then ferredoxin donates its electrons to NADP+. For every two electrons donated, one molecule of NADPH is formed.

If you would like a definition of NADP, briefly turn to page 10.

From what molecule involved in this pathway do you think the second electron comes?

<Briefly turn to page 10 (E) to check your answer>

Since ferredoxin is only a one-electron carrier, two molecules of it are needed, one for each electron. These electrons then converge to form one molecule of NADPH from NADP+.

A hydrogen ion is also needed to form NADPH from NADP+. Of the molecules we have discussed so far, which do you think supplies the hydrogen ion?

<Briefly turn to page 10 (C) to check your answer>

After a molecule of NADPH forms, it "moves from the pathway" to be used in the dark reactions elsewhere in the chloroplast. The dark reactions produce the NADP+ which gets used in the light reactions. When two molecules of ferredoxin again have one electron each to donate, they will pass them to NADP+ if it is available.

The pathway that we just traced through (Fig.3), ending with the formation of NADPH, is called NON-CYCLIC photophosphorylation. It is called "non-cyclic" because electrons essentially flow from water to NADP+ without cycling back to P700.

At this point you may:

- 1) review this section on non-cyclic photophosphorylationp.3
- 2) go on and learn about cyclic photophosphorylationp.6

Turn to the page number which corresponds with your choice.






Figure 4. Summary of cyclic photophosphorylation.

<Throughout the following description refer to Figure 4.>

This pathway (Fig.4) represents what biologists believe to be CYCLIC photophosphorylation. Notice that it contains portions of the non-cyclic pathway (from Fig.3). Biologists believe the plant utilizes this pathway when $NADP^+$ is not available to accept electrons from ferredoxin.

$NADP^+$ is not shown in Figure 4 because we would like to discuss what happens when it is not available to the photophosphorylation reactions.

Let's assume that an electron has been boosted to a higher energy level by light, and passed from water to ferredoxin via non-cyclic photophosphorylation. This means that ferredoxin needs to donate the excited electron to an acceptor so it can become a stable molecule.

When $NADP^+$ is unavailable, the electron is donated to a chain of various cytochrome molecules. As in the non-cyclic pathway, the electron loses some of its energy to each cytochrome, and some of its energy is trapped to form a molecule of ATP. The formation of ATP in the cyclic pathway keeps ATP supplied to the cell in the absence of non-cyclic photophosphorylation. If there is a surplus of ATP it can be used for other synthetic processes, in addition to the dark reactions.

Unlike the formation of NADPH, only one molecule of ferredoxin is needed to donate an electron back through the cytochrome chain to P700. Because we are assuming P700 donated its electron to ferredoxin it follows that it has a need for an electron. Therefore it accepts the one passed "down" through the cytochrome chain.

Once P700 has accepted this electron, is it in its ground state? <Briefly turn to page 10 (B) to check your answer>

Is PS II (P680) involved in cyclic photophosphorylation? <Briefly turn to page 10 (D) to check your answer>

As long as 1) NADP+ molecules are unavailable and 2) light of the appropriate wavelength is present, the excited electron will continue to cycle.

This ends the explanation of cyclic photophosphorylation. Next you will be presented with 5 questions. Each question may deal with the cyclic pathway, non-cyclic pathway, or both. When you are through examining Figure 4, turn the page for the first question.

You may skip the upcoming questions if you have already answered them once (i.e. if this will be a review for you).

- 1) cyclic 2) non-cyclic 3) both 1 & 2

Respond to each question by entering the number 1, 2 or 3, depending on which choice correctly answers each question below. Decide on your answer for each question and turn to the appropriate page to check your answer and receive an explanation.

- Which pathway produces net ATP?
<see page 11 (H)>
- Which pathway involves PS II?
<see page 10 (G)>
- Which pathway produces oxygen?
<see page 11 (K)>
- Which pathway takes place only in the light?
<see page 11 (J)>
- P700 is the reactive chlorophyll molecule of which pathway?
<see page 11 (I)>

Keep these questions in mind when you review the diagram of the entire photophosphorylation pathway (Fig.1) after reading the summary on the next page.

The outstanding features of cyclic and non-cyclic photophosphorylation are summarized below:

NON-CYCLIC

- 1) involves PS I and PS II
- 2) produces ATP and NADPH
- 3) causes water to split and release oxygen

CYCLIC

- 1) involves PS I only
- 2) produces ATP, but not NADPH
- 3) does not involve water, therefore oxygen is not produced

Well, that sums up photophosphorylation. At this point you should review Figure 2, the summary diagram of the entire photophosphorylation pathway. Hopefully it will make more sense this time. You should also review Figure 1, the summary diagram of photosynthesis. Reviewing these two diagrams should help you pull together all of the information presented in this module. Also, be sure to review any section you do not understand.

Remember, many of the reactions in the above pathways, occur simultaneously in the chloroplasts of each photosynthetic plant cell.

Definition of ATP:

ATP functions as the major carrier of chemical energy in the cells of all living organisms. As it transfers energy to other molecules it loses its terminal phosphate group and becomes ADP. ADP can accept chemical energy by gaining a phosphate group, thus it becomes ATP. In the case of plants, ATP forms at the expense of solar energy.

Definition of NADP:

NADP is an organic molecule that carries electrons from electron donors to electron acceptors. In this case, NADP accepts electrons from ferredoxin and carries them to the part of the chloroplast where the dark reactions occur. The electrons are then donated to available electron acceptors in the dark reactions.

(A) The answer is electron. A molecule cannot accept an electron unless it is first missing an electron.

(B) The answer is yes. Once P700 accepts the electron which was passed through the cytochrome chain, it has fulfilled its need for an electron. Thus it returns to its ground state energy level.

(C) The answer is water. There may be other sources of hydrogen ions in the chloroplast, but water splits and donates the hydrogens to NADP⁺ when light is present.

(D) The answer is no. The electron which fills the "electron hole" in P700 (PS I) is constantly recycled, thus the reactive molecule in PS II (P680) is not needed to donate an electron. P680 will still be activated when light strikes PS II, but it will not be able to pass its excited electron very far along the non-cyclic pathway when the plant is utilizing the cyclic pathway.

(E) The best answer is water. The second electron comes from P680, which originally accepted it from water. It follows the same pathway that the first electron did because a molecule of NADP⁺ is available to accept it.

(F) The answer is light (energy). The color of light appropriate for PS I strikes a reactive molecule of P700. Thus an electron is excited, causing P700 to be raised to a higher energy level. If the light source is turned off, the entire pathway "shuts down" at the reactive chlorophyll molecules. That is, no electrons can be passed from these molecules in the dark.

(G) The answer is 2 (non-cyclic). The non-cyclic pathway is the one, which involves PS II as well as PS I. The cyclic pathway only involves PS I.

11

(H) The answer is 3 (both cyclic and non-cyclic). Both the cyclic and non-cyclic pathways produce ATP. This results in a net gain of ATP which can be used in the dark reactions of photosynthesis or in other synthetic pathways when in surplus.

(I) The answer is 3 (both cyclic and non-cyclic). P700 is the reactive molecule in PS I, and PS I is involved in both pathways. Also, do not forget that the reactive molecule in each pigment system does not make up the entire pigment system. There are other pigments involved also.

(J) The answer is 3 (both cyclic and non-cyclic). The entire process of photophosphorylation requires light. Therefore both pathways require light. Remember how the pathway got its name.

(K) The answer is 2 (non-cyclic). Since the non-cyclic pathway is the one which involves water, it is the one that produces oxygen when a water molecule splits.

Appendix E

Photophosphorylation Study Guide

The study guide is a copy of the instructions and objectives given to all students participating in the Photophosphorylation evaluation. Occurring in parentheses after each objective, for the purposes of this report, are the item numbers of the items on the Photophosphorylation Test which fit each of the objectives.

Today you will look at a module entitled Photophosphorylation. You will either run the computer program version or read a written version as specified by your instructor. The written version is a printed copy of the text and diagrams presented in the computer program.

Below is a list of learning objectives (things you should learn from the module). These are listed in the order in which they occur in the module to help guide you. You will take a written 20 question multiple choice quiz immediately after you look at the module. The quiz questions are all taken from (based on) the below objectives. IF YOU MEET THE BELOW OBJECTIVES WHILE USING THE MODULE, YOU WILL DO WELL ON THE POST-QUIZ.

IMPORTANT: This quiz score may replace your lowest quiz grade in recitation! There will be one question pertaining to this module on your recitation quiz next week. There will also be questions about photophosphorylation on your final exam in lecture.

Objectives:

- Comprehend why the light reactions of photosynthesis require light and the dark reactions of photosynthesis do not. (5,8)
- Identify the products supplied to the dark reactions of photosynthesis by the light reactions of photosynthesis and vice versa. (1,17)
- Recall where, in the cell, the light and dark reactions of photosynthesis occur. (18)
- Explain why Pigment System I and Pigment System II are activated by different wavelengths of light. (2)
- Distinguish between an electron acceptor and an electron donor. (3)
- Explain the relationship between ground state energy level of a molecule and its excited energy state. (9)
- Explain how light is related to the release of oxygen from a plant. (6)
- Identify the contributions made by water to photosynthesis. (12,14)
- Recognize what conditions and/or molecular components are necessary for a molecule of ATP or NADPH to form during photophosphorylation. (7,20)
- Recall the conditions necessary for cyclic photophosphorylation to occur. (8,15,16)
- Predict where an electron will go in the photophosphorylation pathway, given its location in the pathway. (10,19)
- Distinguish between cyclic and non-cyclic photophosphorylation based on the components and outputs of each. (4,10,11,13)

Appendix F,

Photophosphorylation Quiz

The following is the test administered to students immediately after they completed the Photophosphorylation module, as part of its evaluation. Correct answers are indicated with an asterisk for the purposes of this report.

RECORD YOUR NAME AND STUDENT NUMBER ON THE COMPUTER ANSWER SHEET. Choose the most appropriate answer for each question and mark it on the answer sheet. Note that terms normally containing subscript and/or superscript notation have been written without such notation (examples: P680, NADP+). PLEASE DO NOT WRITE ON THIS QUIZ.

1. Which of the following are produced by the light reactions of photosynthesis (photophosphorylation) and used in the dark reactions of photosynthesis?

- *A. ATP and NADPH
- B. ADP and NADP+
- C. ATP and NADP+
- D. ADP and NADPH

2. Pigment System I (PS I) and Pigment System II (PS II) are activated by different wavelengths of light because they have different

- A. cytochrome molecules.
- *B. pigment molecules.
- C. locations in the chloroplast.
- D. ground state energy levels.

3. Which of the following is in the proper molecular condition to accept an electron?

- *A. P680+
- B. NADPH
- C. OH-
- D. P700
- E. more than one of the above is correct

4. Which of the following is true of cyclic photophosphorylation?

- A. involves PS II (P680) only
- B. ATP is not produced
- *C. oxygen is not produced
- D. all of the above are true

5. The light reactions occur only when the plant is exposed to light.

- *A. true
- B. false

6. Oxygen is produced when

- *A. P680 removes an electron from water.
- B. P680 donates an electron to water.
- C. NADP+ removes an electron from water.
- D. NADP+ removes a H+ from water.


7. Which of the following is needed to form a molecule of NADPH from NADP+?

- *A. 2 electrons, 1 H+
- B. 1 electrons, 1 H+
- C. 1 electrons, 2 H+
- D. 2 electrons, 2 H+

8. When cyclic photophosphorylation is in use, it keeps cycling the same electron through the pathway. Therefore the cyclic pathway does NOT require light to function.

- A. true
- *B. false
- C. sometimes true, sometimes false

9. Based on this portion of the photophosphorylation pathway, which of the following best describes the condition of P700?



- A. ground state energy level
- B. excited energy state
- *C. between excited and ground states
- D. none of the above

10. Which of the following best describes what happens as an electron is passed through a cytochrome chain in photophosphorylation?

- A. energy is lost by the electron
- B. energy is trapped to form ATP
- C. P700 returns to its ground state
- D. none of the above, it depends on which cytochrome chain one is referring to
- *E. A, B, and C

11. Which of the following is associated with the cyclic pathway of photophosphorylation?

- A. Q (plastoquinone)
- B. P680
- C. NADP+
- D. H+
- *E. ADP

12. Which of the following is DIRECTLY related to water in the photophosphorylation pathway?

- A. ferredoxin
- B. P700
- *C. NADP+
- D. none of the above

13. Assume that plant cells were treated with a chemical known to inhibit transfer of electrons by cytochromes. What would you expect to occur?

- A. only the cyclic pathway of photophosphorylation would be inhibited
- B. only the non-cyclic pathway would be inhibited
- C. neither cyclic or non-cyclic would be inhibited
- *D. both cyclic and non-cyclic would be inhibited

14. Based on the equation given in the module, how many electrons (total) can one molecule of water contribute to photophosphorylation?

- A. 1
- *B. 2
- C. 3
- D. 4

15. Where do electrons, obtained from water, end up during the process of non-cyclic photophosphorylation?

- A. oxygen
- *B. NADPH
- C. ATP
- D. P700

16. Where do the electrons of ferredoxin go when NADP⁺ is NOT available to serve as an acceptor?

- A. they remain attached to ferredoxin
- B. they combine with H⁺ ions
- C. they combine with ATP to make ADP
- *D. they return through the cytochromes to P700

17. Which of the following is NOT produced by the light reactions of photosynthesis?

- A. ATP
- B. NADPH
- C. oxygen
- *D. sugar

18. Which of the following occurs in the chloroplasts of plants?

- A. light reactions of photosynthesis
- B. dark reactions of photosynthesis
- *C. both light and dark reactions
- D. neither, both photosynthetic pathways occur outside the chloroplast

19. Which of the following correctly describes the sequence followed by electrons which leave P680 (PS II)?

- A. cytochromes, Q (plastoquinone), P700
- B. P700, Q, cytochromes
- C. cytochromes, P700, Q
- *D. Q, cytochromes, P700

20. How many times does a molecule of P680 (PS II) need to be activated by light to produce one molecule of NADPH?

- A. 0 (P680 is not involved in producing NADPH)
- B. 1 time
- *C. 2 times
- D. 4 times

Appendix G

Photophosphorylation Lecture

The following is the lecture presented by the BL 104 instructor 42 days prior to the Photophosphorylation evaluation. This provides an idea of student background, for those students participating in the evaluation.

G1

Plants have many of the same energy needs as animals (synthesis of proteins, nucleic acids, cellulose, etc.). However they have the advantage of being able to produce ATP energy from light by the process of photophosphorylation. This process occurs in plants in the chloroplast; an organelle which contains chlorophyll molecules arrayed on a membrane in clusters in order to perform two kinds of photophosphorylation. In each case the chlorophyll is important in that:

A. It can absorb light with the consequence that one electron in the molecule is activated to a higher energy level.

B. Unlike most molecules this activated electron can be forced into some acceptor molecule and thereby causes it to be reduced (reverse of being oxidized). This reduced acceptor can then react in either of two ways:

1. To produce the reduced coenzyme NADPH₂ (Nicotinamide Adenine Dinucleotide Phosphate, a coenzyme similar to NAD).
2. To pass its electron through a chain of reactions similar to the respiratory cytochrome electron transport chain with the consequent production of ATP.

Both of these results occur in the process called non-cyclic photophosphorylation.

C. Non-cyclic photophosphorylation - in this process electrons are taken from water (with the result that oxygen is formed), passed to the chlorophyll molecules, activated twice by light to a high energy level, and after several transfers finally end up being used to reduce NADP to become NADH₂. This process is called non-cyclic because electrons start at water, and end up in the NADPH₂ molecule. Note that the end result is almost the opposite from that which happens in the respiratory cytochrome electron transport. In respiration, we start with the reduced coenzyme NADPH₂, and electrons and hydrogens are passed down the energy gradient to oxygen to form water; energy was produced as ATP. In non-cyclic photophosphorylation hydrogens and electrons are removed from the oxygen of water and pumped up the energy gradient by light to produce the reduced coenzyme NADPH₂.

D. Cyclic photophosphorylation is believed to be a relatively minor process which results in chlorophyll electrons being pumped up to a high level by light, passing back through a chain of cytochrome to chlorophyll again yielding ATP as a product. The electrons cycle around, no oxygen is formed, no NADPH₂ is formed, only ATP.

Dr. H. Robert Krear, Ph.D.
Michigan Technological University

Appendix H

BL 104 Class. Statistics

Following are the field of study, sex and academic year, statistics summarized for individuals in each treatment group of the Photophosphorylation evaluation. Also indicated are the number of people who attended each lab section for the evaluation. The lab sections were at the following times:

Section 1	Thursday (1/21/82)	12pm - 3pm
2	Thursday	3pm - 6pm
3	Thursday	7pm - 10pm
4	Friday (1/22/82)	9am - 12pm
5	Friday	12pm - 3pm

	Groups			
	CM	CL	WM	WL
Field				
Bio. Sci.	1	1	2	1
Forestry	10	8	11	11
Computer Sci.	3	1	2	1
Engineering	5	9	5	10
Other	6	7*	5	3*
Academic Year				
Freshman	18	16	18	17
Sophomore	6	4*	3	3
Junior	1	4	2	3
Senior		2	1	3
Post Graduate			1	
Sex				
Male	16	17*	16	20*
Female	9	9	9	6
Lab Section				
1	4	6	5	4
2	5	5	4	6
3	4	5*	6	6*
4	6	5	4	5
5	6	5	6	5

CM = computer/module first
 CL = computer/lab work first
 WM = written version/module first
 WL = written version/lab work first

*Subtract 1 when considering ANOVA and related statistics, to account for two students being randomly eliminated.

Appendix I

Schedule of Lab Topics and SUMIT Programs Used in BL 104

The following schedule outlines the topics covered and the SUMMIT programs available during the first six weeks of BL 104, winter quarter (beginning 11/30/81). CAI programs were assigned as either mandatory or optional each week.

Lesson (week)	Topic	SUMIT CAI programs	Lab Sections				
			1	2	3	4	5
1	Cell structure	Cell Structure	M	O	O	M	O
2	Chemistry	Enzyme Activity	O	M	O	O	M
3	Genetics	Mitosis/Meiosis	M	O	O	M	O
	- - -	Two Week Vacation	- - -				
4	Genetics 2	Monohybrid Cross	O	M	O	O	M
5	Animal Behavior	Life Expectancy & Baffles (games)	O	O	O	O	O
6	Ecology/Soil	Photophos.	M	M	M	M	M

M = Manditory
O = Optional