

DOCUMENT RESUME

ED 236 881

EC 161.102

AUTHOR Ownby, Raymond L.
TITLE Development of a Scale to Assess Attention Deficit
Disorder in Children.
PUB DATE Aug 83
NOTE 10p.; Paper presented at the Annual Convention of the
American Psychological Association, (91st, Anaheim,
CA, August 26-30, 1983).
PUB TYPE Speeches/Conference Papers (150) -- Reports -
Descriptive (141)
EDRS PRICE MF01/PC01 Plus Postage.
DESCRIPTORS *Attention; *Attention Deficit Disorders; *Behavior
Rating Scales; *Learning Disabilities; Student
Evaluation; *Test Construction

ABSTRACT

The paper presents results of preliminary work in developing a scale to assess attention deficit disorder in a manner that provides educationally useful information. Based in part on B. Keogh and J. Margolis's component analysis of attending skills in learning disabled children (skills of coming to attention, sustaining attention, and making decisions and including educationally important behaviors such as impulsivity and auditory attending), the scale's preliminary version showed adequate interrater reliability and modest relation to observational criteria. The initial study involved two teachers rating 17 children in classes for the learning disabled. Results indicate the scale's potential usefulness in assessing attention deficit disorder if it can be further developed to provide greater validity in assessing target behavior areas. (Author/CL)

* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *

- This document has been reproduced
from the person or organization
originating it.
- Minor changes have been made to improve
reproduction quality.
- Points of view or opinions stated in this doc
ment do not necessarily represent official N
position or policy.

Development of a Scale to Assess Attention Deficit Disorder in Children

Raymond L. Ownby
Private Practice, Kent, Ohio¹

Paper presented at the annual convention of the American
Psychological Association, Anaheim, CA, August, 1983.

¹Now at the Neuropsychology Laboratory, Department of Neurology, University
of Wisconsin Hospitals, 600 N. Highland Ave., Madison, WI 53792

"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

Raymond L.
Ownby

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)."

Development of a Scale to Assess
Attention Deficit Disorder in Children

Summary

This paper presents results of preliminary work to develop a scale to assess attention deficit disorder in children in a way that provides educationally useful information. Based in part on Keogh and Margolis' component analysis of attending skills in learning disabled children into the skills of coming to attention, sustaining attention, and decision-making and including educationally important behaviors such as impulsivity and auditory attending, the scale in its preliminary version showed adequate interrater reliability and modest relation to observational criteria. Given the small number of items contained by the preliminary version, it is possible that further development of the scale might improve its validity. This work is currently in progress.

Development of a Scale to Assess
Attention Deficit Disorder in Children

Attention deficit disorder (ADD) is a problem frequently encountered by school psychologists in evaluating and developing remedial plans for children with learning problems. A precise definition of what constitutes ADD is difficult to present because although most workers agree that a problem exists, few agree on its precise characteristics. Defining attention disorders as a separate diagnostic entity is a new approach to the problem delineated in the American Psychiatric Association's Diagnostic and Statistical Manual--III (1980), which states that ADD may be inferred from such behaviors as failing to finish school work begun, being easily distracted, or displaying impulsivity in cognitive or social behaviors. The syndrome now called ADD has historically been considered as part of a more general syndrome variously labeled "minimal brain dysfunction" or "hyperkinesis" (Strauss & Lehtinen, 1947; Wender, 1972). The concept of MBD has been attacked on both logical and historical grounds (Saunders, 1979; Schrag & Divoky, 1975); some evidence suggests that behaviors included in the syndrome do not occur together regularly, implying that the hyperkinetic syndrome does not exist, at least in the form described by clinicians (Routh & Roberts, 1972; Werry, 1968). More recently, however, additional research has shown that ADD in children may legitimately be considered an entity deserving further study (Lahey, Green, & Forehand, 1980), particularly when attention problems are considered independently from behavioral hyperactivity.

Experience as well as research attests to the need for investigation of the characteristics of the group of children having difficulties in sustaining

attention in educational settings. Certainly, impulsivity, a characteristic mentioned in many definitions of ADD, has been well documented as a reliably measured and educationally and behaviorally relevant characteristic of children (Messer, 1976). For the purpose of this discussion, the DSM-III definition of ADD (briefly, inattention and impulsivity with or without hyperactivity) will be followed. This paper presents a discussion of the preliminary development of a scale to assess ADD in a way that provides educationally relevant information.

The scale as it is constituted at present consists of five subscales measuring the following aspects of attention skills: (1) Coming to attention, (2) Sustaining attention, (3) Impulsivity, (4) Activity level, and (5) Auditory attention. The first three areas of skills are drawn from Keogh and Margolis' analysis of the attending difficulties of learning disabled children (1976a, 1976b). The last two are added because of their relevance to understanding children's classroom difficulties. A high activity level may create various problems for the child and teacher, ranging from the child's inability to remain seated in order to conform to classroom routine to the teacher's exasperation with the child who unknowingly disrupts the classroom atmosphere. Auditory attending is a critical skill for children since much instruction and direction in the regular classroom are provided orally.

The first element of Keogh and Margolis' analysis, coming to attention, requires that the child orient him or herself to a problem situation by "focusing, organization of the perceptual field, and determination of salience" (1976a, p. 352). The second element, maintaining attention, refers to the capacity to attend to a task over time once coming to attention

has been accomplished. It might be described as the ability to maintain the relatively narrow attentional focus over time required by academic work and sequences of behaviors without returning to the broad focus which is capable of taking in a much larger area such as the classroom. The third element of attention in this model, decision-making, refers to the capacity to appropriately apply attention arrived at and maintained to the task at hand without responding too quickly. This aspect may be seen to be similar to the cognitive tempo dimension reflectivity-impulsivity proposed by Kagan, Rosman, Day, Albert, and Phillips (1964) and perhaps related to the coding stage of information processing discussed by Sternberg (1979) in his work on intelligence.

The other two subscales, activity and auditory attention, refer to the child's overall level of activity both in and out of seat and his or her capacity to understand directions and instruction in the classroom. As noted above, these behaviors are of critical educational relevance and require assessment whenever other aspects of ADD are present or suspected.

At times, teachers may not notice behaviors indicating auditory attention difficulties, or interpret them as failures to comply with directions rather than as a failure to understand directions.

For purposes of the preliminary study, five items were generated for each of the five scales. A small number was chosen in order to limit the length of the scale since the purpose of this work was to determine the feasibility of developing such a scale. Examples of items for each of the scales include:

Coming to Attention:

Has difficulty getting organized to begin work.

Required frequent reminders to begin work

Sustaining Attention:

Is easily distracted by noises or other children

Doesn't finish work or omits parts of work

Impulsivity:

Often makes errors because she or he doesn't stop and think

Doesn't understand the need for self-restraint--blurs out answers

or forgets to raise his or her hand.

Activity:

Is frequently out of seat

Fidgets; moves around a great deal in her or his seat

Auditory Attention:

Has difficulty in following oral directions

Has trouble following class discussion--tunes out easily

In this study, two teachers independently rated 17 children in classes for the learning disabled on each of the 25 items of the scale, assigning each a value from one to seven according to how typical each behavior was of the child to be rated. A score for each scale was calculated by adding each item for each scale, and a score for the scale as a whole was calculated by adding subscale scores. Interrater reliability for the total scale score was .84.

Additionally, another school psychologist otherwise not connected with the study received explanation of each of the behaviors to be assessed by subscales and a copy of the DSM-III explanation of ADD. He was then asked to observe each of the children and to rate them on the behaviors for each

subscale and to provide a global rating of to what extent the child displayed the characteristics of ADD. Correlations of ratings with scale scores from the ratings of the teachers ranged from .61 to .73, with most around .65.

These results suggest that the present scale may have usefulness in assessing ADD in the classroom if it can be further developed to provide greater validity in assessing target behavior areas. While correlations between scale ratings and independent observations are modest, they are based on a small number of items. It is possible that if a larger item pool is developed and from that pool items which are more satisfactory are drawn, these modest correlations may be improved. The present study demonstrates the feasibility of further development of this scale. This development is now in progress.

References

American Psychiatric Association. Diagnostic and Statistical Manual--III.

Washington, DC: Author, 1980.

Kagan, J., Rosman, B. C., Day, D., Albert, J., & Phillips, W. Information processing in the child: Significance of analytic and reflective attitudes. Psychological Monographs, 1964, 78, 578.

Keogh, B. K., & Margolis, J. S. Learn to labor and wait: Attentional problems of children with learning disorders. Journal of Learning Disabilities, 1976, 9, 276-286. (a)

Keogh, B. K., & Margolis, J. S. A component analysis of attentional problems of educationally handicapped boys. Journal of Abnormal Child Psychology, 1976, 4, 349-359. (b)

Lahey, B. B., Green, K. D., & Forehand, R. On the independence of ratings of hyperactivity, conduct problems, and attention deficits in children: A multiple regression analysis. Journal of Consulting and Clinical Psychology, 1980, 48, 566-574.

Messer, S. B. Reflection-impulsivity: A review. Psychological Bulletin, 1976, 83, 1026-1052.

Routh, D. K., & Roberts, R. D. Minimal brain dysfunction in children: Failure to find evidence for a behavioral syndrome. Psychological Reports, 1972, 31, 307-314.

Saunders, J. R. A critical analysis of the minimal brain dysfunction syndrome. Professional Psychology, 1979, 10, 293-306.

Schrag, P., & Divoky, D. The myth of the hyperactive child. New York: Pantheon, 1975.

Sternberg, R. J. The nature of mental abilities. American Psychologist,
1979, 33, 214-230.

Strauss, A. A., & Lehtinen, L. E. Psychopathology and education of the
brain-injured child. New York: Grune & Stratton, 1947.

Wender, P. H. The minimal brain dysfunction syndrome in children. Journal
of Nervous and Mental Disease, 1972, 155, 55-71.

Werry, J. S. Studies on the hyperactive child: IV. An empirical analysis
of the minimal brain dysfunction syndrome. Archives of General Psychiatry,
1968, 9, 9-16.