

DOCUMENT RESUME

ED 286 707

SE 047 846

**AUTHOR** Wolfe, Richard G.  
**TITLE** Second International Mathematics Study. Training Manual for Use of the Databank of the Longitudinal, Classroom Process Surveys for Population A in the IEA Second International Mathematics Study. Contractor's Report.

**INSTITUTION** International Association for the Evaluation of Educational Achievement, New York, NY.; Ontario Inst. for Studies in Education, Toronto.

**SPONS AGENCY** Center for Education Statistics (CERI/ED), Washington, DC.

**REPORT NO** CS-87-332  
**PUB DATE** Mar 87  
**CONTRACT** 300-83-0212  
**NOTE** 109p.; For a description and availability of the databank, see SE 048 649.

**PUB TYPE** Tests/Evaluation Instruments (160) -- Statistical Data (110) -- Reports - Research/Technical (143)

**EDRS PRICE** MF01/PC05 Plus Postage.  
**DESCRIPTORS** Classroom Research; \*Databases; \*Educational Assessment; Educational Research; \*Guides; \*International Studies; \*Mathematics Education; Mathematics Instruction; Mathematics Tests; \*Research Tools; Surveys

**IDENTIFIERS** Mathematics Education Research; \*Second International Mathematics Study

**ABSTRACT**

This manual is designed for those researchers using the databank on classroom process surveys for the population of 13-year-olds in the Second International Mathematics Study. The manual opens with overviews of the study and the databank and states the purpose of the training. In the second section on "Interpretation," the codes, layout, and other documentation points are explained. The third section on "Application" shows the general flow of processing to use the documentation and data files. Finally, a "Practice" section is provided, with exercises related to the data. Appendices pertain to: (1) Analysis of the Cognitive Item Table; (2) International Item Response File; (3) U.S.A. Classroom Aggregate File; (4) Extracts from the Databank; and (5) Weighting and Sampling Errors. (MNS)

\*\*\*\*\*  
 \* Reproductions supplied by EDRS are the best that can be made \*  
 \* from the original document. \*  
 \*\*\*\*\*



**Second International Mathematics Study**

**Training Manual for Use of the Databank of the  
Longitudinal, Classroom Process Surveys for  
Population A in the IEA Second International  
Mathematics Study**

Richard G. Wolfe  
The Ontario Institute for Studies in Education

International Association for the Evaluation of  
Educational Achievement (IEA)

Larry E. Suter, Project Officer  
Center for Education Statistics

Prepared in part for the Center for Education Statistics  
under contract OE 300-83-0212. Opinions, conclusions  
or recommendations contained herein are those of the  
author, and not necessarily those of the U.S.  
Department of Education.

March 1987

## CONTENTS

Section	Page
A ORIENTATION	1
A1 Overview of the Study	1
A2 Overview of the Databank	3
A3 Purpose of the Training	5
B INTERPRETATION	5
B1 Data Identification Codes	5
B2 The Special Case of Belgium Flemish	6
B3 Instrument Identification Codes	7
B4 Deciphering the Documentation Files (Documentation File A.0)	7
B5 Instrument Utilization (Documentation File A.1)	8
B6 Response Data Layout (Documentation File A.2)	8
B7 Cognitive Testing Arrangement (Documentation File A.3)	10
B8 Evaluations of Data Quality (Documentation File TABLE.COG)	12
B9 Questionnaire Data Interpretation (Documentation File A.4)	12
B10 National Sampling Information (Documentation File A.5)	14
B11 Questionnaire Texts and Variations (Documentation File A.6)	14
C APPLICATION	15
C1 Cross-National Descriptive Tabulation of the Questionnaires	15
C2 Analysis of the Cognitive Achievement Instruments	15
C3 Relational Analysis of Achievement and Classroom Factors	18
D PRACTICE	18
D1 Cognitive Item Classification	18
D2 International Item Response Analysis	20
D3 U.S.A. Classroom Relational Analysis	20
APPENDIXES	
I Analysis of the Cognitive Item Table	21
II International Item Response File	31
III U.S.A. Classroom Aggregate File	43
IV Extracts from the Databank	52
V Weighting and Sampling Errors	98

## FIGURES

<i>Figure</i>		<i>Page</i>
1	Instrumentation for students, teachers-classrooms, and schools for the longitudinal, classroom process surveys at Population A	2
2	General organization of the databank directories and files	4
3	Illustration of response data layout for student files	9
4	Interpretation of the cognitive item table	11
5	Interpretation of the questionnaire item table	13
6	Processing flow for cross-national descriptive tabulation of the questionnaires	16
7	Processing flow for analysis of the cognitive achievement instruments	17
8	Processing flow for relational analysis of achievement and classroom factors	19

# TRAINING MANUAL FOR USE OF THE DATABANK OF THE LONGITUDINAL, CLASSROOM PROCESS SURVEYS FOR POPULATION A IN THE IEA SECOND INTERNATIONAL MATHEMATICS STUDY

Richard G. Wolfe  
The Ontario Institute for Studies in Education

---

## A. ORIENTATION

### A1. Overview of the Study

The IEA Second International Mathematics Study (SIMS) was conducted in 20 countries on two sampled populations: Population A of 13 year olds and Population B of students studying mathematics in their final year of secondary school. Mathematics achievement was measured with a large number of test items (180 or 176 for the 13 year olds, 136 for the older students) distributed across the curricular content of mathematics found at these grade levels. In addition, a substantial amount of background information was collected from pupils, teachers, and schools, including detailed questions on the students' opportunity to learn the specific mathematics of the tests.

For the 13 year old population, eight of the countries (Belgium Flemish, Canada British Columbia, Canada Ontario, France, Japan, New Zealand, Thailand, and the United States) augmented the standard IEA-type survey design with two crucial innovations: (1) a pretest (beginning of school year) measure based on the same mathematics item pool and (2) rich documentation of classroom teaching practices. The survey instrumentation is shown in Figure 1.

The subject of this training manual is the databank from the resulting longitudinal, classroom process surveys of Population A students, teachers, and schools. The datasets and the potential analyses are unique: for the first time one has international datasets, gathered under common and rigorous survey conditions, with a pretest methodology that allows precise assessment of the specific mathematical content that is learned in a school year and with detailed information on the content and methodology of instruction.




FIGURE 1. Instrumentation for students, teachers-classrooms, and schools for the longitudinal, classroom process surveys at Population A

## A2. Overview of the Databank

The databank comprises all the response data from the surveys in the eight participating countries together with a computerized version of all the corresponding data documentation.

The databank is distributed on industry-standard magnetic computer tape as 39 files. The files are all in standard ASCII (or EBCDIC) printable codes with record sizes of 80 characters or less.

The entire databank can also be stored in on-line disk, as it is on one of the VAX/VMS computers at the Ontario Institute for Studies in Education. The data and data documentation files are organized in a set of directories as shown in Figure 2. The total disk storage in kilobytes is indicated.

In the main DATABANK directory can be found the DATALINK procedure, which makes the databank files easily accessible for inspection and analysis. For example, after invoking DATALINK, the student response data for New Zealand could be called into a statistical program simply as STUDENT:ALL.NZ. While this procedure is specific to VAX/VMS computers, a similar arrangement can be made for other systems. Also in the main DATABANK directory are stored 4 demonstration programs and working files: LONGTAB.FOR, LONGTAB.OUT, COMBO.SPS, and COMBO.USA. These are described in section D of this manual and in Appendixes II and III. Finally, there is a file AAAREAD.ME, which contains last-minute update information about the databank.

For each country, there are three response data files, corresponding to the data levels: SCHOOL, TEACHER or classroom, and STUDENT. These are given the name ALL plus a country code: ALL.BFL, ALL.BC, ALL.ONT, ALL.FRA, ALL.JPN, ALL.NZ, ALL.THA, ALL.USA.

Each response file contains a fixed number of records per unit (e.g., per student). The first record contains the identification codes as well as keys that indicate the presence and completeness of the data (e.g., whether a student completed both pre and posttest questionnaires). The following records contain the original response data, laid out according to a simplified version of the international codebooks. The data for all questionnaires and tests, pre and post, are merged together.

The computerized documentation files provide unified information about the data storage and coding, including the international standard systems as well as particular notes about the national variations, sampling designs, etc.

There is one introductory file (A.0) and six main documentation files: (A.1) basic parameters and sizes, (A.2) definition of the response data layout, (A.3) cognitive item coding, (A.4) questionnaire item coding, (A.5) sampling notes and stratum definitions, and (A.6) detailed coding and textual explanations.




FIGURE 2. General organization of the databank directories and files



The documentation files can be printed but they are also intended to be read by programs that will print codebooks and provide entry into statistical analysis systems. In particular, the TABLE.COG and TABLE.QUS files are extracted from A.3 and A.4 for direct use by analysis programs.

### A3. Purpose of the Training

In a project of this size and importance (and infrequency), the databank will be of interest to secondary analysts for years. It is likely that the most important analyses will be secondary ones, perhaps for purposes we have not imagined and using analytic tools not yet invented. However, the size and complexity of the databank means that secondary analysts will need special training to gain access to the databank and to make efficient and accurate use of the data and their documentation. This manual outlines the nature of that training and is intended for use in a training course or for individual study.

The first goal of the training is to understand how to *interpret* the data and documentation in the Databank. The response data are spread out over 24 files, the documentation includes 9 files, and the control, working, and demonstration files account for 6 more. It is necessary to understand the structure of the data files, the content and coding of the documentation files, and the linkages across data files and between data and documentation. The second goal is to know how to *apply* the databank for some major types of analyses, including cross-national descriptive tabulation of the questionnaires, analysis of the cognitive achievement instruments, and in-depth analysis relating student achievement with classroom factors. The final goal of the training is to *practice* analysis, using the demonstration programs and working files.

---

## B. INTERPRETATION

### B1. Data Identification Codes

The eight countries whose data are stored in the databank are uniformly identified as follows:

15	Belgium Flemish	54	Japan
22	British Columbia	63	New Zealand
25	Ontario	79	Thailand
40	France	81	U.S.A.

Within countries, the identification for data is further broken down according to:

Stratum	from the national sampling design, 2 digits
School	numbered within or across strata, 3 digits
Classroom	numbered within school, 2 digits
Teacher	numbered within or across schools, 3 digits
Student	numbered within classroom, 3 digits

The nesting of identification codes—e.g., schools numbered within strata or numbered across strata—is not the same for all countries, but information will be unambiguously identified if all identification codes are used. That is:

School	use stratum and school codes
Teacher	use stratum, school, and teacher codes
Classroom	use stratum, school, and classroom codes
Student	use stratum, school, classroom, and student codes

Generally, *classroom* and *teacher* refer to the same unit and the same data records. Only in the case where the same teacher is the teacher for two classrooms is a distinction made. Then the teacher code should be the same, but the classroom code will be different.

## B2. The Special Case of Belgium Flemish

Due to an error that occurred early in the processing of the Belgium Flemish data, the correspondences of student-level data from the pretest to the posttest and from the questionnaire to the cognitive test data were lost, except to the level of classroom.

For the purpose of assembling the databank, an arbitrary match-up of data was made, so that the format of the Belgium Flemish student data file *looks* like the format of the other countries. However, there is no promise whatsoever that the pretest, posttest, and questionnaire data coded under one student identification code come from the same student.

Obviously, student level analysis that requires linking the information across tests and questionnaires is *impossible*. Analysis on classroom aggregations should be correct.

### B3. Instrument Identification Codes

In the original codebooks and in the databank, the different survey instruments and tests for student level information are identified with these codes:

500	Student pretest questionnaire
510	Student cognitive pretest - core
511	Student cognitive pretest - form A
512	Student cognitive pretest - form B
513	Student cognitive pretest - form C
514	Student cognitive pretest - form D
520	Student posttest questionnaire
530	Student cognitive posttest - core
531	Student cognitive posttest - form A
532	Student cognitive posttest - form B
533	Student cognitive posttest - form C
534	Student cognitive posttest - form D

For instruments at the teacher/classroom level, the following codes are used:

600	Teacher background questionnaire
610	Topic specific questionnaire - fractions
611	Topic specific questionnaire - ratio, proportion, percent
612	Topic specific questionnaire - measurement
613	Topic specific questionnaire - algebra
614	Topic specific questionnaire - geometry
615	General classroom process questionnaire
620	Opportunity to learn - core
621	Opportunity to learn - form A
622	Opportunity to learn - form B
623	Opportunity to learn - form C
624	Opportunity to learn - form D

Finally, for school-level data, there is one instrument:

800	School questionnaire.
-----	-----------------------

### B4. Deciphering the Documentation Files (*Documentation File A.0*)

The databank documentation files *A.0* to *A.6* contain their own definitions and explanations. As explained in *A.0*, each file begins with a line filled with asterisks. This is followed by an introductory text explaining the purpose of the file and the layout of the main content. Then there is a line of minus signs and specially formatted table or coded listing that is intended for visual inspection or programmed interpretation. The final line of a file is filled with slashes.

*The analyst is advised to make a complete printout of the documentation files and also a printout of a page or two of each data file. See also Appendix IV.*

## B5. Instrument Utilization (*Documentation File A.1*)

Not all instruments were used in all countries. In the documentation file *A.1, Basic Parameters and Sizes*, is given definitive information on which instruments were used in each country. Also indicated is whether the original application of the instrument was in the cross-sectional or longitudinal format (this mainly concerns item order, and in the construction of this databank, the differences have been annotated or reconciled). For the cognitive tests, there is indication of which questions (response, calculator, OTL) were asked of students, since this varied from country to country and across forms.

## B6. Response Data Layout (*Documentation File A.2*)

There are 24 response data files, corresponding to the 3 levels of data (student, teacher-classroom, and school) for each of the 8 countries. The files are recorded in plain, printable text (ASCII or EBCDIC) with records that are no longer than 80 characters. On some systems, they will be of variable length, with blanks to the right stripped off, and on other systems they will be filled with blanks to exactly 80 characters.

The layout of the response data files is explained in detail in the documentation file *A.2*. The main features of the layout are as follows:

1. There is a fixed number of records per case, i.e., per school, teacher, or student. The number of records varies from country to country, depending on which instruments were employed (see documentation file *A.1*).
2. A block of records – corresponding to a school, a teacher, or a student – begins with a special identification record, which gives the ID codes for the position of the case in the data hierarchy and also gives special data availability codes for each of the possible data collection instruments that could apply to the case. The layout and coding of the identification record is explained in document file *A.2*.
3. The response data records follow the identification record in fixed order and with the instrument and record within instrument indicated. The division of the information into records follows the original international codebooks.

The precise card and column location of variables can be determined from the cognitive and questionnaire item tables (documentation files *A.3* and *A.4*). Because of the rearrangement of columns in the databank, *cognitive items columns are test positions +7 and questionnaire columns are original positions -13*.

This layout is illustrated in Figure 3, which contains an extract from the USA student data file, STUDENT:ALL.USA.



## B7. Cognitive Testing Arrangement (*Documentation File A.3*)

The mathematics tests were based in Japan on a cross-sectional set of 176 items, divided into a core test of 40 items and 4 rotated forms of 34 items each, and elsewhere on a longitudinal set of 180 items, divided into a suggested core test of 40 items and 4 suggested rotated forms of 35 items each. There are 157 items in the overlap. Details are given in documentation files A.2 and, especially, A.3, *Cognitive Item Coding*, the main content of which is also available in the *TABLE.COG* file, ready for automatic processing.

Generally, a form of matrix sampling was used, with each student taking a *core test* and also one of four *rotated forms*. The overall testing arrangements are summarized below, and in Figure 4 is shown how to interpret the cognitive item table.

Belgium Flemish	Longitudinal forms adjusted to Belgium Flemish curriculum. Core and rotated form at pretest, core and rotated form at posttest, complete rotation between pre and posttest. NB: Some linkage has been lost.
British Columbia	Standard longitudinal forms, with one minor adjustment. Core only at pretest. Core and rotated forms at posttest.
Ontario	Standard longitudinal forms. Core and rotated form at pretest, core and rotated form at posttest, complete rotation between pre and posttest.
France	Longitudinal forms adjusted to French curriculum. Core and rotated form at pretest, core and same rotated form at posttest.
Japan	Special 60-item pretest selected from cross-sectional items. Cross-sectional core and rotated form at posttest.
New Zealand	Standard longitudinal forms. Core and rotated form at pretest, core and rotated form at posttest, complete rotation between pre and posttest.
Thailand	Standard longitudinal forms. Core and rotated form at pretest, core and rotated form at posttest, with rotation at posttest excluding repetition of the same form.
U.S.A.	Standard longitudinal forms. Core and rotated form at pretest, core and rotated form at posttest, complete rotation between pre and posttest. Extra sample of classrooms with posttest only.




Figure 4. Interpretation of the cognitive item table

## B8. Evaluations of Data Quality (*Documentation File TABLE.COG*)

A major purpose of the elaborate documentation is to record the national variations and irregularities that inevitably occur in an international study of this magnitude. In the cognitive item table, each item is coded for each country according to whether it was:

0	not used
1	used but spoiled, e.g., by a misprinting
2	used with non-standard alternatives and text
3	used with non-standard alternatives but standard text
4	used with standard alternatives but non-standard text
5	used in standard form

In fact, this coding is given for each potential application of an item: in the pretest, in the posttest, and for teachers' evaluations of opportunity to learn. Most items are now coded as "5", but can be anticipated that as secondary analysts make more careful examination of the items, additional problems will be discovered, and it can be hoped that this tabulated data can be updated and made available to the analyst community.

## B9. Questionnaire Data Interpretation (*Documentation File A.4*)

Extracts from documentation file A.4 are given in Figure 5. One of the purposes of this section of the documentation is to provide a uniform system of naming the variables in the study. The first letters of the suggested names are determined by the data source:

S	School questionnaire
T	Teacher background questionnaire
F	Fractions topic specific questionnaire
R	Ratio proportion percent topic specific questionnaire
M	Measurement topic specific questionnaire
G	Geometry topic specific questionnaire
A	Algebra topic specific questionnaire
C	Classroom process general questionnaire
X	Beginning of year student background/attitude questionnaire
Y	End of year student background/attitude questionnaire

The file also contains linkage to the original question numbers in the questionnaires and to the card and column numbers from the original international codebooks. An abbreviated variable label is provided and should be acceptable to most statistical packages. Finally, for any items known to deviate in a country from the international standard, there is a coding similar to that used for cognitive items and a short explanation.



Suggested variable name	Record, column, and field width for response data				Suggested variable label	National variations
	Original data collection instrument and question.		Reference to cross-sectional instrument question number			
2 SAREA	800 1 1 20 1	1	1	20	1	KIND OF COMMUNITY SERVED BY SCHOOL
15 3	Expanded and reordered coding					
40 3	Contracted coding?					
54 3	Added code 6 for undecided					
2 SENROLB	800 2 1 1 21 4	2	1	21	4	2 BOYS..TOTAL ENROLMENT IN SCHOOL
2 SENROLG	800 2 2 1 25 4	2	2	25	4	2 GIRLS..TOTAL ENROLMENT IN SCHOOL
2 SAPOPB	800 3 A1 1 29 4	3	A1	29	4	3 BOYS..POPULATION A STUDENTS IN SCHOOL
15 4	Apparently this is number of population A girls					
2 SAPOPG	800 3 A2 1 33 4	3	A2	33	4	3 GIRLS..POPULATION A STUDENTS IN SCHOOL
15 0	Not available, but see SAPOPB					
2 SNOMTHB	800 3 B1 1 37 4	3	B1	37	4	3 BOYS..POP A WHO DO NOT TAKE MATH
15 0	Not used, since all take math					
22 0	Not used, since all take math					
40 0	Not used, since all take math					
54 0	Not used, since all take math					
. . .						
5 YFUN	520 54	3	34	1 5 63		I THINK MATHEMATICS IS FUN
5 YALLCMP	520 55	3	35	1 8 83		EVERYONE SHOULD LEARN ABOUT COMPUTERS
25 4	Question was, If use calculator, don't have to learn to compute					
5 YCHANGE	520 56	3	36	1 3 31		MATH WILL CHANGE RAPIDLY NEAR FUTURE
5 YWOMCAR	520 57	3	37	1 6 68		A WOMAN NEEDS A CAREER AS MUCH AS MAN
5 YALWRUL	520 58	3	38	1 3 41		ALWAYS A RULE IN SOLVING A MATH PROBLEM
5 YSCARED	520 59	3	39	1 5 61		IT SCARES ME TO HAVE TO TAKE MATHEMATICS
5 YMTHJOB	520 60	3	40	1 7 69		MATH IS IMPORTANT TO GET A GOOD JOB
15 0	Not used					
25 4	Referred to arithmetic rather than mathematics					
5 YNEVER	520 61	3	41	1 4 57		I COULD NEVER BE A GOOD MATHEMATICIAN
5 YHELPO	520 62	3	42	1 4 52		I LIKE TO HELP OTHERS WITH MATH PROBLEMS

Figure 5. Interpretation of the questionnaire item table

## **B10. National Sampling Information (*Documentation File A.5*)**

Each participating country drew a national sample according to an sampling plan that had to have been approved by the international sampling referee. The samples are generally stratified and multistaged. Documentation file *A.5* contains textual explanations of the sampling plans, including definitions of the sampling strata, clusters, and subsamplings; formulas for the derivation of national statistics; and all necessary population sizes and weights for producing standard statistical estimates.

## **B11. Questionnaire Texts and Variations (*Documentation File A.6*)**

Documentation file *A.6* consists of a coded text that includes:

- the full English text of the questions from the original international instruments, including the question stems and the response alternatives
- linkage to the questionnaire item table via the variable names
- the numerical value coded for each of the response alternatives
- suggested value labels for the response alternatives
- indications of national variations: extra or missing response alternatives, variations in question wording or intent, substitute questions, etc.

This information is complexly formatted, but it can be read and interpreted to guide the selection and use of items between the national datasets. It should also be possible to program automatic input of the file into special procedures for constructing national codebooks or statistical program setups.

The details of this part of the documentation system are beyond the scope of this training manual, but they are described fully in the introductory section of the file and in a published report (Wolfe, R. G., "Integrating data and documentation in a multi-national research project: the IEA second international mathematics study. *Proceedings of the Second International Workshop on Statistical Database Management*, Los Altos, California, 1983. Lawrence Berkeley Laboratory, University of California, and U.S. Department of Energy.)

---

## C. APPLICATION

### C1. Cross-National Descriptive Tabulation of the Questionnaires

In Figure 6 is shown the general flow of processing to use the documentation and data files to tabulate responses to the questionnaires over instruments and over countries.

The actual processing steps are shown in square-edged boxes on the left. How exactly these are implemented will depend, of course, on the statistical programming system being used. In theory, all steps can be driven automatically from the machine-readable documentation files. Often in practice, careful, manual reading of the documentation file will assist the analyst in defining and setting up the statistical program.

The round-edged boxes on the right of Figure 6 show the references to the different documentation files.

### C2. Analysis of Cognitive Achievement Instruments

In Figure 7 is shown the general flow of processing to use the documentation and data files to analyze the mathematics test information.

The complex matrix sampling that was used to administer the mathematics tests implies that decisions need always to be made about how to construct and adjust or scale the subtest scores (total scores do not make sense in SIMS). Reference to the documentation file *A.1, Basic Parameters and Sizes*, and tabulation of the TABLE.COG documentation file will be useful in arriving at a strategy; an example is given in section D1 and Appendix I of this manual.

In addition to the technical information about test formatting and item quality, the TABLE.COG table contains the content coding of the mathematics items and so it can be used to select items for subtests.

The availability and completeness codes found in each block of student response data need to be considered, together with sampling information from the documentation file *A.5*. In particular, a decision needs to be made of what to do with students who participated only in the pretest or only in the posttest.

Also, something has to be done with students who did not complete a test (the indication recorded in the file is based on the statistical likelihood of the pattern of omits as they appear at the end of the test relative to the total number of omits.)




Figure 6. Processing flow for cross-national descriptive tabulation of the questionnaires




Figure 7. Processing flow for analysis of the cognitive achievement instruments

### C3. Relational Analysis of Achievement and Classroom Factors

In Figure 8 is shown the general flow of processing for an integrated analysis of student-level and classroom-level variables.

As in the previous cases, the documentation files are used to drive the steps of selecting and computing questionnaire items and mathematics subtest scores. In this case, the steps are carried out in parallel for student and classroom information. For example, when a subtest is defined for student mathematics achievement, it is likely that there should be a parallel opportunity to learn (OTL) score calculated from the teacher response data, although the method of calculation may be quite different (teachers responded to all items, while matrix sampling was used for student responses.)

When the matching of student and classroom level data is made, the combined identification code for Stratum, School, and Classroom is key. However, the careful analyst will consider what to do with cases where the same teacher appears in both classrooms of a school.

For both the student data and the classroom-teacher data, the availability and completeness codes found in each block of response data need to be examined, and decisions need to be made of what to do with students who participated only in the pretest or only in the posttest, with classrooms with no teacher data, of teacher data with no student data, etc. The goal of the databank construction has been to include all available data and to leave the selection problem for each analyst to solve.

---

## D. PRACTICE

### D1. Cognitive Item Classification

The first practice analysis suggested for an analyst new to SIMS and its databank involves treating the TABLE.COG file as data for analysis and tabulation.

In Appendix I are given the input to and the results from a MINITAB analysis of the file. The purpose was to recover the content dimensions of the special Japanese pretest and the Japanese cross-sectional posttest core and rotated forms.

*Suggested exercises:* (1) Do the same analysis for one of the other countries, which will have used the longitudinal item set. (3) Create an output file with the necessary item positions and keys to drive a subsequent analysis program that will create subtests scores or analyses.




Figure 8. Processing flow for relational analysis of achievement and classroom factors

## D2. International Item Response Analysis

Included with the distribution of the databank is a demonstration program called LONGTAB.FOR and the "unofficial" working file LONGTAB.OUT which the program generated. The data file format, a partial listing of data, and a listing of the program are presented in Appendix II.

The units of analysis are the 199 items, and the variables recorded include the basic classification information from the cognitive item table and an approximate response distribution – right, wrong, omit by pretest, posttest – over countries. The response distribution is based on simple tabulation of the student data, so the estimates are not properly weighted. They should be sufficiently accurate for the purpose of practice.

*Suggested exercises:* (1) Compare gain from pretest to posttest with initial pretest level by subtest—as defined by the grid—and country. (2) Check omit rates over countries and determine the effect of "correction" for "guessing".

## D3. U.S.A. Classroom Relational Analysis

The process of putting together a full aggregate file from the databank, if done with proper attention to all the coding variations, formatting differences, etc., is rather long. Included with the databank is another "unofficial" working file, COMBO.USA, of classroom-level variables and aggregates for the U.S.A. Again no guarantees are made of the accuracy or appropriateness of the data. It is intended for practice.

The file includes basic information from the teacher background questionnaire, the complete set of responses to the general classroom process questionnaire, adjusted subscores for student pretest and posttest mathematics achievement in 6 content areas, and teacher estimates of prior and current opportunity to learn for the same content areas. Also included is a special U.S.A. national coding of mathematics class type, which is considered to be a crucial variable there.

The layout of the file and a listing of an SPSS-X program setup for its use are presented in Appendix III. The setup program, COMBO.SPS, is also included in the databank distribution.

*Suggested exercises:* (1) Determine the regression of posttest on pretest and compare that over subtests. (2) Include some of the teacher characteristics in a multiple regression.



---

## Appendix I. Analysis of the Cognitive Item Table

Page 1      MINTAB program listing

Page 2-9    Results

note reads the cognitive item table international item  
 note number and major grid position and then the form assignments  
 note for Japan.

```
fread 'document:table.cog' into c1-c2 c11-c12 c21-c22
(f3.0/6x,f1.0/////3x,f1.0,f3.0,12x,f2.0,f3.0///)
```

```
name c1 'Hungnum'
name c2 'Grid'
name c11 'Postform'
name c12 'Postitem'
name c21 'Preform'
name c22 'Freitem'
```

note omit the items that are longitudinal only.

omit 0 in c12 carrying c1 c2 c11 c21 c22 putting into c12 c1 c2 c11 c21 c22

note check distribution by grid level

```
histo c2
table c2 c11
```

note construct a single code combining posttest form and item

```
multiply c11 by 100 put into c13
add c12 to c13 put into c13
```

note sort and print an item table for posttest

```
sort c13 carrying c1 c2 c11 c12 c21 c22 putting into c13 c1 c2 c11 c12 c21 c22
print c1 c2 c11 c12 c21 c22
```

note omit items not on the pretest

omit 0 c22 carrying c1 c2 c11 c12 c21 putting into c22 c1 c2 c11 c12 c21

note construct a single code combining pretest form and item

```
multiple c21 by 100 put into c23
add c22 to c23 put into c23
```

note sort and print an item table for posttest

```
sort c23 carrying c1 c2 c11 c12 c21 c22 putting into c23 c1 c2 c11 c12 c21 c22
print c1 c2 c11 c12 c21 c22
```

note check grid distribution on pretest

```
histo c2
```

```
stop
```

MTB > histo c2

Grid

MIDDLE OF INTERVAL	NUMBER OF OBSERVATIONS	
0	46	*****
1	40	*****
2	48	*****
3	18	*****
4	24	*****

MTB > table c2 c11

	ROWS: Grid	COLUMNS: Postform					
	0	1	2	3	4	ALL	
0	11	8	9	8	10	46	
1	9	8	7	9	7	40	
2	11	10	10	9	8	48	
3	4	3	3	4	4	18	
4	5	5	5	4	5	24	
ALL	40	34	34	34	34	176	

MTB &gt; print c1 c2 c11 c12 c21 c22

ROW	Hungnum	Grid	Postform	Postitem	Preform	Preitem
1	14	1	0	1	2	12
2	27	2	0	2	0	0
3	6	0	0	3	2	4
4	12	1	0	4	0	0
5	30	2	0	5	0	0
6	25	2	0	6	0	0
7	32	3	0	7	0	0
8	40	4	0	8	1	18
9	22	2	0	9	1	13
10	15	1	0	10	1	11
11	39	4	0	11	0	0
12	17	1	0	12	2	10
13	31	2	0	13	2	25
14	4	0	0	14	0	0
15	34	3	0	15	0	0
16	20	1	0	16	0	0
17	3	0	0	17	1	1
18	5	0	0	18	0	0
19	26	2	0	19	1	15
20	1	0	0	20	0	0
21	33	3	0	21	0	0
22	18	1	0	22	2	18
23	10	0	0	23	2	32
24	37	4	0	24	0	0
25	16	1	0	25	2	15
26	8	0	0	26	1	6
27	35	3	0	27	0	0
28	21	2	0	28	0	0
29	29	2	0	29	2	24
30	36	4	0	30	0	0
31	2	0	0	31	2	34
32	23	2	0	32	1	11
33	9	0	0	33	2	5
34	11	0	0	34	0	0
35	7	0	0	35	1	2
36	24	2	0	36	0	0
37	38	4	0	37	2	29
38	28	2	0	38	2	19
39	19	1	0	39	1	12
40	13	1	0	40	2	14

ROW	Hungnum	Grid	Postform	Postitem	Preform	Preitem
41	52	1	1	1	0	0
42	55	1	1	2	2	16
43	50	1	1	3	0	0
44	62	2	1	4	0	0
45	72	4	1	5	1	20
46	173	2	1	6	0	0
47	67	3	1	7	0	0
48	169	2	1	8	0	0
49	57	2	1	9	0	0
50	44	0	1	10	2	3
51	43	0	1	11	0	0
52	69	4	1	12	2	28
53	58	2	1	13	0	0
54	64	2	1	14	0	0
55	51	1	1	15	0	0
56	46	0	1	16	1	5
57	48	0	1	17	0	0
58	63	2	1	18	0	0
59	65	3	1	19	0	0
60	47	0	1	20	2	6
61	45	0	1	21	0	0
62	49	1	1	22	0	0
63	71	4	1	23	1	17
64	66	3	1	24	0	0
65	70	4	1	25	2	27
66	60	2	1	26	0	0
67	41	0	1	27	0	0
68	56	1	1	28	0	0
69	53	1	1	29	2	9
70	61	2	1	30	1	14
71	68	4	1	31	0	0
72	54	1	1	32	0	0
73	42	0	1	33	0	0
74	59	2	1	34	2	26

ROW	Hungnum	Grid	Postform	Postitem	Preform	Preitem
75	86	1	2	1	2	11
76	100	4	2	2	0	0
77	93	2	2	3	0	0
78	85	1	2	4	0	0
79	88	1	2	5	0	0
80	95	2	2	6	0	0
81	104	4	2	7	0	0
82	74	0	2	8	2	35
83	73	0	2	9	0	0
84	176	2	2	10	0	0
85	80	0	2	11	2	31
86	78	0	2	12	1	4
87	83	1	2	13	0	0
88	96	2	2	14	0	0
89	90	2	2	15	0	0
90	89	2	2	16	0	0
91	101	4	2	17	0	0
92	97	3	2	18	0	0
93	99	3	2	19	2	40
94	171	2	2	20	0	0
95	103	4	2	21	0	0
96	81	0	2	22	0	0
97	77	0	2	23	0	0
98	79	0	2	24	1	8
99	91	2	2	25	0	0
100	75	0	2	26	1	3
101	76	0	2	27	0	0
102	87	1	2	28	0	0
103	84	1	2	29	0	0
104	102	4	2	30	0	0
105	98	3	2	31	0	0
106	92	2	2	32	0	0
107	94	2	2	33	0	0
108	82	1	2	34	1	10

ROW	Hung.um	Grid	Postform	Postitem	Preform	Preitem
109	114	1	3	1	0	0
110	130	3	3	2	0	0
111	175	2	3	3	0	0
112	108	0	3	4	2	1
113	133	4	3	5	0	0
114	136	4	3	6	0	0
115	125	2	3	7	0	0
116	132	3	3	8	0	0
117	105	0	3	9	0	0
118	129	3	3	10	2	39
119	135	4	3	11	0	0
120	109	0	3	12	0	0
121	126	2	3	13	0	0
122	131	3	3	14	0	0
123	116	1	3	15	0	0
124	107	0	3	16	0	0
125	119	1	3	17	0	0
126	121	2	3	18	0	0
127	128	2	3	19	0	0
128	110	0	3	20	2	8
129	120	1	3	21	2	13
130	112	0	3	22	0	0
131	113	1	3	23	1	9
132	172	1	3	24	0	0
133	127	2	3	25	0	0
134	124	2	3	26	2	20
135	123	2	3	27	0	0
136	117	1	3	28	0	0
137	134	4	3	29	0	0
138	122	2	3	30	0	0
139	106	0	3	31	0	0
140	115	1	3	32	0	0
141	111	0	3	33	0	0
142	118	1	3	34	0	0

ROW	Hungnum	Grid	Postform	Postitem	Preform	Preitem
143	159	2	4	1	2	21
144	155	2	4	2	2	23
145	141	0	4	3	0	0
146	154	2	4	4	0	0
147	146	0	4	5	0	0
148	140	0	4	6	0	0
149	143	0	4	7	2	7
150	164	4	4	8	0	0
151	153	1	4	9	2	17
152	150	1	4	10	0	0
153	163	3	4	11	0	0
154	147	1	4	12	0	0
155	145	0	4	13	0	0
156	138	0	4	14	0	0
157	139	0	4	15	2	2
158	144	0	4	16	0	0
159	168	4	4	17	2	30
160	166	4	4	18	0	0
161	148	1	4	19	0	0
162	167	4	4	20	1	19
163	152	1	4	21	0	0
164	137	0	4	22	2	33
165	162	3	4	23	2	38
166	174	2	4	24	2	22
167	157	2	4	25	0	0
168	142	0	4	26	1	7
169	170	2	4	27	0	0
170	165	4	4	28	0	0
171	156	2	4	29	0	0
172	151	1	4	30	0	0
173	149	1	4	31	0	0
174	158	2	4	32	0	0
175	160	3	4	33	2	36
176	161	3	4	34	2	37



MTB &gt; print c1 c2 c11 c12 c21 c22

ROW	Hungnum	Grid	Postform	Postitem	Preform	Preitem
1	3	0	0	17	1	1
2	7	0	0	35	1	2
3	75	0	2	26	1	3
4	78	0	2	12	1	4
5	46	0	1	16	1	5
6	8	0	0	26	1	6
7	142	0	4	26	1	7
8	79	0	2	24	1	8
9	113	1	3	23	1	9
10	82	1	2	34	1	10
11	15	1	0	10	1	11
12	19	1	0	39	1	12
13	22	2	0	9	1	13
14	61	2	1	30	1	14
15	26	2	0	19	1	15
16	23	2	0	32	1	16
17	71	4	1	23	1	17
18	40	4	0	8	1	18
19	167	4	4	20	1	19
20	72	4	1	5	1	20
21	108	0	3	4	2	1
22	139	0	4	15	2	2
23	44	0	1	10	2	3
24	6	0	0	3	2	4
25	9	0	0	33	2	5
26	47	0	1	20	2	6
27	143	0	4	7	2	7
28	110	0	3	20	2	8
29	53	1	1	29	2	9
30	17	1	0	12	2	10

ROW	Hungnum	Grid	Postform	Postitem	Preform	Preitem
31	86	1	2	1	2	11
32	14	1	0	1	2	12
33	120	1	3	21	2	13
34	13	1	0	40	2	14
35	16	1	0	25	2	15
36	55	1	1	2	2	16
37	153	1	4	9	2	17
38	18	1	0	22	2	18
39	28	2	0	38	2	19
40	124	2	3	26	2	20
41	159	2	4	1	2	21
42	174	2	4	24	2	22
43	155	2	4	2	2	23
44	29	2	0	29	2	24
45	31	2	0	13	2	25
46	59	2	1	34	2	26
47	70	4	1	25	2	27
48	69	4	1	12	2	28
49	38	4	0	37	2	29
50	168	4	4	17	2	30
51	80	0	2	11	2	31
52	10	0	0	23	2	32
53	137	0	4	22	2	33
54	2	0	0	31	2	34
55	74	0	2	8	2	35
56	160	3	4	33	2	36
57	161	3	4	34	2	37
58	162	3	4	23	2	38
59	129	3	3	10	2	39
60	99	3	2	19	2	40

MTB > histo c2

Grid

MIDDLE OF INTERVAL	NUMBER OF OBSERVATIONS	
0	21	*****
1	14	*****
2	12	*****
3	5	*****
4	8	*****

35

---

## Appendix II. International Item Response File

- Pages 1-3     File layout
- Page 4        Partial listing of file (LONGTAB.OUT)
- Pages 5-9     Listing of Fortran program (LONGTAB.FOR)

## INTERNATIONAL ITEM RESPONSE FILE LAYOUT

=====

## INTERNATIONAL LINE ONE

- 1-3     ITEM REFERENCE NUMBER FROM ITEM BANK
- 5-80    ABBREVIATED TEXT OF THE INTERNATIONAL FORM OF THE ITEM

## INTERNATIONAL LINE TWO

- 5       CORRECT RESPONSE ALTERNATIVE  
           1 A   2 B   3 C   4 D   5 E
- 7-9     POSITION IN INTERNATIONAL CONTENT GRID
- |                                |                                |
|--------------------------------|--------------------------------|
| 000 ARITHMETIC                 | 204 SIMILARITY                 |
| 001 WHOLE NUMBERS              | 205 GEOMETRIC CONSTRUCTIONS    |
| 002 COMMON FRACTIONS           | 206 PYTHAGOREAN                |
| 003 DECIMAL FRACTIONS          | 207 COORDINATES                |
| 004 RATIO, PROPORTION, PERCENT | 208 DEDUCTIONS                 |
| 005 NUMBER THEORY              | 209 TRANSFORMATION (INFORMAL)  |
| 006 POWERS                     | 212 SPATIAL VISUALIZATION      |
| 100 ALGEBRA                    | 215 TRANSFORMATIONAL GEOMETRY  |
| 101 INTEGERS                   | 300 PROBABILITY AND STATISTICS |
| 102 RATIONALS                  | 302 ORGANIZATION               |
| 103 INTEGER EXPONENTS          | 303 REPRESENTATION             |
| 104 FORMULAS                   | 304 MEAN, MEDIAN, MODE         |
| 105 POLYNOMIALS EXPRESSIONS    | 306 PROBABILITY                |
| 106 EQUATIONS AND INEQUALITIES | 400 MEASUREMENT                |
| 107 RELATIONS                  | 401 UNITS                      |
| 200 GEOMETRY                   | 402 ESTIMATION                 |
| 201 CLASSIFICATION             | 403 APPROXIMATION              |
| 202 PROPERTIES                 | 404 DETERMINING MEASURES       |
| 203 CONGRUENCE                 |                                |
- 11     BEHAVIOURAL LEVEL
- 1 COMPUTATION
  - 2 COMPREHENSION
  - 3 APPLICATION
  - 4 ANALYSIS
- 13     ANCHOR ITEM STATUS
- 0 NOT AN ANCHOR
  - 1 ANCHOR ITEM
  - 2 MODIFIED ANCHOR ITEM

- 15 FORM PLACEMENT FOR THE CROSSSECTIONAL STUDY
- 17-18 POSITION WITHIN FORM FOR THE CROSSSECTIONAL STUDY
- 20 FORM PLACEMENT FOR THE LONGITUDINAL STUDY
- 22-23 POSITION WITHIN FORM FOR THE LONGITUDINAL STUDY

NOTE... THE PLACEMENT AND POSITION NUMBERS ARE ZERO FOR ITEMS NOT INCLUDED IN A GIVEN STUDY. THE PLACEMENT AND POSITION NUMBERS FOR THE LONGITUDINAL STUDY ARE THOSE OF THE SUGGESTED STANDARD.

- 25 LONGITUDINAL CORE TYPE
  - 0 NOT LONGITUDINAL INTERNATIONAL CORE
  - 1 LONGITUDINAL INTERNATIONAL CORE
- 27 STRATUM FOR CROSSSECTIONAL FORM CONSTRUCTION
  - 1 ARITHMETIC
  - 2 ALGEBRA
  - 3 GEOMETRY
  - 4 PROBABILITY AND STATISTICS
  - 5 MEASUREMENT
- 29 STRATUM FOR LONGITUDINAL FORM CONSTRUCTION
  - 1 FRACTIONS
  - 2 RATIO PROPORTION PERCENT
  - 3 ALGEBRA
  - 4 GEOMETRY
  - 5 MEASUREMENT
  - 6 INTEGERS (NOT IN INTERNATIONAL CORE)
  - 7 PROBABILITY AND STATISTICS (NOT IN INTERNATIONAL CORE)

- 31-32 SUBTEST CODE 1
- 34-35 SUBTEST CODE 2
- ...
- 79-80 SUBTEST CODE 17

THESE ARE THE SUBTESTS DEFINED IN MEMORANDUM A/369, WITH CORRECTIONS. THE NUMBER OF SUBTEST CODES PER ITEM VARIES. THE FOLLOWING SUBTEST CODES ARE USED.

- |                                 |   |
|---------------------------------|---|
| 01 ESTIMATION AND APPROXIMATION | 26 PLANE FIGURES                        |
| 02 NEW MATHS IN 1ST STUDY       | 27 COORDINATES                          |
| 03 BASIC SKILLS                 | 28 INFORMAL TRANSFORMATIONS IN GEOMETRY |
| 04 ALGEBRA (COMPUTATION)        | 29 GEOMETRY                             |
| 05 CALCULATOR USE               | 30 GEOMETRY (COMPUTATION)               |
| 06 ARITHMETIC (COMPUTATION)     | 31 GEOMETRY (OTHER THAN COMPUTATION)    |
| 07 PROPORTIONATE THINKING       | 32 REPRESENTATION OF DATA               |
| 08 ANCHOR ITEMS                 | 33 (NOT USED)                           |
| 09 WHOLE NUMBERS                | 34 PROBABILITY AND STATISTICS           |
| 10 COMMON FRACTIONS             |   |

11 COMMON FRACTIONS  
(COMPUTATION)

35 PROBABILITY AND STATISTICS  
(OTHER THAN COMPUTATION)

12 DECIMAL FRACTIONS	36 STANDARD UNITS OF MEASURE
13 RATIO AND PROPORTION	37 DETERMINATION OF MEASURES
14 PERCENT	38 MEASUREMENT
15 ARITHMETIC	39 MEASUREMENT (COMPUTATION)
16 ARITHMETIC (OTHER THAN COMPUTATION)	40 MEASUREMENT (OTHER THAN COMPUTATION)
17 INTEGERS	41 PROBABILITY AND STATISTICS (COMPUTATION)
18 FORMULAS AND ALGEBRAIC EXPRESSIONS	42 MODIFIED ANCHOR ITEMS
19 EQUATIONS AND INEQUALITIES	43 NON-VERBAL
20 ALGEBRA	44 VERBAL
21 ALGEBRA (OTHER THAN COMPUTATION)	45 ANCHOR (NON-VERBAL)
22 CLASSIFICATION OF PLANE FIGURES	46 ANCHOR (VERBAL)
23 PROPERTIES OF PLANE FIGURES	47 DIAGRAMMATIC ITEMS (PAIRED WITH NON-DIAGRAMMATIC)
24 CONGRUENCE OF PLANE FIGURES	48 NON-DIAGRAMMATIC ITEMS (PAIRED WITH DIAGRAMMATIC)
25 SIMILARITY OF PLANE FIGURES	

NATIONAL LINES (1 PER EACH OF EIGHT COUNTRIES, IN ORDER  
15/BFL, 22/BC, 25/ONT, 40/FRA,  
54/JPN, 63/NZ, 79/THA, 81/USA)

3-8	PERCENT RIGHT PRETEST
9-14	PERCENT WRONG PRETEST
15-20	PERCENT OMIT PRETEST
23-28	PERCENT RIGHT POSTTEST
29-34	PERCENT WRONG POSTTEST
35-40	PERCENT OMIT POSTTEST

NOTE THAT "-1" IS CODED WHEN ITEM RESPONSE INFORMATION IS  
NOT AVAILABLE.

PARTIAL LISTING OF THE INTERNATIONAL ITEM RESPONSE FILE

=====

001 (22 \* 18) - (47 + 59) IS EQUAL TO  
 1 001 1 1 0 20 2 34 0 1 6 03 05 06 08 09 15 45  
 73.0 24.5 2.5 71.2 27.1 1.7  
 -1.0 -1.0 -1.0 74.3 22.2 3.5  
 78.4 20.8 0.8 73.2 26.2 0.6  
 72.5 19.4 8.0 79.6 17.1 3.4  
 -1.0 -1.0 -1.0 83.3 15.8 0.9  
 65.2 33.5 1.2 63.2 35.6 1.2  
 59.7 38.4 2.0 63.4 36.3 0.2  
 69.3 29.1 1.6 69.7 29.6 0.6

002 MATCHSTICKS ARE ARRANGED AS FOLLOWS. IF THE PATTERN IS  
 2 001 3 0 0 31 4 12 0 1 6 09 15 16  
 53.7 43.0 3.3 55.5 41.9 2.6  
 -1.0 -1.0 -1.0 51.8 45.8 2.4  
 42.7 53.5 3.8 46.8 51.3 1.9  
 57.7 34.9 7.4 60.8 34.6 4.6  
 58.1 40.5 1.4 62.4 37.0 0.6  
 48.8 49.5 1.7 50.4 48.2 1.4  
 33.1 63. 3.1 36.7 61.5 1.8  
 37.6 59.7 2.7 43.3 55.5 1.2

003 2/5 + 3/8 IS EQUAL TO  
 5 002 1 1 0 17 0 31 1 1 1 03 06 08 10 11 15 43 45  
 51.2 46.8 2.1 78.3 20.2 1.5  
 66.9 31.6 1.5 72.1 26.4 1.5  
 58.2 40.7 1.1 63.6 35.6 0.7  
 4.5 77.9 17.6 73.4 24.6 2.0  
 84.2 15.2 0.6 89.2 10.4 0.3  
 29.0 70.3 0.7 39.0 60.2 0.8  
 28.4 70.6 0.9 48.0 51.8 0.2  
 44.8 54.5 0.8 61.5 37.9 0.6

004 WHICH OF THE FOLLOWING IS A PAIR OF EQUIVALENT FRACTIONS?  
 4 002 2 0 0 14 3 3 0 1 1 10 15 16  
 86.7 11.9 1.5 90.3 9.0 0.7  
 -1.0 -1.0 -1.0 89.7 9.0 1.3  
 81.6 17.3 1.1 85.1 14.1 0.9  
 43.5 22.7 33.8 82.6 11.1 6.3  
 -1.0 -1.0 -1.0 82.6 16.5 1.0  
 58.0 39.4 1.9 65.4 33.9 0.7  
 62.7 35.9 1.4 74.2 25.4 0.4  
 72.4 26.5 1.1 80.4 19.3 0.3

005 0.40 \* 6.38 IS EQUAL TO  
 3 003 1 1 0 18 0 26 0 1 1 03 05 06 08 12 15 43 45  
 64.8 32.1 3.1 59.5 37.4 3.1  
 54.8 40.2 5.0 61.5 34.7 3.8  
 60.1 37.0 2.9 64.6 34.2 1.2  
 70.3 24.9 4.7 73.5 24.5 2.0  
 -1.0 -1.0 -1.0 62.8 36.4 0.8  
 35.7 62.4 1.9 40.3 58.2 1.5  
 30.6 59.2 1.3 49.6 49.8 0.6



52.1 45.4 2.5 63.3 35.7 1.0

...

LISTING OF FORTRAN PROGRAM USED TO OBTAIN THE  
INTERNATIONAL ITEM RESPONSE FILE

=====

c this program reads the cognitive item table and each of  
c the student response file and produces an integrated table of  
c item statistics, right-wrong-omit by pretest-posttest by country,  
c with some item codes. The results will be accumulated in rwo,  
c with sample sizes in sam.

c  
c

```
integer p,q,r,c,u,v
character*17 id
character*1 xxx
dimension rwo(199,3,2,8)
character*3 place(8)
data place / 'bfl','bc','ont','fra','jpn','nz','tha','usa' /
```

c

c the following table shows the ndes(form,time,country),  
c the number of items per form by time and country

c

```
dimension ndes(2,2,8)
data ndes
1 /40,35,40,35,
1 40, 0,40,35,
1 40,35,40,35,
1 40,35,40,35,
1 60, 0,40,34,
1 40,35,40,35,
1 40,35,40,35,
1 40,35,40,35/
```

c

c the following arrays will hold a response data set for one  
c student, including the availability and form keys

c

```
dimension kab(3,2),inp(60,2,2)
```

c

c The following arrays store what is read from the cognitive  
c item table.

c imap(p,q,j,c) will indicate where to put tabulations for item p  
c in form q at time j for country c.

c

c

```
dimension key(199)
character*3 hun(199)
character*76 itlab(199)
character*74 itcode(199)
dimension imap(60,5,2,8)
```

```

c
c clear out the maps
c
      do c=1,8
        do p=1,60
          do q=1,5
            do j=1,2
              imap(p,q,j,c)=0
            enddo
          enddo
        enddo
      enddo

c
c read and store cit data input
c
      open(unit=22,file='document:table.cog',status='old',
1      readonly)
      do i=1,199

c
c read the international information
c
      read(22,20)hun(i),itlab(i),key(i),itcode(i)
20      format(a3,1x,a/4x,i1,1x,a)
c
c read the national information, making a special case of Japan,
c which has a non-standard pretest
c
      do c=1,8
        if( c.ne.5 ) read(22,30)ifrm,ipos,ia1,ia2
        if( c.eq.5 ) read(22,30)ifrm,ipos,ia1,ia2,jfrm,jpos
30      format(2x,i2,i3,5x,i1,3x,i1,2x,i2,i3 )
c
c check application codes and count anything other than
c 4 or . unusable. For the pretest, making Japar.
c a special case...
c
          if( ia1.ge.4 ) then
            if( c.eq.5 ) then
              p=(jfrm-1)*20+jpos
              imap(p,1,1,c)=i
            else
              imap(ipos,ifrm+1,1,c)=i
            endif
          endif

c
c for the posttest...
c
          if( ia2.ge.4 ) then
            imap(ipos,ifrm+1,2,c)=i
          endif

      enddo
    enddo

```

```

c
c loop through the data files, opening the input and clearing the
c accumulators
c
      do c=1,8
        type *, c
        open(unit=20,file='student:all.'//place(c),
1          status='old',readonly)
          do i=1,199
            do j=1,2
              do k=1,3
                rwo(i,k,j,c)=0
                enddo
              enddo
            enddo
          enddo
c
c now read the data and score and aggregate, making a special
c skip for the USA student OTL data
c
110      read(20,120,end=200)id,kab
120      format(a17,6i1////)
          do j=1,2
            do k=1,2
              if( ndes(k,j,c).ne.0 ) read(20,130)
1          (inp(p,k,j),p=1,ndes(k,j,c))
130      format(6x,60i1)
              if( c.eq.8 .and. k.eq.1 ) read(20,140)xxx
140      format(a1)
              enddo
            enddo
          enddo

```

```

c
c insist on a complete pretest and posttest (in BC, there is no
c pretest rotated form)
c in this loop, j is time pre or post, k is form core or rotated
c in the US, throw out the supplementary samples and Hartford
c
      if( kab(1,1).eq.3 .and. kab(1,2).eq.3 .and. kab(2,2).eq.3
1      .and. (kab(2,1).eq.3 .or. c.eq.2 )
1      .and. (c.ne.8 .or. id(5:5).ne.'3' .and.
1      (id(9:9).eq.'1' .or. id(9:9).eq.'2') ) ) then
      do j=1,2
      do k=1,2
      nn=ndes(k,j,c)
      if( nn.ne.0 ) then
      kk=1
      if(k.eq.2)kk=kab(3,j)+1
      do p=1,nn
      ii=imap(p,kk,j,c)
      if( inp(p,k,j).eq.key(ii) ) then
      v=1
      elseif( inp(p,k,j).gt.5 ) then
      v=3
      else
      v=2
      endif
      rwo(ii,v,j,c)=rwo(ii,v,j,c)+1
      enddo
      endif
      enddo
      enddo
      endif
      goto 110
c
c close the file and loop
c
200      close(unit=20)
      enddc

```

```

c
c now write out the results
c
      open(unit=1,file='longtab.out',status='new',
1         carriagecontrol='list')
      do i=1,199
210      write(1,210)hun(i),itlab(i),key(i),itcode(i)
         format(a3,1x,a/i5,1x,a)
         do c=1,8
           do j=1,2
             sam=rwo(i,1,j,c)+rwo(i,2,j,c)+rwo(i,3,j,c)
             if( sam.eq.0 ) then
               do v=1,3
                 rwo(i,v,j,c)=-1
               enddo
             else
               do v=1,3
1                 rwo(i,v,j,c)=100*rwo(i,v,j,c)/
                   sam
               enddo
             endif
           enddo
220      write(1,220)((rwo(i,v,j,c),v=1,3),j=1,2)
         format(2x,3f6.1,2x,3f6.1)
         enddo
       enddo
end

```

---

## **Appendix III. U.S.A. Classroom Aggregate File**

<b>Page 1</b>	<b>File layout</b>
<b>Page 2</b>	<b>Partial listing of file (COMBO.USA)</b>
<b>Pages 3-8</b>	<b>Listing of SPSS-X setup (COMBO.SPS)</b>

LAYOUT OF COMBO.USA FILE

=====

- A. There are seven lines per classroom.
- B. The first line is labeled "ID" and contains
- 3-4 sampling stratum
  - 5-7 school number
  - 8-9 classroom number within school
  - 10-14 number of students with complete pretest and posttest
- C. The second line is labeled "TEA" and contains, in format (6x,4f6.0),
- Gender of the teacher
  - Age of the teacher
  - Response by teacher to question of differentiating assignments (from the teacher background questionnaire)
  - Special coding of USA class types (see USA national report)

Missing data are coded -1.

- D. The third line contains two sets of OTL summaries, the first set having to do with OTL before the target year, the second with OTL in the target year. In each set the content scales are:

ARITHall arithmetic except ratio-proportion-percent  
 RPP ratio-proportion-percent  
 ALG algebra  
 GEOM geometry  
 PANDS probability and statistics  
 MEAS measurement

The format is (6x,12f6.1) and missing data are coded -1.

- E. The fourth line contains two sets of achievement results, pretest and then posttest for the same six content areas. These are means in the metric of percent of response, but regression calibrations have been made for differences between rotated forms, and the pretest means include a weighting of the total score. The centres are arbitrary. For relational analysis, it should be appropriate to regress each posttest mean on the corresponding pretest mean and on teacher and classroom variables. See Burstein and Wolfe (Epilogue paper) for details.

Since only students with complete pre and posttest data were used, there are no missing data.

- F. The fifth through seventh lines are labeled "CPG" and contain the general classroom process questionnaire, in the layout of the databank.

Missing data are blank, indicating there was no general questionnaire, or are coded "9", as in the international codebooks.





## LISTING OF SPSS CONTROL FILE

=====

title 'Input and distributions of U.S.A. COMBO file'  
 file handle combo / name='databank:combo.usa'

data list file=combo records=7

/1

QSTRAT QSCHOOL QCLASS QTEACHER NPREPOST  
 (2x,f2.0,f3.0,f2.0,f3.0,f5.0)

/2

TSEX TAGE TDIFASG CLASTYPE  
 (6x,4f6.0)

/3

OLDARITH OLDRPP OLDALG OLDGEOM OLDPANDS OLDMEAS  
 NEWARITH NEWRPP NEWALG NEWGEOM NEWPANDS NEWMEAS  
 (6x,12f6.1)

/4

XARITH XRPP XALG XGEOM XPANDS XMEAS  
 YARITH YRPP YALG YGEOM YPANDS YMEAS  
 (6x,12f6.1)

/5

COBJLOG COBJPRF COBJINT COBJKNW COBJINQ COBJLIF  
 COBJCOM COBJSCI COBJSYS CSITXTG CSITXTP CSITXTD CSITXTA  
 CSISYLG CSISYLP CSISYLD CSISYLA CSIMING CSIMINP  
 CSIMIND CSIMINA CSIEXTG CSIEXTP CSIEXTD CSIEXTA CSIJRNG  
 CSIJRNP CSIJRND CSIJRNA CSISLFG CSISLFP CSISLFD  
 CSISLFA CSIOTHG CSIOTHF CSIOTHD CSIOTHA CSIPROG  
 CSIPROP CSIPROD CSIPROA CDWVPUB CDWVSLF CDWPSLF CDWTPUB  
 CDWADVA CDWTSLF CDWTEXT CDWWBK CDWEXP CDWSYL CDWMEMM  
 CDWMEME CDWADVT CDWEXAM CGRPWHL CGRPSMA CGRPIND  
 CGRPOTH CSGMAB CSGLAB CSGMANY CPACING CDASSGN CHDMORE  
 CHDHARD CHD'TOP CPGABIL CPGMISB CPGINDF CPGFEAR CPGABS  
 CPGTIME CPGPROF CPGTIM CPGMANY CPGOTH CFEAR CTCLASS  
 CTMATH CTCATT CTCNATT CTCBEHV CTCOTH CETALK CECOMPT  
 CESIMP CEPRSE CETRAN CERMRK CECHNG CEHPROB CECORRF  
 CESUM CESTRC CEACT CERULE CEVARY CEFEED CEPREV CEWARM  
 CELONG CEDSCV CERDY CEOUTLN CELVLY CEANTCQ CECRIT  
 CECALL CESPWK CECMMNT CEGIRLS CEFOOL CESAYGD CEVRTY  
 CETRDIF CERVST CEFORST CEKNDO CESTPRF CESTOP CETAIL  
 CEIDENT CEGAPT CESTEP  
 (6x,55f1.0,2f3.0 / 6x,2f3.0,21f1.0,4f3.0,22f1.0 / 6x,19f1.0)

missing values COBJLOG to CDWEXAM, CSGMAB to CTMATH, CETALK to CESTEP (9)  
 CGRPWHL to CGRPOTH, CTCATT to CTCOTH (999)

TSEX, TAGE, TDIFASG, CLASTYPE (-1)

OLDARITH to NEWMEAS (-.1)

## variable labels

NPPOST 'NUMBER OF STUDENTS WITH PRE AND POSTTEST'  
 TSEX 'GENDER OF THE TEACHER'  
 TAGE 'AGE OF THE TEACHER'  
 TDIFASG 'DIFFERENTIATED EXERCISES ASSIGNMENTS'  
 CLASTYPE 'U.S.A. TYPE OF CLASSROOM'  
 OLDARITH 'PRIOR OTL IN ARITHMETIC'  
 OLDRPP 'PRIOR OTL IN RATIO PROP. PERCENT'  
 OLDALG 'PRIOR OTL IN ALGEBRA'  
 OLDGEOM 'PRIOR OTL IN GEOMETRY'  
 OLDPANDS 'PRIOR OTL IN PROB. AND STATS.'  
 OLDMEAS 'PRIOR OTL IN MEASUREMENT'  
 NEWARITH 'THIS YEAR OTL IN ARITHMETIC'  
 NEWRPP 'THIS YEAR OTL IN RATIO PROP. PERCENT'  
 NEWALG 'THIS YEAR OTL IN ALGEBRA'  
 NEWGEOM 'THIS YEAR OTL IN GEOMETRY'  
 NEWPANDS 'THIS YEAR OTL IN PROB. AND STATS.'  
 NEWMEAS 'THIS YEAR OTL IN MEASUREMENT'  
 XARITH 'PRETEST IN ARITHMETIC'  
 XRPP 'PRETEST IN RATIO PROP. PERCENT'  
 XALG 'PRETEST IN ALGEBRA'  
 XGEOM 'PRETEST IN GEOMETRY'  
 XPANDS 'PRETEST IN PROB. AND STATS.'  
 XMEAS 'PRETEST IN MEASUREMENT'  
 YARITH 'POSTTEST IN ARITHMETIC'  
 YRPP 'POSTTEST IN RATIO PROP. PERCENT'  
 YALG 'POSTTEST IN ALGEBRA'  
 YGEOM 'POSTTEST IN GEOMETRY'  
 YPANDS 'POSTTEST IN PROB. AND STATS.'  
 YMEAS 'POSTTEST IN MEASUREMENT'  
 COBJLOG 'Q.1.A OBJTV..LOGICAL STRUCTURE OF MATH'  
 COBJPRF 'Q.1.B OBJTV..THE NATURE OF PROOF'  
 COBJINT 'Q.1.C OBJTV..INTEREST IN MATHEMATICS'  
 COBJKNW 'Q.1.D OBJTV..KNOW MATH FACTS, ETC.'  
 COBJINQ 'Q.1.E OBJTV..ATTITUDE OF INQUIRY'  
 COBJLIF 'Q.1.F OBJTV..AWARENESS OF MATH IN LIFE'  
 COBJCOM 'Q.1.G OBJTV..COMPUTATION SPEED ACCURACY'  
 COBJSCI 'Q.1.H OBJTV..AWARENESS OF MATH IN SCIENCE'  
 COBJSYS 'Q.1.I OBJTV..SYSTEMATIC APPROACH PROBLEMS'  
 CSITXTG 'Q.2.A1 GOALS SOURCE..TEXTBOOK'  
 CSITXTP 'Q.2.A2 PRESENT. SOURCE..TEXTBOOK'  
 CSITXTD 'Q.2.A3 DRILL SOURCE..TEXTBOOK'  
 CSITXTA 'Q.2.A4 APPLCT. SOURCE..TEXTBOOK'  
 CSISYLG 'Q.2.B1 GOALS SOURCE..SYLLABUS'  
 CSISYLP 'Q.2.B2 PRESENT. SOURCE..SYLLABUS'  
 CSISYLD 'Q.2.B3 DRILL SOURCE..SYLLABUS'  
 CSISYLA 'Q.2.B4 APPLCT. SOURCE..SYLLABUS'  
 CSIMING 'Q.2.C1 GOALS SOURCE..MIN COMPETENCIES'  
 CSIMINP 'Q.2.C2 PRESENT. SOURCE..MIN COMPETENCIES'  
 CSIMIND 'Q.2.C3 DRILL SOURCE..MIN COMPETENCIES'  
 CSIMINA 'Q.2.C4 APPLCT. SOURCE..MIN COMPETENCIES'

CSIEXTG 'Q.2.D1 GOALS SOURCE..EXTERNAL EXAMS'  
 CSIEXTP 'Q.2.D2 PRESENT. SOURCE..EXTERNAL EXAMS'  
 CSIEXTD 'Q.2.D3 DRILL SOURCE..EXTERNAL EXAMS'  
 CSIEXTA 'Q.2.D4 APPLCT. SOURCE..EXTERNAL EXAMS'  
 CSIJRNG 'Q.2.E1 GOALS SOURCE..JOURNALS, BOOKS'  
 CSIJRNP 'Q.2.E2 PRESENT. SOURCE..JOURNALS, BOOKS'  
 CSIJRND 'Q.2.E3 DRILL SOURCE..JOURNALS, BOOKS'  
 CSIJRNA 'Q.2.E4 APPLCT. SOURCE..JOURNALS, BOOKS'  
 CSISLFG 'Q.2.F1 GOALS SOURCE..BY YOURSELF'  
 CSISLFP 'Q.2.F2 PRESENT. SOURCE..BY YOURSELF'  
 CSISLFD 'Q.2.F3 DRILL SOURCE..BY YOURSELF'  
 CSISLFA 'Q.2.F4 APPLCT. SOURCE..BY YOURSELF'  
 CSIOTHG 'Q.2.G1 GOALS SOURCE..OTHER TEACHERS'  
 CSIOTHP 'Q.2.G2 PRESENT. SOURCE..OTHER TEACHERS'  
 CSIOTHD 'Q.2.G3 DRILL SOURCE..OTHER TEACHERS'  
 CSIOTHA 'Q.2.G4 APPLCT. SOURCE..OTHER TEACHERS'  
 CSIPROG 'Q.2.H1 GOALS SOURCE..PROF MEETINGS'  
 CSIPROP 'Q.2.H2 PRESENT. SOURCE..PROF MEETINGS'  
 CSIPROD 'Q.2.H3 DRILL SOURCE..PROF MEETINGS'  
 CSIPROA 'Q.2.H4 APPLCT. SOURCE..PROF MEETINGS'  
 CDWVPUB 'Q.3.A DIFFICULTY WO..PUBLISHED VISUALS'  
 CDWVSLF 'Q.3.B DIFFICULTY WO..VISUALS BY YOURSELF'  
 CDWPSLF 'Q.3.C DIFFICULTY WO..PROBLEMS BY YOURSELF'  
 CDWTPUB 'Q.3.D DIFFICULTY WO..PUBLISHED TESTS'  
 CDWADVA 'Q.3.E DIFFICULTY WO..ADVICE FROM ADMIN'  
 CDWTSLF 'Q.3.F DIFFICULTY WO..TESTS BY YOURSELF'  
 CDWTEXT 'Q.3.G DIFFICULTY WO..PUBLISHED TEXTBOOKS'  
 CDWWBK 'Q.3.H DIFFICULTY WO..PUBLISHED WORKBOOKS'  
 CDWEXP 'Q.3.I DIFFICULTY WO..EXAMPLES MADE UP'  
 CDWSYL 'Q.3.J DIFFICULTY WO..OFFICIAL SYLLABUS'  
 CDWMEMM 'Q.3.K DIFFICULTY WO..REMEMBER FROM MATH'  
 CDWMEME 'Q.3.L DIFFICULTY WO..REMEMBER FROM EDUC'  
 CDWADVT 'Q.3.M DIFFICULTY WO..ADVICE FROM TEACHERS'  
 CDWEXAM 'Q.3.N DIFFICULTY WO..KNOWLEDGE OF EXAMS'  
 CGRPWHL 'Q.4.A WHOLE CLASS WORKING AS A SINGLE GROUP'  
 CGRPSMA 'Q.4.B SMALL GROUP INSTRUCTION'  
 CGRPIND 'Q.4.C ALL STUDENTS WORKING INDIVIDUALLY'  
 CGRPOTH 'Q.4.D OTHER GROUPING ARRANGMENT'  
 CSGMAB 'Q.5.A MOST ABLE STUDENTS WORK SEPARATELY'  
 CSGLAB 'Q.5.B LEAST ABLE STUDENTS WORK SEPARATELY'  
 CSGMANY 'Q.5.C CLASS IS SPLIT INTO 3 OR MORE GROUPS'  
 CPACING 'Q.6 SAME OR VARIED CONTENT OR PACING'  
 CDASSGN 'Q.7 SAME OR VARIED EXERCISES AND PROBLEMS'  
 CHDMORE 'Q.8.A SOME STDS..MORE EXERCISES'  
 CHDHARD 'Q.8.B SOME STDS..MORE DIFFICULT EXERCISES'  
 CHDTOP 'Q.8.C SOME STDS..OTHER TOPICS'  
 CPGABIL 'Q.9.A PROGRESS..STUDENT LACK OF ABILITY'  
 CPGMISB 'Q.9.B PROGRESS..STUDENT MISBEHAVIOUR'  
 CPGINDF 'Q.9.C PROGRESS..STUDENT INDIFFERENCE'  
 CPGFEAR 'Q.9.D PROGRESS..FEAR OF MATHEMATICS'

CPGABS 'Q.9.E PROGRESS..STUDENT ABSENTEEISM'  
 CPGTIME 'Q.9.F PROGRESS..INSUFFICIENT SCHOOL TIME'  
 CPGPROF 'Q.9.G PROGRESS..PROFICIENCY ON YOUR PART'  
 CPGLIM 'Q.9.H PROGRESS..LIMITED RESOURCES'  
 CPGMANY 'Q.9.I PROGRESS..TOO MANY STUDENTS'  
 CPGOTH 'Q.9.J PROGRESS..OTHER REASONS'  
 CFEAR 'Q10. STUDENTS ESPECIALLY FEARFUL ANXIOUS'  
 CTCLASS 'Q11. TARGET CLASS EASY OR DIFF. TO TEACH'  
 CTMATH 'Q12. DO YOU FIND MATH EASY DIFF. TO TEACH'  
 CTCATT 'Q13.A TARGET CLASS..ATTENTIVE'  
 CTCNATT 'Q13.B TARGET CLASS..NOT ATTENTIVE'  
 CTCBEHV 'Q13.C TARGET CLASS..BEHAVIOUR PROBLEMS'  
 CTCOTH 'Q13.D TARGET CLASS..OTHER KINDS'  
 CETALK 'Q14.1 TALK TO INDIVIDUAL STUDENTS'  
 CECOMPT 'Q14.2 STIMULATE COMPETITION'  
 CESIMP 'Q14.3 GIVE LESS ABLE SIMPLE ASSGNMNTS'  
 CEPRSE 'Q14.4 PRAISE STUDENTS WHO ARE CORRECT'  
 CETRAN 'Q14.5 PLAN TRANSITIONS'  
 CERMRK 'Q14.6 MAKE ENCOURAGING REMARKS'  
 CECHNG 'Q14.7 CHANGE ACTIVITY IF NO ATTENTION'  
 CEHPROB 'Q14.8 MORE ABLE GET HARDER PROBLEMS'  
 CECORRF 'Q14.9 IMMEDIATELY CORRECT FALSE STATEMENTS'  
 CESUM 'Q14.10 SUMMARIZE AT END OF PERIOD'  
 CESTRC 'Q14.11 PRESENT HIGHLY STRUCTURED'  
 CEACT 'Q14.12 ACTION TO DEAL WITH DISCOMFORT'  
 CERULE 'Q14.13 CLEAR.CUT RULES FOR BEHAVIOUR'  
 CEVARY 'Q14.14 VARY THE DIFFICULTY OF QUESTIONS'  
 CEFEED 'Q14.15 FREQUENT INDIVIDUAL FEEDBACK'  
 CEPREV 'Q14.16 CLEAR UP PREVIOUS PROBLEMS'  
 CEWARM 'Q14.17 WARM, PERSONAL RELATIONSHIPS'  
 CELONG 'Q14.18 ALLOW DISCUSSIONS TO GO LONGER'  
 CEDSCV 'Q14.19 OPPORTUNITY FOR DISCOVERY'  
 CERDY 'Q14.20 GET READY BEFORE CLASS'  
 CEOUTLN 'Q14.21 AT BEGINNING OUTLINE CONTENT'  
 CELVLY 'Q14.22 MAKE PRESENTATIONS LIVELY'  
 CEANTCQ 'Q14.23 TRY TO ANTICIPATE QUESTIONS'  
 CECRIT 'Q14.24 AVOID CRITICAL ABOUT ANSWERS'  
 CECALL 'Q14.25 CALL ON WHO DO NOT VOLUNTEER'  
 CESPWK 'Q14.26 DETERMINE SPECIFIC WEAKNESSES'  
 CECMMNT 'Q14.27 WRITE MEANINGFUL COMMENTS'  
 CEGIRLS 'Q14.28 SPECIAL ENCOURAGEMENT TO GIRLS'  
 CEFOOL 'Q14.29 INTERVENE WHEN FOOLING AROUND'  
 CESAYGD 'Q14.30 SAY SOMETHING GOOD ABOUT ANSWERS'  
 CEVRTY 'Q14.31 CHANGE FOR SAKE OF VARIETY'  
 CETRDIF 'Q14.32 SOME TRULY DIFFICULT PROBLEMS'  
 CERVST 'Q14.33 REVIEW TESTS AFTER GRADING'

CEFORST 'Q14.34 FORSTALL STUDENT DISTURBANCES'  
 CEKND0 'Q14.35 STUDENTS KNOW WHAT SHOULD DO'  
 CESTPRF 'Q14.36 STUDENT PREFERENCES INTO ACCOUNT'  
 CESTOP 'Q14.37 STOP MATTERS NOT CLOSELY RELATED'  
 CETAII 'Q14.38 GIVE TAILORED ASSIGNMENTS'  
 CEIDENT 'Q14.39 IDENTIFY STUDENTS IN DIFFICULTY'  
 CEGAPT 'Q14.40 MATH APPROPRIATE FOR GIRLS'  
 CESTEP 'Q14.41 STEP BY STEP INSTRUCTIONS'

## value labels TSEX

1 'FEMALE'  
 2 'MALE'  
 /TDIFASG  
 1 'FREQUENTLY'  
 2 'OCCASIONNALLY'  
 3 'RARELY OR NEVER'  
 /CLASTYPE  
 1 'REMEDIAL'  
 2 'REGULAR'  
 3 'ENRICHED'  
 4 'ALGEBRA'  
 /COBJLCS to COBJSYS  
 1 'RELATIVELY MORE'  
 2 'ABOUT EQUAL'  
 3 'RELATIVELY LESS'  
 /CSI:XTG to CSIPROA  
 0 'NEVER USED'  
 1 'OCCSNLLY USED'  
 2 'FREQUENTLY USED'  
 /CDWVPUB to CDWE\AM  
 1 'VERY EASY'  
 2 'FAIRLY EASY'  
 3 'FAIRLY DIFFICULT'  
 4 'VERY DIFFICULT'  
 0 'NOW DO WITHOUT'  
 /CSGMAB to CSGMANY  
 1 'YES'  
 2 'NO'  
 3 'NONE REGULARLY'  
 /CPACING  
 1 'SAME CNTNT PACE'  
 2 'VARY PACE'  
 3 'VARY CONTENT'  
 /CDASSGN  
 1 'SAME'  
 2 'VARY DATE CMPLTN'  
 3 'VARY EXERCISES'  
 /CHDMORE to CHDTOP  
 1 'YES'  
 2 'NO'

/CPGABIL to CPGOTH

- 1 'VERY IMPORTANT'
- 2 'SOMEWHAT IMPRTNT'
- 3 'NOT IMPORTANT'

/CFEAR

- 0 'NONE'
- 1 'ONE to THREE'
- 2 'FOUR to SIX'
- 3 'SEVEN to NINE'
- 4 'TEN OR MORE'

/CTCLASS

- 1 'VERY EASY'
- 2 'FAIRLY EASY'
- 3 'NEUTRAL'
- 4 'FAIRLY DIFFICULT'
- 5 'VERY DIFFICULT'

/CTMATH

- 1 'VERY EASY'
- 2 'FAIRLY EASY'
- 3 'NEUTRAL'
- 4 'FAIRLY DIFFICULT'
- 5 'VERY DIFFICULT'

/CETALK to CESTEP

- 1 'LIL OR NO IMPORT'
- 2 'SOME IMPORT'
- 3 'MAJOR IMPORT'
- 4 'HIGHEST IMPORT'

condescriptive OLDARITH to YMEAS

CGRPWHL to CGRPOTH, CTCATT to CTCOTH

frequencies variables = TSEX, TAGE, TDIFASG, CLASTYPE

COBJLOG to CDWEXAM, CSGMAB to CTMATH, CETALK to CESTEP

---

## Appendix IV. Extracts from the Databank

Pages 1-2	Directories
Pages 3-6	Student, teacher, and school data files
Page 7	TABLE.COG, Cognitive item table
Page 8	TABLE.QUS, Questionnaire item table
Page 9	A.0, Documentation introduction
Pages 10-13	A.1, Basic parameters and sizes
Pages 14-17	A.2, Response data layout
Pages 18-25	A.3, Cognitive item coding
Pages 26-31	A.4, Questionnaire item coding
Pages 32-36	A.5, Sampling notes and strata definitions
Pages 37-40	A.6, Detailed coding and textual explanations.



\$ datalink  
 =====

The Population A Longitudinal archive areas are:

'databank' = top directory  
 'school' = school data files  
 'student' = student data files  
 'teacher' = teacher/classroom data files  
 'document' = data documentation files

To see what is in an area, enter 'dir x' where 'x' is the name of the area.  
 To refer to a archive file from your account, for typing, analysis, etc.,  
 prefix the file name with the area name and a colon, e.g., 'student:all.usa'.

\$ dir student  
 =====

Directory CSG:[AMATHRGW.DATABANK.STUDENT]

ALL.BC;1	1698
ALL.BFL;1	2556
ALL.FRA;1	6860
ALL.JPN;1	6630
ALL.NZ;1	4521
ALL.ONT;1	4589
ALL.THA;1	3152
ALL.USA;2	7552

Total of 8 files, 37558 blocks.

\$ dir school  
 =====

Directory CSG:[AMATHRGW.DATABANK.SCHOOL]

ALL.BC;1	15
ALL.BFL;1	27
ALL.FRA;1	30
ALL.JPN;1	34
ALL.NZ;1	17
ALL.ONT;1	21
ALL.THA;1	16
ALL.USA;1	26

Total of 8 files, 186 blocks.

```
$ dir teacher
=====
```

```
Directory CSG:[AMATHRGW.DATABANK.TEACHER]
```

```
ALL.BC;3          460
ALL.BFL;4         548
ALL.FRA;2        1871
ALL.JPN;2         773
ALL.NZ;3          961
ALL.ONT;2         905
ALL.THA;1         520
ALL.USA;1        1331
```

```
Total of 8 files, 7369 blocks.
```

```
$ dir document
=====
```

```
Directory CSG:[AMATHRGW.DATABANK.DOCUMENT]
```

```
A.0;1            7
A.1;1            37
A.2;1            39
A.3;1           135
A.4;3           241
A.5;1           210
A.6;1           339
TABLE.COG;1     112
TABLE.QUS;1     230
```

```
Total of 9 files, 1370 blocks.
```

```
$dir databank
=====
```

```
Directory CSG:[AMATHRGW.DATABANK]
```

```
AAAREAD.ME      2
COMBO.SPS;5     22
COMBO.USA;1     232
DATALINK.COM;10 2
DOCUMENT.DIR;1  1
LONGTAB.FOR;1   13
LONGTAB.OUT;1   195
SCHOOL.DIR;1    1
STUDENT.DIR;1   1
TEACHER.DIR;1   1
```

```
Total of 10 files, 470 blocks.
```

\$ type student:all.usa

=====

81 1 11 1 1 2 2 334334

5001 115802435223422224

5201 1165029999933449999999999288988188888322121312

5202 234124322344322422322234323243432124433323212

5203 314324433212243434215342343322444344325225223143412133

5101 2445444254533231114244314553531254313513

5102 11311111131311111131111111311111119111

5141 55112434333513153241344115454141552

5301 2434444254543231134245315353535351345143

5302 11311131193111111331111111111111311111111

5341 55211434323213253241344513411143152

81 1 11 1 2 2 2 331331

5001 215705333224333124

5201 216405999993444999999999999288888999999331131111

5202 2232232222342442342222232232432222232222515

5203 2143212345432123454321234544321321333343333332233333

5101 1134443254313355332225515133525254343115

5102 11311131113313111311111113111111113111

5111 41451111535223542455513223454334323

5301 1234543212123454321234542234523454321244

5302 111113111113131111131111111111111111113

5311 43354412335143212345432123454321234

81 1 11 1 3 2 1 333000

5001 115300114111212112

5201

5202

5203

5101 2135544252443255213215334513523213124414

5102 11

5131 42432353143143432344525243254242431

5301 99

5302

5391 99

81 1 11 1 4 2 2 332333

5001 116805245135224124

5201 117505999994444999999999999188983999999334121141

5202 123124324424222424424444234212333433444343212

5203 432214234422242434423422344224423422422234222444422334

5101 5321552224334552341254124331541315343421

5102 99

5121 31153125311152155231151335143121312

5301 2421421222235252324254332122535325353445

5302 11111133111131311313111331131311313111

5331 43422132125435511434154443553412145

...

\$ type teacher:all.usa

=====

81 1 11 1 1 2 0 0 0 1 2 2 2 2 2  
6001 23310 913 6 32520222229159 09 01021 5 4513531 602 9 9 3 0  
6002 150240280300120120120120150150 30 30 60 60 75 75120120 30 30  
6003 42 3 355599997251101101102 52402451 01 02312113315  
6004 112213111222242434432442245  
6101 3213332332223233222999999932992922992199999991199991199  
6102 11991911991199191199219999999329999299329922229232999932923  
6103 33322223133121219999999119911119132992992923299299292  
6104 219999999329929929231304501801010302020306020020301020203061  
6105 4455122224422112  
6111 211333222222222231111232299929921199191911119919:111  
6112 229999999313121221123121112131223321132313231323045026010102  
6113 0401020102020205231434224222  
6121 1233332555515323111111111111133323333333332199999999  
6122 1119991191322999999232999999221999999932992999923229299292  
6123 11191111991219111199329929999221999999932299999923229999992  
6124 322999999232299999921333333304004501000404000101030101020202  
6125 020202020399990899999902222422542  
6131 1233332551111512525555333322233333313333133333333333  
6132 329299999222999999922999999921999999932292992993229299299  
6133 32992929223299292992329999229221999999911191191113299999299  
6134 32999922993299299999329929999933333333333333333333333333333  
6135 3304003002000005020302010103000300000004034424242441232442  
6141 122333111122255121999999922999999932992929923292992992  
6142 119119191121999999911191191992199999992199999993299299992  
6143 1199119911329929922232929992223331211991191112199999999  
6144 3229299292322929929232292992921333223321123311123220400200302  
6145 02020203020302003000202040232224442244224422323  
6151 23212211202210000000000000022221101100100302322213122070000  
6152 0300002223121223233333391210120070020002323232432423334444323  
6153 3224323134433223343 2122  
6201 3434534443245515541524444525315434444442  
6202 122122111122212221212222212112212221221  
6203 4993993114399929993929999929429929991992  
6211 42542231425551412224544434244444234  
6212 1122111121212111112212212122222122  
6213 13992243929193322139919939299999299  
6221 45421241551421443335534442444444444  
6222 22111121221212212212221122212222  
6223 99213294993913991919929992199939991  
6231 42525224144234544424233444354541423  
6232 2121211211212222221211222122221211  
6233 94939349319299999949211999199993922  
6241 44414534353354443134414255941444444  
6242 12212211221122222122111122921122111  
6243 19929921991299999399134299993199111



81 1 11 2 2 2 0 0 0 0 0 2 2 2 2 2 2  
6001 131101017 3 22520222229159 09 01021 5 4513531 60211 8 2 0  
6002 180270300390125125120115150150 45 40 55 60 50 60120120 35 30  
6003 42 2 355191917101101 51101151201301121 09332233315  
6004 113122121133122455222442524  
6101 1213222332222322221219991199329229999911119991191111991199  
6102 1111991191219999999219999999229999999329922229932999992922  
6103 3322333113222121999999911119911992299999991111991199  
6104 219999999229999999113045450020002020200020090101010101032  
6105 24452223243211223  
6111 11232222222222221111219999999229999999229999999  
6112 229999999912221232232112212231312332122312231223045012010102  
6113 0101010101010101242422224324  
6121 112223242253253222211211511112333233233232 12299999999  
6122 111199119132229999922999999922999999932922999923292299992  
6123 11111911112191991192299999992299999992299999993292299992  
6124 29999999929999999912322223304502001000101000000030102010101  
6125 01010101019999019999902224321422  
6131 12232225513325535135512313132233223313233233333133333  
6132 2299999993292999922299999992199999993229999993229999999  
6133 3229999993299999922299999992199999991119999993292999999  
6134 32929999923292999923292999922323333122332313233331333331323  
6135 33045022020000030101020101010102010000040224322422342242442  
6141 1123221111111151111199119111999199229999999229999999  
6142 111919911911191991191191991992999999993199229922111199199  
6143 111199199399999999299999999322121111991192199999999  
6144 2299999993222999992299999991323122322313211122320450090101  
6145 010101010102013030102020302221222311323422423332  
6151 2311111222212100110021001200222112211112232233322222060020  
6152 0200001121221213232333332210190020000003334443343334433223434  
6153 4433324333434233334 2222  
6201 3542442442334345531414433512315544442422  
6202 12212212212222222121222221111222222211  
6203 499499399399999993939999934139999999922  
6211 32434121314351322334443434343422414  
6212 21222111212121121212212212221211212  
6213 93999243939493393949919949992924939  
6221 44312232451321442325133344244433453  
6222 2211112122121122111212222212222222  
6223 99433292993923992249499999499999999  
6231 51425133123334333423533353352441331  
6232 212121121122222221221222221221221  
6233 94939349449999999939949999994993994  
6241 43225331253154333113221152131352332  
6242 222222122212222111211112212122211  
6243 9999993999399991349144499293999911

...



\$ type school:all.usa

=====

8102001	2																				
8001	2	128	105	67	58	0	0	30	4	15	0	0	4	1176	8	452321111					
8102002	2																				
8001	2	123	145	67	58	0	0	26	1	2	1	2	1	2187	8	435524121					
8105003	2																				
8001	5	68	51	32	20	0	0	28	5	12	0	0	5	12175	7	455116631					
8103004	2																				
8001	2	226	226	107	88	0	0	26	4	1	1	1	2	0180	7	455323311					
8105005	2																				
8001	3	220	221	115	108	0	0	44	6	10	2	0	2	0175	7	475521111					
...																					

\$ type document:table.cog

\*\*\*\*\*

001 (22 \* 18) - (47 + 59) IS EQUAL TO

1 001 1 1 0 20 2 34 0 1 6 03 05 06 08 09 15 45  
 15 2 34 527 513 511  
 22 2 34 527 000 513  
 25 2 34 527 515 515  
 40 2 34 527 517 517  
 54 0 20 527 000 523  
 63 2 34 527 517 517  
 79 2 34 527 517 517  
 81 2 34 527 515 515

002 MATCHSTICKS ARE ARRANGED AS FOLLOWS. IF THE PATTERN IS

2 001 3 0 0 31 4 12 0 1 6 09 15 16  
 15 4 12 527 513 511  
 22 4 12 527 000 513  
 25 4 12 527 515 515  
 40 4 12 527 517 517  
 54 0 31 527 523 523 2 34  
 63 4 12 527 517 517  
 79 4 12 527 517 517  
 81 4 12 527 515 515

003  $2/5 + 3/8$  IS EQUAL TO

5 002 1 1 0 17 0 31 1 1 1 03 06 08 10 11 15 43 45  
 15 0 31 527 523 521  
 22 0 31 527 523 523  
 25 0 31 527 523 523  
 40 0 31 527 527 527  
 54 0 17 527 523 523 1 01  
 63 0 31 527 527 527  
 79 0 31 527 527 527  
 81 0 31 527 523 523

004 WHICH OF THE FOLLOWING IS A PAIR OF EQUIVALENT FRACTIONS?

4 002 2 0 0 14 3 3 0 1 1 10 15 16  
 15 0 04 527 523 521 3-3  
 22 3 03 527 000 413 /e "1/2 and 14/24" -> "1/2 and 14/15"  
 25 3 03 527 515 515  
 40 3 03 527 517 517  
 54 0 14 527 000 523  
 63 3 03 527 517 517  
 79 3 03 527 517 517  
 81 3 03 527 515 515

005  $0.40 * 6.38$  IS EQUAL TO

3 003 1 1 0 18 0 26 0 1 1 03 05 06 08 12 15 43 45  
 15 2 10 527 513 511 0-26  
 22 0 26 527 523 523  
 25 0 26 527 523 523  
 40 0 26 527 527 527  
 54 0 18 527 000 523  
 63 0 26 527 527 527  
 79 0 26 527 527 527

81 0 26 527 523 523



\$ type document:table.qus

=====

0	PCOUNT		0	0	2		NAME OF THE COUNTRY		
1	QSTRAT		0	0	2		PRINCIPAL STRATIFICATION CODE		
2	SAREA	800	1	1	20	1	KIND OF COMMUNITY SERVED BY SCHOOL		
	15	3					Expanded and reordered coding		
	40	3					Contracted coding?		
	54	3					Added code 6 for undecided		
2	SENROLB	800	2	1	1	21	4	2	BOYS..TOTAL ENROLMENT IN SCHOOL
2	SENROLG	800	2	2	1	25	4	2	GIRLS..TOTAL ENROLMENT IN SCHOOL
2	SAPOPB	800	3	A1	1	29	4	3	BOYS..POPULATION A STUDENTS IN SCHOOL
2	SAPOPG	800	3	A2	1	33	4	3	GIRLS..POPULATION A STUDENTS IN SCHOOL
2	SNOMTHB	800	3	B1	1	37	4	3	BOYS..POP A WHO DO NOT TAKE MATH
	15	0							Not used, since all take math
	22	0							Not used, since all take math
	40	0							Not used, since all take math
	54	0							Not used, since all take math
2	SNOMTHG	800	3	B2	1	41	4	3	GIRLS..POP A WHO DO NOT TAKE MATH
	15	0							Not used, since all take math
	22	0							Not used, since all take math
	40	0							Not used, since all take math
	54	0							Not used, since all take math
2	STCHS	800	4		1	45	3	4	NUMBER OF FULL-TIME TEACHING STAFF
2	SSOMMM	800	5	1	1	48	3	5	MALES..TEACHING ONE OR MORE MATHS
2	SSOMMF	800	5	2	1	51	3	5	FEMALES..TEACHING ONE OR MORE MATHS
2	SALLMM	800	6	1	1	54	3	6	MALES..TEACHING MATH EXCLUSIVELY
2	SALLMF	800	6	2	1	57	3	6	FEMALES..TEACHING MATH EXCLUSIVELY
2	SSPECM	800	7	1	1	60	3	7	MALES..QUALIFIED MATH SPECIALISTS
	22	4							Defined specialist as math majors or math ed concentration
	63	4							Defined specialist form 3 level teachers of math
2	SSPECF	800	7	2	1	63	3	7	FEMALES..QUALIFIED MATH SPECIALISTS
	22	4							Defined specialist

\$ type document:a.0

=====

```

*****
.....
.....
..  IEA SECOND MATHEMATICS STUDY ..
..  DATA DOCUMENTATION FILE ..
..  POPULATION A ..
..  CLASSROOM PROCESS (LONGITUDINAL) ..
.....
..  INTRODUCTION ..
.....

```

THIS IS A DATA DOCUMENTATION FILE FOR POPULATION A OF THE IEA SECOND INTERNATIONAL MATHEMATICS STUDY, SPECIFICALLY FOR THE EIGHT COUNTRIES THAT PARTICIPATED IN THE CLASSROOM PROCESS (LONGITUDINAL) VERSIONS OF THE STUDY. IT IS INTENDED TO BE READ BY PROGRAMS THAT WILL PRINT CODEBOOKS AND PROVIDE ENTRY INTO STATISTICAL ANALYSIS SYSTEMS. IT PROVIDES UNIFIED INFORMATION ABOUT THE STORAGE AND CODING OF ALL THE COUNTRIES, COVERING THE INTERNATIONAL STANDARD SYSTEMS AS WELL AS PARTICULAR NOTES ABOUT THE NATIONAL VARIATIONS, SAMPLING DESIGNS, ETC. THE RESPONSE DATA DESCRIBED IN THIS DOCUMENTATION ARE STORED IN SEPARATE DATA FILES, AS DESCRIBED IN SECTION 2 BELOW.

```

.....
.  TABLE OF CONTENTS .
.
.  SECTION 1.  BASIC PARAMETERS AND SIZES. .
.  SECTION 2.  DEFINITION OF THE RESPONSE DATA LAYOUT. .
.  SECTION 3.  COGNITIVE ITEM TABLE. .
.  SECTION 4.  QUESTIONNAIRE ITEM TABLE. .
.  SECTION 5.  SAMPLING NOTES AND STRATUM DEFINITIONS .
.  SECTION 6.  DETAILED CODING AND TEXTUAL EXPLANATIONS. .
.....

```

EACH SECTION BEGINS WITH A LINE FILLED WITH ASTERISKS. THIS IS FOLLOWED BY AN INTRODUCTORY TEXT, WHICH ENDS WITH A LINE FILLED WITH MINUS SIGNS (-). THEN, EXCEPT FOR SECTION 2, THERE FOLLOWS A SPECIALLY FORMATTED TABLE OR CODED LISTING THAT IS INTENDED FOR VISUAL INSPECTION OR PROGRAMMED INTERPRETATION. THE FINAL LINE OF A SECTION IS FILLED WITH SLASHES (/), SUCH AS NOW TERMINATE THIS INTRODUCTION.



\$ type document:a.1

=====

////////////////////////////////////  
 \*\*\*\*\*

.....  
 .. SECTION 1 ..  
 .. ..  
 .. BASIC PARAMETERS AND SIZES ..  
 .. ..  
 .. ..

THE TABLE PRESENTED IN THIS SECTION DEFINES THE BASIC PARAMETERS AND SIZES OF THE DATASET FOR EACH COUNTRY BEING DOCUMENTED IN THIS FILE. THESE INCLUDE THE NUMBERS OF ITEMS (INTERNATIONAL AND NATIONAL) IN EACH COGNITIVE TEST FORM, THE SAMPLE OF APPLICATION AND QUESTIONS ASKED WITH EACH FORM, FOR TEACHER OTL AS WELL AS STUDENT PRETEST AND POSTTEST. THERE IS ALSO INDICATION OF THE UTILIZATION OF EACH OF THE POSSIBLE QUESTIONNAIRES AND DATA SOURCES, TOGETHER WITH THE NUMBER OF INTERNATIONAL AND NATIONAL VARIABLES INCLUDED IN THEM. FOR EACH COUNTRY BEING DOCUMENTED, THERE IS ONE LINE WITH THE CODE NUMBER AND NAME OF THE COUNTRY, FOLLOWED BY ONE LINE FOR EACH COGNITIVE TEST FORM, FOLLOWED BY ONE LINE FOR EACH QUESTIONNAIRE OR DATA SOURCE. LINES MAY BE OMITTED IF THE CORRESPONDING FORM, QUESTIONNAIRE, OR SOURCE WAS NOT USED FOR A COUNTRY. THERE MAY BE COMMENTS AT THE END OF A LINE. THE LAYOUT IS AS FOLLOWS...

.....  
 .123456789012345678901234567890123456789012345678901234567890123.

.CC	NAME OF THE COUNTRY
0 U III NNN SQSQSQ	CORE TEST
1 U III NNN SQSQSQ	TEST FORM A
2 U III NNN SQSQSQ	TEST FORM B
3 U III NNN SQSQSQ	TEST FORM C
4 U III NNN SQSQSQ	TEST FORM D
5 U III NNN SQSQSQ	SPECIAL JAPANESE PRETEST
P U III NNN S	POPULATION DATA
Q U III NNN S	STRATUM DATA
S U III NNN S	SCHOOL QUESTIONNAIRE
K U III NNN S	BEGINNING-OF-YEAR CLASSROOM DATA
L U III NNN S	END-OF-YEAR CLASSROOM DATA
T U III NNN S	TEACHER QUESTIONNAIRE
F U III NNN S	TOPIC-SPECIFIC FRACTIONS
R U III NNN S	TOPIC-SPECIFIC RATIO PROPORTION PERCENT
M U III NNN S	TOPIC-SPECIFIC MEASUREMENT
G U III NNN S	TOPIC-SPECIFIC GEOMETRY
A U III NNN S	TOPIC-SPECIFIC ALGEBRA
C U III NNN S	CLASSROOM PROCESS GENERAL
X U III NNN S	BEGINNING-OF-YEAR STUDENT QUESTIONNAIRE





15			BELGIUM FLEMISH
O	2	040	272323 CORE TEST
1	2	035	271111 TEST FORM A (NB. Rotated forms used
2	2	035	271111 TEST FORM B at pretest and posttest,
3	2	035	271111 TEST FORM C with complete rotation)
4	2	035	271111 TEST FORM D
S	1	017	2 SCHOOL QUESTIONNAIRE
T	1	051	2 TEACHER QUESTIONNAIRE
Y	1	084	2 END OF YEAR STUDENT QUESTIONNAIRE
P	2	001	2 POPULATION DATA
Q	2	003	2 STRATUM DATA
S	1	017	2 SCHOOL QUESTIONNAIRE
K	2	001	2 BEGINNING-OF-YEAR CLASSROOM DATA
L	2	001	2 END-OF-YEAR CLASSROOM DATA
T	1	051	2 TEACHER QUESTIONNAIRE
G	2	182	2 TOPIC-SPECIFIC GEOMETRY
A	2	153	2 TOPIC-SPECIFIC ALGEBRA
C	2	014	2 CLASSROOM PROCESS GENERAL
X	2	007	2 BEGINNING-OF-YEAR STUDENT QUESTIONNAIRE
Y	1	084	2 END OF YEAR STUDENT QUESTIONNAIRE
22			CANADA BC
O	2	040	272323 CORE TEST
1	2	035	27 13 TEST FORM A (NB. No rotated forms
2	2	035	27 13 TEST FORM B on the pretest)
3	2	035	27 13 TEST FORM C
4	2	035	27 13 TEST FORM D
S	1	017	2 SCHOOL QUESTIONNAIRE
T	1	051	2 TEACHER QUESTIONNAIRE
Y	1	084	2 END OF YEAR STUDENT QUESTIONNAIRE
P	2	001	2 POPULATION DATA
Q	2	003	2 STRATUM DATA
S	1	017	2 SCHOOL QUESTIONNAIRE
K	2	001	2 BEGINNING-OF-YEAR CLASSROOM DATA
L	2	001	2 END-OF-YEAR CLASSROOM DATA
T	1	051	2 TEACHER QUESTIONNAIRE
F	2	135	2 TOPIC-SPECIFIC FRACTIONS
R	2	103	2 TOPIC-SPECIFIC RATIO PROPORTION PERCENT
M	2	150	2 TOPIC-SPECIFIC MEASUREMENT
G	2	182	2 TOPIC-SPECIFIC GEOMETRY
A	2	153	2 TOPIC-SPECIFIC ALGEBRA
C	2	014	2 CLASSROOM PROCESS GENERAL
X	2	007	2 BEGINNING-OF-YEAR STUDENT QUESTIONNAIRE
Y	1	084	2 END OF YEAR STUDENT QUESTIONNAIRE

25

## CANADA ONT

0 2 040	272323	CORE TEST
1 2 035	271515	TEST FORM A (NB. Rotated forms at pre
2 2 035	271515	TEST FORM B and post, with complete
3 2 035	271515	TEST FORM C rotation)
4 2 035	271515	TEST FORM D
S 1 017	2	SCHOOL QUESTIONNAIRE
T 1 051	2	TEACHER QUESTIONNAIRE
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE
S 1 017	2	SCHOOL QUESTIONNAIRE
T 1 051	2	TEACHER QUESTIONNAIRE
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE
P 2 001	2	POPULATION DATA
Q 2 003	2	STRATUM DATA
S 1 017	2	SCHOOL QUESTIONNAIRE
K 2 001	2	BEGINNING-OF-YEAR CLASSROOM DATA
L 2 001	2	END-OF-YEAR CLASSROOM DATA
T 1 051	2	TEACHER QUESTIONNAIRE
F 2 135	2	TOPIC-SPECIFIC FRACTIONS
R 2 103	2	TOPIC-SPECIFIC RATIO PROPORTION PERCENT
M 2 150	2	TOPIC-SPECIFIC MEASUREMENT
G 2 182	2	TOPIC-SPECIFIC GEOMETRY
A 2 153	2	TOPIC-SPECIFIC ALGEBRA
C 2 014	2	CLASSROOM PROCESS GENERAL
X 2 007	2	BEGINNING-OF-YEAR STUDENT QUESTIONNAIRE
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE

40

## FRANCE

0 2 040	272727	CORE TEST
1 2 035	271717	TEST FORM A (NB. Same rotated form
2 2 035	271717	TEST FORM B given at posttest as
3 2 035	271717	TEST FORM C at pretest)
4 2 035	271717	TEST FORM D
P 2 001	2	POPULATION DATA
Q 2 003	2	STRATUM DATA
S 1 017	2	SCHOOL QUESTIONNAIRE
K 2 001	2	BEGINNING-OF-YEAR CLASSROOM DATA
L 2 001	2	END-OF-YEAR CLASSROOM DATA
T 1 051	2	TEACHER QUESTIONNAIRE
F 2 135	2	TOPIC-SPECIFIC FRACTIONS
R 2 103	2	TOPIC-SPECIFIC RATIO PROPORTION PERCENT
M 2 150	2	TOPIC-SPECIFIC MEASUREMENT
G 2 182	2	TOPIC-SPECIFIC GEOMETRY
A 2 153	2	TOPIC-SPECIFIC ALGEBRA
C 2 014	2	CLASSROOM PROCESS GENERAL
X 2 007	2	BEGINNING-OF-YEAR STUDENT QUESTIONNAIRE
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE

54

JAPAN

0 1 040	27 27	CORE TEST	(NB. Crosssectional forms
1 1 034	27 17	TEST FORM A	used at posttest,
2 1 034	27 17	TEST FORM B	special 60-item pretest
3 1 034	27 17	TEST FORM C	used at pretest)
4 1 034	27 17	TEST FORM D	
5 9 060	21	SPECIAL JAPANESE PRETEST	
S 1 017	2	SCHOOL QUESTIONNAIRE	
T 1 051	2	TEACHER QUESTIONNAIRE	
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE	
P 2 001	2	POPULATION DATA	
Q 2 003	2	STRATUM DATA	
S 1 017	2	SCHOOL QUESTIONNAIRE	
K 2 001	2	BEGINNING-OF-YEAR CLASSROOM DATA	
L 2 001	2	END-OF-YEAR CLASSROOM DATA	
T 1 051	2	TEACHER QUESTIONNAIRE	
G 2 182	2	TOPIC-SPECIFIC GEOMETRY	
A 2 153	2	TOPIC-SPECIFIC ALGEBRA	
C 2 014	2	CLASSROOM PROCESS GENERAL	
X 2 007	2	BEGINNING-OF-YEAR STUDENT QUESTIONNAIRE	
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE	

. . .

81

UNITED STATES

0 2 040	272323	CORE TEST	
1 2 035	271515	TEST FORM A	(NB. Rotated forms given at
2 2 035	271515	TEST FORM B	pretest and posttest,
3 2 035	271515	TEST FORM C	with complete rotation)
4 2 035	271515	TEST FORM D	
S 1 017	2	SCHOOL QUESTIONNAIRE	
T 1 051	2	TEACHER QUESTIONNAIRE	
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE	
P 2 001	2	POPULATION DATA	
Q 2 003	2	STRATUM DATA	
S 1 017	2	SCHOOL QUESTIONNAIRE	
K 2 001	2	BEGINNING-OF-YEAR CLASSROOM DATA	
L 2 001	2	END-OF-YEAR CLASSROOM DATA	
T 1 051	2	TEACHER QUESTIONNAIRE	
F 2 135	2	TOPIC-SPECIFIC FRACTIONS	
R 2 103	2	TOPIC-SPECIFIC RATIO PROPORTION PERCENT	
M 2 150	2	TOPIC-SPECIFIC MEASUREMENT	
G 2 182	2	TOPIC-SPECIFIC GEOMETRY	
A 2 153	2	TOPIC-SPECIFIC ALGEBRA	
C 2 014	2	CLASSROOM PROCESS GENERAL	
X 2 007	2	BEGINNING-OF-YEAR STUDENT QUESTIONNAIRE	
Y 1 084	2	END OF YEAR STUDENT QUESTIONNAIRE	

////////////////////////////////////

\$ type document:a.2  
=====

\*\*\*\*\*

.....  
.. SECTION 2 ..  
.. ..  
.. DEFINITION OF THE RESPONSE DATA LAYOUT ..  
.....

THE RESPONSE DATA FILES ARE STORED SEPARATELY FROM THIS DOCUMENTATION FILE. THERE ARE THREE RESPONSE DATA FILES FOR EACH POPULATION OF EACH COUNTRY. ONE FILE CONTAINS ALL THE RESPONSE FROM THE STUDENT DATA COLLECTION LEVEL, ONE CONTAINS ALL THE DATA FROM THE TEACHER, AND ONE CONTAINS ALL THE DATA FROM THE SCHOOL.

.....  
. PHYSICAL RECORD LAYOUT .  
. .  
. - 80-CHARACTER RECORDS .  
.....

THESE MAY BE BLOCKED ACCORDING TO THE PARTICULAR SPECIFICATIONS OF THE TAPE OR DISK. ALSO, UNUSED TRAILING COLUMNS MAY BE LEFT BLANK OR TRIMMED OFF.

.....  
. RECORDS PER CASE .  
. .  
. - THERE ARE A FIXED NUMBER OF RECORDS PER CASE, THAT IS .  
. PER SCHOOL, TEACHER OR STUDENT. THE NUMBER OF RECORDS .  
. VARIES FROM COUNTRY TO COUNTRY, DEPENDING ON WHICH .  
. INSTRUMENTS WERE EMPLOYED (SEE SECTION 1) .  
. .  
. - AT THE END OF THIS DOCUMENTATION SECTION THERE IS A .  
. TABLE SHOWING THE NUMBER OF RECORDS FOR EACH KIND OF .  
. FOR EACH COUNTRY. .  
.....



.....  
 . IDENTIFICATION RECORD .  
 .  
 . - A BLOCK OF RECORDS, CORRESPONDING TO A SCHOOL, A .  
 . TEACHER, OR A STUDENT, BEGINS WITH A SPECIAL .  
 . IDENTIFICATION RECORD, WHICH GIVES THE ID CODES FOR .  
 . THE POSITION OF THE CASE IN THE DATA HIERARCHY AND .  
 . ALSO GIVES SPECIAL DATA AVAILABILITY CODES FOR EACH .  
 . OF THE POSSIBLE DATA COLLECTION INSTRUMENTS THAT COULD .  
 . APPLY TO THE CASE, TOGETHER WITH SAMPLING WEIGHTS, ETC.. .  
 .  
 . - THE LAYOUT OF THE IDENTIFICATION RECORD DEPENDS ON THE .  
 . DATA LEVEL .  
 .....  
 ...

- 
- 15 Belgium Flemish
    - 2 Records for each school
      - 1 Identification record
      - 1 Data record, school questionnaire (800)
    - 33 Records for each teacher/classroom
      - 1 Identification record
      - 4 Data records, teacher background questionnaire (600)
      - 5 Data records, geometry questionnaire (613)
      - 5 Data records, algebra questionnaire (614)
      - 3 Data records, general classroom process questionnaire (615)
      - 3 Data records, OTL, core test (620)
      - 3 Data records, OTL, rotated form A (621)
      - 3 Data records, OTL, rotated form B (622)
      - 3 Data records, OTL, rotated form C (623)
      - 3 Data records, OTL, rotated form D (624)
    - 9 Records for each student
      - 1 Identification record
      - 1 Data record, pretest background questionnaire (500)
      - 1 Data record, pretest core (510)
      - 1 Data record, pretest rotated form (511-514)
      - 3 Data records, posttest background questionnaire (520)
      - 1 Data record, posttest core (520)
      - 1 Data record, posttest rotated form (521-524)



- 22 British Columbia
- 2 Records for each school
    - 1 Identification record
    - 1 Data record, school questionnaire (800)
  - 46 Records for each teacher/classroom
    - 1 Identification record
    - 4 Data records, teacher background questionnaire (600)
    - 5 Data records, fractions questionnaire (610)
    - 3 Data records, ratio/proportion/percent questionnaire (611)
    - 5 Data records, measurement questionnaire (612)
    - 5 Data records, geometry questionnaire (613)
    - 5 Data records, algebra questionnaire (614)
    - 3 Data records, general classroom process questionnaire (615)
    - 3 Data records, OTL, core test (620)
    - 3 Data records, OTL, rotated form A (621)
    - 3 Data records, OTL, rotated form B (622)
    - 3 Data records, OTL, rotated form C (623)
    - 3 Data records, OTL, rotated form D (624)
  - 10 Records for each student
    - 1 Identification record
    - 1 Data record, pretest background questionnaire (500)
    - 1 Data record, pretest core (510)
    - 3 Data records, posttest background questionnaire (520)
    - 2 Data record, posttest core (520)
    - 2 Data record, posttest rotated form (521-524)
- 25 Ontario
- 2 Records for each school
    - 1 Identification record
    - 1 Data record, school questionnaire (800)
  - 46 Records for each teacher/classroom
    - 1 Identification record
    - 4 Data records, teacher background questionnaire (600)
    - 5 Data records, fractions questionnaire (610)
    - 3 Data records, ratio/proportion/percent questionnaire (611)
    - 5 Data records, measurement questionnaire (612)
    - 5 Data records, geometry questionnaire (613)
    - 5 Data records, algebra questionnaire (614)
    - 3 Data records, general classroom process questionnaire (615)
    - 3 Data records, OTL, core test (620)
    - 3 Data records, OTL, rotated form A (621)
    - 3 Data records, OTL, rotated form B (622)
    - 3 Data records, OTL, rotated form C (623)
    - 3 Data records, OTL, rotated form D (624)
  - 13 Records for each student
    - 1 Identification record
    - 1 Data record, pretest background questionnaire (500)
    - 2 Data record, pretest core (510)
    - 2 Data record, pretest rotated form (511-514)
    - 3 Data records, posttest background questionnaire (520)
    - 2 Data record, posttest core (520)
    - 2 Data record, posttest rotated form (521-524)

- 40 France
- 2 Records for each school
    - 1 Identification record
    - 1 Data record, school questionnaire (800)
  - 46 Records for each teacher/classroom
    - 1 Identification record
    - 4 Data records, teacher background questionnaire (600)
    - 5 Data records, fractions questionnaire (610)
    - 3 Data records, ratio/proportion/percent questionnaire (611)
    - 5 Data records, measurement questionnaire (612)
    - 5 Data records, geometry questionnaire (613)
    - 5 Data records, algebra questionnaire (614)
    - 3 Data records, general classroom process questionnaire (615)
    - 3 Data records, OTL, core test (620)
    - 3 Data records, OTL, rotated form A (621)
    - 3 Data records, OTL, rotated form B (622)
    - 3 Data records, OTL, rotated form C (623)
    - 3 Data records, OTL, rotated form D (624)
  - 17 Records for each student
    - 1 Identification record
    - 1 Data record, pretest background questionnaire (500)
    - 3 Data record, pretest core (510)
    - 3 Data record, pretest rotated form (511-514)
    - 3 Data records, posttest background questionnaire (520)
    - 3 Data record, posttest core (520)
    - 3 Data record, posttest, rotated form (521-524)
- . . .
- 81 U.S.A.
- 2 Records for each school
    - 1 Identification record
    - 1 Data record, school questionnaire (800)
  - 46 Records for each teacher/classroom
    - 1 Identification record
    - 4 Data records, teacher background questionnaire (600)
    - 5 Data records, fractions questionnaire (610)
    - 3 Data records, ratio/proportion/percent questionnaire (611)
    - 5 Data records, measurement questionnaire (612)
    - 5 Data records, geometry questionnaire (613)
    - 5 Data records, algebra questionnaire (614)
    - 3 Data records, general classroom process questionnaire (615)
    - 3 Data records, OTL, core test (620)
    - 3 Data records, OTL, rotated form A (621)
    - 3 Data records, OTL, rotated form B (622)
    - 3 Data records, OTL, rotated form C (623)
    - 3 Data records, OTL, rotated form D (624)
  - 13 Records for each student
    - 1 Identification record
    - 1 Data record, pretest background questionnaire (500)
    - 2 Data record, pretest core (510)
    - 2 Data record, pretest rotated form (511-514)
    - 3 Data records, posttest background questionnaire (520)

2 Data record, posttest core (520)

2 Data record, posttest rotated form (521-524)

////////////////////////////////////

\$ type document:a.3  
=====

\*\*\*\*\*  
.....  
.....  
.. SECTION 3 ..  
.. ..  
.. COGNITIVE ITEM TABLE ..  
.....  
.....

IN THIS TABLE, THERE ARE FOR EACH OF THE 199 INTERNATIONAL  
COGNITIVE ITEMS TWO LINES OF INTERNATIONAL INFORMATION PLUS ONE  
LINE OF NATIONAL INFORMATION FOR EACH COUNTRY DESCRIBED IN THIS  
FILE. THE INTERNATIONAL INFORMATION INCLUDES THE ITEM NUMBER AND  
ABBREVIATED TEXT, THE KEY, THE CONTENT CODES, THE STANDARD FORMS  
AND ITEM POSITIONS, AND THE SUBTEST MAPPINGS. THE NATIONAL  
INFORMATION INCLUDES THE NATIONAL FORM AND ITEM POSITION AND  
APPLICATION KEYS FOR TEACHER OTL, STUDENT PRETEST, AND STUDENT  
POSTTEST USE OF THE ITEM. INFORMATION ABOUT NATIONAL OPTION ITEMS  
IS ALSO INCLUDED, AS DESCRIBED LATER.

.....  
. INTERNATIONAL LINE ONE .  
.....

1-3 ITEM REFERENCE NUMBER FROM ITEM BANK

5-80 ABBREVIATED TEXT OF THE INTERNATIONAL FORM OF THE ITEM

.....  
INTERNATIONAL LINE TWO  
.....

5 CORRECT RESPONSE ALTERNATIVE

- 1 A
- 2 B
- 3 C
- 4 D
- 5 E

7-9 POSITION IN INTERNATIONAL CONTENT GRID

- 000 ARITHMETIC
- 001 WHOLE NUMBERS
- 002 COMMON FRACTIONS
- 003 DECIMAL FRACTIONS
- 004 RATIO, PROPORTION, PERCENT
- 005 NUMBER THEORY
- 006 POWERS
- 100 ALGEBRA
- 101 INTEGERS
- 102 RATIONALS
- 103 INTEGER EXPONENTS
- 104 FORMULAS
- 105 POLYNOMIALS EXPRESSIONS
- 106 EQUATIONS AND INEQUALITIES
- 107 RELATIONS
- 200 GEOMETRY
- 201 CLASSIFICATION
- 202 PROPERTIES
- 203 CONGRUENCE
- 204 SIMILARITY
- 205 GEOMETRIC CONSTRUCTIONS
- 206 PYTHAGOREAN
- 207 COORDINATES
- 208 DEDUCTIONS
- 209 TRANSFORMATION (INFORMAL)
- 212 SPATIAL VISUALIZATION
- 215 TRANSFORMATIONAL GEOMETRY
- 300 PROBABILITY AND STATISTICS
- 302 ORGANIZATION
- 303 REPRESENTATION
- 304 MEAN, MEDIAN, MODE
- 306 PROBABILITY
- 400 MEASUREMENT
- 401 UNITS
- 402 ESTIMATION
- 403 APPROXIMATION
- 404 DETERMINING MEASURES

- 11 BEHAVIOURAL LEVEL  
 1 COMPUTATION  
 2 COMPREHENSION  
 3 APPLICATION  
 4 ANALYSIS
- 13 ANCHOR ITEM STATUS  
 0 NOT AN ANCHOR  
 1 ANCHOR ITEM  
 2 MODIFIED ANCHOR ITEM
- 15 FORM PLACEMENT FOR THE CROSSSECTIONAL STUDY  
 17-18 POSITION WITHIN FORM FOR THE CROSSSECTIONAL STUDY
- 20 FORM PLACEMENT FOR THE LONGITUDINAL STUDY  
 22-23 POSITION WITHIN FORM FOR THE LONGITUDINAL STUDY
- NOTE... THE PLACEMENT AND POSITION NUMBERS ARE ZERO FOR ITEMS NOT INCLUDED IN A GIVEN STUDY. THE PLACEMENT AND POSITION NUMBERS FOR THE LONGITUDINAL STUDY ARE THOSE OF THE SUGGESTED STANDARD.
- 25 LONGITUDINAL CORE TYPE  
 0 NOT LONGITUDINAL INTERNATIONAL CORE  
 1 LONGITUDINAL INTERNATIONAL CORE
- 27 STRATUM FOR CROSSSECTIONAL FORM CONSTRUCTION  
 1 ARITHMETIC  
 2 ALGEBRA  
 3 GEOMETRY  
 4 PROBABILITY AND STATISTICS  
 5 MEASUREMENT
- 29 STRATUM FOR LONGITUDINAL FORM CONSTRUCTION  
 1 FRACTIONS  
 2 RATIO PROPORTION PERCENT  
 3 ALGEBRA  
 4 GEOMETRY  
 5 MEASUREMENT  
 6 INTEGERS (NOT IN INTERNATIONAL CORE)  
 7 PROBABILITY AND STATISTICS (NOT IN INTERNATIONAL CORE)
- 31-32 SUBTEST CODE 1  
 34-35 SUBTEST CODE 2  
 ...  
 79-80 SUBTEST CODE 17

THESE ARE THE SUBTESTS DEFINED IN MEMORANDUM A/369,  
WITH CORRECTIONS. THE NUMBER OF SUBTEST CODES PER  
ITEM VARIES. THE FOLLOWING SUBTEST CODES ARE USED.

- 01 ESTIMATION AND APPROXIMATION
- 02 NEW MATHS IN 1ST STUDY
- 03 BASIC SKILLS
- 04 ALGEBRA (COMPUTATION)
- 05 CALCULATOR USE
- 06 ARITHMETIC (COMPUTATION)
- 07 PROPORTIONATE THINKING
- 08 ANCHOR ITEMS
- 09 WHOLE NUMBERS
- 10 COMMON FRACTIONS
- 11 COMMON FRACTIONS (COMPUTATION)
- 12 DECIMAL FRACTIONS
- 13 RATIO AND PROPORTION
- 14 PERCENT
- 15 ARITHMETIC
- 16 ARITHMETIC (OTHER THAN COMPUTATION)
- 17 INTEGERS
- 18 FORMULAS AND ALGEBRAIC EXPRESSIONS
- 19 EQUATIONS AND INEQUATIONS
- 20 ALGEBRA
- 21 ALGEBRA (OTHER THAN COMPUTATION)
- 22 CLASSIFICATION OF PLANE FIGURES
- 23 PROPERTIES OF PLANE FIGURES
- 24 CONGRUENCE OF PLANE FIGURES
- 25 SIMILARITY OF PLANE FIGURES
- 26 PLANE FIGURES
- 27 COORDINATES
- 28 INFORMAL TRANSFORMATIONS IN GEOMETRY
- 29 GEOMETRY
- 30 GEOMETRY (COMPUTATION)
- 31 GEOMETRY (OTHER THAN COMPUTATION)
- 32 REPRESENTATION OF DATA
- 33 (NOT USED)
- 34 PROBABILITY AND STATISTICS
- 35 PROBABILITY AND STATISTICS (OTHER THAN  
COMPUTATION)
- 36 STANDARD UNITS OF MEASURE
- 37 DETERMINATION OF MEASURES
- 38 MEASUREMENT
- 39 MEASUREMENT (COMPUTATION)
- 40 MEASUREMENT (OTHER THAN COMPUTATION)
- 41 PROBABILITY AND STATISTICS (COMPUTATION)
- 42 MODIFIED ANCHOR ITEMS
- 43 NON-VERBAL
- 44 VERBAL
- 45 ANCHOR (NON-VERBAL)
- 46 ANCHOR (VERBAL)
- 47 DIAGRAMMATIC ITEMS (PAIRED WITH  
NON-DIAGRAMMATIC)



48

NON-DIAGRAMMATIC ITEMS (PAIRED WITH  
DIAGRAMMATIC)

.....  
NATIONAL LINE (ONE PER COUNTRY)  
.....

2-3 COUNTRY CODE

5 FORM PLACEMENT FOR THE NATIONAL STUDY  
7-8 POSITION WITHIN FORM FOR THE NATIONAL STUDY

NOTE. THE PLACEMENT AND POSITION NUMBERS, AND ALL APPLICATION KEYS WHICH FOLLOW, ARE ZERO FOR ITEMS NOT INCLUDED IN THE NATIONAL STUDY. THE TOTAL NUMBER OF INTERNATIONAL ITEMS PER FORM IS GIVEN IN SECTION 1 ABOVE. IN ADDITION, THERE MAY BE NATIONAL OPTION ITEMS AS DESCRIBED LATER.

10-12 APPLICATION KEY FOR USE OF THE ITEM AS A TEACHER OTL ITEM  
14-16 APPLICATION KEY FOR USE OF THE ITEM AS A STUDENT PRETEST  
18-20 APPLICATION KEY FOR USE OF THE ITEM AS A STUDENT POSTTEST

NOTE. THESE ARE 3-DIGIT CODES IN THE FORM (ABC). FOR EACH APPLICATION KEY, THE FIRST DIGIT (A) INDICATES THE QUALITY OF THE ITF IMPLEMENTATION.

- 0 NOT USED (IMPLIES ZERO POSITION NUMBER ABOVE)
- 1 USED BUT SPOILED
- 2 NON-STANDARD ALTERNATIVES AND TEXT
- 3 NON-STANDARD ALTERNATIVES
- 4 NON-STANDARD TEXT
- 5 USED IN STANDARD FORM

THE SECOND AND THIRD DIGITS (BC) WILL GENERALLY BE IN AGREEMENT WITH THE INFORMATION PROVIDED FOR THE FORM IN SECTION 1 ABOVE, BUT THERE MAY BE ERRORS OF PRINTING, CODING, ETC., THAT CAUSE AN ITEM'S USAGE TO DIFFER FROM THE FORM AS A WHOLE, PERHAPS JUST FOR ONE KIND OF APPLICATION. THE SECOND DIGIT (B) INDICATES THE SAMPLE TO WHOM THE ITEM WAS APPLIED.

- 0 NO ONE
- 1 A SAMPLE OF THE ELIGIBLE RESPONDENTS
- 2 ALL RESPONDENTS

THE THIRD DIGIT (C) INDICATES WHICH QUESTIONS WERE ASKED WITH THE QUESTION. FOR THE TEACHER OTL APPLICATION KEY,

- 0 NOT USED
- 1 ESTIMATION
- 2 TAUGHT OR REVIEWED
- 3 1+2
- 4 IF NOT WHY
- 5 1+4
- 6 2+4
- 7 1+2+4

FOR THE STUDENT PRETEST OR POSTTEST APPLICATION KEY,

- 0 NOT USED
- 1 TEST RESPONSE
- 2 TAUGHT THIS YEAR
- 3 1+2
- 4 CALCULATOR
- 5 1+4
- 6 2+4
- 7 1+2+4

- 22 (FOR JAPAN ONLY) The part of the item on the special pretest. This is blank if the item is not in the pretest, or 1 or 2 for part one or two of the pretest. The first part has 20 items, and the second had 40.
- 24-25 (FOR JAPAN ONLY) The item number within the part of the special pretest, or blank if the item is not in the pretest.
- 27-80 COMMENTS CONCERNING PROBLEMS WITH QUALITY OR RESTRICTION OF SAMPLING APPLICATIONS OR QUESTIONS ASKED.

...

-----  
 001 (22 \* 18) - (47 + 59) IS EQUAL TO

1 001 1 1 0 20 2 34 0 1 6 03 05 06 08 09 15 45  
 15 2 34 527 513 511  
 22 2 34 527 000 513  
 25 2 34 527 515 515  
 40 2 34 527 517 517  
 54 0 20 527 000 523  
 63 2 34 527 517 517  
 79 2 34 527 517 517  
 81 2 34 527 515 515

002 MATCHSTICKS ARE ARRANGED AS FOLLOWS. IF THE PATTERN IS

2 001 3 0 0 31 4 12 0 1 6 09 15 16  
 15 4 12 527 513 511  
 22 4 12 527 000 513  
 25 4 12 527 515 515  
 40 4 12 527 517 517  
 54 0 31 527 523 523 2 34  
 63 4 12 527 517 517  
 79 4 12 527 517 517  
 81 4 12 527 515 515

003  $2/5 + 3/8$  IS EQUAL TO

5 002 1 1 0 17 0 31 1 1 1 03 06 08 10 11 15 43 45  
 15 0 31 527 523 521  
 22 0 31 527 523 523  
 25 0 31 527 523 523  
 40 0 31 527 527 527  
 54 0 17 527 523 523 1 01  
 63 0 31 527 527 527  
 79 0 31 527 527 527  
 81 0 31 527 523 523

004 WHICH OF THE FOLLOWING IS A PAIR OF EQUIVALENT FRACTIONS?

4 002 2 0 0 14 3 3 0 1 1 10 15 16  
 15 0 04 527 523 521 3-3  
 22 3 03 527 000 413 /e "1/2 and 14/24" -> "1/2 and 14/15"  
 25 3 03 527 515 515  
 40 3 03 527 517 517  
 54 0 14 527 000 523  
 63 3 03 527 517 517  
 79 3 03 527 517 517  
 81 3 03 527 515 515

005  $0.40 * 6.38$  IS EQUAL TO

3 003 1 1 0 18 0 26 0 1 1 03 05 06 08 12 15 43 45  
 15 2 10 527 513 511 0-26  
 22 0 26 527 523 523  
 25 0 26 527 523 523  
 40 0 26 527 527 527  
 54 0 18 527 000 523  
 63 0 26 527 527 527  
 79 0 26 527 527 527  
 81 0 26 527 523 523

198 WHICH OF THE FOLLOWING PATTERNS CAN BE FOLDED ALONG THE

3 2 1 2 4 0 0 0 3 4 0 3 4 2 9 3 1

15 3 0 4 5 2 7 5 1 3 5 1 1

22 3 0 4 5 2 7 0 0 0 5 1 3

25 3 0 4 5 2 7 5 1 5 5 1 5

40 3 0 4 5 2 7 5 1 7 5 1 7

54 0 0 0 0 0 0 0 0 0 0 0

63 3 0 4 5 2 7 5 1 7 5 1 7

79 3 0 4 5 2 7 5 1 7 5 1 7

81 3 0 4 5 2 7 5 1 5 5 1 5

199 THE AREA OF THE SHADED CIRCLE IS WHAT PART OF THE AREA OF THE

3 4 0 4 3 0 0 0 4 9 0 5 5 3 7 3 8 4 0

15 4 0 9 5 2 7 5 1 3 5 1 1

22 4 0 9 5 2 7 0 0 0 4 1 3

25 4 0 9 5 2 7 5 1 5 5 1 5

40 4 0 9 5 2 7 5 1 7 5 1 7

54 0 0 0 0 0 0 0 0 0 0 0

63 4 0 9 5 2 7 5 1 7 5 1 7

79 4 0 9 5 2 7 5 1 7 5 1 7

81 4 0 9 5 2 7 5 1 5 5 1 5

//

\$ type document:a.4  
 =====

```
*****
.....
.. SECTION 4 ..
.. QUESTIONNAIRE ITEM TABLE ..
.....
.....
```

THIS TABLE DEFINES THE DATA LEVEL, VARIABLE NAME, LONGITUDINAL INSTRUMENT LOCATION, DATA RECORD AND POSITION AND COLUMN WIDTH, SCALE IDENTIFICATION (FOR ATTITUDES), CROSSREFERENCE TO THE CROSSSECTIONAL INSTRUMENTATION, AND VARIABLE TITLE FOR EACH RESPONSE ITEM FROM ALL THE SURVEY QUESTIONNAIRES, EXCEPTING ONLY THE COGNITIVE INSTRUMENTS. THE TABLE CONTAINS INFORMATION CONCERNING ANY EXCEPTIONS IN THE APPLICATION OF AN ITEM IN A PARTICULAR COUNTRY. IN ADDITION TO THE INTERNATIONALLY DEFINED VARIABLES, THE TABLE INCLUDES INFORMATION ABOUT ALL NATIONAL OPTION VARIABLES.

THE INFORMATION IN THE TABLE IS PRESENTED AT THE MOST DETAILED LEVEL, WITH SEPARATE INFORMATION FOR EACH PART OF EACH MULTI-PART QUESTION. FOR EACH SUCH ITEM, THERE IS ONE LINE OF INTERNATIONAL INFORMATION PLUS ONE LINE OF NATIONAL INFORMATION FOR EACH COUNTRY DOCUMENTED IN THIS FILE FOR WHICH A NON-STANDARD APPLICATION OF THE ITEM WAS MADE. THE NATIONAL LINE WILL BE OMITTED IF THE INSTRUMENT CORRESPONDING TO THE ITEM WAS NOT USED AT ALL IN THE COUNTRY (SEE SECTION 1 ABOVE), OR IF THE USE WAS STANDARD AND WITHOUT SAMPLING. THE NATIONAL LINE IS REQUIRED FOR NATIONAL OPTION ITEMS, WHICH ARE IDENTIFIED BY THE LETTER 'Z' APPEARING AS THE SECOND LETTER OF THE NAME.

.....  
 . INTERNATIONAL LINE .  
 .....

1 LEVEL

- 0 POPULATION
- 1 STRATUM (THERE ARE NO INTERNATIONAL ITEMS HERE)
- 2 SCHOOL
- 3 CLASS (THERE ARE NO INTERNATIONAL ITEMS HERE)
- 4 TEACHER
- 5 STUDENT

3-10 VARIABLE NAME FOR THE ITEM. THIS CONTAINS UP TO EIGHT CHARACTERS. THE FIRST LETTER INDICATES THE DATA SOURCE, AS FOLLOWS...

- P POPULATION IDENTIFICATION
- Q STRATUM INFORMATION (NO INTERNATIONAL ITEMS)
- S SCHOOL QUESTIONNAIRE
- K BEGINNING-OF-YEAR CLASSROOM DATA
- L END-OF-YEAR CLASSROOM DATA
- T TEACHER BACKGROUND QUESTIONNAIRE
- F FRACTIONS TOPIC-SPECIFIC QUESTIONNAIRE
- R RATIO-PROPORTION-PERCENT TOPIC-SPECIFIC QUESTIONNAIRE
- M MEASUREMENT TOPIC-SPECIFIC QUESTIONNAIRE
- G GEOMETRY TOPIC-SPECIFIC QUESTIONNAIRE
- A ALGEBRA TOPIC-SPECIFIC QUESTIONNAIRE
- C CLASSROOM PROCESS GENERAL QUESTIONNAIRE
- X BEGINNING-OF-YEAR STUDENT BACKGROUND AND ATTITUDE QUESTIONNAIRE
- Y END-OF-YEAR STUDENT BACKGROUND AND ATTITUDE QUESTIONNAIRE

GENERALLY, THE SECOND, AND POSSIBLY THE THIRD AND FOURTH LETTERS, INDICATE BLOCKS OF ITEMS, AND THE LAST LETTER OF THE NAME IS USED TO DIFFERENTIATE THE VARIABLES CORRESPONDING TO SUBPARTS OF THE SAME QUESTION (E.G., T FOR TYPICAL WEEK, L FOR LAST WEEK). WHEN THE SECOND LETTER IS ' ', THE VARIABLE IS A NATIONAL OPTION VARIABLE.

- 12-14 LONGITUDINAL INSTRUMENT NUMBER.
- 16-18 LONGITUDINAL QUESTION NUMBER.
- 20-21 LONGITUDINAL SUBQUESTION NUMBER OR CODE.

23 CARD (RECORD) NUMBER, FROM THE LONGITUDINAL CODEBOOK.

25-26 FIRST POSITION (COLUMN) NUMBER, FROM THE LONGITUDINAL CODEBOOK.

28 WIDTH OF THE DATA FIELD. NOTE THAT IT IS A UNIFORM CONVENTION OF THIS STUDY THAT MISSING DATA IS CODED AS A FIELD FILLED WITH 9'S (9, 99, 999, ETC.). ALSO, EXCEPT POSSIBLY FOR NATIONAL SAMPLING DATA, ALL DATA ITEMS ARE INTEGERS, RIGHT-JUSTIFIED WITH LEFT ZERO FILL.

FURTHERMORE, IT IS UNDERSTOOD THAT CODE 8 WAS USED IN FRANCE FOR 'UNCODABLE' INFORMATION.

- 30 ATTITUDE SCALE IDENTIFICATION.
  - 1 HOME SUPPORT
  - 2 MATHEMATICS IN SCHOOL
  - 3 MATHEMATICS AS A PROCESS
  - 4 MATHEMATICS AND MYSELF
  - 5 MATHEMATICS ANXIETY
  - 6 SEX STEREOTYPING
  - 7 MATHEMATICS AND SOCIETY
  - 8 COMPUTERS, CALCULATORS, AND MATHS

32-33 QUESTION NUMBER FOR THE CROSSSECTIONAL VERSION OF THE ITEM. MANY LONGITUDINAL ITEMS HAVE NO CROSSSECTIONAL COUNTERPARTS.

35-74 SHORT TITLE FOR THE VARIABLE, SUITABLE FOR PROGRAM LABELS.

.....  
.. NATIONAL LINE ..  
.....

3-4 COUNTRY CODE NUMBER.

- 6 ITEM QUALITY.
  - 0 NOT USED
  - 1 USED BUT SPOILED
  - 2 NON-STANDARD CODING AND TEXT
  - 3 NON-STANDARD CODING
  - 4 NON-STANDARD TEXT
  - 5 USED IN STANDARD FORM
  - 9 NATIONAL OPTION ITEM

12-80 COMMENTS CONCERNING PROBLEMS WITH QUALITY, REASON FOR NON-APPLICATION, NONSTANDARD POSITION, ETC., OR NATURE OF NATIONAL OPTION QUESTION.



```

-----
0 PCOUNT          0 0 2      NAME OF THE COUNTRY
1 QSTRAT          0 0 2      PRINCIPAL STRATIFICATION CODE
2 SAREA          800  1  1 20 1  1 KIND OF COMMUNITY SERVED BY SCHOOL
  15 3           Expanded and reordered coding
  40 3           Contracted coding?
  54 3           Added code 6 for undecided
2 SENROLB        800  2  1 1 21 4  2 BOYS..TOTAL ENROLMENT IN SCHOOL
2 SENROLG        800  2  2 1 25 4  2 GIRLS..TOTAL ENROLMENT IN SCHOOL
2 SAPOPB         800  3 A1 1 29 4  3 BOYS..POPULATION A STUDENTS IN SCHOOL
2 SAPOPG         800  3 A2 1 33 4  3 GIRLS..POPULATION A STUDENTS IN SCHOOL
2 SNOMTHB        800  3 B1 1 37 4  3 BOYS..POP A WHO DO NOT TAKE MATH
  15 0           Not used, since all take math
  22 0           Not used, since all take math
  40 0           Not used, since all take math
  54 0           Not used, since all take math
2 SNOMTHG        800  3 B2 1 41 4  3 GIRLS..POP A WHO DO NOT TAKE MATH
  15 0           Not used, since all take math
  22 0           Not used, since all take math
  40 0           Not used, since all take math
  54 0           Not used, since all take math
2 STCHS          800  4  1 45 3  4 NUMBER OF FULL-TIME TEACHING STAFF
2 SSOMM          800  5  1 1 48 3  5 MALES..TEACHING ONE OR MORE MATHS
2 SSOMMF         800  5  2 1 51 3  5 FEMALES..TEACHING ONE OR MORE MATHS
2 SALLMM         800  6  1 1 54 3  6 MALES..TEACHING MATH EXCLUSIVELY
2 SALLMF         800  6  2 1 57 3  6 FEMALES..TEACHING MATH EXCLUSIVELY
2 SSPECM         800  7  1 1 60 3  7 MALES..QUALIFIED MATH SPECIALISTS
  22 4           Defined specialist as math majors or math ed.concentration
  63 4           Defined specialist form 3 level teachers of math
2 SSPECF         800  7  2 1 63 3  7 FEMALES..QUALIFIED MATH SPECIALISTS
  22 4           Defined specialist as math majors or math ed.concentration
  63 4           Defined specialist form 3 level teachers of math
2 SDAYSYR        800  8  1 66 3  8 OFFICIAL SCHOOL DAYS PER YEAR
  15 4           Not asked, imputed by national centre
  40 4           Not asked, imputed by national centre
2 SSCHPER        800  9  1 69 2  9 AVERAGE NUMBER OF PERIODS PER SCHOOL DAY
  15 4           Not asked, imputed by national centre
  54 2           Records periods per school week of 5.5 days
2 SPERLEN        800 10  1 71 3  10 AVERAGE LENGTH OF EACH PERIOD IN MINUTES
  15 4           Not asked, imputed by national centre
2 SCALSUB        800 11  1 74 1  11 WHICH SUBJECTS CALCULATORS ENCOURAGED
2 SMEET          800 12  1 75 1  12 FREQUENCY MEETINGS MATHEMATICS TEACHERS
  15 3           Expanded coding with 6=2+3, 7=3+4, 8=1+2
  54 2           Could be per term or per year, question was unclear
2 SDOWHAT        800 13  1 76 1  13 ACTIVITIES AT THE MATH TEACHER MEETINGS
  15 3           Expanded coding
  40 3           Contracted coding
2 SPOLFF         800 14  1 77 1  14 POLICY ON FOUR FUNCTION CALCULATOR
2 SPOLPP         800 15  1 78 1  15 POLICY ON PROGRAMMED CALCULATOR
2 SSTREAM        800 16  1 79 1  16 SETTING OR STREAMING POP A MATH
  15 3           Modified coding with 3=stream, 4=set, 2=no, 1=both
  22 4           Modified question

```

25 2 Streaming omitted and modified codes, but recoded ok  
81 3 Contracted coding?

...

4	TSEX	600	1	1 20 1	1	YOUR SEX
4	TAGE	600	2	1 21 2	2	YOUR AGE IN YEARS
4	TEXPTCH	600	3	1 23 2	3	YEARS OF EXPERIENCE AS A TEACHER
4	TEXPMTH	600	4	1 25 2	4	YEARS TEACHING MATHEMATICS TO POP A
4	TEDMATH	600	5	1 27 2	5	SEMESTERS POSTSECONDARY MATHEMATICS
	15 0	Not used				
	22 2	Asked how many courses				
	25 2	Multichoice format recoded ok				
4	TEDMED	600	6	1 29 2	6	SEMESTERS POSTSECONDARY MATH PEDAGOGY
	15 0	Not used				
	22 2	Asked how many courses				
	25 2	Multichoice format recoded ok				
4	TEDGED	600	7	1 31 2	7	SEMESTERS POSTSECONDARY GENERAL PEDAGOGY
	15 0	Not used				
	22 2	Asked how many courses				
	25 2	Multichoice format recoded ok				
4	THRSTCH	600	8	1 33 2	8	TOTAL NUMBER OF TEACHING PERIODS
4	THRSMTH	600	9	1 35 2	9	PERIODS PER WEEK TEACHING MATHEMATICS
4	TSCITCH	600	10	A 1 37 1	10	ALSO TEACHER OF SCIENCE
4	TOTHTCH	600	10	B 1 38 1	10	ALSO TEACHER IN OTHER AREAS
4	THOD	600	10	C 1 39 1	10	ALSO HEAD OF THE MATHEMATICS DEPARTMENT
	40 0	Not used, inadequate				
4	TADGEN	600	10	D 1 40 1	10	ALSO SCHOOL ADMINISTRATOR GENERAL
	15 4	Asked about class administrator				
	40 0	Not used				
4	TADSUB	600	10	E 1 41 1	10	ALSO SCHOOL ADMINISTRATOR SUBJECT AREA
	15 4	Asked about other duties				
	40 0	Not used				
4	TPOPAC	600	11	A1 1 42 1	11	CLASSES..POPULATION A
	81 0	Not used?				
4	TPOPAH	600	11	A2 1 43 2	11	HOURS..POPULATION A
4	TLOWAC	600	11	B1 1 45 1	11	CLASSES..LOWER THAN POPULATION A
	81 0	Not used?				
4	TLOWAH	600	11	B2 1 46 2	11	HOURS..LOWER THAN POPULATION A
4	THIGHAC	600	11	C1 1 48 1	11	CLASSES..HIGHER THAN POPULATION A
	81 0	Not used?				
	54 0	Not used				
4	THIGHAH	600	11	C2 1 49 2	11	HOURS..HIGHER THAN POPULATION A
	54 0	Not used				
4	TSBJCTS	600	12	1 51 1	12	HOW MANY SUBJECTS TO THE TARGET CLASS
	22 3	Codes reversed, recoded ok				
	54 3	Codes reversed, recoded ok				
4	TNTCHS	600	13	1 52 1	13	OTHER TEACHERS MATH TO TARGET CLASS
4	TNSTUDS	600	14	1 53 2	14	STUDENTS ENROLLED IN THE TARGET CLASS
4	TPPWEK	600	15	1 55 2	15	PERIODS OF MATH INSTRUCTION EACH WEEK
4	TLENPER	600	16	1 57 3	16	AVERAGE LENGTH OF CLASS PERIOD MINUTES
4	THPYEAR	600	17	1 60 3	17	HOURS OF MATH INSTRUCTION BY END OF YEAR
4	TCFMATH	600	18	1 63 1	18	TARGET CLASS COMPARED WITH OTHER CLASSES
	22 2	Did not include no other classes alternative, recodes ok?				
4	TRANGE	600	19	1 64 1	19	RANGE OF MATHEMATICS ABILITIES CLASS
4	TMASTRY	600	20	1 65 3	20	MASTERY OF PREVIOUS CURRICULUM
4	TMTHSUB	600	21	1 68 1	21	CHARACTER OF MAIN MATH SUBJECT MATTER

5 YMTHRUL 520 84 3 64 1 3 43 MATHEMATICS IS A SET OF RULES  
 5 YNOUSE 520 85 3 65 1 7 70 MOST PEOPLE DONT USE MATH IN THEIR JOBS  
 25 4 Referred to arithmetic rather than mathematics  
 5 YESTIMP 520 86 3 66 1 3 36 ESTIMATING IS AN IMPORTANT MATH SKILL  
 5 YMNYWYS 520 87 3 67 1 3 37 MANY WAYS TO SOLVE MOST MATH PROBLEMS  
 5 YCALM 520 88 3 68 1 5 62 I USUALLY FEEL CALM WHEN DOING MATH  
 5 YCALHLP 520 89 3 69 1 8 79 CALCULATOR CAN HELP YOU LEARN MATH TOPIC  
 25 4 Question was, Computer make learning math more enjoyable  
 5 YBOYSND 520 90 3 70 1 6 67 BOYS NEED MORE MATHEMATICS THAN GIRLS  
 5 YNOMORE 520 91 3 71 1 4 53 IF CHOICE I WOULDNT LEARN ANY MORE MATH  
 5 YNEWDC 520 92 3 72 1 3 34 NEW DISCOVERIES IN MATH ARE BEING MADE  
 25 0 Not used  
 5 YDIFWAY 520 93 3 73 1 3 44 MATH CAN BE SOLVED IN DIFFERENT WAYS  
 25 0 Not used

////////////////////////////////////

\$ type document:a.5

=====

\*\*\*\*\*

.....

.....

.. SECTION 5 ..

.. ..

.. SAMPLING NOTES AND STRATUM DEFINITIONS ..

.....

.....

THIS SECTION CONTAINS SPECIAL INFORMATION ON EACH COUNTRY'S SAMPLE DESIGN. THIS IS NEEDED TO CALCULATE OR APPLY SAMPLING WEIGHTS, EVALUATE SAMPLING ERROR THROUGH EXAMINATION OF DESIGN EFFECTS OR ANALYSIS OF REPLICATE SUBSAMPLES, AND TO IDENTIFY NATIONAL SUBPOPULATIONS OF IMPORTANCE FOR ANALYSIS AND INTERPRETATION. THE INFORMATION IS TAKEN FROM THE WELLINGTON SAMPLING ANALYSIS AND REPORT.

.....

. - EXACT DEFINITION OF EACH STRATUM .

. - STRATUM POPULATION SIZES .

. - SAMPLING METHOD WITHIN STRATUM .

. - SAMPLING METHOD FOR CLASSES AND STUDENTS .

. WITHIN SCHOOLS .

. - SAMPLING WEIGHTS FOR STRATA AND SCHOOLS .

.....

-----

POPULATION DEFINITION: ALL STUDENTS IN THE SECOND YEAR OF THE GENERAL SECONDARY EDUCATION, TECHNICAL SECONDARY EDUCATION AND VOCATIONAL SECONDARY EDUCATION PROGRAMMES IN BOTH TYPE I AND TYPE II FORMS OF SCHOOL ORGANISATION.

EXCLUDED POPULATION: STUDENTS IN PROVINCIAL 'GENERAL AND TECHNICAL' AND 'GENERAL' SCHOOLS.

STRATA: INITIAL STRATIFICATION VARIABLES:

ORGANISING AUTHORITY

COURSE TYPE

LIST OF (NATIONAL CENTRE) STRATA:

- 1) ORGANISING AUTHORITY: CATHOLIC  
GENERAL AND TECHNICAL (COMPREHENSIVE) SCHOOL, TYPE I  
(NON-TRADITIONAL)
- 2) ORGANISING AUTHORITY: CATHOLIC  
GENERAL SCHOOL, TYPE II (TRADITIONAL)
- 3) ORGANISING AUTHORITY: CATHOLIC  
TECHNICAL SCHOOL, TYPE II
- 4) ORGANISING AUTHORITY: CATHOLIC  
VOCATIONAL SCHOOLS, TYPE I AND II
- 5) ORGANISING AUTHORITY: STATE  
GENERAL AND TECHNICAL (COMPREHANSIVE) SCHOOL, TYPE I
- 6) ORGANISING AUTHORITY: STATE  
GENERAL SCHOOL, TYPE II  
NO SCHOOLS IN THIS STRATUM.
- 7) ORGANISING AUTHORITY: STATE  
TECHNICAL SCHOOL, TYPE II  
NO SCHOOLS IN THIS STRATUM
- 8) ORGANISING AUTHORITY: STATE  
VOCATIONAL SCHOOLS, TYPE I.
- 9) ORGANISING AUTHORITY: PROVINCIAL  
GENERAL AND TECNICAL, TYPE I  
NO SAMPLE SCHOOLS

- 10) ORGANISING AUTHORITY: PROVINCIAL  
GENERAL, TYPE II  
NO SAMPLE SCHOOLS
- 11) ORGANISING AUTHORITY: PROVINCIAL  
TECHNICAL, TYPE II.
- 12) ORGANISING AUTHORITY: PROVINCIAL  
VOCATIONAL SCHOOLS, TYPES I AND II
- 13) ORGANISING AUTHORITY: COMMUNAL  
GENERAL AND TECHNICAL, TYPE I.
- 14) ORGANISING AUTHORITY: COMMUNAL  
GENERAL, TYPE II.
- 15) ORGANISING AUTHORITY: COMMUNAL  
TECHNICAL, TYPE II.
- 16) ORGANISING AUTHORITY: COMMUNAL  
VOCATIONAL, TYPE I AND TYPE II.

THESE STRATA WERE COLLAPSED AT THE INTERNATIONAL CENTRE FOR TWO REASONS. FIRST, THE NATIONAL CENTRE ADVISED THAT DURING THE COURSE OF THE STUDY THE BALANCE BETWEEN TYPE I AND TYPE II COURSES CHANGED VERY RAPIDLY AND, SECOND, SOME STRATA CONTAINED INSUFFICIENT SCHOOLS TO ALLOW RELIABLE WEIGHTING.

THE NEW STRATA FORMED WERE AS FOLLOWS:

- STRATUM 1 : 1 + 2 ABOVE
- STRATUM 2 : 3 + 4 ABOVE
- STRATUM 3 : 13 + 14 ABOVE
- STRATUM 4 : 11 + 12 + 15 + 16 ABOVE
- STRATUM 5 : 5 ABOVE
- STRATUM 6 : 8 ABOVE

THUS THE STRATA FOR WEIGHTING CONSIST OF :

- 1) CATHOLIC 'GENERAL AND TECHNICAL' AND 'GENERAL' SCHOOLS
- 2) CATHOLIC 'TECHNICAL' AND 'VOCATIONAL' SCHOOLS
- 3) COMMUNAL 'GENERAL AND TECHNICAL' AND 'GENERAL' SCHOOLS
- 4) PROVINCIAL AND COMMUNAL 'TECHNICAL' AND 'VOCATIONAL' SCHOOLS
- 5) STATE 'GENERAL AND TECHNICAL' SCHOOLS
- 6) STATE 'VOCATIONAL' SCHOOLS

SAMPLING PROCEDURES:

SCHOOLS SELECTED WITH PROBABILITY PROPORTIONAL TO SIZE OF TARGET GRADE USING RANDOM START, CONSTANT INTERVAL.

ONE CLASS RANDOMLY SELECTED WITHIN SCHOOL.

WEIGHTS CALCULATED:

$$\begin{aligned} \text{STRATUM WEIGHTS } W1 &= (M/N)*(NI/MI) \\ W2 &= (M/N)*(NI/(SI*NIJ)) \end{aligned}$$

- M = TOTAL NUMBER OF STUDENTS IN THE ACHIEVED SAMPLE.
- N = TOTAL NUMBER OF STUDENTS IN THE POPULATION
- NI = NUMBER OF STUDENTS IN THE POPULATION IN STRATUM I.
- MI = NUMBER OF STUDENTS IN THE ACHIEVED SAMPLE IN STRATUM I.
- SI = NUMBER OF SCHOOLS IN THE ACHIEVED SAMPLE IN STRATUM I.
- NIJ = NUMBER OF STUDENTS IN THE ACHIEVED SAMPLE FOR SCHOOL J OF STRATUM I.

NOTE: FURTHER NOTES RE LOSS OF SOME TEACHER INFORMATION FROM SAMPLE TO BE ADDED.

WEIGHTING - BELGIUM(FLEMISH) - POP A

M=3103  
N=88758

- |                                  |   |
|----------------------------------|---|
| COL 1 = ORIGINAL STRATUM         | M1 = ACHIEVED SAMPLE OF STUDENTS IN STRATUM 1               |
| COL 2 = ORIGINAL SCHOOL NUMBER   |   |
| COL 3 = NEW STRATUM              |   |
| COL 4 = NEW SCHOOL NUMBER        | N1 = POPULATION OF STRATUM 1. I.E. STRATUM 1 SUB-POPULATION |
| COL 5 = CLASS NUMBER             |   |
| COL 6 = ACHIEVED SAMPLE          |   |
| COL 7 = STRATUM WEIGHT (W1)      |   |
| COL 8 = SCHOOL/CLASS WEIGHT (W2) |   |



1 2 3 4 5 6 7 8

M1=1291  
N1=32291

01	003	01	103	01	022	0.874	0.855
01	005	01	105	01	018	0.874	1.045
01	006	01	106	01	014	0.874	1.344
01	007	01	107	01	027	0.874	0.697
01	008	01	108	01	021	0.874	0.896
02	001	01	201	01	024	0.874	0.784
02	002	01	202	01	017	0.874	1.107
02	004	01	204	01	027	0.874	0.697
02	005	01	205	01	016	0.874	1.176
02	006	01	206	01	026	0.874	0.724
02	007	01	207	01	024	0.874	0.784
02	008	01	208	01	026	0.874	0.724
02	009	01	209	01	018	0.874	1.045
02	010	01	210	01	006	0.874	3.136
02	011	01	211	01	024	0.874	0.784
02	012	01	212	01	026	0.874	0.724
02	013	01	213	01	024	0.874	0.784
02	015	01	215	01	021	0.874	0.896
02	016	01	216	01	027	0.874	0.697
02	017	01	217	01	011	0.874	1.710
02	018	01	218	01	018	0.874	1.045
02	019	01	219	01	027	0.874	0.697
02	020	01	220	01	025	0.874	0.753
02	021	01	221	01	023	0.874	0.818
02	022	01	222	01	011	0.874	1.710
02	024	01	224	01	028	0.874	0.672
02	025	01	225	01	023	0.874	0.818
02	026	01	226	01	023	0.874	0.818
02	027	01	227	01	023	0.874	0.818
02	028	01	228	01	024	0.874	0.784
02	029	01	229	01	020	0.874	0.941
02	030	01	230	01	014	0.874	1.344
02	031	01	231	01	015	0.874	1.254
02	032	01	232	01	021	0.874	0.896

...

\$ type document:a.6

=====

```

*****
.....
.....
.. SECTION 6 ..
.. ..
.. DETAILED CODING AND TEXTUAL EXPLANATIONS ..
.....
.....

```

IN THIS SECTION IS GIVEN THE FULL TEXT OF ALL QUESTIONS IN ALL QUESTIONNAIRES AND OTHER DATA SOURCES, TOGETHER WITH THE FULL TEXTS OF THE RESPONSE ALTERNATIVES, THEIR NUMERIC CODES, AND ABBREVIATED (16-CHARACTER) VERSIONS SUITABLE FOR STATISTICAL PROGRAM LABELS. SOME OF THE INTERNATIONAL STANDARD INSTRUCTIONS TO THE RESPONDENTS FOR GROUPS OF QUESTIONS (E.G., ATTITUDE SCALES) ARE ALSO GIVEN.

IN ADDITION TO THE INTERNATIONAL STANDARD INFORMATION, WHICH CORRESPONDS MORE OR LESS TO THE INTERNATIONAL CODEBOOKS, DEFINITIONS ARE GIVEN OF THE TEXTS AND RESPONSE CODINGS OF NATIONAL OPTION VARIABLES, AND NOTES ON NATIONAL EXCEPTIONS AND VARIATIONS FROM INTERNATIONAL FORMS ARE PRESENTED. THIS IS DONE IN SUCH A WAY THAT A CODEBOOK SPECIFIC TO A NATIONAL STUDY CAN BE DERIVED.

CONCERNING THE COGNITIVE ITEMS, THIS SECTION CONTAINS THE FORMS FOR ELICITING THE OTL AND CALCULATOR QUESTIONS, AND THE FULL TEXTS OF THE NATIONAL OPTION COGNITIVE ITEMS (BUT NOT THE INTERNATIONAL COGNITIVE ITEMS).

...

.....  
 .  
 POPULATION VARIABLES  
 .....

9 POPULATION VARIABLES.  
 PCOUNT COUNTRY.  
 /10 ARGENTINA  
 /11 AUSTRALIA  
 /15 BELGIUM FLEMISH  
 /16 BELGIUM FRENCH  
 /20 BRAZIL  
 /21 CANADA ALBERTA  
 /22 CANADA BRITISH COLUMBIA =CANADA B C  
 /23 CANADA MANITOBA  
 /24 CANADA NEWFOUNDLAND AND LABRADOR =CANADA NWFL LAB  
 /25 CANADA ONTARIO  
 /26 QUEBEC  
 /27 CHILE  
 /30 COLOMBIA  
 /31 COSTA RICA  
 /34 DOMINICAN REPUBLIC =DOM REPUBLIC  
 /35 ECUADOR  
 /37 ENGLAND  
 /39 FINLAND  
 /40 FRANCE  
 /41 GERMANY FEDERAL REPUBLIC =GERMANY FR  
 /43 HONG KONG  
 /44 HUNGARY  
 /45 INDIA  
 /46 INDONESIA  
 /47 IRAN  
 /49 IRISH REPUBLIC  
 /50 ISRAEL  
 /51 ITALY  
 /52 IVORY COAST  
 /54 JAPAN  
 /57 KOREA SOUTH  
 /59 LUXEMBOURG  
 /61 MEXICO  
 /62 NETHERLANDS  
 /63 NEW ZEALAND  
 /64 NIGERIA  
 /68 POLAND  
 /70 PUERTO RICO  
 /72 SCOTLAND  
 /74 SPAIN  
 /75 SWAZILAND  
 /76 SWEDEN  
 /79 THAILAND  
 /81 USA  
 /82 VENEZUELA

.....  
 . STRATUM VARIABLES  
 .....

9 STRATUM VARIABLES.  
 \*SLEVEL (\*NATION-SPECIFIC\*)  
 QSTRAT PRINCIPAL STRATIFICATION CODE. \*SLEVEL

.....  
 . SCHOOL QUESTIONNAIRE  
 .....

(+22 BRITISH COLUMBIA MADE SEVERAL MINOR CHANGES TO THE INTRODUCTIION  
 SO THAT THE QUESTIONNAIRE WAS MORE RELEVANT TO THE B C SITUATION+)

9 SCHOOL QUESTIONNAIRE  
 7 SECTION A - TO BE COMPLETED BY SCHOOL PRINCIPAL  
 SAREA WHICH OF THE FOLLOWING BEST CHARACTERIZES THE COMMUNITY : ERVED  
 YOUR SCHOOL?  
 /1 RURAL  
 /2 SUBURBAN  
 /3 URBAN  
 /4 URBAN-SUBURBAN =URBAN SUBURBAN  
 /5 INNER CITY METROPOLIS (I.E., FOR CITIES WITH A TOTAL  
 POPULATION GREATER THAN HALF A MILLION) =INNER CITY METRO

(+15 BELGIUM(FL) CHANGED TO:

/1 URBAN  
 /2 SUBURBAN  
 /3 RURAL  
 /4 URBAN + SUBURBAN  
 /5 URBAN + RURAL  
 /6 SUBURBAN + RURAL  
 /7 URBAN + SUBURBAN + RURAL

RECODED ON TABLES: /1 = 3  
 /3 = 1  
 /5 = 3  
 /6 = 2  
 /7 = 4+)

(+54 JAPAN ADDED CODE 6 - UNDECIDED+)

2 WHAT IS THE TOTAL ENROLMENT OF FULL-TIME (OR FULL-TIME  
 EQUIVALENT) SECONDARY STUDENTS IN YOUR SCHOOL?

SENROLB BOYS  
 SENROLG GIRLS

2 WHAT IS THE NUMBER OF POPULATION A STUDENTS IN YOUR SCHOOL?

(+22 BRITISH COLUMBIA CHANGED "POPULATION A" TO "GRADE 8" FOR ALL  
 PARTS OF THIS QUESTION+)

SAPOPB BOYS  
 SAPOPG GIRLS

2 WHAT IS THE NUMBER OF POPULATION A STUDENTS WHO DO NOT TAKE A  
 MATHEMATICS COURSE IN YOUR SCHOOL?

SNOMTHB BOYS

(+40 FRANCE DELETED THIS VARIABLE, WITH THE COMMENT THAT ALL POP A  
 STUDENTS TAKE MATHEMATICS+)

(-54 JAPAN DELETED: 99% CODED 0; ONE SCHOOL APPARENTLY HAS 320 BOYS  
 NOT TAKING MATHEMATICS. THIS COULD BE A CODING ERROR.-)

(-54 JAPAN CODED 999 BUT PROBABLY MEANT TO BE "0". RECORDED ON TABLE  
 AS SUCH-)

YHAPPY WORKING WITH NUMBERS MAKES ME HAPPY. \*AGREE  
 YSCARED IT SCARES ME TO HAVE TO TAKE MATHEMATICS. \*AGREE  
 YCALM I USUALLY FEEL CALM WHEN DOING MATHEMATICS PROBLEMS. \*AGREE  
 YFUN I THINK MATHEMATICS IS FUN. \*AGREE  
 YINMAZE WHEN I CANNOT FIGURE OUT A PROBLEM, I FEEL AS THOUGH I AM LOST  
 A MAZE AND CANNOT FIND MY WAY OUT. \*AGREE  
 YMENBET MEN MAKE BETTER SCIENTISTS AND ENGINEERS THAN WOMEN. \*AGREE  
 YBOYSAB BOYS HAVE MORE NATURAL ABILITY IN MATHEMATICS THAN GIRLS. \*AGREE  
 YBOYSND BOYS NEED TO KNOW MORE MATHEMATICS THAN GIRLS. \*AGREE  
 YWOMCAR A WOMAN NEEDS A CAREER JUST AS MUCH AS A MAN DOES. \*AGREE  
 YMTHJOB IT IS IMPORTANT TO KNOW MATHEMATICS IN ORDER TO GET A GOOD JOB  
 \*AGREE  
 (-15 BELGIUM(FL) DELETED THIS QUESTION-)  
 YNOUSE MOST PEOPLE DO NOT USE MATHEMATICS IN THEIR JOBS. \*AGREE  
 YJOBUSE I WOULD LIKE TO WORK AT A JOB THAT LETS ME USE MATHEMATICS.  
 \*AGREE  
 YUSEDAY MATHEMATICS IS USEFUL IN SOLVING EVERYDAY PROBLEMS. \*AGREE  
 YGOWO I CAN GET ALONG WELL IN EVERYDAY LIFE WITHOUT USING MATHEMATICC  
 \*AGREE  
 YPRACT MOST OF MATHEMATICS HAS PRACTICAL USE ON THE JOB. \*AGREE  
 YNNEED MATH MATICS IS NOT NEEDED IN EVERY DAY LIVING. \*AGREE  
 YNOTNEC A KNOWLEDGE OF MATHEMATICS IS NOT NECESSARY IN MOST OCCUPATION  
 \*AGREE  
 YLSSFUN IT IS LESS FUN TO LEARN MATHEMATICAL IDEAS IF YOU USE A HAND-HELD  
 CALCULATOR. \*AGREE  
 (+25 ONTARIO CHANGED TO: "COMPUTERS CAN THINK"+)  
 YNOCOMP IF YOU USE A HAND-HELD CALCULATOR YOU DO NOT HAVE TO LEARN TO  
 COMPUTE. \*AGREE  
 (+25 ONTARIO CHANGED TO: "SOMEDAY COMPUTERS WILL RUN EVERYTHING"+)  
 YCALHLP USING A HAND-HELD CALCULATOR CAN HELP YOU LEARN MANY DIFFERENT  
 MATHEMATICAL TOPICS. \*AGREE  
 (+25 ONTARIO CHANGED TO: "COMPUTERS MAKE LEARNING MATHEMATICS MORE  
 ENJOYABLE"+)  
 YFUNCAL SOLVING WORD PROBLEMS IS MORE FUN IF YOU USE A HAND-HELD  
 CALCULATOR. \*AGREE  
 (+25 ONTARIO CHANGED TO: "EVERYONE SHOULD LEARN ABOUT COMPUTERS"+)  
 YCMPSLV COMPUTERS SOLVE PROBLEMS BETTER THAN PEOPLE DO. \*AGREE  
 (+25 ONTARIO CHANGED TO: "USING A HAND CALCULATOR MAKES IT MORE  
 FUN TO SOLVE PROBLEMS IN MATHEMATICS"+)  
 YBORING USING COMPUTERS MAKES LEARNING MATHEMATICS MORE MECHANICAL AND  
 BORING. \*AGREE  
 (+25 ONTARIO CHANGED TO: "MATHEMATICAL IDEAS CAN BE LEARNED FASTER  
 IF YOU USE A HAND CALCULATOR"+)  
 YALLCMP EVERYONE SHOULD LEARN SOMETHING ABOUT COMPUTERS. \*AGREE  
 (+25 ONTARIO CHANGED TO: " IF YOU USE A HAND CALCULATOR YOU DO  
 NOT HAVE TO LEARN HOW TO COMPUTE"+)  
 YCOMPOK COMPUTERS DO LOTS OF GOOD THINGS FOR PEOPLE. \*AGREE  
 (+25 ONTARIO CHANGED TO: "USING A HAND CALCULATOR CAN HELP YOU  
 LEARN MANY DIFFERENT MATHEMATICAL TOPICS"+)

9 . . . END OF FILE

////////////////////////////////////



Appendix V. Weighting, Sampling Errors, and Non-sampling Errors

This appendix is reprinted from Sampling Report for the Second IEA Mathematics Study by Robert A. Garden, New Zealand Department of Education.

## 9. Weighting

Although the recommended sampling method was designed to give self-weighting samples, data from all systems, with the exception of Swaziland population A and Scotland Population A, have had weights applied in the computation of cognitive statistics. For many systems this made little difference to subscores and p-values but other systems for which differential response rates across strata were obtained or in which some small strata were over-sampled weighting was clearly necessary.

Swaziland and Scotland Population A samples were not stratified.

Almost all countries sampled intact classes because a principal aim of the study was to detect teacher effects. For between-class analyses for this purpose weighting of cognitive data is of doubtful value.

Teacher Opportunity-to-Learn data was also weighted.

The effect of weighting on other teacher variables and on student background variables was found to be negligible.

### 9.1 Weights for Cognitive Data

Weights calculated for estimates of national parameters of student cognitive sub-scores and p-values depended for each sample on the sampling unit, the amount of variation in cluster (school or class) sizes and various other factors.

#### 9.1.1 Stratum Weights

These were calculated for all samples using the formula

$$w_i = \frac{n}{N} \cdot \frac{N_i}{n_i}$$

where  $w_i$  is the weight for stratum  $i$   
 $n$  is the total sample size  
 $N$  is the total population size  
 $n_i$  is the stratum  $i$  sample size  
and  $N_i$  is the stratum  $i$  population size.

Stratum weights were used to weight England and Wales data. In England and Wales students (not classes) were sampled within school and this, coupled with the loss of data at the data preparation stage, gave a large variation in (school) cluster size.

Stratum weights gave p-values and sub-score means which were more stable than obtained using school weights.

### 9.1.2 School Weights

School weights were calculated where sampling was by schools and where the variance of class size within school was substantial. The formula used was:

$$w_{ij} = \frac{n}{N} \cdot \frac{N_i}{s_i N_{ij}}$$

where  $w_{ij}$  is the weight for school  $j$  in stratum  $i$   
 $s_i$  is the number of schools in the sample for stratum  $i$   
 $N_{ij}$  is the number of students in the sample in school  $j$  in stratum  $i$ .  
 $n$ ,  $N$  and  $N_i$  are as in 9.1.1

Systems for which school weights were applied are:

Belgium (Flemish) Populations A and B, Belgium (French) AB, British Columbia A, England and Wales B, France A, Israel A, Japan AB, New Zealand AB, Ontario AB, Scotland B, Thailand AB, U.S.A. AB.

Note: where only one class per school was chosen the terms school weight and class weight are synonymous.

### 9.1.3 Class Weights

Where sampling was by classes the weights were calculated by the formula in 9.1.2 but with  $s_i$  = number of classes in the stratum  $i$  sample and  $n_{ij}$  = number of students in the sample in class  $j$  of stratum  $i$ .

Samples for which class weights were calculated are:

Hong Kong AB, Hungary AB, Luxembourg A, British Columbia B, Finland AB, Israel B, Sweden AB.

Note: where only one class per school was chosen the terms school weight and class weight are synonymous.

### 9.1.4 Weighted p-values and Subscores

- i) At school or class level (depending on the sampling method) the number of students responding correctly to an item was counted (and school or class level p-values obtained).



ii) National estimates of p-values were computed using

$$\frac{\sum p_{ij} w_{ij}}{\sum w_{ij}}$$

where  $p_{ij}$  and  $w_{ij}$  are the p-values and weights for school/class  $j$  in stratum  $i$ .

$w_{ij}$  used in this way is an estimate for the weight which would be obtained if the number of schools or classes in the population and in each stratum were known.  $\sum w_{ij}$  will be approximately equal to the number of schools/classes in the sample.

iii) Weighted p-values were summed across sub-test items to give sub-test means.

It should be noted that for many countries there was little difference (1 or 2 percent) between unweighted and weighted p-values and sub-test means. In addition, use of school/class weights gave very similar results to the use of stratum weights.

Calculation of p-values using 
$$\frac{\sum X_{ij} w_{ij}}{\sum n_{ij} w_{ij}}$$

where  $X_{ij}$  is the sum of correct responses to an item and  $n_{ij}$  is the number of students in school/class  $j$  of stratum  $i$  also produced very similar results at subtest level, although non-systematic differences of several points were evident for some items in a few samples. Differences can be expected where cluster sizes vary considerably and class response patterns are very different.

### 9.1.5 Weighting Teacher Opportunity-to-learn

The calculated stratum weights were used to weight teacher OTL.

$$w_{ij} = \frac{n}{N} \cdot \frac{N_i}{n_i}$$

where  $w_{ij}$  = weight for teacher  $j$  in stratum  $i$ .  
 $n$  = total number of students in the sample.  
 $N$  = total number of students in the population.  
 $n_i$  = number of students in the stratum  $i$  sample.  
 $N_i$  = number of students in the stratum  $i$  population.

$$\frac{n}{N} \approx \frac{n_c}{N_c} \approx \frac{n_t}{N_t}$$

and 
$$\frac{N_i}{n_i} \approx \frac{N_{ci}}{n_{ci}} \approx \frac{N_{ti}}{N_{ti}}$$

Where the "c" ratios are school/class ratios and the "t" ratios are teacher ratios.

## 10. Sampling Errors

Standard errors have been calculated for cognitive forms Core and A at population A level and forms 1 and 7 at population B level and these are displayed in the tables below. The standard errors are, in general, stable across forms for both populations and will be representative of the error levels for subscores.

Intraclass correlations, and consequently Design Effects, were considerably higher than was anticipated. In spite of this errors for almost all countries lie within acceptable limits.

The high intraclass correlation coefficients (Rho) result from several factors:

- i) Intact mathematics classes were sampled;
- ii) The widespread practice of streaming/setting mathematics classes results in a considerable reduction in within class heterogeneity;
- iii) Sampling systems with differing school types, or wide course variations in curricula between school/course types leads to relatively greater degree of within school/class homogeneity.
- iv) Learning in mathematics is probably sensitive to curricular and instructional differences than is learning in most other school subjects.

Thus population A intraclass correlation coefficients are high in Belgium, Hong Kong, Luxembourg, The Netherlands (differing school types) in Finland, Sweden and the USA (differing course types) and in New Zealand (a high level of streaming).

In some countries a combination of these factors applies. Lowest intraclass correlations occurred in Japan where the school system is almost uniform and where streaming/setting of classes is not practised.

Low intraclass correlations also occur where the tests were too difficult for a large majority of the samples (Nigeria and Swaziland) so that between class variance is considerably depressed.

Standard errors for Scotland population A were calculated by a jack-knifing procedure since a relatively small sample was spread across a great number of schools. Sampling was not by selection of schools or classes so calculation of design effects is inappropriate.

For population B the intraclass correlation coefficient is affected by the factors mentioned above but, in addition, the retentivity of the school system has a marked effect. In school systems in which retention in grade 12 mathematics is low, between-class variance is likely to be low, as is within-class variance and the relative changes with respect to these are not easy to predict.

For rotated forms the clusters completing a given form have been treated as though they were complete "school/classes" although they were, in effect, random selections of students within school/classes. The standard errors for rotated forms are therefore conservative. Furthermore, sampling fractions for some countries were sufficiently large to justify adjusting the variance by a factor  $(1-a/A)$  where 'a' clusters are selected from a population of 'A' clusters. The extreme case is Luxembourg where  $a/A = 1/2$ . Thus for Luxembourg (for example) the sampling error for the mean will be considerably less than is shown in the tables.