DOCUMENT RESUME

ED 323 720	EC 232 149
TITLE	Intermediate Care Facilities for Persons with Mental Retardation (ICFs-MR): Program Utilization and Resident Characterstics. Project Report #31.
INSTITUTION	Minnesota Univ., Minneapolis. Center for Residential and Community Services.
SPONS AGENCY	Administration on Developmental Disabilities (DHHS), Washington D.C.
PUB DATE	Mar 90
CONTRACT	90DD145/02
NOTE	103p.; Print on tables is small.
AVAILABLE FROM	University of Minnesota, Center for Residential and Community Services, 150 Pillsbury Dr. S.E., 207 Pattee Hall, Minneapolis, MN 55455.
PUB TYPE	Reports - Descriptive (141) Statistical Data (110)
EDRS PRICE	MF01/PC05 Plus Postage.
DESCRIPTORS	Community Programs; *Federal Programs; Home Programs; Human Services; *Individual Characteristics; Institutionalized Persons; *Mental Retardation; Nursing Homes; Program Improvement; *Residential Institutions; *State Programs
IDENTIFIERS	*Intermediate Care Facilities; *Medicaid

ABSTRACT

This report on the Intermediate Care Facility for the Mentally Retarded (ICF-HR) and related programs under Title XIX (Medicaid) of the Social Security Act aims to assist in consideration of improvements to Medicaid services. The report begins with a background description of the key Medicaid programs of interest, discussing: federal involvement in care for individuals with mental retardation prior to ICF-MR; establishment of the ICF-MR program; federal "look behinds" of state program review efforts; the phase down option; Medicaid waiver; nursing home restrictions; and proposals for Title XIX reform. The second part contains state-by-state and national statistics on ICF-MR and related Medicaid home and community based services and nursing home utilization. The third part describes characteristics of ICF-MR facilities and their residents, with comparative statistics for noncertified facilities. The data cover: facility administration, resident movement, and resident characteristics (level of retardation, type of related conditions, age distribution, activities of daily living, moods, medical conditions, use of special equipment, and employment status). A basic description of the characteristics of nursing home residents with mental retardation and related conditions is also provided. Includes 29 references. (JDD)

****	*****	*******	****	*****	***	****	* * * * *	****	****	*****	*****
*	Reproductions	supplied	by ED	RS are	tne	best	that	can	ЪF	made	*
×		from t	he or	iginal	doci	ument	•				*
****	****	********	*****	*****	***	* * * * * :	****	****	****	*****	*****



Intermediate Care Facilities for Persons with Mental Retardation (ICFs-MR): Program Utilization and Resident Characteristics

Report #31

K. Charlie Lakin Robert W. Prouty Carolyn C. White Robert H. Bruininks Bradley K. Hill

Center for Residential and Community Services Institute on Community Integration University of Minnesota 207 Pattee Hall 150 Pillsbury Drive SE Minneapolis, MN 55455

z

March 1990

Preparation of this representation was supported by a grant from the Administration on Developmental Disabilities (Grant No. 145/02), U.S. Department of Health and Human Services. The contents of this paper do not necessarily reflect an official position of the Administration on Developmental Disabilities.



Additional copies of this report may be obtained postage-paid for \$10.00 per copy payable to the University of Minnesota.

The recommended citation for this report is: Lakin, K.C., Prouty, R.W., White, C.C., Bruininks, R.H., and Hill, B.K. (1990). Intermediate Care Facilities for Persons With Mental Retardation (ICFs-MR): Program Utilization and Resident Characteristics (Report No. 31). Minneapolis: University of Minnesota, Center for Residential and Community Services.

The University of Minnesota is committed to the policy that all persons shall have equal access to its programs, facilities, and employment without regard to race, creed, color, sex, national origin, or handicap.



ACKNOWLEDGMENTS

This report is based on statistics gathered and analyzed as part of the National Recurring Data Set Program on Residential Services. The authors wish to thank Judy Moore, our Project Officer, and the Administration on Developmental Disabilities (ADD) for ongoing support of this project and its various activities.

We wish to thank Mary Harahan, Bob Clark and John Drabek of the Office of the Assistant Secretary for Planning and Evaluation, U.S. Department of Health and Human Services for their support and assistance in obtaining and analyzing the data from the National Medical Expenditure Survey (NMES), which are presented in Part III of this report. We are especially grateful to Dan Walden of the National Center on Health Services Research for his gracious cooperation and essential technical assistance in the use of the Institutional Populations Component of the National Medical Expenditure Survey. Tsuey-Hwa Chen carried out much of the data analysis plan for Part III of this report. Cheryl Morgan prepared all text and tables. Jan Menke prepared the figures. All were as usual superb. We also appreciate the sharing of ICF-MR cost data by Dave Braddock, Rick Hemp, Glen Fujiura, Lynn Bachelder and Dale Mitchell of our sister project in the ADD Ongoing Data Collection System at the Illinois UAP, University of Illinois at Chicago.

Finally we are extremely grateful to our many state respondents who provided the data reported in Part II of this report. Clearly neither this report nor the National Recurring Data Set Program on Residential Services would be possible without their knowledge and generous assistance.



TABLE OF CONTENTS

ACKNOWLEDGMENTS	i
TABLE OF CONTENTS	iii
LIST OF TABLES	vi
LIST OF FIGURES	vii
EXECUTIVE SUMMARY	ix
INTERMEDIATE CARE FACILITIES FOR PERSONS WITH MENTAL RETARDATION (ICF-MR): PROGRAM UTILIZATION AND RESIDENT CHARACTERISTICS	1 1 1 1
PART I: BACKGROUND OF ICF-MR AND RELATED MEDICAID PROGRAMS Federal Involvement Prior to ICFs-MR Establishment of the ICF-MR Program Small ICF-MR Certified Facilities Intensified Federal Look-Behind Phase Down Option New ICF-MR Regulations Medicaid Waiver Nursing Home Restrictions New Proposals for Title XIX Reform	3 3 4 5 6 7 8 8 9 9
PART II: UTILIZATION OF ICFs-MR AND RELATED MEDICAID PROGRAMS Method Facility Surveys, 1977 and 1982 State Agency Surveys, 1985 and 1988 Findings General Overview Nonstate ICF-MR Certified Facilities Large nonstate facilities State ICF-MR Certified Facilities Large state facilities State ICF-MR Certified Facilities Large and Small certified Facilities Large and Small Certified Facilities Utilization Rates for Institutional and Community Services Costs of ICF-MR Services Interstate Variations in ICF-MR Costs	13 13 13 14 14 15 15 17 19 19 23 28 31 33 34
Variations due to disproportionate placements	34



Variations due to differences in per recipient cost	36 36
Nursing Home Residents with Mental Retardation	37
PART III: CHARACTERISTICS OF RESIDENTS OF ICFs-MR IN 1987	39 30
Inverse of Facilities	39
Facility Sample	40
Selection of Sample Members	40
Response Rates	41
Data Limitations	41
Facility Administrative Data	42
Proportion of Capacity Occupied	42
Proportion of Residents with Mental Retardation and Related Conditions	42
Medicaid Certified Capacity	42
Direct Care Personnel	43
Per Diem Costs	45
Resident Movement	45
Admission/Discharge Rates	45
Deaths	46
Resident Characteristics	48
Level of Recordation/Type of Related Conditions	48
Persons with mental retardation	48
Related Conditions by Level of Retardation	49
Epilepsy	49
Cerebral palsy	49
Autism	49
Spina bifida	50
Blind or deaf	50
Age Distribution of Residents	51
Activities of Daily Living (ADLs)	53
Bathing/showering	54
Dressing	54
Toileting	54
Getting in and out of bed	54
Feeding self	22
Walking across room	33
Instrumental Activities of Daily Living (IADLs)	20
	57
Managing money	51
Snopping for personal hems	51
Use of personal of public transportation	51
Disturbing Benavior and Woods	
Tries to burt others	27 77
Tries to bust celf	59 40
THEN WHILL SELL	لار. ۵۶
Sucals Hulli Utilitis	50
exposes sentrias proviem sexual behavior	73



. **.**

Gets lost/wanders	59
Unable to avoid dangerous things/places	60
Cries for no apparent reason	60
Moods	60
Frequently worried/apprehensive	60
Frequently unresponsive or withdrawn	60
Frequently impatient or annoved	60
Frequently suspicious	60
Medical Conditions by Age	61
Comatose	61
Circulatory conditions	61
Arthritis or sheumetism	62
Diabetes	62
Capper	62
Frequent constitution	62
	62
Upeshy	62
Use of Special Equipment and Devices	03 22
	60
	04
Special underwear or diapeis	04
Wheelchair	64
Walker, cane or crutches	64
Sp. jal dishes, cups, or mensils	64
Mechanical devices for eating	64
Velcro fasteners or snaps for clothing	64
Symbol systems/communication boards	65
Shower seats or tub stools	65
Portable toilets	65
Urinary catheter	65
Colostomy bag	65
Employment Status and Wages	66
Works for pay	66
Location of employment	66
Type of employment	67
Work with nonhandicapped people	67
Hourly wages	67
Nursing Home Residents with Mental Retardation and Related Conditions	68
Level/Sine of condition	68
Age	69
Summary and Conclusions	70
References	75

Ý,

•¢

•



8

v

LIST OF TABLES

* +A,

Table 1: ICF-MR Certified Facilities and Residents on June 30, 1977	16
Table 2: ICF-MR Certified Facilities and Populations on June 30, 1982	18
Table 3: ICF-MR Certified Facilities and Residents on June "), 1986	20
Table 4: ICF-MR Certified Facilities and Residents on June 30, 1988	21
Table 5: Net Change in ICF-MR Facilities and Residents by Facility Size and Type from	
June 30, 1982 to June 30, 1988	22
Table 6: Number and Percentage of Residents in ICF-MR Certified and Noncertified	
Facilities by State and Facility Size on June 30, 1988	25
Table 7: Beneficiaries of Medicaid Waiver and ICF-MR Services for Persons with Mental	
Retardation on June 30, 1988	29
Table 8: Utilization Rates per 100,000 of State Population: Large and Small ICE-MR	~
and Total Residential Facilities on June 30 1988	32
Table 9: Summary Statistics on Excenditures for ICE-MR Care by State and U.S. for	.
Fiscal Vear 1988	35
The late Persons with Mental Retardation and Related Conditions in Nursing Facilities	
on June 30, 1028	30
Table 11: Excilities Setup Beds and Decidents by ICEMD Certification Status	12
Table 12: Basic Administrative Data by ICE-MD Cartification Status and Excility	44
Antical Data Data by ICF-WIR Celtification Status and Facility	
Table 12. Posia Devider Mexament by ICE MD Cartification and Equility Operation	44
Table 15: Dasic Residents with Montel Detendation and Delated Conditions in Montel	47
Table 14: Residents with Mental Relatedation and Related Conditions in Mercal	
Retardation Facilities by Level of Mental Retardation of Related Conditions and	40
Tella 15. Newlay and Trans of D. 14. 1 Distributes Annual Desidents of D. 14.	49
Table 15: Number and Types of Related Disabilities Among Residents of Mental	
Retardation Facilities by Certification Status	51
Table 16: Age Distribution of Residents of Mental Retardation Facilities by Level of	50
Retardation and Certification Status	53
Table 17: Activities of Daily Living of Residents of Mental Retardation Facilities by	
Certification Status	56
Table 18: Performance of Instrumental Activities of Daily Living of Residents of Mental	
Retardation Facilities by Certification Status	58
Table 19: Percentage of Residents of Mental Retardation Facilities Exhibiting Disturbing	
Behavior or Moods by Facility Certification Status	61
Table 20: Percentage of Residents of Mental Retardation Facilities with Selected Medical	
Conditions/Ailments by Facility Certification Status	63
Table 21: Percentage of Residents of Mental Retardation Facilities Using Various Types	
of Special Equipment and Devices by ICF-MR Certification Status	66
Table 22: Employment Status of Adult Residents of Mental Retardation Facilities by	
ICF-MR Certification Status	68
Table 23: Number of Nursing Home Residents with Primary Diagnoses of Mental	
Retardation (MR) or Related Conditions (RC) as Estimated in the 1987 National	
Medical Expenditure Survey	69



LIST OF FIGURES

Figure 1: Residents of ICF-MR Certified Facilities by Size and State/Nonstele Operation	
on June 30 of 1977, 1982, 1986, and 1988	24
Figure 2: Number of Residents in Large and Small Facilities by ICF-MR Certification	27
Figure 3: Institutional and Community Recipients of Medicaid ICF-MR and Home and	
Community Based Services Benefits on June 30, 1977, 1982, 1988	30



EXECUTIVE SUMMARY

Since its enactment in 1971, the Intermediate Care Facility for the Mentally Retarded (ICF-MR) program under Title XIX of the Social Security Act has become the primary source of federal support of services to persons with mental retardation and related conditions. On June 30, 1988 more than 146,000 persons were residents of the 4,562 ICFs-MR located in all states except Arizona and Wyoming. Altogether during Fiscal Year 1988, expenditures for the residential and habilitation services received by these individuals exceeded 6 billion dollars, of which nearly 3.4 billion dollars were federal government reimbursements.

In 1981, amendment of Title XIX provided states with the option of requesting a waiver of certain Medical Assistance regulations to permit the provision of Home and Community-Based Services as an alternative for persons who would otherwise require ICF-MR services. This "Medicaid waiver" program has grown rapidly, with 80% of all states providing Home and Community Based Services on June 30, 1988 to a total of nearly 29,000 persons with mental retardation and related conditions at a Fiscal Year 1988 cost of about 450 million dollars.

In 1987 the Omnibus Budget Reconciliation Act (OBRA-87) required states to undertake screening and where appropriate improved habilitation activities or alternative placements for more than 40,600 persons with mental retardation living in nursing homes. These new requirements present substantial challenges to states as they seek to continue their nearly universal efforts to move greater numbers of people from institutions to community settings, to avoid new institution placements, and to deal with the growing numbers of people awaiting residential services.

In a May 1989 report (Lakin, Jaskulski, Hill, Bruininks, Menke, White, & Wright, 1989) states' perceptions and evolving policies related to the ICF-MR, Medicaid waiver and OBRA-87 requirements were described. The purpose of this report is primarily to provide a statistical update on the utilization of Medicaid ICF-MR, waiver and nursing home services for persons with mental retardation and related conditions and the characteristics of the service recipients. Data collection and analyses were carried out as part of the National Recurring Data Set Program on Residential Services funded by the Administration on Developmental Disabilities. Among the findings of this study were the following:

• Growth of the ICF-MR program has slowed dramatically in the past several years.

- The June 30, 1988 total of 146,134 persons with mental retardation and related conditions in ICFs-MR was only 5,500 more than the total in 1982.
- Growth after 1982 was much slower than in the 5 previous years. Between 1977 and 1982 the number of ICF-MR residents grew by 33,000, or from 106,166 to 140,682.
- Between June 30, 1982 and 1988 a majority of states (27) actually decreased the total number of people living in ICFs-MR.
- Populations of ¹-rge ICFs-MR have decreased in the past several years.
 - On June 30, 1988 there were 117,147 persons in ICFs-MR of 16 or more residents. This represented a 10% decrease from 130,968 on June 30, 1982.
 - On June 30, 1988 large ICF-MR residents included 85,064 people in state-operated facilities and 32,083 people in nonstate facilities.
 - On June 30, 1982 large ICF-MR residents included 107,356 people in state-operated facilities and 23,612 in nonstate facilities.



- On June 30, 1977 there were 104,456 residents of large ICFs-MR including 92,498 in state facilities and 11,958 in nonstate facilities.
- There has been a continued growth in smaller community facilities in the ICF-MR program.
 - On June 30, 1988 there were 28,987 residents of ICFs-MR with 15 or fewer residents. This represented a 200% increase over the previous 6 years. Small ICF-MR residents included 25,353 people in nonstate facilities and 3,634 people in state-operated facilities.
 - On June 30, 1982 there were 9,714 residents of small ICFs-MR including 8,362 residents of nonstate facilities and 1,352 residents of state-operated facilities.
 - On June 30, 1977 there were 1,710 residents in small ICFs-MR, including 1,354 in nonstate facilities and 356 in state-operated facilities.
- A decreasing majority of ICF-MR residents reside in state-operated facilities.
 - On June 30, 1988, 60.7% of residents of ICFs-MR were in state-operated facilities. This compares with 77.3% in 1982 and 87.5% in 1977.
 - The deconcentration of ICF-MR residents ir state-operated facilities is associated with the general depopulation of state institutions and the increase in community ICFs-MR, 89% of which were operated by nonstate agencies.
 - Between June 30, 1977 and 1982 large state ICF-MR populations grew by 16% despite an overall 21% decrease in state institution populations (from 154,600 to 122,600) as states continued to certify previously uncertified units. By 1982 almost nine of ten state institution residents were in ICF-MR units and as state "istitution populations decreased by 22% between 1982 and 1988, residents of large state ICFs-MR decreased by 21%.
- Since 1977 states have steadily consolidated the ICF-MR certification of large nonstate facilities.
 - On June 30, 1977, 23% of the 52,718 persons in all large nonstate mental retardation facilities were in ICFs-MR.
 - On June 30, 1982, 41% of the 57,396 persons in all large nonstate mental retardation facilities were in ICFs-MR.
 - On June 30, 1988, 70% of the 45,907 persons in all large nonstate mental retardation facilities were in ICFs-MR.
- States have increased certification of small ICFs-MR, but have remained generally reluctant to certify large proportions of their small facilities for ICF-MR participation.
 - On June 30, 1988, only 20% of 125,507 persons living in small nonstate facilities were in ICFs-MR. This was a proportional increase of over 14% of 61,145 total small nonstate facility residents in 1982. However, the doubling of the total small nonstate facility residents rationwide between 1982 and 1988 was a greater factor in the increase from 8,362 to 25,353 small nonstate ICF-MR residents than were increases in the proportions of small nonstate facilities certified.
 - Small state operated facilities were relatively few (only about 4% of all small facility residents in 1988), but are much more likely to be ICF-MR certified (64.3% of small state facility residents are in ICFs-MR).
- Small state ICFs-MR were highly concentrated in a few states.
 - Of 417 small state ICFs-MR, 390 were in only 4 states.
 - Of 3,634 residents in all small state ICFs-MR, 64% lived in New York.
 - Only 12 states had any small state ICFs-MR.



- Small nonstate ICFs-MR were concentrated in a few states.
 - On June 30, 1938, 74.5% of all residents of small nonstate ICFs-MR were in 9 states.
 - On June 30, 1988, the 25 states with the lowest utilization together had only 2.3% of all small nonstate ICF-MR residents.
 - On June 30, 1988, one state alone accounted for 18% of all small nonstate ICF-MR residents.
- There has been continued growth in waiver services.
 - On June 30, 1982 there were only 1,605 waiver services recipients.
 - On June 30, 1986 there were 23,053 waiver service recipients.
 - On June 30, 1988 there were 28,689 waiver service recipients.
- Growth in the total number of ICF-MR and waiver recipients has slowed substantially.
 - Total increase from 1977 to 1982 was 36,121, averaging 7,224 per year.
 - Total increase from 1982 to 1986 was 24,955, averaging 6,239 per year.
 - Total increase from 1986 to 1988 was 7,581, averaging 3,791 per year.
- Average size of large state ICFs-MR continues to decline.
 - In 1977, large state ICFs-MR had an average 406 residents.
 - In 1982, large state ICFs-MR had an average 368 residents.
 - In 1988, large state ICFs-MR had an average 304 residents.
- The average size of large nonstate ICFs-MR has decreased.
 - In 1977, large nonstate ICFs-MR had an average 76 residents.
 - In 1982, large nonstate ICFs-MR had an average 66 residents.
 - In 1986, large nonstate ICFs-MR had an average 62 residents.
 - In 1988, large nonstate ICFs-MR had an average 61 residents.
- Average size of small nonstate ICFs-MR decreased, then stabilized.
 - Small nonstate ICFs-MR had an average 9.2 residents in 1977.
 - Small nonstate ICFs-MR had an average 8.0 residents in 1982.
 - Small nonstate ICFs-MR had an average 7.6 residents in both 1986 and 1988.
- Average size of small state ICFs-MR was the same in 1988 as in 1977.
 - In 1977, small state ICFs-MR had an average 8.7 residents.
 - In 1982, small state ICFs-MR had an average 8.6 residents.
 - In 1988, small state ICFs-MR had an average 8.7 residents.
- Reduction in populctions of large state ICFs-MR has been widespread.
 - Between 1982 and 1988, 42 states reduced populations of large state ICFs-MR.
 - Between 1982 and 1988, only 7 states increased populations of large state ICFs-MR.
- Recently, small ICFs-MR have been the most rapidly growing service model.
 - Between 1986 and 1988, residents of large ICFs-MR declined in number by 6,152.
 - Between 1986 and 1988, recipients of waiver services increased by 5,636.
 - Between 1985 and 1988, residents of small ICFs-MR increased by 8,097.

- From 1977 to 1938, residents of ICFs-MR serving six or fewer persons grew as a proportion of residents of all small ICFs-MR (i.e., those with 15 or fewer residents).
 - In 1977, 16.7% of all residents of small ICFs-MR lived in ICFs-MR serving six or fewer persons.

.-

- In 1982, 26.5% of all residents of small ICFs-MR lived in ICFs-MR serving six or fewer persons.
- In 1988, 31.3% of all residents of small ICFs-MR lived in ICFs-MR serving six or fewer persons.
- From 1977 to 1988, residents of state ICFs-MR serving six or fewer persons declined as a proportion of all state and nonstate ICFs-MR serving six or fewer persons.
 - In 1977, 12.5% of all residents of state and nonstate ICFs-MR serving six or fewer persons lived in state ICFs-MR.
 - In 1982, 8.1% of all residents of state and nonstate ICFs-MR serving six or fewer persons lived in state ICFs-MR.
 - In 1988, 4.7% of all residents of state and nonstate ICFs-MR serving six or fewer persons lived in state ICFs-MR.
- ICF-MR facilities have a higher proportion of their resident populations made up of persons with mental retardation than noncertified facilities.
 - Of all residents of mental retardation facilities, 96.2% were persons with mental retardation and related conditions.
 - Of all residents of noncertified facilities, 83.6% were persons with mental retardation and related conditions.
 - Of all residents of ICF-MR facilities, 96.3% were persons with mental retardation and related conditions.
- Noncertified, private for profit facilities had the highest proportion of residents without mental retardation and related conditions.
 - 23.7% of all residents of all private for profit facilities did not have mental retardation or related conditions.
 - 1.3% of all residents of for profit ICFs-MR did not have mental retardation or related conditions.
 - 32.3% of all residents of non-certified, private for profit facilities did not have mental retardation or related conditions.
- Larger facilities were more likely to have their capacity Medicaid certified.
 - Facilities with 800 or more residents were 100% Medicaid certified; those with 300-799 residents were 96.6% Medicaid certified, those with 76-299 residents were 66.9% Medicaid certified; and facilities of 16-75 residents were 31.3% Medicaid certified.
 - Only 22.1% of residents in facilities with 15 or fewer residents were in ICF-MR certified facilities.
- Staff to resident ratios were highest in ICFs-MR.
 - Staff to resident ratio in all mental retardation facilities was 1.06:1.
 - Staff to resident ratio in ICFs-MR was 1.33:1, as compared with 0.66:1 in noncertified facilities.



xii

- Staff to resident ratios were lower in small nonstate ICFs-MR.
 - Staff to resident ratio in small ICFs-MR was .92:1.
 - Staff to resident ratio in small state ICFs-MR was 1.07:1.
 - Staff to resident ratio in small nonstate ICFs-MR was .90:1.
- Staff to resident ratios were lowest in small non-ICF-MR for profit facilities.
 - Staff to resident ratio in all small non-ICFs-MR was .66:1.
 - Staff to resident ratio in small for profit ICFs-MR was .60:1.
 - Staff to resident ratio in small for profit non-ICFs-MR was .44:1.
- Large ICF-MR facilities had the highest proportion of persons with profound mental retardation.
 - 54.5% of large ICF-MR populations were persons with profound mental retardation.
 - 17.4% of large non-ICF-MR populations were persons with profound mental retardation.
 - 13.6% of all small facilities' populations were persons with profound mental retardation.
 - 16.5% of small ICF-MR populations were persons with profound mental retardation.
- Persons with related conditions, but not mental retardation were most likely to reside in non-ICFs-MR.
 - Persons with related conditions were estimated to be less than 1% of the mental retardation facility population.
 - Persons with related conditions were 1.4% of the non-ICF-MR population.
 - Persons with related conditions were 0.6% of the ICF-MR population.
- Death rates in both ICF-MR and noncertified facilities approximated the estimated national death rate in residential facilities.
 - The estimated national death rate in all residential facilities was 1.4%.
 - The estimated death rate in ICFs-MR was 1.4%.
 - The estimated death rate in non-ICFs-MR was 1.5%.
- Secondary conditions were more likely to be reported for persons with mental retardation as the severity of mental retardation increased.
 - 29.6% of persons with mental retardation and related conditions in all facilities were reported to have epilepsy, including 15% of persons with mild number retardation and 43% of persons with profound mental retardation.
 - 11.7% of persons with mental retardation and related conditions in all facilities were reported to have cerebral palsy, including 5.5% of persons with mild or borderline mental retardation and 19.5% of persons with profound mental retardation.
 - 7% of persons in all facilities were blind and/or deaf, including 2.3% of persons with mild or borderline mental retardation and 13.8% of persons with profound mental retardation.
- The number and preportion of children and youth (0-21 years) in mental retardation facilities continued to decline.
 - An adjusted estimate shows 17.9% of all facilities' population in 1987 to be children and youth, a decrease from 24.8% in 1982.
 - An estimated 13.7% of ICF-MR esidents were under 21 in 1987, as compared with 22.6% in 1982.
 - Children and youth in state institutions declined from 25.8% of the population in June 1982 to 10.6% in June 1989.



- The above proportions of children and youth in all mental retardation facilities and in specialized institutional settings were far below the proportion of the national population in the birth to 21 year old range (32.5%).
- Lower proportions of residents under 21 and higher proportions of residents over 55 were mildly or moderately retarded.
 - In the 1987 National Medical Expenditure Survey an estimated 15.4% of all residents with mental retardation and related conditions were under 21 and 13.2% were over 55.
 - Residents under 21 made up 12.2% of all residents with mild or norderate mental retardation and 17.9% of all residents with severe or profound mental retardation.
 - Residents over 55 made up 16.1% of all residents with mild or moderate mental retardation and 10.6% of all residents with severe or profound mental retardation.
- Although ability to perform activities of daily living (ADLs) varied widely by level of mental retardation, the majority of all residents could perform ADLs other than bathing and dressing.
 - 39.1% of residents could bathe or shower independently.
 - 45.6% of residents could dress independently.
 - 67% of residents could use the toilet independently.
 - 80.3% of residents could get into and out of bed independently.
 - 77.2% of residents could feed themselves independently.
 - 77.3% of residents could walk across a room independently.
- Residents of ICFs-MR were generally less able to perform instrumental activities of daily living than residents of non-ICFs-MR.
 - 15.6% of ICF-MR residents and 41.6% of non-ICF-MR residents used the phone independently.
 - 8.7% of ICF-MR residents and 26.4% of non-ICF-MR residents shopped for personal items independently.
 - 9.3% of ICF-MR residents and 29.6% of non-ICF-MR residents used their own or public transportation independently.
- ICF-MR residents were much less likely to be employed for pay away from their residence.
 - 38.8% of persons with mental retardation were employed for pay, 26.3% away from their residence.
 - 32.1% of ICF-MR and 49.1% of non-ICF-MR residents were employed for pay.
 - 50.8% of residents of ICFs-MR with paid jobs and 85.1% of residents of non-ICFs-MR with paid jobs worked away from their residence.
- Small ICF-MR residents were more likely to work with non-handicapped people.
 - 15.8% of small ICF-MR residents worked with non-handicapped people.
 - 4.6% of large ICF-MR residents worked with non-handicapped people.
 - 8.4% of non-ICF-MR residents worked with ron-handicapped people.
- States con. inue to house tens of thousands of persons with mental retardation and related conditions in nursing homes.
 - The 1 387 National Medical Expenditure Survey (NMES) provided estimates of 45,261 persons with a primary diagnosis of mental retardation in nursing homes. States reported 42,700 persons with mental retardation in nursing homes on June 30, 1988.



- NMES estimated about 12,600 persons with other developmental disabilities in nursing homes in 1987.
- 1987 nursing home populations included an estimated 7,700 persons with a primary diagnosis of mental illness, but with mental retardation indicated and 24,800 persons with primary diagnosis of medical conditions but with mental retardation or related conditions indicated.
- Persons with mental retardation and related conditions tend to be younger than the general nursing home population, but much older than the population of mental retardation facilities in general and ICFs-MR specifically.
 - An estimated 88% of all nursing home residents in 1987 were 65 years or older as compared with 34% of those with a primary diagnosis of mental retardation or a related condition.
 - The estimated 34.4% of older (6: + years) nursing home residents with mental retardation or a related condition was much g eater than the estimated 5.5% of all mental retardation facility residents and 5.8% of ICF-MR residents.
- Despite total population increases of only 3.9% between 1982 and 1988, ICF-MR costs increased by about 60% over the same period.
 - In 1982 total public expenditures for ICF-MR services to a total of 140,682 people (on June 30) were about 3.6 billion dollars.
 - In 1988 total public expenditures for ICF-MR services to a total of 146,134 people (on June 30) were about 6.03 billion dollars.
 - In 1977 the average daily per resident cost of ICF-MR care was \$41.00. In 1982 it was \$79.00. In 1988 it was \$113.00.
- Within the ICF-MR and waiver programs, by far the highest average per person federal reimbursements in 1988 were received by state-operated ICFs-MR.
 - Average annual per resident federal reimbursements for large state ICFs-MR in 1988 were \$28,000.
 - Average annual per resident federal reimbursement for large nonstate ICFs-MR were \$14,000 per person.
 - Average annual federal reimbursements for residents of small state ICFs-MR were \$27,500.
 - Average annual federal reimbursements for residents of small nonstate ICFs-MR were \$17,500.
 - Average annual per recipient federal reimbursements for Medicaid waiver services were \$8,800.
- Daily cost per resident in ICFs-MR was likely to be higher than in non-ICFs-MK.
 - 70% of all non-ICF-MR residents lived in facilities that cost \$55 or less per day.
 - 17% of all ICF-MR residents lived in facilities that cost \$55 or less per day.



INTERMEDIATE CARE FACILITIES FOR PERSONS WITH MENTAL RETARDATION (ICF-MR): PROGRAM UTILIZATION AND RESIDENT CHARACTERISTICS

Overview of Report

Introduction

This report on the Intermediate Care Facility for the Mentally Retarded (ICF-MK) and related programs under Title XIX (Medicaid) of the Social Security Act is the fourth since 1985. The frequency of these reports has been dictated primarily by the intense scrutiny given the ICF-MR program in recent years. That scrutiny was clearly evident in recent interviews with state officials about the ICF-MR program generally, and more specifically, how useful they saw it in meeting the challenges they currently face and/or anticipate in the future (see Lakin, Hill, Bruininks, Menke, White, & Wright, 1989).

Among the recurring themes of these state officials were: 1) the difficulties of providing appropriate, personalized services when the predominant service model (ICF-MR) is based on uniform standards for "facilities," 2) the unavoidable financial influences on service decisions when federal cost sharing is more readily available for some services (e.g., large institutions) than for others (e.g., semi-independent living), 3) the escalating costs of meeting minimum ICF-MR standards, 4) the difficulty of stabilizing or reducing public institution expenditures despite continued deinstitutionalization, 5) the challenge of meeting the needs for "active treatment" and/or more appropriate residential placements for people with mental retardation and related conditions now living in nursing homes; and 6) major pressures for service system expansion to respond to growing waiting lists, accompanied by a growing perception that this cannot be accomplished without greater efficiency, flexibility and equitable federal financial participation for all appropriate services. In large measure these same themes have been the focus of deliberations at the federal level regarding reform of Medicaid programs for persons with mental retardation and related conditions.

To the concerns noted by state officials may be added those found at the federal level about the growing costs of the ICF MR program, from just over 1 billion dollars in FY 1977 to 6 billion dollars in FY 1988. There is also considerable debate about the extent to which the federal government should dictate, or at least influence substantially through different levels of financial participation, the size and nature of the service settings supported by federal funds. Such influence is often seen as contrary to the growing consensus that the best program decisions for individuals are made by those individuals and/or people who are particularly knowledgeable about their unique characteristics, abilities, needs and life circumstances. Such issues have dominated consideration of the need for significant reform of Medicaid's programs for persons with mental retardation throughout the 1980s. Presumably they will continue in the 1990s until some resolution is attained regarding the current incongruity between the generally perceived ideal service system for people with mental retardation and related conditions and the reality of the current Medicaid dominated system.

Purpose of Report

This report is not intended to directly respond to these concerns or possible means for their resolution. The concerns are real and are expressed by states throughout the nation (see Lakin et al., 1989). Reasonable legislative approaches to their resolution have been suggested. The purpose



of this report is simply to provide a description and an update of the status of the ICF-MR and related programs to assist in consideration of improvements to Medicaid services for jersons with mental retardation and related conditions. The report contains three basic sections: 1) a brief background description of the key Medicaid programs of interest; 2) state-by-state and national statistics on ICF-MR and related Medicaid Home and Community Based Services and nursing home utilization; and 3) a description of the characteristics of ICF-MR facilities and their residents, with comparative statistics for noncertified facilities, as well as a basic description of the characteristics of nursing home residents with mental retardation and related conditions, as obtained in the Institutional Population Component of the 1987 National Medical Expenditure Survey.



PART I: BACKGROUND OF ICF-MR AND RELATED MEDICAID PROGRAMS'

Federal Involvement Prior to ICFs-MR

Federal involvement in care for individuals with mental retardation and related conditions is fairly recent in this country. In the nineteenth century, public funding of services for persons with mental retardation was limited to state and local governments' responsibility for almshouses and other public institutions. Private charity and voluntary associations, on the other hand, were the only source of support for people with mental retardation who were living outside those public institutions. In 1935, after five years of declining revenues during the Great Depression, the U.S. Congress enacted Titles I, IV, and X of the Social Security Act to provide federal funds with which states could begin to provide direct cash assistance for certain classes of dependent individuals, notably elderly. Minu, orphans, and other "children deprived of parental support." The majority of recipients under these Titles were elderly persons living in their own homes. In fact, these initial Titles of the Social Security Act carefully precluded federal assistance for persons in institutional care, which was at the time becoming a growing burden to states. For example, from 1923 to 1935 the average daily populations of state mental retardation inclitutions nearly doubled from 48,000 to 90,000 (Lakin, 1979). Even persons who were elderly, blind, orphans, or other children deprived of parental support were not eligible for federal program participation if they resided in a public institution or in any institution for mental disease. When the Social Security Act was extended to include persons with disabilities under the Aid to the Permanently and Totally Disabled (Titles XIV and XVI) in 1950, the same prohibition extended to persons with disabilities living in institutions.

Major developments leading to federal participation in long-term care of persons with mental retardation came in the 1960s. Among these were the attention drawn to the needs of persons with mental retardation by the President's Panel on Mental Retardation, first appointed in 1961; the Maternal and Child Health and Mental Retardation Planning Amendments and the Mental Retardation Facilities and Community Mental Health Centers Construction Act, enacted in 1963; and, beginning with Senator Robert Kennedy's well-publicized inspections of New York State institutions in 1954, the national attention drawn to the inadequacy, abuse, and overcrowding within state institutions. Another important step in the eventual federal involvement in long-term care for persons with mental retardation came indirectly with the Kerr-Mills Act in 1960, which established open-ended federal reimbursement according to a federal-state matching formula to the states for medical assistance costs, even though the Act was originally limited to aged populations.

In 1965, Medicaid was enacted as Medical Assistance, Title XIX of the Social Security Act. It contained the structural characteristics of the Kerr-Mills Act, but extended medical assistance to people in the categories of blind, disabled, and dependent children and their families as well as to elderly people. Although at least some persons with mental retardation were thus included for Medical Assistance, Title XIX also carried forward the exclusions of otherwise eligible persons in public institutions (except "medical institutions") and in any institution for mental diseases. An exception was that states could claim Federal Financial Participation (FFP) for residents 65 years and older in psychiatric institutions which met established standards. Importantly, although persons in public mental retardation institutions were still excluded from coverage, otherwise eligible adult



The discussion on pages 3-5 was adapted from E. Boggs, K.C. Lakin, & S. Clauser (1985).

residents of private nursing homes, including facilities serving people with mental retardation, became qualified for Medicaid participation if the homes met established standards.

Thus Title XIX brought a number of incentives that were not necessarily beneficial to persons with mental retardation in long-term care settings. First, states were stimulated to concentrate the funds they had available for improving public institutions on their mental hospitals, virtually all of which had substantial numbers of residents 65 years or older. Indeed, on June 30, 1964 public mental institutions held 144,000 residents age 65 years or older, or, in comparison, about three-quarters as many people as were in state mental retardation institutions (Lakin, 1979; National Institute on Mental Health, 1975). In return for efforts to bring their mental hospitals into compliance with Title XIX standards, states were rewarded with federal contributions of at least half the costs of caring for residents who were elderly. Second, states had an incentive to convert their public institutions into "medical institutions," that is, Skilled Nursing Facilities (SNFs). Once done the residents were then eligible for inpatient coverage under Title XIX. Eleven states actually did so between 1966 and 1969. But as a General Accounting Office (1970) audit in 1970 noted, SNF standards generally required more medical services than most residents needed or. for that matter, actually received, and did so virtually to the exclusion of developmental programming. Finally, because FFP was available for residents with mental retardation in private facilities meeting either SNF or "intermediate care" (ICF) nursing home standards (the latter being under Title XI from 1967 until conjoined with Title XIX in 1971), it was relatively easy and financially beneficial for states to transfer people with mental retardation to private nursing homes. The effects of this policy are still felt today as nursing homes remain a major residential alternative, with an estimated 40,000 to 45,000 residents with a primary diagnosis of mental retardation in nursing homes nationwide (Lakin, Hill, & Anderson, in press; see also Parts II and III of this report). By 1970 the effects of these policies were increasingly viewed as detrimental to providing the kinds of residential care then consid_red most appropriate.

Establishment of the ICF-MR Program

It was only shortly after the introduction of federal reimbursement for skilled nursing care that the U.S. Senate noted rapid growth in the numbers of people who were becoming patients in Skilled Nursing Facilities. It was further documented that many of these individuals were receiving far more medical care than they actually needed, at a greater cost than was needed, largely because of the incentives of placing people in facilities for which half or more of the costs were reimbursed through the federal Title XIX program (U.S. Senate, 1967). Therefore, in 1967, a less medically oriented and less expensive "Intermediate Care Facility" (ICF) program for elderly and disabled adults was authorized under Title XI of the Social Security Act. Although ICF standards still primarily addressed medical and personal care needs, they required less intensive medical services than did the SNF standards. In 1971 the SNF and ICF programs were combined under Title XIX. Within the legislation combining the two programs was a little noticed, scarcely debated amendment that for the first time authorized FFP for "intermediate care" provided specifically in facilities for people with mental retardation. The authorization of Intermediate Care Facilities for the Mentally Retarded (ICF-MR) was the culmination of considerable lobbying on the part of the National Association for Retarded Citizens and a number of directors of state mental health or related agencies.

Three primary outcomes of the ICF-MR legislation appear to have been intended by Congress. First, the ICF-MR program was clearly intended to provide substantial federal stimulation through the availability of FFP for upgrading the physical environment and the quality of care and habilitation being provided in public mental retardation institutions. Second, it is probably fair to say



that there was intent to neutralize the previously existing incentives for states to place persons with mental retardation in nonstate nursin; homes or certify their state institutions as SNFs in order to gain FFP. A third and related intention was to provide FFP for care and habilitation specifically designed to meet the specialized needs of persons with mental retardation--specifically, "active treatment" and "health or rehabilitative services" rather than focusing exclusively upon medica, care. A fourth desired outcome, not as readily apparent as the first three and more doubtfully achieved, was that federal funding would only support, not supplant, the existing levels of state funding for residential services to result in improved conditions. (The requirement of state maintenance of effort actually expired in 1975.) Clearly, too, an outcome desired by many proponents of the new ICF-MR program, some of whom were in Congress, was to find a way for the federal government to assist states in affording the rapidly increasing costs of state institution care. States were experiencing average real dollar increases of 14% per year in the five years prior tc the passage of the ICF-MR legislation, a real dollar growth rate even greater than that experienced since the ICF-MR legislation was enacted (Greenberg, Lakin, Hill, Bruininks, & Hauber, 1985).

The ICF-MR program was initiated in a period of rapid change in residential care for perions with mental retardation. For example, by Fiscal Year 1973 the population of state institutions had decreased to 173,775 from a high of 194,650 in Fiscal Year 1967 (Lakin, 1979). Public and professional perceptions about the appropriateness of large institutional care were clearly changing. Nevertheless, states overwhelmingly opted to participate in the ICF-MR program. Two notable outcomes were that 1) nearly every state took steps to secure federal participation in paying for state institution services, and 2) in order to maintain federal participation, most states were compelled to invest substantial amounts of state dollars in bringing institutions into conformity with ICF-MR standards. As evidence of these outcomes 40 states had at least one ICF-MR certified state institution by June 30, 1977. Nearly a billion state dollars were invested in institutional improvement efforts in Fiscal Years 1978-1980 alone, with a substantial majority of those dcllars being invested in improvements directly related to meeting ICF-MR standards (Gettings & Mitchell, 1980).

In the context of growing support for community-based residential services, such statictics were used by a growing number of critics to charge that the ICF-MR program 1) had created direct incentives for maintaining people with mental retardation in state institutions by providing federal payment of from 50% to 80% of the costs of care in those facilities; 2) had diverted funds that could otherwise have been spent on more integrated, community-based programs into extremely costly institution renovations solely to obtain FFP; and 3) had promoted numerous inefficiencies (and often enhanced dependency) by promoting a single uniform standard for care and oversight of ICF-MR residents irrespective of the nature and degree of the residents' disabilities and/or their relative capacity for independence. These criticisms, and the growing desire to increase residential opportunities in community settings, along with the continued desire of states to avail themselves of the favorable federal cost-share for ICF-MR care, helped stimulate the development of small ICF-MR facilities and the eventual clarification by the Health Care Financing Administration (HCFA) of how the ICF-MR level of care could be delivered in relatively small (4-15 person) group homes.

Small ICF-MR Certified Facilities

The expansion of the ICF-MR program beyond use only for public institutions was a major development. Private residential facilities were not an issue at the time of original enactment, probably because: 1) most of the total capacity of private facilities was already technically covered under the 1967 amendments to the Social Security Act authorizing private ICF programs, and 2) in



1971 state facilities were by far the predominant model of residential care. Indeed, the 1969 Master Facility Inventory indicated a total population in nonstate mental retardation facilities of about 25,000, compared with a state mental retardation institution population of 190,000 (Lakin, Bruininks, Doth, Hill, & Hauber, 1982).

Significantly, although Congressional debate had focused on public institutions, the statute did not specifically limit ICF-MR coverage, standards, or reimbursement to publicly operated facilities. The definition of "institution" which serves at the basis for participation in the ICF-MR program is the one that also covers the general ICF institution. This definition includes facilities serving "four or more people in single or multiple units" (45 CFR Sec. 448.60 (6) (1)). Although it cannot be determined whether Congress, in authorizing a "four or more bed" institution, purposely intended the ICF-MR benefit to be available in small facilities, it does seem reasonable to suppose, in the absence of specific limitations, that Congress was more interested in improving the general quality of residential care than it was in targeting specific types of facilities. Regulations governing ICF-MR certification, published in January 1974, also supported the option of developing relatively small facilities. These regulations delineated two categories of ICFs-MR, those housing 16 or more and those housing 15 or fewer residents. Further, the regulations contained several specifications that allowed greater flexibility in meeting the standards for small facilities.

Despite the regulatory provisions which recognized and to some extent facilitated the development of small ICFs-MR, the numbers of such facilities actually developed varied enormously among states. Furthermore, while the states in some DHHS regions (e.g., Region V) had developed hundreds of small ICF-MR certified facilities, other regions (e.g., II and X) had none. The variations among states and regions reflected what some states and national organizations considered a failure of HCFA to delineate clear and consistent policy guidelines for certifying small facilities for ICF-MR participation and/or reluctance on the part of some regional HCFA agencies to promote the option for states to do so. Such criticisms were seen as evidence of a lack of commitment within HCFA to support the expressed federal goal of deinstitutionalization.

In response to continued complaints from the states that there was a need to clarify policy regarding the certification of small ICFs-MR, in 1981 HCFA issued "Interpretive Guidelines" for certifying small facilities. These guidelines did not change the existing standards for the ICF-MR program. Their purpose was simply to clarify hew the existing standards for ICF-MR certification could be applied to programs delivering the ICF-MR level of care in facilities with 4 to 15 residents. Even though the guidelines did not substantially at level of care in facilities with 4 to 15 residents. Even though the guidelines did not substantially at level of care in facilities with 4 to 15 residents. Even though the guidelines did not substantially at level of care in facilities with 4 to 15 residents. Even though the guidelines did not substantially at level of care in facilities with 4 to 15 residents. Even though the guidelines did not substantially at level of care in facilities with 4 to 15 residents. Even though the guidelines did not substantially at level of care in facilities with 4 to 15 residents. Even though the guidelines did not substantially at level of care in facilities with 4 to 15 residents. If the program, they were viewed as important in demonstrating the degree of flexibility available in providing the ICF-MR level of care. It is also clearly the case that publication of the guidelines was followed by substantially greater numbers of states exercising the option to develop small ICFs-MR. Ironically, these guidelines were published in the same year (1981) that Congress enacted legislation that would give even greater programmatic flexibility to states in their use of Medicaid funding, the Medicaid Home and Community-Based Services waiver acception 2176 of P.L. 97-35).

Intensified Federal Look-Behind

The federal Health Care Financing Administration (HCFA) provides federal oversight of state implementation of the ICF-MR program. The oversight includes development of standards for providing the ICF-MR services authorized by Congress and monitoring of state efforts to assure that ICF-MR providers are in compliance with federal program standards. Congressional hearings in 1984



gave considerable attention to reports of poor quality and abusive conditions in some residential settings that states had certified as ICFs-MR for federal financial participation. Particular interest centered on two problems: 1) delegation to states of responsibility to monitor their own state institutions; and 2) limited effort by HCFA to ensure that state certification efforts were sufficient to assure compliance with ICF-MR standards. As a result of the 1984 hearings, Congress allocated funds for over 50 new positions at HCFA to carry out substantially intensified federal "look behinds" of state program review efforts. Not only did federal oversight efforts become more numerous but they also shifted markedly from review of administrative procedures and compliance with basic health and safety standards to direct monitoring of residential and habilitation services ("active treatment") provided to residents. The lock behind surveys resulted in numerous corrective actions being required. Many corrections required higher ratios of staff to residents, especially among the professional staff whose availability is considered integral to the concept of active treatment as defined in federal regulations. Many states were required to increase staffing levels and/or reduce populations of large state facilities in order to maintain their ICF-MR certification. Some facilities, primarily older state institutions, also were cited for numerous deficiencies related to the physical plant. Although frequently described as a difficult experience, the look behind surveys have been seen by many as helpful in improving program quality, in stimulating improvements in the quality assurance process itself, and in helping to clarify the rationale for state agency preferences for community-based residential services (Lakin et al., 1989). However, required corrections were described as so costly in some cases as to reduce significantly the amount of funding available for expansion of community-based services. This was particularly true where substantial increase in staffing levels or major capital improvements were necessary. Perhaps most relevant to the ongoing debate about the future role of the ICF-MR program in the evolution of residential services, there has been considerable doubt expressed by government officials and advocates alike about whether the generally costly corrections required actually had a notably positive effect on the quality of life and active treatment received by residents, particularly those in large institutions (Lakin et al., 1989).

Phase Down Option

The ultimate sanction that may result from state or federal findings of non-compliance with federal regulations by an ICF-MR can be termination of the provider agreement, thereby making the ICF-MR ineligible for reimbursement of costs under Medicaid. In practice, few terminations of provider agreements have resulted from the intensified review of ICF-MR programs since 1985. Other actions have been taken to require corrections by ICFs-MR found not in compliance with federal standards. Nevertheless, threat of termination of a provider's agreement is a powerfil incentive. There was concern that states might, under threat of terminations for non-compliance, expend funds to bring facilities into compliance that might be used more effectively to develop community services. As a result, the Consolidated Omnibus Reconciliation Act of 1985 (P.L. 99-272) contained provision for an optional response to deficiencies identified in federal look behind surveys. To correct deficiencies, an ICF-MR facility could employ a planned phase down of all or part of the facility that would extend beyond the normal time periods allowed for compliance, provided that the deficiencies did not pose a "significant threat" to residents' health or safety. Final regulations for this program were published in January 1988, with the provisions of the phase down option interpreted by HCFA as being applicable only to deficiencies identified in surveys conducted after the regulations were published. Since this interpretation did not allow states to use the option for facilities found deficient in surveys conducted between 1985 and 1987, the option has been of little use to date in avoiding large scale investment in inefficient and obsolete facilities and had virtually no effect on the June 30, 1988 utilization data presented in this report.

ERIC Full faxt Provided by ERIC

7

New ICF-MR Regulations

In June 1988, the Health Care Financing Administration (HCFA) published revised regulations to govern the ICF-MR program, effective in October 1988. These regulations included a number of significant changes in the conditions for participation in the ICF-MR program. While the changes are too numerous to outline in detail here, the increased flexibility in ways by which facilities can meet the various service requirements of the 1971 legislation is noteworthy. At the same time, considerably increased attention has been given in the new regulations to the conditions for "active treatment" and "client behavior and facility practices." In the new standards it is cler that ICFs-MR will be expected to pursue aggressive, planful and monitored programs of treatment. It is also clear that HCFA considers persons who are not in need of "active treatment" to be persons who, "by definition," are inappropriately placed in ICFs-MR. Whether this will have effects over time on the ICF-MP, placement of persons with relatively mild levels of impairment which Sequently is the case in small community-based, ICFs-MR is not clear. However, it is clear from data presented in Part III that there are on average few differences between people living in community-based ICFs-MR and those living in other community facilities.

ò

Medicaid Waiver

Section 2176 of the Omnibus Budget Reconciliation Act of 1981 (P.L. 97-35), instead on August 13, 1981, established the Medicaid Home and Community-Based Services waiver authority. Under this section, the Secretary of Health and Human Services was granted the authority to waive certain existing Medicaid requirements and allow states to finance certain "non-institutional" services for Medicaid-eligible individuals. The waiver was designed to provide home and community-based services for people who are aged, blind, disabled, or mentally retarded or who have a related condition and who, in the absence of alternative services, would remain in or would be placed in a Medicaid facility (i.e., Skilled Nursing Facility, an Intermediate Care Facility, or an Intermediate Care Facility for the Mentally Retarded). These waivers were operated under interim rules from October 1981 until March 1985, when the final regulations were published.

Non-institutional services that can be provided under the waiver include case management, personal care services, adult day health services, habilitation services, respite care, or any other service that a state can show will lead to decreased costs for Medicaid funded long-term care. Although not allowed to use the waiver to pay for room and board, virtually all states that use the waiver for persons with mental retardation do provide a portion of residential service under the categories of personal care, habilitation, and homemaker services, while in most instances using cash assistance from other Social Security Act programs to fund the room and board portion of the residential care program. Given both its flexibility and its potential for promoting the goal of community-based care and habilitation, the waiver has generally been recognized as having considerable potential in assisting states in the provision of community-based services as an alternative to institutional care.

The overriding fiscal principle in providing waiver services is that a state must explain in its waiver application how, if it uses the waiver to provide non-institutional, community-based services, the total amount of state Medicaid expenditures will not exceed total expenditures in the absence of the waiver. States have used two main arguments in justifying these assurances: 1) that existing ICF-MR capacity can be "closed" (people would be deinstitutionalized and not replaced) as a result of services provided through the waiver; and/or 2) that new ICF-MR capacity that otherwise would have been opened will not be opened because people will be diverted from institutional care as a result



of the services provided through the waiver. Two recent publications (Lakin et al., 1989; Smith & Gettings, 1989) have documented both the attractiveness of the waiver option to states in providing noninstitutional services and the sense of frustration they feel in having their utilization of this option directly linked to reduced ICF-MR utilization. Most states today seek substantive Medicaid reform that would provide the kinds of flexibility to provide services outside ICF-MR certified settings as available under the waiver, but without the specific limits on beneficiaries or amount of federal funding now experienced under the Medicaid waiver (Lakin et al., 1989). Legislative proposels attempting to provide such flexibility through changes in the Medicaid program for persons with mental retardation and related conditions have been introduced in both Houses of the U.S. Congress.

o

0

Nursing Home Restrictions

Almost from the inception of Medicaid long-term care benefits concern was expressed about the reimbursement incentives created for states to place persons with mental retardation and related conditions in nursing facilities (National Association for Retarded Citizens, 1975). There was a sense among the advocccy community that many more people with mental retardation and related conditions were living in nursing homes than could be thought to be appropriately served in them. In time supportive documentation became available. For example a 1985 study of 2,700 nursing home residents with mental retardation and related conditions (Davis, Silverstein, Uehara, & Sadden, 1987) concluded that only 10% needed services warranting nursing home placement. In 1987 Congress responded to these and other criticisms of nursing home care in the Omnibus Budget Reconciliation Act of 1987 (P.L. 100-203). Provisions of this legislation were intended to reduce and eliminate inappropriate placements of persons with mental disorders in nursing homes. They restricted criteria for admissions to Medicaid reimbursed nursing facilities, so that only those persons requiring the medical/nursing services offered could be admitted. Current residents not in need of nursing services were required to be moved to "more appropriate" residential facilities, with the exception of individuals living in a specific nursing home for more than 30 months should they choose to stay. In either case nursing facilities are required to assure that each person's needs for active treatment are met. Presumably this legislation will have a substantial effect on both the numbers and experiences of people with mental retardation and related conditions living in nursing homes.

New Proposals for Title XIX Reform

The predominance of large institutions within the ICF-MR p ogram in a period when community-based care is generally believed to be, and is rather consistently demonstrated to be preferable to institutional care (Larson & Lakin, 1989), continues to focus critical attention on the ICF-MR program. Clarifications regarding small ICFs-MR, the creation of the Medicaid waiver option, and revised ICF-MR regulations published in 1988 have assisted states in using Medicaid longterm care funds for settings other than large institutions. But as will be seen in the statistics presented in this report, the combined number of all residents of small (4-15 resident), community ICFs-MR and waiver service recipients still incl. es only about a third of the total number of all ICF-MR and waiver service recipients. Because of this imbalance a great deal of attention has been given in recent years to the advisability of open-ended federal tost-sharing of a single model of long-term care while other, often more desirable an better integrated options (e.g., foster care, semiindependent living) have limited access to federal support. Critics of contemporary federal policy note further that it is the families who care for their own disabled members who are least likely to receive needed support from public programs, even though "family care" is recognized as often the most desirable and almost always least costly of the residential possibilities for persons with mental



retardation and related conditions (see, for example, Mitchell, 1987). Fills currently introduced in both the U.S. Senate and House of Representatives have attempted to respond to these concerns.

Beginning in 1983, Senator John Chafee of Rhode Island has introduced s series of three bills designed to respond to criticisms of the current ICF-MR program. The most recent version was first introduced in 1987 as the "Medicaid Home and Community Quality Services Act" and not being acted upon in the 100th Congress was reintroduced in 101st Congress in 1989. This proposed legislation would significantly amend Title XIX and its provisions for persons with mental retardation and related conditions. Among the bill's more visible features are that it would make open-ended Medicaid funding available for services to people in natural, adoptive, or foster family homes and in small individual or group living arrangements while essentially freezing the real dollar federal contributions to states for services to people in large facilities (16 or more residents). The bill would require states to provide several community and family support services (case management; individual and family supports such as attendant care, respite care, assistive and communicative devices; vocational services and protective intervention against abuse and neglect). Other community-based services could be optional for participating states. Each state would be required to develop a specific implementation strategy that would define the component parts of its program, including the standards and procedures for assuring the quality of services provided in the state's program.

In the House of Representatives, Henry Waxman and colleagues introduced the "Medicaid Community and Facility Habilitation Amendments of 1989." This bill was actually approved in the House of Representatives as one part of the massive omnibus budget reconciliation package of 1989. However, lacking the passage of companion legislation in the Senate, it was one of many programs deleted in the final Senate/House compromise bill. The new 1990 Medicaid Community and Facility Habilitation Amendments bill is essentially the same as the earlier bill. The major aspect of the bill that responds to current state concerns is the authorization for states to provide community habilitation and supportive services as an optional Medicaid program. However, states for the most part are unhappy with a number of proposals within the bill. These include federal determination of the standards for community services, job protection requirements for institutional workers displaced by phase-down of institutional services, the making of most current regulatory standards for ICFs-MR (relabeled "habilitative facilities") statutory with increased enforcement provisions, and establishment of very demanding requirements for state financial maintenance of effort. Senator Exon of Nebraska has also introduced this bill in the U.S. Senate.

The statistics presented in this paper focus on topics of utilization, change, and beneficiary characteristics in the ICF-MR program and in a more limited way certain related programs. Many of these findings are directly relevant to the ongoing evaluation of present Medicaid policy at the federal level. They show where the ICF-MR and Medicaid waiver programs currently stand in terms of utilization, where they have been, and with cautious extrapolation where they appear to be heading. In the discussion of findings Medicaid programs are often treated as though they are a single federal program. To the extent that they derive from a common federal entitlement program they are. But Medicaid programs are ultimately shaped by the policies of individual states and states vary dramatically in their Medicaid funded residential programs. Therefore, the data in Part II on program utilization are presented for individual states as well as the nation as a whole. These data also show longitudinal national trends in Title XIX services for persons with mental retardation and related conditions, sampled as part of the National Medical Expenditure Survey of



1987 to describe certain characteristics of people in ICFs-MR and to compare them with data on people in noncertified facilities. An additional sample of 204 persons with mental retardation and related conditions were identified among the 3,347 total individuals sampled in nursing homes as part of the same National Medical Expenditure Survey. Hopefully those data together can contribute to evaluating current Medicaid programs, the challenges facing them, and the possibilities for their reform.



PART II: UTILIZATION OF ICFs-MR AND RELATED MEDICAID PROGRAMS

Method

Since 1976, the Center for Residential and Community Services (CRCS) has been conducting individual facility and state agency surveys that have permitted periodic evaluation of the number, size, and type of facilities participating in the ICF-MR program, the number and characteristics of persons residing in them, and the number of people with mental retardation and related conditions receiving Medicaid waiver services.

Facility Surveys, 1977 and 1982

In 1977-1978 CRCS, with funding from the Administration on Developmental Disabilities, undertook a survey as of June 30, 1977 of all state-licensed, state-contracted, or state-operated residential facilities in the United States serving persons who were mentally retarded/developmentally disabled. In 1982, CRCS received primary funding from the Health Care Financing Administration (HCFA), with supplemental support from the Administration on Developmental Disabilities, to replicate the earlier study as of June 30, 1982. In both studies, an identical operational definition of residential facility was employed:

Any living quarter(s) which provided 24-hour, 7-days-2-week responsibility for room, board, and supervision of mentally retarded people as of June 30, 1977/1982, with the exception of: (a) single family homes providing services to a relative; (b) nursing homes, boarding homes, and foster homes that are not formally state licensed and contracted as mental retardation service providers; and (c) independent living programs that have no staff residing in the same facility.

Both studies gathered data on both ICF-MR certified and non-certified facilities. The specific methods for identifying and surveying these facilities is described in Lakin, Hill, and Bruininks (1985). There were a total of 574 ICF-MR certified facilities in operation in 1977 and 1,853 in operation on June 30, 1982.

State Agency Surveys, 1985 and 1988

Since 1985 statistics on ICF-MR and noncertified facility utilization and related statistics have been gathered as part of the "Recurring Data Set Program," funded by the Administration on Developmental Disabilities. This project actually began in 1978, but data collection until 1985 was limited to state-operated facilities. A 1984 feasibility study indicated that in all but three states, through state mental retardation and/or state Medicaid agencies, it was possible to obtain statistics on the total number of ICF-MR certified facilities and facility residents by state/nonstate facility operation and by size (15 or fewer/16 or more residents) as of June 30. In addition, all but 3 states indicated the ability to report the number of Medicaid waiver recipients and nursing home residents as of June 30, or the last day of the state fiscal year. As part of the feasibility study, key data sources were also identified in each state for the new data elements.

Beginning for Fiscal Year 1985 the Recurring Data Set Program was expanded to include state and nonstate ICF-MR and noncertified facilities, broken down into size categories of large (16 or more residents) and small (15 or fewer residents). For Fiscal Year 1986 recipients of Medicaid



waiver services and nursing home residents with mental retardation and related conditions were also added. In 1988 a third size category (6 or fewer residents) was added to the survey. Response rates for these various data elements have been 98% or greater for every year since 1985. Missing data for a specific year have been estimated by the latest available data from that state. In 1988, response rates were 98% for all data elements with Massachusetts only able to report 1987 statistics.

Findings

General Overview

Growth in use of the ICF-MR program, rapid during the first decade following its enactment, slowed dramatically after 1982. An increase of less than 5,500 ICF-MR residents over six years, from 140,682 on June 30, 1982 to 146,134 on June 30, 1988, contrasted sharply with the rise of over 33,000 in ICF-MR population during the preceding five years. While growth in the use of the ICF-MR program slowed markedly in its second decade, a new program alternative for persons eligible for ICF-MR care contributed to a continuing increase in the total number of ICF-MR eligible Title XIX beneficiaries. Following enactment in 1981, the Title XIX waiver Home and Community-Based Services (HCBS) program expanded rapidly. On June 30, 1988, 28,689 persons, 16.4% ci the combined ICF-MR and Medicaid waiver beneficiaries were receiving Medicaid Home and Community Based ("waiver") Services.

In addition to a significantly reduced rate of growth in the total number of ICF-MR residents and a rapid increase in the number of waiver services recipients, the number of residents in large (i.e., 16 or more residents) ICFs-MR continued to decline, from 130,9% on June 30, 1982 to 117,280 on June 30, 1983. During the same period, use of small (i.e., 15 or fewer residents) ICFs-MR increased by more than 19,000 residents. Of this increase, about one-third occurred in ICFs-MR of six or less residents.

Overall, from 1982 to 1988, the nature of Medicaid participation in the service system for persons with mental retardation and related conditions changed substantially in the direction of community-based services. In 1982 the 9,714 small ICF-MR residents and 1,605 Medicaid waiver recipients made up 8% of the total ICF-MR and Medicaid waiver recipients. On June 30, 1988, 57,676 persons lived in small ICFs-MR or received Medicaid waiver services. Together, these community programs served some 33% of the total ICF-MR and waiver beneficiaries. In Fiscal Year 1982, the Federal expenditures for these community-based programs were 5.8% of the combined federal ICF-MR and waiver expenditures. By 1988 they were about 22% of the combined federal funding.

In the following pages statistics on the status and change in the ICF-MR program are also presented with respect to the state or nonstate operation of facilities. Historically ICF-MR services have been provided primarily in state-operated facilities. On June 30, 1977, 87.5% of 106,166 total ICF-MR service recipients lived in state-operated facilities. On June 30, 1982, 77.3% of 140,682 ICF-MR recipients lived in state-operated facilities. On June 30, 1988, 60.7% of 146,134 ICF-MR recipients lived in state-operated facilities. The steady decrease in the proportion of ICF-MR recipients living in state-operated facilities is a result of substantial depopulation of state institutions over the period and the development of a community-based residential care system primarily made up of private service providers.



Statistics in Part II of this report are presented on a state by state basis. This reflects the fact that Medicaid ICF-MR and Medicaid waiver programs are stale option programs. States provide them if they choose, where they choose, and, save the restrictions noted above in waiver utilization, to as many people as they choose. The "national program" is merely the accumulation of programs which states develop based on their individual perceptions of the benefits of program participation. Because states' perceptions of benefit vary considerably, so too does the nature and size of their ICF-MR programs (see Lakin et al., 1989, for a discussion of these perceptions). Therefore, as will be discussed later, state participation in the ICF-MR program varies from including less than one-third of total residential populations in 7 states to including more than two-thirds in 10 states.

The discussion of the status and change in the ICF-MR program that follows is based on the statistics presented in Tables 1 through 6. Tables 1, 2, 3 and 4 present statistics on ICF-MR facilities and residents by state, size, and state/nonstate operation on June 30, 1977, June 30, 1982, June 30, 1986, and June 30, 1988, respectively. Table 5 shows the net change among the states in these same categories between 1982 and 1988. Table 6 compares June 30, 1988 ICF-MR utilization with the total residential care system in each of the states on the same date.

Nonstate ICF-MR Certified Facilities

The period from 1977 to 1988 produced a steady and significant shift toward nonstate operation of ICFs-MR. In 1977 the 13,312 nonstate ICF-MR residents made up only 12.5% of all ICF-MR residents. By 1982, 31,974 nonstate ICF-MR residents made up 22.7% of all ICF-MR residents. By 1986, 49,875 nonstate ICF-MR residents made up 34.6% of all ICF-MR resident^e On June 30, 1988, 57,436 or 39.3% of all ICF-MR residents were in nonstate ICFs-MR. Growth in the number of nonstate ICF-MR residents has been evident in both large and small nonstate facilities.

Large nonstate facilities. Since 1977 there has been a strong trend toward greater "privatization" of all residential care, including that provided in ICFs-MR. While as part of this process the growth in the number of residents in small nonstate ICFs-MR between 1977 and 1986 was proportionally more rapid and generally more attended to than the growth in the number of residents in large nonstate ICFs-MR, there was actually a larger net population increase in large ICFs-MR than in small ones from 1977 to 1986 (19,987 and 16,576, respectively). However, from 1982 to 1988, increase of residents in small nonstate ICFs-MR was twice that in large nonstate facilities. Small facilities grew by 16,991 residents, as compared with 8,471 in large ICFs-MR.



Table 1: ICF-MR Certified Facilities and Residents on June 30, 1977

	Facilities									Residents								
		State			Nonstate			VII By Siz	e	State				Nonstate		All by Size		
	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	1-1	16+	Total
Alabama	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Alaska	0	1	1	1	1	2	1	2	3	0	105	105	10	20	30	10	125	135
Arizona	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Arkansa.	0	5	5	0	2	2	0	7	7	0	1,338	1,338	0	47	47	0	1,385	1,385
California	0	4	4	0		0		4	4	0	0	0	0	0	0	0	0	0
Colorado	1	3	4	7	5	12	8	8	16	8	4,158	4,166	65	306	371	73	4,464	4,537
Connecticut	8	7	15	2	0	2	10	7	17	85	583	663	19	0	19	104	583	687
Delaware	0	1	1	Û	0	0	0	1	1	0	477	477	0	0	0	0	477	477
D.C.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Florida	0	4	4		2	3					279_	279	15	75	91		355	370
Georgia	0	6	6	0	0	0	0	6	6	Q	2,369	2,369	0	0	0	0	2,369	2,369
Hswaii	0	1	1	0	0	0	0	1	1	0	524	524	0	0	0	0	524	SZA
Idahū	0	1	1	0	1	1	0	2	2	0	553	553	0	30	30	0	583	383
Illinois	0	13	13	0	26	26	0	39	39	0	2,568	2,568	0	2,785	2,785	0	5,353	5,353
Indiana		2	2	0		0		2	2	0	1,026	1,026	<u> </u>		<u> </u>	<u> </u>	1,026	1,025
Iowa	0	2	2	0	0	U	0	2	2	0	1,452	1,452	U	0	207	0	1,432	1,434
Karsas	0	4	4	0	0	6	0	10	10	Ű	1,443	1,443	U	307	307	0	1,510	1,810
Kentucky	0	3	3	0	4	4	0	7	7	0	409	469	U	550	550	0	2 602	2 (2 2
Louisiana	0	10	10	0	4	4	0	14	14	U	3,441	3,241	0	431	401	0	3,062	3,004
Maine	<u> </u>	2		<u> </u>	-4	4	<u> </u>		<u> </u>	<u> </u>	197	1 267	·····		113		1 267	1 267
Maryland	0	0	0	Ű	U	U A	0	0	7	0	1,00/	4 242	0	0	0	0	4747	4 242
Massachusetts	0		10	Ű	U	U O	Ű	12	10	0	4,442 5 760	5760	0	0	0	Ň	5 760	9,272 5760
Michigan	0	12	12		22	144	112	14	154	0	3,100	2,100	1 052	1 724	2776	1 052	A 751	< 202
Minnesola	0	2	0	113	33	140	113	41	134	Ň	255	255	1,052	226	2110	1,052	4,201	A01
Mississippi		- 4	<u> </u>		<u>A</u>	<u>4</u>			 0		1812	1 842		200	200	<u> </u>	2051	2 051
Masoun	Å	5	5	Ň	7	ň	Ň	,	,	Ň	1,0,2	1,012 C	ň	~	~~~	ŏ		<i>2</i> ,021
Montana	Å	2	2	Ň	2	2	Ň	6	6	ň	958	958	ň	309	308	ŏ	1.356	1.356
Neurode	Ň	3	5	Ň	5	5	Ň	ň	ň	้อ	0	0	ő	0	0	ŏ		.,
New Hampehire	ň	1	1	ň	1	1	ŏ	2	2	ŏ	264	264	ŏ	24	24	ŏ	288	288
New Terrey	<u> </u>	5	5	0	0	- <u></u>	0	5	5	0	525	525	0	0	0	0	525	525
New Merico	ŏ	2	2	ŏ	Ō	Ō	ŏ	2	2	ō	426	426	Ő	Ō	Ō	Ō	426	426
New York	ŏ	24	24	3	1	4	3	25	28	ō	18.401	18.401	36	164	200	36	18,565	18,601
North Carolina	ō	6	6	Ō	ī	1	Ō	7	7	Ō	2,003	2,003	0	70	70	0	2,073	2,073
North Dakota	ō	Ō	Ō	ō	Ō	ō	Ō	Ó	Ó	Ō	Ő	0	0	0	0	0	0	0
Ohio	0	11	11	6	12	18	6	23	29	0	1,696	1,696	44	748	792	- 44	2,444	2,488
Oklahoma	Ō	3	3	Ō	0	0	0	3	3	0	1,978	1,978	0	0	0	0	1,978	1,978
Oregon	0	2	2	Ō	4	4	0	6	6	0	1,781	1,781	0	208	208	0	1,989	1,989
Pennsylvania	Ō	19	19	Ō	3	3	0	22	22	C	6,935	6,935	0	420	420	0	7,355	7,355
Rhode Island	0	1	1	1	0	_1	_ 1_	1	2	0	756	756	7	0	7	_7_	756	763
South Carolina	5	7	12	0	2	2	5	9	14	40	903	943	0	74	74	40	977	1,017
South Dakota	Ō	2	2	0	0	0	0	2	2	0	540	540	0	Ũ	0	0	540	540
Tennessee	0	4	4	0	2	2	0	6	6	0	2,111	2,111	0	38	38	0	2,149	2,149
Texas	27	16	43	7	8	15	34	24	58 (223	9,497	9,720	54	712	766	277	10,209	10,486
Utah	Q	_1	1	0	7_	7	0	8	8	0	849	849	0_	344	3414	0	1,193	1,193
Vermont	0	1	1	0	0	0	0	1	i	0	352	352	0	0	0	0	352	352
Virginia	0	5	5	0	1	1	0	6	6	0	3,508	3,508	0	50	50	0	3,558	3,558
Washington	0	3	3	0	8	8	0	11	11	0	0	0	0	440	440	0	440	440
West Virginia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Wisconsin	0	3	3	6	11	17	6	14	20	0	2,280	2,280	52	1,364	1,416	52	3,644	3,695
Wyoming	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ø	0	0	0
U.S. Total	4 1	228	269	147	158	305	188	386	574	356	92,498	92.854	1.354	11.958	13.312	1.710	104,456	106,166
0.0. 1048	41		44.0	171	1.70									11.0	101	.,	00 4	1000
% ICF-MR Totals	7.1	39.7	46.9	25.6	27.5	53.1	32.8	0/.2	100.0			87.5	1.3	11.3			50.4	100.0

33

Most of the growth in the number of residents in large nonstate certified facilities over the past decade took place between 1977 and 1982 (an increase of 11,654), as states actively pursued certifying existing nonstate institutions. But the certification of large nonstate facilities continued at a high rate until 1986, after which net increase in number of large nonstate ICF-MR virtually ceased. From June 30, 1977 to June 30, 1982 states were on the average increasing large nonstate ICF-MR institution populations by 2,330 per year; from June 30, 1982 to June 30, 1986 the average annual increase was 2,080, or only 250 fewer. From June 30, 1986 to June 30, 1988 this increase virtually stopped, averaging less than 70 residents per year. It is also worthwhile to note that although the average size of large nonstate facilities decreased from 76 to 66 residents between 1977 and 1982, between 1982 and 1986 their average size decreased only from 66 to 62 residents, and from 1986 to 1988 to 61 residents. The net national increase of 8,333 residents in large nonstate ICF-MR between 1982 and 1986 was substantial, but not truly a national trend. It was caused by a few states actively undertaking certification of previously existing large nonstate facilities. In fact, three states alone accounted for 57% of the 1982-1986 increase of residents in large, nonstate ICF-MR institutions: Ohio (1,826), Florida (1,240), and Oklahoma (1,647). In the case of Oklahoma this increase not only did not represent newly established facilities, it did not even represent new Medicaid funding. The Oklahoma increase came from the recertification of mental retardation facilities that were previously certified ICF-general. The relative stability in large nonstate facilities from 1986 to 1988 was virtually nationwide, with the largest increase (409 residents) reported by Oklahoma and the largest decrease (356 residents) reported by California.

Small nonstate facilities. Small nonstate ICFs-MR have been afforded a great deal of attention in recent years. The primary reason for this attention is, of course, that with the exception of residential services funded under the Medicaid waiver, small ICFs-MR have been the only way for states to use the favorable federal-state cost-share under Medicaid to support community-based residential programs. On June 30, 1988 small nonstate ICFs-MR made up about two-thirds (73.2%) of all of certified facilities. On the other hand, only 17.3% of residents of ICFs-MR lived in small nonstate facilities. These numbers compare with 26% of facilities and 1.3% of residents in 1977, 55% of facilities and 6% of residents in 1982, and 68.5% of facilities and 12.4% of residents in 1986.

The development of small nonstate ICFs-MR has varied considerably from state-to-state since passage of the ICF-MR legislation. The extreme of the tendency was most evident in 1977 when Minnesota, the earliest adopter of the small ICF-MR option, had within its residential care system 77% of all small nonstate ICF-MR group homes nationwide (113) and 78% of all small nonstate ICF-MR residents. By 1982, small nonstate ICFs-MR were no longer predominantly a Minnesota program, but there remained a strong tendency toward concentration in a few states. On June 30, 1982, Minnesota and New York together had a majority (51.5%) of all residents nationally (28.8% and 22.7%, respectively). The five states which were the most intense users of small nonstate ICF-MR programs in 1982 (Minnesota, New York, Michigan, Indiana, and Rhode Island) together had 67.6% of all residents, as compared with only 21.5% of residents of all ICF-MR certified facilities. By 1988, the five most intense users of small nonstate ICF-MR programs in 1982 (Minnesota, New York, Michigan, Indiana, and Rhode Island) had less than half of all small nonstate ICF-MR residents (49.6%) and half the facilities (50.0%), while their share of all ICF-MR residents increased slightly to 22.6%. On June 30, 1977 only 10 states had 1 or more small nonstate ICF-MR. That number had increased to 35 in 1982, and to 39 in 1986, and to 40 in 1988. On June 30, 1988 nine states (California, Illinois, Indiana, Louisiana, Michigan, Minnesota, New York, Ohio, and Texas) together accounted for about three-fourths (74.5%) of all small nonstate ICF-MR residents, while



Table 2:	ICF-MR	Certified	Facilities and	Populations	On June 30	, 1982
						, ~ ~ ~ ~

	Facilities										Residents								
-		State			Nonstate	•		All By Size			State			Nonstate			All by Size		
	1.15	16+	Total	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	<u>1-15</u>	16+	Totel	<u> </u>	5 16+	Total	
Alabama	0	4	4	Ű	0	0	0	4	4	0	1,470	1,470	20	U	20	20	1,470	1,470	
Alaska	0	1	1	3	0	3 0	3	1	4	U 0	00	00 A		Ň		30	00	118	
Ashonese	ŏ	¢	č	Ň	Š	2	Ň	~	7	ő	5 254	1 354	ň	56	66	ň	1 420	1 423	
California	ă	2 8	2 8	ň	20	29	ň	37	37	ő	7.974	7.924	ő	2.450	2.450	ŏ	10.374	10.374	
Colorado	<u> </u>		<u> </u>	25	9	34	25	12	37		1.264	1.264	207	546	753	207	1.810	2.017	
Connecticut	21	ň	32	9	í	10	30	12	42	233	1.254	1.497	80	21	101	313	1,285	1.598	
Delaware	0	1	1	0	ō	0	0	1	1	0	513	512	0	Ö	0	0	513	513	
D.C.	Ō	1	ī	1	2	3	1	3	4	0	372	372	4	60	64	4	432	436	
Florida	0	7	7	6	12	18	6	19	25	0	1,407	1,407	63	658	721	63	2,065	2,128	
Georgia	0	8	8	0	1	1	0	9	9	0	2,381	2,381	0	110	110	0	2,491	2,491	
Hswzii	1	1	2	0	0	0	1	1	2	8	379	387	0	0	0	8	\$79	387	
Idaho	0	1	1	7	3	10	7	4	11	0	350	350	55	77	132	55	427	482	
Illinois	0	15	15	5	38	43	5	53	58	0	4,500	4,500	64	3,580	3,644	64	8,080	8,144	
Indiana	0		7	57	3		57		67	0	2,2%	2296	337	165	502	337	2,461	2,798	
lowa	0	3	3	0	8	8	0	11	11	0	1,296	1,298	0	317	377	Ŭ	1,673	1,673	
Kansaz	0	4	4	4	п	15	4	15	19	0	1,3/1	1,3/1 677	- 24	623	707	24	1 250	1 250	
Kentucky	0	3	3	0	10	0	22	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ج	2	2404	1/0	245	5/5 1 105	3/3	249	1,00	1,230	
Locisiana	2	10	12	یں 10	12	42	36	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	3.	12	3,420	3,439 276	122	1,105	2,350	124	4,001	4,047 620	
Manford			10	10		<u></u>	17		10	10	1.841	1.851	<u> </u>	<u> </u>		10	1.541	1.851	
Macrachusatta		2	10	ġ	Ň	ŏ	â	é	17	10	3 897	3,897	70	74	74	3.897	3,971	1,001	
Michigan	22	11	33	117	ŏ	117	139	11	150	133	3.165	3,298	704	Ö	704	837	3,165	4.002	
Minnenta	~	8		260	42	362	260	50	310	0	2.417	2.417	2412	2.070	4.482	2.412	4.487	6.899	
Mississippi	ŏ	Š	Š	0	6	6	0	11	11	ŏ	999	999	0	615	615	0	1,614	1,614	
Missouri	0	5	5	8	0	8	8	5	13	0	1,813	1,813	65	0	65	65	1,813	1,878	
Montana	0	2	2	2	0	2	2	2	4	0	273	273	17	v	17	17	273	290	
Nebraska	1	2	3	4	3	7	5	5	10	13	558	571	29	380	409	42	938	980	
Nevada	0	2	2	1	1	2	1	3	4	0	160	160	15	0	15	15	160	175	
New Hampshire	0	1	1_	0	1	1	0	2	2	0	317	317	0	2	2	0	339	339	
New Jensey	0	9	9	0	0	0	0	9	9	0	4,366	4,366	0	0	0	0	4,366	4,366	
New Mexico	0	2	2	6	0	6	6	2	8	0	503	503	50	~ ~	50	50	503	553	
New York	- 44	23	67	254	10	264	298	33	331	390	12,502	12,892	1,899	710	2,685	2,289	13,288	15,577	
North Carolina	1	7	8	2	2	4	3	9	19	2	2,582	2,587	15	100	175	20	2,742	2,702	
North Datota	<u> </u>	1	1	2			17	<u>6</u>	- 4		183	2 075		1 075	2046	187	<u> </u>	<u> </u>	
Uhio	8	23	21	9	43	24	1/	2	2	0/	1 802	1 802	50	1,713	<i>2</i> ,005 0	157	1 901	1 202	
Okiznoma	2	2	3	2	č	R R	š	37	12	10	1 627	1 646	37	235	272	š	1 862	1,918	
Perpentuania	2	20	20		15	56	41	35	76	0	7,128	7,128	274	1.196	1.470	274	8.324	8,598	
Phode Island	ă	1	10	51	1	52	60	2	62	74	482	556	307	18	325	381	500	881	
South Carolina	12	10	22	3	3	6	15	13	28	109	2,409	2.518	24	123	147	133	2.532	2,665	
South Dakota		2	2	11	Ō	11	11	2	13	0	601	601	120	0	120	120	601	721	
Tennessee	ō	4	4	9	5	14	9	9	18	0	2,125	2,125	72	180	252	72	2,305	2,377	
Тетая	31	17	48	55	44	99	86	61	147	258	16,118	10,376	610	2,973	3,583	868	13,091	13,959	
Utah	0	1	11	_0	7	7	0	8	8	0	793	793	0_	406	406	0	1,199	1,199	
Vermont	0	2	2	12	0	12	12	2	14	0	314	314	71	0	71	71	314	385	
Virginia	2	6	8	3	1	4	5	7	12	18	3,506	3,524	32	60	92	50	3,566	3,616	
Washington	0	6	6	7	11	18	7	17	24	0	1,894	1,894	57	513	570	57	2,407	2,464	
West Virginia	0	1	1	1	1	2	1	2	3	0	156	156	4	16	20	4	172	176	
Wisconsin	0	4	4	9	13	22	9	17	26	0	2,150	2,150	99	1,299	1,398	99	3,449	3,548	
Wyoming	0	0	0	0	0	0	Ç	0	0	0	0	0	0	0	0	0	0	0	
U.S. Total	158	29 0	450	1,044	359	1,403	1,202	651	1,853	1,352	107,356	108,708	8,362	23,612	31,974	9,714	130,968	140,682	
% ICE.MR Totale	85	15.8	74.3	56.3	19.4	75.7	54.9	35.1	100.0	1.0.	76.3	77.3	5.9	16.8	22.7	6.9	93.1	100.0	

ERIC Phill fick Provided by ERIC 38

New York alone accounted for 18%. In contrast, the 25 states with the lowest utilization of small nonstate ICFs-MR had only 2.3% of all residents on June 30, 1988.

The proportion of small nonstate ICF-MR residents living in facilities of 6 or fewer residents grew from 18.4% in 1977, to 28.3% in 1982 to 34.1% in 1988. Over the same period the average size of small nonstate ICFs-MR decreased from 9.2 residents in 1977, to 8.0 in 1982 to 7.6 in 1988.

State ICF-MR Certified Facilities

Although the proportion of ICF-MR residents living in nonstate facilities has been increasing steadily, ICF-MR services are still delivered primarily in state-operated facilities (60.7% of all ICF-MR residents). Similarly, federal ICF-MR reimbursements, although increasingly shifting toward nonstate facilities, still primarily go to state-operated facilities (73.6% of all federal reimbursements). Even though there was substantial growth in small state-operated ICFs-MR between 1986 and 1988 (23% increase) state-operated ICF-MR services remained largely institutional, with only 4.1% of the June 30, 1988 populations in facilities of 15 or fewer residents.

Large state facilities. Nationally in Fiscal Yet. 1988, the average daily population of state mental retardation institutions was about 91,582, or at about the same number as in 1936 (Lakin, 1979; White, Lakin, & Bruininks, 1989). Although the percentage of state institution residents living in ICF-MR certified units increased from 88% to 92.8% between 1982 and 1988, there was an overall reduction in the population of large state ICF-MR institutions. From June 30, 1982 to June 30, 1988 there was a net decrease of about 22,292 residents of ICF-MR certified state institutions in the U.S. This trend toward lower numbers of residents in ICF-MR certified state institutions was evident in the vast majority of states. Only 7 states increased the number of residents in their state ICF-MR institutions and of these only 3 increased by more than 13 residents (Mississippi, 74; North Dakota, 131; and West Virginia, 56).

In contrast, between June 30, 1977 and June 30, 1982, 26 states increased the number of residents in ICF-MR certified state institutions by 13 or more residents, with a net increase of about 15,000. Two major factors affected the rather notable change from an average increase of about 3,000 per year between 1977 and 1982 to an average decrease of about 3,700 per year between 1982 and 1988. First, between June 30, 1977 and June 30, 1982 states were increasing the proportion of state institution "beds" with ICF-MR certification from about 60% of the national total to about 88%. Therefore, although states were decreasing their state institution populations over the period by about a quarter, the number of newly certified facilities led to an overall increase in persons living in ICF-MR certified state institutions. However, by 1982, with the vast majority of institution beds already ICF-MR certified, the ongoing depopulation of state institutions caused substantial decreases in the number of residents in Δ CF-MR certified state institutions. Despite the decreasing populations is state institutions, which continues to reduce the extent to which the ICF-MR program remains predominantly an institution-centered program, clearly it remains such. In June 1988, 58.2% of all ICF-MR residents were in large state institutions; but this compares with 63.4% in 1986, 76.3% in 1982 and 87.1% in 1977.

Table 3: ICF-MR Certified Facilities and Residents on June 30, 1986

انار میں بر ممالی فریقی میں ہے۔					Facilitic									Resident					
		State			Nonstate	e		All By Size			State			Nonstate			All by Size		
	1-15	16+	Total	1-15	16+	Toul	1-15	<u>16+</u>	Total	1-15	16+	Total	1-15	16+_	Total	1-15	16+	Total	
Alabama	0	5	5	3	0	3	3	5	8	0	1,333	1,333	31	6	31	, 31	1,333	1,364	
Aiaska	0	I	1	5	0	5	5	1	6	0	59	39	40	0	40	40	59	99	
Arizona	0	0	0	0	0	U	0	U	0	Ŭ	1 204	1 284	v	0	0	0		1 272	
Arkansas	0	6	ç	0	3	3	0	42	200	0	1,284	1,284	1 455	2019	88 cere 4	1 455	1,3/2	1,3/2	
Celifornia		8	8	213		241	213	42	<u></u>	<u> </u>	3,043	3,043	1,435_	246	9,313	1,4,12	1,901	9,410	
Colorado	0	3	3	0	6	0	0	. y	9	U	500	505		.390 1.8	340	A	1,313	1,315	
Connecticut	21	10	31	12	1	10	44		33	331	204	274	60	15	105	41	204	1,147	
Deizware	U	1	1		0	8	21	1	9 60	, v	224	2.7	204	Ň	204	204	374 785	400 501	
D.C.	U	1		21	40	51	21	62	56	0	1 202	1 202	42	1 202	1 040	42	3 201	2232	
<u>rionas</u>	<u> </u>				- 40				<u> </u>		1.872	1 877		110	110	76	1 997	1 992	
Ocorgia Manuali	•	5	2		1	L A	Š	1	6	Ř	221	229	20		20	28	221	240	
Flawali Idaha	1	1	1	12	2	15	12	2	16	ň	287	287	100	82	182	100	369	469	
KJano Minele	v o	12	12	26	46	13	26	58	£.A	ň	4 475	A 475	338	4 140	4.478	338	8615	8953	
Indiana	Å	0	9	220	Ř	224	229	14	243	ŏ	2.302	2,302	1.450	608	2.058	1.450	2.910	4.360	
Toma	<u> </u>	~ 2		5	- 13	18	5	15	20	0	1.143	1.143	37	836	873	37	1.979	2.016	
Kamas	ň	Ĩ	Ă	13	10	23	13	14	27	ŏ	1.345	1.345	166	626	792	166	1.971	2,137	
Kentucky	ŏ	3	3	0	6	6	Ō	9	9	Ō	690	690	0	513	513	0	1.203	1,203	
Louisiano	6	9	15	144	15	159	150	24	174	34	3,042	3,076	874	1,625	2,499	908	4,657	5,575	
Maine	2	2	4	34	4	38	36	6	42	26	295	321	314	89	403	340	384	724	
Marviand	1	7	8	0	Ö	0	1	7	8	13	2,203	2,216	0	0	0	13	2,203	2,216	
Manachusetts	õ	7	7	38	Ō	38	38	7	45	0	3,438	3,438	299	0	299	299	3,438	3,737	
Michigan	Ō	8	8	229	0	229	229	8	237	0	1,930	1,930	1,384	0	1,384	1,384	1,930	3,314	
Minacsoiā	0	7	7	294	53	347	294	60	354	0	1,780	1,780	2,753	2,319	5,072	2,753	4,099	6,852	
Mississippi	0	5	5	0	5	5	0	10	10	0	967	967	0	605	605	0	1,572	1,572	
Missouri		9	11	12	3	15	14	12	26	14	1,858	1,872	90	126	216	104	1,984	2,088	
Montana	0	2	2	1	0	1	1	2	3	0	257	257	9	0	9	9	257	266	
Nebraska	0	1	1	0	4	4	0	5	5	0	468	468	0	393	393	0	861	861	
Nevada	0	2	2	1	0	1	1	2	3	0	166	166	15	0	15	15	166	181	
New Hampshire	0	2	2	7	1	8		3			226	226	50	23		50	249	299	
New Jensey	0	9	9	0	2	2	0	11	11	0	3,609	3,809	U.	72	72	0	3,881	3,881	
New Mexico	0	2	2	16	0	16	16	2	18	0	514	514	135	0	135	135	514	649	
New York	181	28	209	442	35	477	623	63	686	1,664	10,705	12,309	3,047	1,083	4,730	5,311	11,788	17,099	
North Carolina	U	6	6	33	4	37	33	10	43	U	2,492	2,45%	210	402	012	210	6,699 477	3,104	
North Dakola		2			U	- 28			0		93/	1073	- 491	2 601	441	491	431	7 706	
Ohio	0	21	21	121	84	205	121	102	220	0	3,073	3,073	912	3,001	4,713	912	2,001	2,001	
Oklahoma	0	3	3	0	17	1/	0	20	20	0	1 204	1,204	22	261	702	20	1 406	1 577	
Uregon	0	17	.7	00	20	100	6 91	27	117	ň	5 647	5 647	517	1 573	2 000	517	7 220	1727	
Pennsyivania	10	17	17	00	20	04	~^,/ 	21	06	61	215	3,047	511	1,073	511	577	215	907	
Knode Island	11	6	17	27					47	101	2.660	2 751	229	110	330	320	2 770	3,100	
South Dekote		2	2	16	3	16	16	2	12		407	407	166		166	166	497	663	
Tennessee	ň	Ĩ	Ã	12	Ă	16	12	8	20	ŏ	2.128	2.128	95	188	283	95	2.316	2411	
Teme	\$7	16	73		31	124	150	47	197	502	8.327	8,829	803	2.417	3.220	1.305	10.744	12.049	
1025	57	1	1	1	9	10	1	10	11	0	700	700	15	604	619	15	1.304	1.319	
Vemont	ň-		1	11	<u> </u>	11	11	1	12	ō	195	195	66	0	66	66	195	261	
Vireinia	ŏ	ŝ	5	9	3	12	9	8	17	Ō	2,970	2,970	91	108	199	91	3,078	3,169	
Washington	ŏ	6	6	21	12	23	21	18	39	Ō	1,839	1,839	138	618	756	138	2,457	2,595	
West Virginia	ŏ	2	2	1	2	3	1	- 4	5	Ō	204	204	10	51	61	10	255	265	
Wisconsin	Ō	3	3	Ō	22	22	0	25	25	0	2,030	2,030	0	1,650	1,650	0	3,680	3,601	
Wyomine	ō	ō	ō	Ō	0	•0	Ō	0	0	0	0	0	0	0	0	0	Ó	0	
	-	-	-	-	-	-													
U.S. Total	298	278	576	2,374	515	2,889	2,672	793	3,465	2,960	91,354	94,314	17,930	31,945	49,875	20,890	123,299	144,189	
% ICE.MR Totals	8.6	8.0	16.6	63.5	14.9	83.4	77.1	22.9	100.0	21	63.4	65.4	12.4	22.2	_34.6	14.5	85.5	100.0	

And State

38

And a lat

Û.

Table 4:	ICF-MR	Certified	Facilities	and Residents	on June 30,	1988
----------	---------------	-----------	------------	---------------	-------------	------

<u>ي</u>

ter i son i ter Maria d	Ficilities										Residenta								
		State Nonstate			^	All By Size			Siste			Nonstate			All by Size				
	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	
Alabama	0	5	5	3	0	3	3	5	8	0	1,333	1,333	31	Q	31	31	1,333	1,364	
Alaska	0	1	1	5	0	5	5	1	6	Ô	57	57	50	0	50	50	57	107	
Arizona	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	
Arkansas	1	6	7	0	4	4	1	10	11	12	1,302	1,314	0	139	139	12	1,41	1,453	
Celifornia	0	1_	1_	<u>274c</u>	33		<u>2:4c</u>	40	314		6,826	6,826	1,483	2.562	4,045	1,483	9,388	10,871	
Colorado	36	3	39	0	6	6	36	9	45	274	529	803	0	346e	346e	274	875	1,149	
Connecticut	36	11	47	33	1	- 34	69	12	81	277	938	1,215	181	18	199	458	956	1,414	
Delaware	0	1	1	10	0	10	10	1	11	0	374	374	65	0	చ	65	374	439	
D.C.	0	1	1	61	0	61	61	1	62	0	256	256	410	0	410	410	256	656	
Florida	0	4		0	51	51	0	55	55		1,250	1,250	0	1,930		0	3,180	3,180	
Georgia	0	8	8	0	1	1	0	9	9	0	1,803	1,803	0	110	170	9	1,913	1,913	
Hewaii	0	2	2	21e	0	21e	21e	2	23e	0	210	210	86e	0	566	860	210e	286	
Idaho	0	1	1	28	2	30	28	3	31	0	Z36	236	1702	336	2250	1700	291e	401	
Illinois	0	12	12	118	46	164	118	58	176	0	4,513	4,513	1,792	4,041	5,833	1,792	8,554	10,346	
Indiana	0	8	8	351	6	357		14	365	0	1,725	1,72	2,402		2,965	2,402	2,258	4.050	
lowa	0	2	2	Ŭ	19	25	6	21	21	0	1,055	1,000	39	12	754		1,/61	1,840	
Kansas	0	4	4	15	10	25	15	14	29	U O	1,237	1231	163	001	644	189	1,575	2081	
Kentucky	0	3	3	0	0	0	U	~~~~		U 60	0/4	2019	1 642	5150	3130	1 878	1,1010	1,107	
Louisiana	2	9	14	233	10	209	438 20	4	283	5)	4189	2,019	210	1,034	3,197	1,275	9, 59 1 478	0,010	
Maine		4			<u> </u>				<u></u>		1 419	1 420	0		<u>303</u>	11	1 419	1 1 1 2 0	
Maryiand	1	1	8	20-	0	204	1	7-		11	1,410	1,967		0	207-	221-	1,910	1,469	
Massachuseus	эс 0	/C	102	370	000	270	4/0	21	170	240	1 424	1 426	3747	0	2010	2747	1425	3,693	
Michigan	ů	7	7	510	40	271	310	56	210	0	1,430	1,450	2675	2102	A 869	2675	3664	6322	
Minisciola	0	ć	ć	234	77	333	<u> </u>	10	10	0	1,471	1 072		605	-7,000 -7,000		1 672	0,009	
Missouri	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10	12	10	2	$-\frac{1}{n}$		13		15	1 570	1 585	145	122	293	160	1 708	1858	
Missouri	ñ	2	2	19	0	1	21	2	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0	243	243	10	1.30	10	10	243	253	
Nahmeba	0 D	ĩ	1	1	2	2	1	2	Ă	Ň	\$77	A72	Ŕ	328	326	8	800	808	
Nevada	ŏ	2	2	1	õ	ĩ	i	2	3	ŏ	173	173	15	0	15	15	173	188	
New Hammhire	ő	2	2	8	ŏ	Ŕ	8	2	10	õ	144	144		õ	60	60	144	204	
New Jersey	0	9	9	Ŏ	2	2	Ő	11	11	0	3.745	3.745	0	70 c	70e	0	3.815	3.815	
New Merico	Ŏ	2	2	24	ō	24	24	2	26	Ō	507	507	202	0	202	202	507	709	
New York	243	37	280	532	38	570	775	75	850	2,314	9,507	11,821	4,493	1,253	5,746	6,807	10,760	17,567	
North Carolina	0	6	6	74	4	78	74	10	84	0	2,569	2,569	474	402	876	474	2,971	3,445	
North Dakota	Ō	1	1	61	1	62	61	2	63	0	314	314	550	24	574	550	338	823	
Ohio	0	16	16	125	89	214	125	105	230	0	2,479	2,479	1,127	3,929	5,056	1,127	6,408	7,535	
Oklahoma	0		3	0	23	23	0	26	25	0	1,186	1,186	0	2,056	2,056	0	3,242	3,242	
Oregon	0	2	2	2	3	5	2	5	7	0	1,098	1,098	22	164	186	22	1,262	1,224	
Pennsylvania	0	14	14	122	23	145	122	37	159	G	4,605	4,606	815	1,943	2,758	815	6,549	7,364	
Rhode Island	12	2	14	_131	0_	131	143	2	145	63	261	329	764	0	764	832	261_	1,093	
South Carolina	1	5	6	94	3	97	95	8	103	14	2,422	2,436	783	76	864	802	2,498	3,300	
South Dakota	0	2	2	17	0	17	17	2	19	· O	434	434	216	0	216	216	434	650	
Tennessee	0	- 4	4	1	4	5	1	8	9	0	1,986e	1,986	12	200	212	12	2,186	2,193	
Техая	75	17	\$2	149	31	180	224	48	272	571	7,933	8,504	1,121	2,586	3,707	1,692	10,519	12,211	
Utah	0	1	1	3_	10	13	3	11	14	0	485	435	45	415	460	45	960	945	
Vermont	0	1	1	9	0	9	9	1	10	0	184	184	54	0	54	54	184	238	
Virginia	0	5	5	14	3	17	14	8	22	0	2,774	2,774	136	108	244	136	2,882	3,018	
Washington	0	6	6	24	11	35	24	17	41	0	1,801	1,801	166	572	733	166	2,373	2,539	
West Virginia	0	2	2	20	2	22	20	4	24	0	212	212	154	51	205	154	263	417	
Wisconsin	0	3	3	5	15	20	5	18	23	0	1,796	1,796	71	1,511	1,582	71	3,307	3,378	
Wyoming	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
U.S. Total	417	279	6%	3,338	528	3,866	3,755	807	4,562	3,634	85,064	88 ,69 3	25,353	32,083	57,436	28,987	117,1471	46,134	
W LOD NO Tak		6 12	1576	72 17	11 57	94 74	82 31	17.60	100.00	249	59.21	60.70	1735	21.05	20 20	10.04	80.16	100.00	
C 201		A			Facilitie			,	والم الكريبي بي بي					Reidenu					
------------------------------	----------	----------	----------	---------------------------------------	-----------	----------	----------	-----------	--------------------	-------------	----------------	---	----------	---	----------	------------------	--------------	---------	
		State			Nonstate	;		All By Sh	æ		State			Nonstate			All by St	re	
	1-15	16+	Total	1-15	16+	Total	1-15	:5+	Total	1-15	16+	Total	1-15	16+	Total	1-15	16+	Total	
Alabama	0	1	1	3	0	3	3	1	4	0	-137	-137	31	0	31	31	-137	-106	
Alaska	0	0	0	2	G	2	2	0	2	0	-31	-31	20	0	20	20	-31	-11	
Arizona	0	Q	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Arksaszs	1	1	2	0	2	2	1	3	4	12	-52	-40	0	73	73	12	21	33	
California	0	1	<u>1</u>	274	4	278	274			<u> </u>	-1,098	-1,098	1,483		1,595	1,483	-935	497	
Colorado	36	0	35	-25	-3	-28	11	-3	8	274	-735	-461	-207	-200	-451	67	-935	-668	
Connecticut	15	0	15	- 24	0	24	39	0	39	- 44	-320	-252	101	-3	50	145	-529	-184	
Delaware	0	0	0	10	0	10	10	0	10	0	-139	-139	65	0	63	00	-139	-74	
D.C.	0	0	0	60	•2	58	60	-2	58	0	-116	-110	400	-60	340	400 (2)	-1/6	2.90	
Florida	0		-3	<u>-6</u>				36		0	-157	-157	-63	1212	1,219	-09	1,115	1,052	
Georgia	0	0	0	0	0	0	0	J	0	0	-578	-578	0	0	• •		-2/8	-2/8	
Hawii	-1	1	0	21	0	21	20	1	21	-8	-169	-177	86	0	63	78	-109	-91	
Idaho	0	0	0	21	-1	20	21	-1	20	0	-114	-114	115	-22	93	115	-730	-21	
Illinois	0	-3	-3	113	8	121	113	5	118	0	13	13	1,728	401	2,189	1,728	4/4	2,202	
Indiana	0	1		294			294	4	298	0	-571	-5/1	2005	398	2403	2,005	<u>•175</u>	1,892	
Iowa	0	-1	-1	6	11	17	6	10	16	0	-240	-240	39	348	407	39	208	107	
K87523	0	0	0	11	-1	10	11	-1	10	0	-134	-134	129	8	13/	129	-120	3	
Kentucky	0	0	0	0	0	0	0	0	0	0	-3	-3	U.	-60	-60	1 227	-03	-03	
Louisiana	3	-1	2	223	4	221	226	3	229	21	-707	-060	1,300	347	1,347	1,327	-11-)	1,10/ .	
Maine				12		13	13		14	12		-02			<u> </u>	103	-04	4/	
Maryland	0	-2	-2	0	0	0	0	-2	-2	1	-925	-446	0	0		1	463	-922	
Massachuzetts	3	-1	2	30	0	30	33	-1	32	24	•350	-300	233	0	1 642	1 410	•330 •720	-2/3	
Michigan	-22	•3	-25	253	0	253	231	- 3	200	•133	-1,129	-1,502	1,393	122	1,040	1,410	-1,127	-317	
Minnesota	0	-1	-1	24	7	31	24	0	30	U	•740	-240	203	10	- 10	2005	-040	-300	
Mississippi		<u>U</u>			<u></u>						- 19	- 19		120			105	.10	
Prissouri	2	2	1	11	3	14	15	8	21	12	•243	-240	.7	130	210	, , ,	-105	-10	
Montana	0	0	0	-1	0	-1	-1	0	•1		-30	00-		60	•/	-/	•30 129	122	
Neoraska	-1	-1	-2	-3	•1	-+	-+	-2	-0	-12	-60	• • • • • • • • • • • • • • • • • • • •	•21	-32	· •/3	•24	-150	•172	
Nevada	U	U	U	U	•1	-1	U O	-1	•1	0	172	172	<u> </u>	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	20	60	.105	.125	
New Hampshire				8	<u></u>		8	<u>^</u>		<u> </u>	- 1/3	-113		70	30		-195	-155	
New Jersey	0	0	U	10	2	10	10 10	2	10	Å	120-		152	10	152	152	-351	156	
New Merico		14	212	10	20	10	477	42	610 610	1 024	.2025	.1 071	2 504	467	2041	4 519	.2 578	1 090	
New LORK	1	14	213	410	<i>w</i>	300	71	72	11	1,504	-4,555	-18	450	242	701	45A	220	623	
North Debete	-1	-1	-2	50	6	/7 50	<0	6	50	-5	131	131	\$26	12	519	526	143	669	
Nonn Dakota	<u> </u>		.16	116		160	102	27	145	- 67	-1 429	-1 496	1 037	1 954	2 901	970	\$25	1 695	
Onto	ۍ ۵	•/	-12	110	22	22	100	2	22	~~/	-1,-1,-	-1,-50	1,007	2056	2.056	<i></i>	1 439	1 4 3 9	
CALINOISA	.2	Ň		-1	ມ 2	2		2	5	.19	-529	-549	-15	.71	25	.34		.674	
Dicgon	-2		-2	91 91	-2	-J RQ	81	2	83	-17	-2.522	.2 522	541	747	1 288	541	.1 775	.1.234	
Pennsylvania Dhodo Island	2	-0	-0	80	-1	70	83	ñ	83	Å	.221	.227	457	-18	439	451	.239	212	
Knote Island	.11		-16	01		01		5	75	.05	13	-82	764	.47	717	669	.34	635	
South Datota	-11	-5	-10	6	ñ	6	6	ň	6	0	-167	-167	96	6	96	96	-167	.71	
Tennessee	Ň	ň	ň		-1	.9		-1		ň	-139	.139	-60	20	40	-60	-119	(79	
Terre		Ň	AA	e e e e e e e e e e e e e e e e e e e	.13	81	139	-13	125	313	-2.185	-1.872	511	-387	124	824	-2.572	-1.748	
1 Clas	17	ň		2	-15	6			6	0	-308	-308	45	9	54	45	-299	-254	
Vermont	<u> </u>				<u> </u>	<u> </u>	.1		<u> </u>	- <u>``</u>	.130	.130	-17	0	.17	.17	•130	-147	
v Clinovil Viccinia		-1	.2	11	2	12		1	10	.18	.732	.750	104	48	152	26	-694	-598	
v uginus Mashington	-2	• •		17	ñ	17	17	0	17	10	.91	.02	109	59	162	109	.34	75	
washington	ň	1	1	10	1	20	10	2	21	ň	56	56	150	35	185	150	91	241	
Wienerin	ň	.1	.1		2	.2	4	1		ň	.354	.354	-28	212	184	-28	.142	.170	
Wisconisill	0	•1	-1		ñ	-2	0	Ô	.5	õ	0	·	õ		107	õ	0	0	
**Younig	v	v	v	v	v	v	v	v	•	.			•	•		.	.	•	
U.S. Total	259	13	246	2,294	169	2,463	2,553	156	2,709	2,282	<u>-22,292</u>	-20,010	16,991	8,471	25,462	19,273	-13,821	5,452	

Table 5: Net Change in ICF-MR Facilities and Residents by Facility Size and Type from June 30, 1982 to June 30, 1988

The of Delan and the set of the barrier

Now Some net chause data are based on estimated numbers provided by states for June 30-1988----

43

,

Small state facilities. On June 30, 1988 there was a total of 417 small state-operated, ICF-MR certified group homes operating in the United States. In all, only 2.5% (3,634) of all ICF-MR residents lived in these facilities. While the number of small ICFs-MR, and the number of residents in them, grew rapidly from 1982 to 1988, growth in the number of small state-operated facilities was largely confined to three states which had 90% of all new facilities and 95.9% of new residents. Of the total 417 small state ICFs-MR, 243 (58.3%) were in New York, 75 (18%) were in Texas, and both Colorado and Connecticut had 36 (8.6%), for a combined total of 93.5% of all small state-operated ICFs-MR.

Figure 1 shows the distribution of residents among the four types of facilities described above. The substantial growth in the number of residents in ICFs-MR other than state institutions is clear, but so, too, is the extent to which large state institutions remain the predominant setting for delivering ICF-MR residential services.

Large and Small Certified Facilities

Since the early years of the ICF-MR program the single most pronounced then this been its evolution from an almost exclusively state facility program to a program increasingly delivered by nonstate providers. In recent years, however, state/nonstate operation has been less often seen as the most significant variable for categorizing residential facilities. Today pulley considerations regarding the ICF-MR program much more often focus on facility size rather than operation. Increasingly facility size is seen as the most significant policy manipulable factor associated with qualities considered important in residential settings, notably normalized, integrated living, development of increased independence, and opportunities for social relationships and community participation. Although facilities with 15 residents are not particularly small by contemporary standards, they are frequently classified as small because of historical distinctions between 15 and smaller and 16 and more residents in fire safety codes and in the original ICF-MR standards. For some unspecified reason the revised 1988 ICF-MR regulations made distinctions in the standards between facilities of 16 and fewer residents and 17 and more residents, but we have retained the 15 and fewer/16 and more resident dichotomy for longitudinal comparative purposes. Even the proposed "Medicaid Home and Community Quality Services Act," while limiting newly developed "community living facilities" to no more than 3 times the size of the average household in an area (generally about 8 people), would allow existing residential facilities of 15 or fewer residents to still be considered "community living facilities" (i.e., small, noninstitutional settings) for the purposes of the bill.

With respect to the distinction between large and small ICFs-MR, Table 6 reports the total number of persons with mental retardation in large and small ICFs-MR, the number of persons with mental retardation in all large and small facilities licensed or operated by the various states for persons with mental retardation (irrespective of ICF-MR certification), and the percentages of all residents of large and small mental retardation facilities residing in ICF-MR certified settings on June 30, 1988.

Table 6 shows a total of 28,987 persons in small ICFs-MR nationwide on June 30, 1988. These persons made up only 19.8% of all ICF-MR residents on that day. These figures represent an increase of some 8,000 residents and 5% of total ICF-MR residents since 1986. However, states varied greatly in their particular use of large and small ICFs-MR. States with at least 40% of their total ICF-MR population in small facilities included Alaska (46.7%), Indiana (51.2%), District of



23

Figure 1

Residents of ICF-MR Certified Facilities by Size and State/Nonstate Operation on June 30 of 1977, 1982, 1986, and 1988





		ICF-MR Resident	ls		AILE	tesidents	مانيون في <u>مست</u> باني	Pe	rcentage in ICF-N	AR
	1-15	16+	Total	1-15	16+	Total	% in 1-15	1-15	16+	Total
Alabama	31	1,333	1,364	777	1,443	2,220	35.0%	4.0%	92.4%	61.4%
Alaska	50	57	107	282	57	339	83.2%	17.7%	100.0%	31.6%
Arizona	0	0	0	1,829	388	2,217	82.5%	.0%	.0%	.0%
Arkansas	12	1,441	1,453	557	1,563	2,120	26.3%	2.2%	92.2%	68.5%
California	1,483	9,388	10,871	17,457	13,540		56.3%	8.5%	69.3%	35.1%
Colorado	274	875	1,149	2,151	875	3,026	71.1%	12.7%	100.0%	38.0%
Connecticut	458	956	1,414	2,799	2,196	4,995	56.0%	16.4%	43.5%	28.3%
Delaware	65	374	439	314	374	688	45.6%	20.7%	100.0%	63.8%
D.C.	410	256	666 *	729	277	1,006	72.5%	56.2%	92.4%	66.7
Florida	0	3,180	3,180	3,470	4,900	8,370	41.5%	.0%	64.9%	38.0%
Georgia	0	1,913	1,913	1,351	2,267	3,618	37.3%	.0%	84.4%	52.9%
Hawaii	86e	210	296e	239	210	449	53.2%	36.0%	100.0%	65.9%
Idaho	170 2	291c	451e	1,021	291	1,312	77.8%	16.7%	100.0%	35.1%
Illinois	1,792	8,554	10,346	4,149	11,700	15,849	26.2%	43.2%	73.1%	65.3%
Indiana	2,402	2,288	4,690	3,146	2,578	5,724	55.0%	76.4%	88.8%	81.9%
Iowa	59	1,781	1,840	2,165	2,252	4,417	49.0%	2.7%	79.1%	41.7%
Kansas	183	1,898	2,081	2,251	1,918	4,169	54.0%	8.1%	99.0%	49.9%
Kentucky	0	1,187	1,187	581	1,270	1,851	31.4%	.0%	¥3.5%	64.1%
Louisiana	1,575	4,441	6,016	1,989	4,441	6,430	30.9%	79.2%	100.0%	93.6%
Maine	243	434	677	1,451	611	2,062	70.4%	16.7%	71.0%	32.8%
Maryland	11	1,418	1,429	2,813	1,498	4,311	65.3%	.4%	94.7%	33.1%
Massachusetta	331e	3,367e	3,698e	3,762	3,430	7,192	52.3%	8.8%	98.2%	51.4%
Michigan	2,247	1,436	3,683	5,778	2,016	7,794	74.1%	38.9%	71.2%	47.3%
Minnesota	2,675	3,664	6,339	5,492	3,664	9,156	60.0%	48.7%	100.0%	69.2%
Mississippi	0	1,678	1,678	349	2,116	2,459	14.2%	.0%	79.5%	68.2%
Missouri	160	1,708	1,868	2,613	2,809	5,422	48.2%	6.1%	60.8%	34.5%
Montana	10	243	253	978	243	1,221	80.1%	1.0%	100.0%	20.7%
Nebraska	8	800	808	1,601	800	2,401	66.7%	.5%	100.0%	33,7%
Nevada	15	173	188	292	173	465	62.8%	5.1%	100.0%	40.4%
New Hampshire	60	144	204	931	144	1,075	86.6%	6.4%	100.0%	19.0%
New Jersey	0	3,815	3,815	3,022	5,304	8,326	36.3%	.0%	71.9%	45.8%
New Mexico	202	507	709	833	507	1,339	62.1%	24.3%	100.0%	52.9%
New York	6,807	10,760	17,567	16,734	10,800	27,534	60.8%	+0.7%	99.6%	63.8%
North Carolina	474	2,971	3,445	1,792	3,391	5,183	34.6%	26.5%	87.6%	66.5%
North Dakota	550	338	838	1,133	383	1,516	74 7%	48.5%	88.3%	58.6%
Ohio	1,127	6,408	7,535	5,576	7,506	13,082	42.6%	20.2%	85.4%	57.6%
Oklahoma	0	3,242	3,242	804	3,242	4,046	19.9%	.0%	100.0%	80.1%
Oregon	22	1,262	1,284	1,778	1,527	3,305	53.8%	1.2%	82.6%	38.9%
Pennsylvania	815	6,549	7,364	7,485	7,536	15,021	49.8%	10.9%	86.9%	49.C%
Rhode Island	832	261	1,093	1,123	276	1,399	80.3%	74.1%	94 6%	781%
South Carolina	802	2,498	3,300	1,321	2,513	3,834	34.5%	60.7%	99.4%	86.1%
South Dakota	216	434	650	1,081	434	1,515	71.4%	20.0%	100.0%	42.9%
Tennessee	12	2,186	2,198	1,496	2,243	3,739	40.0%	.8%	97.5%	58.8%
Texas	1,692	10,519	12,211	2,557	10,713	13,270	19.3%	66.2%	98.2%	92.0%
Utah	45	<u>900</u>	945		948	1,737	45 4%	57%	94 9%	54 4%
Vermont	54	184	238	381	186	567	67.2%	14.2%	98.9%	42.0%
Virginia	136	2,882	3,018	1,152	3,056	4,208	27.4%	11.8%	94.3%	71.7%
Washington	166	2,373	2,539	3,262	2,660	5,922	55.1%	5.1%	89.2%	42.9%
West Virginia	154	263	417	540	550	1,090	49.5%	28.5%	47.8%	38.3%
Wisconsin	71	3,307	3,378	4,676	3,378	8,054	58.1%	1.5%	97.9%	41.9%
Wyoming	0	0	0	310	419	729	42.5%	.0%	.0%	.0%
US Total	28.987	117 147	146.134	131,161	137.610	268.771	48.8%	22.1%	85 1%	54 4%

ERIC

Table 6: Number and Percentage of Residents in ICF-MR Certified and Noncertified Facilities by State and Facility Size on June 30, 1988

Columbia (61.6%), Maine (47.0%), Michigan (61.0%), Minnesota (42.2%), North Dakota (61.9%), and Rhode Island (76.1%). In contrast, 6 states actually participating in the ICF-MR program (8 states altogether) had no small ICFs-MR.

2

The "All Residents" columns of Table 6 present statistics on combined ICF-MR and non-ICF-MR (state and nonstate) residential facilities in the various states. These data serve as a point of comparison for facilities with ICF-MR certification. The "% in 1-15" column provides the percentage of residents in all facilities who were in small residential facilities in each state on June 30, 1988. Nationally, 48.8% of all residents of state and nonstate facilities were in "small" facilities. The "Percentage in ICF-MR" indicates the percentage of all state residents and the percentage of residents of small and large facilities specifically who were living in facilities with ICF-MR certification. It shows that 54.4% of all residents nationally were in ICF-MR facilities but that only 22.1% of all small facility residents were living in small ICFs-MR. It is also notable that a total of 28 states reported more than half their total residents in small facilities on June 30, 1988, but only 5 states (District of Columbia, Michigan, Indiana, North Dakota, and Rhode Island) reported more than half their total residents in small facilities.

On June 30, 1988 four states had approximately two-thirds or more of their small facility residents in ICFs-MR (Indiana, 76.4%; Louisiana, 79.2%; Rhode Island, 74.1%; Texas, 66.2%). At the other extreme, 6 states using the ICF-MR program had no small ICFs-MR and 24 states had less than 10% of their small facility residential populations in ICFs-MR. Indeed, excluding the four states with more than two-thirds of their small facility population in certified facilities (and which together had 22.4% of the total small ICF-MR population nationally), only 18.0% of residents in small facilities in the remaining 47 states were in facilities with ICF-MR certification.

Use of small ICF-MR facilities on June 30, 1988 was dominated by nine states, each having 1,000 or more residents in small ICFs-MR, and together serving 75.2% of all small ICF-MR residents. However, this reflects much more balanced utilization than on June 30, 1977 when two states had 77% of all residents of small ICFs-MR. Further, 27 states reported 100 or more small ICF-MR residents in 1988, as compared with only 3 states serving more than 100 residents in small ICFs-MR in 1977.

Between 1982 and 1908, 36 states showed a net increase in the number of residents of small ICFs-MR and 23 states showed net increases of 100 or more. But 65% (12,527) of the total net increase (19,273) in small ICF-MR residents occurred in six states (California, Illinois, Indiana, Louisiana, Michigan and New York). Seven states showed net decreases ranging from 5 to 207 persons. Despite these clear trends toward increased numbers of persons in small ICFs-MR and participation by greater numbers of states in the option of using the ICF-MR program to fund services in small residential facilities, ICF-MR services remain predominantly concentrated in institutions in most states.

Figure 2 shows the proportion of large and small facilities among the facilities certified as ICFs-MR and facilities that were not ("non-ICF-MR") in 1977, 1982, and 1988. This figure shows the absolute and proportional growth of small facilities among both the ICFs-MR and noncertified facilities. It also shows that while the ICF-MR program continues to be primarily concentrated in institutions, there has been some shift over time to greater total and proportional use of Title XIX funding in small facilities. For example, in 1977, only 4.2% (1,710) of the total 40,400 persons in small residential settings were in ICFs-MR. In 1982, 15.2% (9,714) of 63,700 persons in small



Figure 2

-:::



ERIC Pruit Taxt Provided by ERIC

residential facilities were in ICFs-MR. By 1986, the percentage of all ICF-MR residents living in small residential facilities had increased to 20.2% (20,890) of 103,500 total residents, and by 1988 to 22.1% (28,987) of 131,161.

Medicaid Waiver Recipients

Although not formally a part of the ICF-MR program, the Medicaid waiver is associated with the ICF-MR program through its dedication to persons who but for the services available through the waiver program would be placed in an ICF-MR. Table 7 presents information on states' utilization of the Medicaid waiver option. It also summarizes the combined utilization of the Medicaid waiver and small ICF-MR options to provide community-based services and total utilization of ICF-MR and waiver services by the individual states on June 30, 1988.

Between enactment of the Medicaid waiver in 1981 and June 30, 1988 a total of 42 states had at one time availed themselves of the opportunity to provide home and community-based services as an alternative to ICF-MR care. On June 30, 1986, 33 states were operating approved programs for persons with mental retardation and related conditions; by June 30, 1988 there were 41. The number of waiver program participants on June 30, 1982 was estimated to be 1,605. By June 30, 1986 the number was 23,053. On June 30, 1988 there were 28,689 persons reported to be receiving Medicaid waiver services.

In comparing the numbers of waiver recipients on June 30, 1986 and June 30, 1988, 36 states had a contoined increase of 10,588 waiver recipients. Three states (Arkansas, Georgia and Missouri) had received waiver approval but were serving no waiver recipients on June 30, 1988. Three states (California, Florida and New Mexico) reported a combined total of 4,952 fewer waiver recipients on June 30, 1988 than on June 30, 1986. These changes were due variously to the effects of recipient eligibility revised by the state agency, removal of certain residents/facilities from waiver coverage, or changes in reporting criteria. The net increase in waiver recipients for all states from 1986 to 1988 was 5,636 persons.

Because the waiver represents another means in addition to developing small ICF-MR residences for providing community-based care under Medicaid, it may be instructive to combine the recipients of the two programs to examine total Title XIX beneficiaries receiving institutional (16 or more residents) and community-based services for persons with mental retardation and related conditions. On June 30, 1988 there were 28,987 persons living in small ICFs-MR and 28,689 receiving Medicaid waiver services. When combined the total proportion of Medicaid service recipients (ICF-MR and waiver) being served in community-based settings was 33% of the 174,823 total Title XIX (ICF-MR and Medicaid waiver) recipients, a more favorable assessment of Title XIX utilization for community-based services when compared with the 19.8% of total ICF-MR residents residing in small ICFs-MR. Combining ICF-MR and waiver services recipients also shows 17 states to be serving the majority of their Title XIX mental retardation services were considered. While in 4 states there was still no Medicaid participation in providing community-based services for persons with mental retardation, that number was four fewer than with ICF-MR services alone.

Figure 3 shows the total institutional ICF-MR service recipients (large state and large nonstate ICF-MR residents) and community recipients (small state and nonstate ICF-MR residents and waiver recipients) for 1977, 1982 and 1988. It shows the dramatic increase in community-based Title XIX service recipients from 1977 to 1988, an increase from 1,710 to 57,676. It also shows the substantial decrease in institutional recipients from 1982 to 1988, a decrease from 130,968 to 117,280.



	State Had	Number Receiving	Total ICF-MR	Total Medicaid	Total Small Community	Total Community	% Medicald Beneficiaries
	Walver on	Waiver Services	Residents	Recipients	ICF-MR-(1-15)	Medicaid	in Community
State	6/30/88	on 6/30/88	on 6/30/88	(ICF-MP. + Waiver)	Residents on 6/30/88	(Waiver + ICF-MR 15)	on 6/30/88
Alabama	v	1.730	1.364	3.094	31	1.761	56.9%
Alaska	n	n/a	107	107	50	50	46.7%
Arizona	n	n/a	0	0	0	0	n/s
Arkansas	v	0	1.453	1.453	12	12	.8%
California	v ·	2,493	10,871	13 364	1,483	3,976	29.8%
Colorado	v	1.621	1.149	2,770	274	1.895	68.4%
Connecticut	v	644	1,414	2,058	458	1,102	53.5%
Delaware	v	144	439	583	65	209	35.8%
D.C.	n	n/a	666	666	410	410	61.5%
Florida	v	2.631	3 180	5.811	0	2.631	45.3%
Georgia	v	0	1.913	1.913	0	0	.0%
Hawaii	v	78	296e	374e	86c	164c	43.9%
Idaho	v	201	461c	662c	170c	371c	56.0%
Illinois	v	637	10.346	10.983	1.792	2.429	22.1%
Indiana	0	n/a	4,690	4,690	2,402	2,402	51.2%
Iowa	v	12	1.840	1.852	59	71	3.8%
Kansas	v	185	2071	2.266	183	368	16.2%
Kentucky	v	652	1.187	1.839	0	652	35.5%
Louisiana	n	n/a	6,016	6,016	1,575	1,575	26.2%
Maine	v	450	677	1,127	243	693	61 595
Maryland	y	716	1,429	2,145		727	33.9%
Massachusetts	Ŷ	593c	3,698c	4,291c	331c	924c	21.5%
Michigan	ý	580	3,683	A,263	2,247	2,827	66.3%
Minnesota	ÿ	1,8%	6,339	8,235	2,675	4,571	55.5%
Mississippi		n/a	1,678	1 678	0	0	0%
Missouri	y	0	1,868	1,868	160	160	8.6%
Montana	ÿ	286	253	539	10	296	54.9%
Nebraska	ÿ	553	808	1,361	8	561 -	41.2%
Nevada	ÿ	117	188	305	15	132	43.3%
New Hampshire	v	634	204	858	60	694	82.8%
New Jency	у	2,873	3,815	6,688	0	2,873	43.0%
New Mexico	ÿ	134	709	843	202	336	39.9%
New York	n	n/a	17,567	17,567	6,807	6,807	38.7%
North Carolina	У	405	3,445	3,850	474	879	22.8%
North Dakota	<u>v</u>	824	883	1,712	550	1,374	
Ohio	У	134	7,553	7,669	1,127	1,261	16.4%
Oklahoma	У	178	3,242	3,420	0	178	5.2%
Oregon	У	968	1,284	2,252	22	990	44.0%
Pennsylvania	У	1,759	7,364	9,123	815	2,574	28.2%
Rhode Island	V	<u>250e</u>	1,093	1,343	832	<u>1.082e</u>	80 6%
South Carolina	n	n/a	3,300	3,300	802	802	24.3%
South Dakota	У	610	650	1,260	216	826	65.6%
Tennessee	У	351	2,198	2,549	12	363	14.2%
Texas	У	412	12,211	12,623	1,692	2,104	16.7%
litah	<u>v</u>	1.022	945	1,967	45	1,067	54.2%
Vermont	У	248	238	486	54	302	62.1%
Virginia	n	n/a	3,018	3,018	136	136	4.5%
Washington	У	946	2,539	3,485	166	1,112	31.9%
West Virginia	У	124	417	541	154	278	51.4%
Wisconsin	У	598	3,378	3,976	71	669	16.8%
Wyoming	n	n/a	0	0	0	0	n/a
U.S. Total	Y=41	28,689	146.134	74.823	28,987	57,676	33.0%

ERIC FullTaxt Provided by Eric

Table 7: Beneficiaries of Medicald Walver and ICF-MR Services for Persons with Mental Retardation on June 30, 1988

 \sim

*

52

< \cdot

¢

Figure 3

Institutional and Community Recipients of Medicaid ICF-MB and Home & Community Based Services Benefits on June 30 of 1977, 1982, 1988





Utilization Rates for Institutional and Community Services

Statistics presented to this point have shown states to vary remarkably in the total number of persons with mental retardation and related conditions in the various types and sizes of certified and noncertified residences and receiving waiver services. The implications of such statistics can be complicated by the great variability in the size of states. Therefore, it is often useful to index such statistics by the population of states. In Table 8 this is done using states' population in 100,000s as the index.

Table 8 shows that the average number of ICF-MR residents per 100,000 of the U.S. population on June 30, 1988 was 59.5. That included 11.8 persons per 100,000 in small ICF-MR residences and 47.7 persons per 100,000 in large ICF-MR residences. Remarkable variation in utilization is evident among the states. Minnesota had the highest utilization rate nationally, with 147.2 ICF-MR residents per 100,000 of the state's population. Other states with at least twice the national average utilization were North Dakota (133.1/100,000) and Louisiana (136.5/100,000). A trial of 6 other states had more than 150% of the national rate. In contrast 7 states were less than 50% of the national rate, including Arizona and "Jyoming which do not participate in the program.

States with the highest utilization rates for large ICF-MR institutions included Louisiana (100.8/100,000) and Oklahoma (100.0/100,000). Seven states reported rates below 25/100,000. But by far the greatest interstate variab. v was evident in the small ICF-MR utilization rates. These rates ranged from 83.8 per 100,000 in Rhc. : Island and 82.5 in North Dakota to less than 3.0 in 20 states.

Overall Title XIX utilization tends to find similarly high interstate variability with the same states tending to be at the extremes. Nationally on June 30, 1988 there were 71.1 ICF-MR and waiver recipients per 100,000 of the nation's population. Three states were over double the national utilization rate: North Dakota (256.7/100,000), Minnesota (191.2/100,000), and South Dakota (176.7/100,000). At the other extreme, 6 states had total Title XIX utilization rates that were less than half the national rate. The very high and very low states with respect to total Title XIX utilization rates (ICF-MR and waiver) were generally the same as the very high and very low states with respect to ICF-MR utilization alone.

Utilization rates for Title XIX community-based care (waiver plus small ICF-MR) also showed great variation around the national average utilization rate of 23.5 per 100,000. Six states provided Title XIX funded community-based care to less than 1 person with mental retardation per 100,000 of the states' total population. At the other extreme ten states provided Medicaid community-based care to 54 or more persons with mental retardation per 100,000 of the state's total population.

In noting the extreme variability among states in the utilization of ICF-MR and Medicaid waiver services for persons with mental retardation, it is important to recognize that some of that variability is a reflection of the size of state residential systems in general. On June 30, 1988 states had an average total utilization of all residential placements for persons with mental retardation of 109.3 per 100,000. States varied from 40.9 placements per 100,000 in Hawaii to 227.3 in North Dakota, although only 4 states had less than half the national placemen. ate (Alabama, Hawaii, Nevada and Kentucky) and only North Dakota had double the national rate. In all 27 states fell in the range of 73 to 145 placements per 100,000, or the national average, 109, plus or minus 33%. Generally, then, states vary substantially in their total utilization of residential placements for persons



	7/1/88								100
	State Pop.		ICF-MR Residents		ICF-MR (1-15)	All ICF-MR		MR and Non-ICF	MR .
State	(100,000s)	1-15	<u>16+</u>	Total	and Waiver	and Waiver	1.15	16+	Total
Alabama	41.02	.76	. 32.50	33.25	.76	75.43	18.94	35.18	54.12
Alaska	5.24	9.54	10.88	20.42	9.54	20.42	53.82	10.68	64.69
Arizona	34.89	.00	.00	.00	.00	.00	52.42	11.12	63.54
Arkansas	23.95	.50	60.17	60.67	.50	60.67	23.26	65.26	88.52
California	283.14	<u> </u>	33.16	38.39	14.04	47.20	<u>61.66</u>		102,48
Colorado	33.01	8.30	26.51	34.81	57.41	83.91	65.16	26.51	91.67
Connecticut	32.33	14.17	29.57	43.74	34.09	63.66	86.58	67.92	154.50
Delaware	6.60	9.85	56.67	66.52	31.67	88.33	47.58	56.67	104.24
D.C.	6.17	66.45	41.49	107.94	66.45	107.94	118.15	44.89	163.0
Florida	123.35	00	25 78	25 78	21.33	47.11	28.13	39.72	67.86
Georgia	63.42	.00	30.16		.00	30.16	21.30	35.75	57.05
Hawaii	10.98	7.83	19.13	26.96	14.94	34.06	21.77	19.13	40.89
Idaho	10.03	16.95	29.01	45.96	36.99	66.00	101.79	29.01	130.81
Illinois	116.14	15.43	73.65	89.08	20.91	94.57	35.72	100.74	136.46
Indiana	55 56	43.23	41 18	84.41	43.23	84-41	56.62	46.40	103.02
Iowa	28.34	2.08	62.84	64.93	2.51	65.35	76.39	79.46	155.86
Kansas	24.95	7.33	76.07	83.41	14.75	90.82	90.22	76.87	167.09
Kentucky	37.27	.00	31.85	31.85	17.49	49.34	15.59	34.08	49.66
Louisizna	44.08	35.73	100.75	136.48	35.73	136.48	45.12	100.75	145.87
Maine	12.05	20 17	36.02	56 18	57.51	93.53	120.41	50.71	171.12
Maryland	46.22	.24	30.68	30.92	15.73	46.41	60,86	32.41	93.27
Massachusetta	58.89	5.62	57.17	62.80	15.69	72.86	63.88	58.24	122.13
Michigan	92,40	24.32	15.54	39.85	30.60	46.14	62.53	21.82	84.35
Minnesota	43.07	62.11	85.07	147.18	106.13	191.20	127.51	85.07	212.58
Mississippi	26 20	00	64 05	64.05	00	64.05	13.32	80.53	93.85
Missouri	51.41	3.11	33.22	36.34	3.11	36.34	50.83	54.64	105.47
Montana	8.05	1.24	30.19	31.43	36.77	66.96	121.49	30.19	151.68
Nebraska	16.02	.50	49.94	50.44	32.02	84.96	99.94	49.94	149.88
Nevada	10.54	1.42	16.41	17.84	12.52	28.94	27.70	16.41	44.12
New Hampshire	10.85	5 53	13 27	18 80	63.96	77 24	85.81	13.27	99.03
New Jersey	77.21	.00	49.41	49.41	37.21	86.62	39.14	68.70	107.84
New Mexico	15.07	13.40	33.64	47.05	22.43	56.07	55.21	33.64	88.85
New York	179.09	38.31	60.08	98.09	38.01	98.09	93.44	60.30	153.74
North Carolina	64.89	7.30	45.79	53.09	13.55	59.33	27.62	52.26	79.87
North Dakota	6 67	82 46	50 67	13313	206.00	256.67	169.87	57 42	227 29
Ohio	108.55	10.38	59.03	69.42	11.62	70.65	51.37	69.15	120.52
Oklahoma	32.42	.00	100.00	100.00	5.49	105.49	24.80	100.00	124.80
Oregon	27.67	.80	45.61	46.40	35.78	81.39	64.26	55.19	119.44
Pennsytvania	120.01	6.79	54.57	61.36	21.45	76.02	62.37	62.79	125.16
Rhode Island	9 93	83 79	• 26 28	_110 07	108 96	135 25	113.09	27 74	140.89
South Carolina	34.70	23.11	71.99	95.10	23.11	95.10	38.07	72.42	110.49
South Dakota	7.13	30.29	60.87	91.16	115.85	176.72	151.61	60.87	212.48
Tennessee	48.95	.25	44.66	44.90	7.42	52.07	30.56	45.82	76.38
Texas	168.41	10.05	62.46	72.51	12.49	74.95	15.18	63.61	78.80
Utah	16 90	2.66	53 25	55 92	63 14	116 39	46 69	56 09	102.78
Vermont	5.57	9.69	33.03	42.73	54.22	87.25	68.40	33.39	101.80
Virzinia	60.15	2.26	47.91	50.17	2.26	50.17	19.15	50.81	69.96
Washington	46.49	3.57	51.05	54.63	23.92	74.98	70.18	57.23	127.41
West Virginia	18.76	8.21	14.02	22.23	14.82	28.84	28.78	29.32	58.10
Wisconsin	48.55	1.46	68.12	69.58	13.78	81.89	96.31	69.58	165.89
Wyoming	4 79	.00	.00	.00	.00	.00	64.72	87.47	152.19
U.S. Total	2,458.07	11 79	47.66	59.45	23 46	71 12	53.36	55 98	109.34

55 ERIC Matter Predictor with mental retardation, but their utilization of Title XIX to finance those placements varies considerably more.

Costs of ICF-MR Services

The most reliable 1988 statistics on the cost of ICF-MR services are from Braddock, Hemp, Fujiura, Bachelder and Mitchell (1989). These statistics reflect state-level budgeting for Medicaid services. In the absence of any current program or client level cost data on ICF-MR services (other than the categorical facility cost data presented in Table 11), examinations of ICF-MR cost of services are limited to statewide expenditures. Although limited in their flexibility, available statistics on total beneficiaries and expenditures provide useful data regarding the ICF-MR program. Such statistics are useful in examining longitudinal change in ICF-MR program costs as well as interstate variations in expenditures for ICF-MR services. Presented below are three general observations regarding changes over time in the cost of the ICF-MR program that derive from these statistics.

Total ICF-MR costs have been increasing rapidly. ICF-MR expenditures have been one of the fastest growing elements of the Medicaid program over the past 15 years. Between Fiscal Year 1971 and 1988 ICF-MR expenditures grew from zero (not covered) to 6.03 billion dollars. In the decade between 1976 and 1986 alone program costs increased 700%, from approximately .64 billion dollars to 5.1 billion dollars. Although the rate of growth slowed notably from Fiscal Year 1982 to Fiscal Year 1988, costs still increased 2.4 billion dollars over the period (from 3.6 billion in 1982). Before 1982 the ICF-MR program costs were pushed upward by two factors, increased number of recipients and increased costs per recipient. Since 1982 the greater costs per recipient has been by far the most significant factor in the increasing ICF-MR expenditures, accounting for about 95% of total increase, as the total number of ICF-MR residents has increased by less than 6,000.

Early cost increases were substantially due to growth in certified capacity. Much of the growth in ICF-MR expenditures since the inception of the program was attributable to the rapid expansion of state ICF-MR programs. By the er.d of 1975, 38 states were participating, including all large states except Indiana and New Jersey. By 1982 only 2 small states, Arizona and Wyoming, were not participating. In addition to program growth as a function of increasing numbers of states participating, participating states also increased their "certified capacity." Between Fiscal Years 1971 and 1976, the total number of persons receiving ICF-MR services grew from 0 to 89,000. Between Fiscal Years 1976 and 1988, the number of persons receiving ICF-MR services grew from 89,000 in 1976 to 140,000 in 1982 and to 146,000 on June 30, 1988. Most of the increases in cost of the ICF-MR program between 1971 and 1977 were attributable to increasing numbers of recipients.

Recent rates of increase have slowed as increases have become only a function of increasing costs per recipient. Total ICF-MR costs have been increasing in recent years almost exclusively because of increasing costs per service recipient. Because a single factor has been responsible for cost increases of recent years, cost analysis has become much more straightforward. It has also seemed less urgent, as a stable number of recipients has led to a considerably lower rate of growth (the average annual increase of about 400 million dollars between 1982 and 1988 was actually slightly greater than the average from 1973 to 1982). In addition to the reduction in the total growth rate of program costs, there has also been a reduction in recent years in the per resident rate of increase in the cost of ICF-MR care. While per recipient costs between 1975 and 1980 increased from \$5,530 to \$20,040 per year, or at an average annual rate of 29%, from 1980 to 1988 those increases were from \$20,040 to \$41,260, or just under 10% annually. Between 1986 and 1988, cost per ICF-MR resident increased



at more than \$3,200 per year. The worst fears of geometrically increasing costs may have abated with the stabilization of the total number of ICF-MR residents, but the cost per resident continues to climb steadily. Still for the most part attention now given to the program by federal policymakers is directed toward issues of the quality, equity, and systemwide effects of the program. However on the state level cost management remains a major concern (Lakin et al., 1989).

Interstate Variations in ICF-MR Costs

Earlier in this report statistics were provided on the substantial interstate variations in the utilization of the ICF-MR option. Not surprisingly, there were also major variations in the costs of the ICF-MR programs in the various states. The variability in state ICF-MR expenditures, and federal contributions to those expenditures, is by no means predictable solely by general factors such as total ICF-MR recipients or state size. Presented below are general observations regarding the interstate variability in program costs, particularly where the variability may reflect on the quality, equity, and nationwide effects of the ICF-MR program.

Table 9 presents statistics for ICF-MR expenditures across the states in total expenditures, federal expenditures, per recipient average annual costs, per capita annual ICF-MR expenditures (ICF-MR expenditures per resident of the state), 1988 ICF-MR recipients per 100,000 of state population, each state's proportion of the total ICF-MR population, and the relative "payback" to states for ICF-MR services for each dollar of individual income tax contributed by the states to support the program. These statistics are presented for Fiscal Year 1988, the last year in which all data included in the table were available. The cost statistics provided in Table 9 derive from analyses of individual state budgets by David Braddock and his associates at the University of Illinois at Chicago (1989).

One indicator of the variation among states in ICF-MR expenditures is the average expenditure for ICF-MR service per citizen of the state. Table 9 shows the great variation with respect to these expenditures among the states. While nationally in Fiscal Year 1988 the average daily cost of ICF-MR services was \$24.53 per state resident, the average varied from over twice the national average in District of Columbia (\$65.43), New York (\$64.63), Minnesota (\$50.28), North Dakota (\$56.66), Rhode Island (\$56.16), and Massachusetts (\$52.27) to less than half the national average in Alabama (\$12.12), Georgia (\$11.12), Nevada (\$9.33), Hawaii (\$4.87), Florida (\$10.47), West Virginia (\$8.58), Kentucky (\$10.88), Mississippi (\$10.42), and, of course, Arizona and Wyoming (\$0.00). The variability in total and per citizen expenditures among states is affected by two major factors, the extent to which placements are made into ICF-MR facilities and the amount of money spent per placement.

Variations due to disproportionate placements. Variations in ICF-MR utilization rates across states have been discussed in some detail earlier in this report. These variations have an important direct effect on interstate differences in total costs and federal contributions to the total costs of residential programs in the various states. As an example of the variability, on June 30, 1988, 5 states had placed more than 80% of their total residential care population in ICF·MR certified facilities, while 14 states had 40% or less of their residents of state and nonstate residential facilities in ICFs·MR. Obviously those states with disproportionately high placement rates into ICFs·MR tended to account for disproportionate amounts of total ICF-MR expenditures.



Table 9: Summary Statistics on Expenditures for ICF-MR Care by State and U.S. for Fiscal Y	'ear 1988
--	-----------

				Total ICF-MR	ICF-MR	State %			وبوائده والبدياني والمروا
		Total Federal	ICF-MR	Expenditures	Recipients	of	Federal	State % of	State
	ICF-MR	Payments for	Costs per	per State	per 100.000	Federal	Income Tax	Total	Benefit Ratio
State	Costs	ICF-MR	Recipient	Resident	Population	ICF-MR	(in Millions)	Income Tax	ICF-MR%/Tm%
Alabama	49,703,945	36,428,021	36,440	12.12	33.25	1.08	4.422	1.17	.92
Alaska	9,711,000	4,855,500	90,757	18.53	20.42	.14	1.088	.29	.50
Arizona	0	0	0	.00	.00	.00	4.600	1.21	.00
Arkanses	50,054,544	37,145,477	34,449	20.90	60.67	1.10	2,205	.58	1.89
California	474,662,802	237,331,401	-43,663	16.76	38.39	-7.02	47,690	12.58	.56
Colorado	40,895,700	20,447,850	35,592	12.39	34.81	.60	5,074	1.34	.45
Connecticut	114,786,168	57,393,084	81,178	35.50	43.74	1.70	8.736	2.30	.74
Delaware	14,417,006	7,482,426	32,841	21.84	65.52	.22	1,112	.29	.76
D.C.	40,372,000	20,186,000	60,619	65.43	107.94	.60	1,398	.37	1.61
<u>Florida</u>	129,141,973	71,531,739	40,611	10.47	25.78	2.12	20,901	5.51	.38
Georgia	70,527,138	45,024,557	36,867	11.12	30.16	1.33	8,597	2.27	.59
Hawaii	5,344,629	2,870,600	18,056	4.87	26.96	.08	1.517	.40	.21
Idaho	22,744,471	16,028,029	49,337	22.68	45.96	.47	901	.24	1.98
Illinois	234,651,000	117,330,500	22,681	20.21	89.08	3.47	20,194	5.33	.65
Indiana	92,507,427	58,936,482	19,724	16.65	84.41	1.74	7,595	2.00	.87
lowa	83,595,219	52,456,000	45,432	29.50	64.93	1.55	3,229	.85	1.83
Kansas	68,842,598	38,001,114	33,081	27.59	83.41	1.12	3,492	.92	1.22
Kentucky	40,451,501	29,234,300	34,079	10.85	31.85	.86	3,933	1.04	.83
Louisiana	150,460,400	102,704,269	25,010	34.13	136.48	3.04	4,777	1.26	2.41
Maine	29,175,403	19,570,860	43,095	24.2	56.18		1,489	.39	1 48
Maryland	80,806,106	40,403,053	56,547	17.48	30.92	1.19	8,710	2.30	.52
Massachusetts	307,832,416	153,916,208	83,243	52.27	62.80	4.55	12,383	3.27	1.39
Michigan	207,374,292	117,125,000	56,306	22.44	39.86	3.46	14,921	3,93	.88
Minnesota	216,549,498	116,893,419	34,161	50.28	147.18	3.46	6,309	1.66	2.08
Mississippi	27,313,120	21,754,900	16,277	10.42	64.05	.64	2,101	55	1 17
Missouri	67,809,178	40,190,500	36,300	13.19	36.34	1.19	7,378	1.95	.61
Montana	11,542,219	8,010,300	45,621	14.34	31.43	.24	785	.21	1.13
Nebraska	28,844,241	17,228,665	35,698	18.01	50.44	.51	1,955	.52	.98
Nevada	9,837,686	4,943,437	52,328	9.33	17.84	.15	1,855	.49	.30
New Hampshire	18,824,400	9,412,200	92,276	17.35	18.80	28	2,190	58	48
New Jersey	150,094,954	75,047,477	39,343	19.44	49.41	2.22	18,336	4.84	.46
New Mexico	23,582,872	16,866,470	33,262	15.65	47.05	.50	1,561	.41	1.22
New York	1,157,434,500	578,717,250	65,887	64.63	98.09	17.11	34,044	8.98	1.91
North Carolina	145,867,356	100,181,700	42,342	22.48	53.09	2.95	7,933	2.09	1.42
North Dakota	<u> </u>	24,514,100	42,556	56.66	133.13	.72	744	20	3 62
Ohio	288,358,398	170,419,813	38,269	26.56	69.42	5.04	15,332	4.04	1.25
Okishoma	83,060,371	52,602,133	25,620	25.62	100.00	1.56	3,738	.99	1.57
Oregon	72,558,575	45,066,131	56,510	26.22	46.40	1.33	3,325	.88	1.51
Pennsylvania	349,428,073	200,397,000	47,451	29.12	61.36	5.93	17,701	4.67	1.27
Rhode Island	<u>55,768,277</u>	<u>30,588,900</u>	51,023	56.16	110.07	.90	1,580	42	215
South Carolina	99,801,197	73,343,900	30,243	28.76	95.10	2.17	3,651	.96	2.26
South Dakota	20,518,961	14,451,504	31,568	28.78	91.16	.43	679	.18	2.37
Tennessee	77,564,261	54,791,394	35,289	15.85	44.90	1.62	6,072	1.60	1.01
Texas	365,748,009	208,147,192	29,952	21.72	72.51	6.16	25,078	6.61	.93
Utah	34,253,628	25,255,200		20.27	55.92	.75	1,633	43	1 74
Vermont	15,907,897	10,535,800	66,840	28.56	42.73	.31	728	.19	1.64
Virginia	109,091,936	56,007,800	36,147	18.14	50.17	1.66	9,852	2.60	.64
Washington	112,872,686	60,059 ,55 6	44,456	24.28	54.63	1.78	7,012	1.85	.96
West Virginia	16,090,632	12,042,229	38,587	8.58	22.23	.36	1,846	.49	.73
Wisconsin	114,470,170	67,514,506	33,887	23.58	69.58	2.00	6,168	1.63	1.22
Wyoming	0	0	0	.00	.00	.00	659	.17	.00
U.S. Total	6,029,050,461	3,381,385,946	41,257	24.53	59 45	100.00	379,209	100 03	1 00

Y SAM

Best Lt.

ERIC FullEast Provided by ERIC

a de la com

60

2

Variations due to differences in per recipient cost. Placement rates are not the only factor accounting for interstate differences in ICF-MR expenditures. Obviously the average number of dollars expended per ICF-MR resident is also a key factor. Table 9 also shows the enormous variations among states in the average per resident cost of ICF-MR care. The national average cost of ICF-MR care per recipient in Fiscal Year 1988 (total ICF-MR expenditures in the year divided by total recipients) was \$41,257 per year. Among the states with the highest per recipient costs in 1988 were New Hampshire (\$92,276 per person per year), Alaska (\$90,787), Massachusetts (\$83,243), and Connecticut (\$81,178). Among the states with the lowest per recipient costs were Mississippi (\$16,277), Hawaii (\$18,056), and Indiana (\$19,724). The effects of relatively high per resident costs are straightforward. For example, Massachusetts, New Hampshire, Connecticut, and Alaska had 3.7% of all ICF-MR resident's on June 30, 1988, but accounted for 7.5% of total FY 1988 ICF-MR expenditures. Obviously, when a state is both a high user of the ICF-MR option and has high cost per recipient, its total expenditures become particularly notable. New York stands out in this regard. Although New York had only 7.3% of the total U.S. population and 12.0% of the ICF-MR population on June 30, 1988, in FY 1988 it accounted for 19.2% of all ICF-MR expenditures.

Variations in state financial benefit. It was noted in the general description of the ICF-MR program that, like all Medicaid programs, the federal government shares the costs of ICF-MR services with the states as a function of the state per capita income relative to national per capita income. Relatively rich states share total costs on an equal basis with the federal government, relatively poor states may have federal involvement in financing Medicaid services up to 83%. (Mississippi's 79.7% was the highest rederal share in 1988.) It is often presumed, therefore, that the extent to which states benefit from ICF-MR program participation tends to be related to their general need for assistance as reflected in the federal Medicaid cost share ratio. However, because states vary considerably in their ICF-MR utilization rates, in the proportions of their licensed facilities participating in the ICF-MR program, and in their costs per recipient, some deviation should be expected between total benefit in federal dollars from the ICF-MR program and the proportion of total ICF-MR costs reimbursed by the federal government.

To assess the extent of variance a "state benefit ratio" was computed. The state benefit ratio in Table 9 represents a ratio of federal ICF-MR reimbursements paid to each state for each dollar contributed to the program through personal income tax. Obviously such an index masks certain realities: first, revenues for the Medicaid program do not ome exclusively through personal income tax, second, expenditures for federal programs in recent years have not been equal to the revenues generated for those programs (i.e., the United States has substantially greater expenditures than revenues). Despite the oversimplifications, such an index is one way of assessing the balance between state contributions to the federal government for the ICF-MR program and federal reimbursements back to the states for ICF-MR services, and the extent to which imbalances are of an intended nature. Table 9 shows that in Fiscal Year 1988, North Dakota got back over three dollars in federal reimbursements for every dollar contributed, and five other states exceeded two dollars received for each dollar paid (Louisiana, \$2.46; Minnesota, \$2.08; Rhode Island, \$2.65; South Carolina, \$2.26; and South Dakota, \$2.37). In contrast six states got back less than \$.50 in reimbursements for every dollar contributed (Colorado, \$.45; Florida, \$.38; Hawaii, \$.21; Nevada, \$.49; and New Jersey, \$.46).

Of the 25 states showing a favorable "State Benefit Ratio" (state's % of total Federal ICF-MR reimbursements divided by state's % of total Federal income tax payments), seven of the eleven poorest states were included, while only three of the eleven richest states were present. Therefore, while differential ICF-MR utilization and average costs may cause a number of poorer states (e.g.,



Georgia, Kentucky, West Virginia) to be subsidizers of ICF-MR services in relatively wealthy states (e.g., Minnesota, New York, Rhode Island), the highly favorable Medicaid federal-state cost share for the poorer states does establish at least a tendency for them to receive more federal funds from ICF-MR reimbursements than they contribute to them.

Nursing Home Residents with Mental Retardation

Table 10 presents the number of people with mental retardation and related conditions reported by states to be in nursing facilities, other than ones specifically licensed for persons with mental retardation and related conditions. This was the f. year that statistics were obtained from all states on nursing home residents with mental retardation. The primary factor in states' improved capacity to report an actual or estimated count was the new requirement under the Omnibus Budget Reconciliation Act of 1987 (OBRA-87), that states screen nursing home residents with mental handicaps for the appropriateness of their placement. States were required to submit an "Alternative Disposition Plan" to the U.S. Department of Health and Human Services regarding the findings of those screenings. Most states submitted that plan in December 1988 and the findings of those screening activities were the statistics reported by most states for their nursing home residents with mental retardation, despite the request that the count be for June 30, 1988 or the closest possible date.

In all, states indicated 42,679 persons with mental retardation to be in nursing homes. This statistic is reasonably consistent with the 1987 National Medical Expenditure Survey estimate of 45,261 persons with a primary diagnosis of mental retardation in nursing homes (see Table 23). Nationwide the total reported number of persons with mental retardation in nursing homes was 24.4% of the total number receiving ICF-MR and Medicaid waiver services. In 10 states the reported number of nursing home residents with mental retardation was at least 50% of the number of people receiving ICF-MR and waiver services. Nationwide, the reported number of nursing home residents with mental retardation and related conditions equalled 15.9% of the nation's total population of persons in state licensed or operated mental retardation facilities. Three states (Alabama, Georgia and Vitginia) reported nursing home residents equal to 50% or more of mental retardation facility residents.



			NH Residents as %	مى مەركە تەكەر مە	NH Residents as %
	Numing Home (NH)	Total ICF-MR/	of ICF-MR/Waver	Total MR	of Total
State	Residents with MR ²	Waiver Recipients	Recipients	Residents	MR Residents
Alabama	1.650e	3.094	53.3%	2.220	74.3%
Alaska	30e	107	28.0%	339	8.8%
Arizona	300e	0	n/a	2.217	13.5%
Arkansas	800e	1.453	55.1%	2,120	37.7%
California	869	13.364	6.5%	30,997	2.8%
Colorado	482e	2,770	17.4%	3.026	15.9%
Connecticut	622	2,058	30.2%	4 995	12.5%
Delaware	305	583	\$2.3%	688	44.3%
DC	850	666	12.8%	1 006	84%
Florida	143	5 811	25%	8 370	17%
Geomia	2050-	1 012	107.2%	3618	56 796
Henroit	66	3740	17.6%	5,010 A40	14.7%
Idaho	75.	5670	11 206	1 212	5706
Illinoie	2.000	10 002	27 206	15 840	19.0%
Indiana	3,0000	10,703	41.370 53.30L	5 774	10.370
Iona	5224	1.952	<u>>>>>%</u>	<u>5,724</u>	12.0%
Vanaa	5500	1,056	20.170	4,417	12.070
Kantualar	0U 407	4,200	2.070	4,109	1.470
Kentucky Louisiana	487	1,839	40.370	1,851	20.370
Louisiana	1,200	0,016	19.9%	0,430	18.7%
Maine	17.8	112/	14 9%	2,062	81%
Maryland	3000	4145	14.0%	4,311	7.0%
Massachusetts	1920	4,291	4.5%	7,192	2.1%
Michigan	2,2006	4,263C	51.6%	7,794	28.2%
Minnesota	961	8,235	11.7%	9,156	10.5%
Mississippi	280e	1,678	<u>16.7%</u>	2,459	
Missouri	468	1,868	25.1%	5,422	8.6%
Montana	300c	539	55.7%	1,221	24.6%
Nebraska	353	1,361	25.9%	2,401	14.7%
Nevada	61	305	20.0%	465	13.1%
New Hampshire	<u>25e</u>	838	3.0%	1,075	23%
New Jersey	2,479	6,688	37.155	8,326	29.8%
New Mexico	86	843	10.2%	1,339	6.4%
New York	1,323	17,567	7.5%	27,534	4.8%
North Carolina	316	3,850	8.2%	5,183	6.1%
North Dakota	289	1.712	169%	1,516	191%
Ohio	4,756	7,669	62.0%	13,082	36.4%
Oklahoma	1,500e	3,420	40.9%	4,046	34.6%
Oregon	285	2,252	12.7%	3,305	8.6%
Pennsylvania	300c	9,123	3.3%	15,021	2.0%
Rhode Island	225	1,343	16.8%	1,399	161%
South Carolina	49	3,300	1.5%	3,834	1.3%
South Dakota	142	1,260c	11.3%	1,515	9.4%
Tennessee	930c	2,549	36.5%	3,739	24.9%
Texas	3,500e	12,623	27.7%	13,270	26.4%
Utah	389	1.967	10.5%	1,737	22.4%
Vermont	125e	486	25.7%	567	22.0%
Virginia	2,300e	3,018	76.2%	4,208	54.7%
Washington	573	3,485	16.4%	5,922	9.7%
West Virginia	383	541	70.8%	1,090	35.1%
Wisconsin	2,200	3,976	55.3%	8,054	27.3%
Wyoming	65e	0	n/s	729	8.9%
US_Total	42,679	174,823	24 4%	263 771	15 9%

Table 10: Persons with Mental Retardation and Related Conditions in Nursing Facilities on June 30, 1983¹

Note. ¹Data provided by many states were those submitt.⁴ in their December 1988 Alternative Disposition Plans.

²In some states this statistic includes people placed in nursing homes under the sponsorship of the state MR/DD ager. sy as well as persons placed by families or other agencies. For example, Alabama's estimate of 1,650 total nursing home residents includes an estimated 155 individuals under the sponsorship of the Department of MH/MR.



PART III: CHARACTERISTICS OF RESIDENTS OF ICFs-MR IN 1987

Part III of this report uses statistics obtained from the Institutional Population Component of the 1987 National Medical Expenditure Survey (NMES) to describe the characteristics of residents of ICF-MR certified facilities. It also provides for comparative purposes descriptive statistics on residents in facilities that are not ICF-MR certified. The National Medical Expenditure Survey included a sample of 3,618 persons in 691 facilities primarily serving people with mental retardation and related conditions. Of these 2,303 sample members were residents of 296 sampled facilities with ICF-MR certification. The Institutional Population Component of the 1987 National Medical Expenditure Survey provided considerable detailed information on the demographic, diagnostic, functional and other characteristics of persons in publicly-operated residential facilities. These data provide a description of many important characteristics of the individuals enumerated in Part II of this report.

Methodology

A separate "Mental Retardation Facilities" sample was developed for the Institutional Population Component of the 1987 National Medical Expenditure Survey. It was based on a threestage probability design. The three stages included: 1) de elopment of a universe of all facilities meeting the definition of a "mental retardation facility"; 2) set ction of a controlled sample of facilities from that universe; and 3) selection of a random sample of residence of those facilities. Details of the sampling strategy are reported in Edwards and Edwards (1989).

Universe of Facilities

The universe of facilities serving as the sample frame for the National M dical Expenditure Survey was the 1986 Inventory of Long-Term Care Places (ILTCP) (Sirrocco, 1989). The ILTCP was carried out to identify facilities primarily serving persons with mental retardation, verify eligibility as a "mental retardation facility," and to provide statistics on population and administrative characteristics of acilities on which the sample stratification, selection, and eventual facility weighting for the Institutional Population Component of NMES could be based. The ILTCP defined mental retardation facilities as formally state licensed or contracted [including state-operated] livir.g quarters which provided 24-hour, 7-days-a-week responsibility for room, board and supervision primarily to persons with mental retardation who were not relatives.

Construction of the registry. Prior to conducting the actual "inventory" stage of the ILTCP, a list of facilities potentially meeting the definition of a mental retardation facility was constructed using a national census of residential facilit. Is for persons with mental retardation conducted by the Center for Residential and Community Services at the University of Minnesota (Hauler, Bruininks, Hill, Lakin, & White, 1984). To that registry of 15,633 facilities were added all other facilities identified by states and "relevant associations" as operating in late 1985, but which were not included in the 1982 census survey.

Surveying and screening the registry (the ILTCP). The ILTCP was a simultaneous survey of the mental retardation facilities identified as described above, as well as nursing and related care homes identified in a similar manner using the National Center on Health Statistics' 1982 National Master Facility Inventory as the base registry. The Bureau of the Census carried out the actual



ILTCP survey of 56,728 total facilities on the registry. Of these 5,808 could not be surveyed because of insufficient information, inability to locate, or eventual dropping for nonresponse. There were 174 direct refusals. Another 5,500 places were not operating as residential facilities at the time of the survey, or were not providing residential services at the specific address (e.g., were home offices for multiple facilities).

The ILTCP survey outcomes were used by the National Center for Health Services Research (NCHSR) to evaluate all 56,728 facilities in the registry for their status as a men. I retardation facility. According to a set of hierarchical decision rules, the process eliminated f om the mental retardation facility universe facilities that were determined to be nursing or related cure homes, duplicate addresses or facilities that were otherwise out-of-scope (no current residented with mental retardation, administrative offices, not 24-hour residential programs, etc.). In all 15,351 "mental retardation facilities" were identified in the 1986 ILTCP, 1,347 of which also met the definition of nursing and related care home (Potter, Cohen, & Mueller, 1987).

Facility Sample

In addition to its use as determining the current status of mental retardation facilities and nursing and related care facilities, the IL'rCP gathered the basic data needed to structure the facility sample. However, prior to selecting the mental retardation facility sample from the ILTCP, it became evident that the ILTCP contained fewer of the smaller, non-ICF-MR residential settings than were identified in the 1982 mental retardation facility census (Hauber et al., 1984) and far fewer than were reported by state mental retardation/developmental disabilities agencies in 1936 (Lakin, Hill, White, Bruininks, & Wright, 1988). Because the underidentification appeared most notable among the smallest facilities, it was decided to exclude all settings of 2 or fewer residents from the ILTCP for the purposes of drawing a sample for the National Medical Expenditure Survey, the eliminating facilities of that size from the Institutional Population Component of NMES. This, of course, did not affect estimates of persons in ICFs-MR since they must by regulation have at least 4 residents.

The remaining identified mental retardation facilities were then stratified by their status as community-based ICFs-MR (4-15 beds), "oncertified community-based facilities (3-15 beds), or facilities with 16 or none residents. Within these strata facilities were further grouped by census region, ICF-MR certification, type of operation, number of "beds," state and zip code. Facilities were then sampled with probabilities of selection proportional to their size, but with some clustered subsampling of similarly grouped facilities to reduce field costs of the interviewing. A total of 691 separate mental retardation facilities were selected in the sample, 296 of which were ICF-MR certified and 395 of which were not ICF-MR certified.

Selection of Sample Members

A current resident sample was selected in each facility from a listing of all persons residing in the facility on January 1, 1987. Sampling was random, with a predetermined number of sample members drawn from each facility to insure that representation for residents within stra.a was equal to their proportion of all residents in the sample frame. In all 3,01 residents of mental retardation facilities were sampled.



Response Rates

To obtain the final yield of 691 mental retardation facilities, 730 eligible facilities were sampled from the ILTCP. Of these facilities 691 responded to the facility questionnaire, with 31 refusals and 2 other nonrespondents. To obtain the final yield of 3,618 current residents, 3,738 eligible residents were sampled. There were 29 refusals by facility officials to provide individual interviews, 86 refusals by individuals or guardians other than facility officials, and 7 other nonresponses. Thus, the overall response rates for selected facilities (94.7%) and for selected residents within facilities agreeing to participate (96.8%) were quite high.

Data Limitations

Originally, the mental retardation facility sample frame was intended to include all types and sizes of mental retardation facilities meeting the operational definition. However, as noted in a NCHSR staff paper on the NMES sample frame:

A final comparison of the 1986 ILTCP MR universe to the 1982 NCRF [National Census of Residential Facilities] universe (Hauber et al, 1984) suggested undercoverage of one and two bed MR facilities by the ILTCP. A likely explanation is that the very small MR facilities are more likely to close or move than large facilities. This jeopardized completeness of the frame, so one and two bed MR's were deleted at the end of the eligibility determination process (Potter, Cohen & Mueller, 1987, p. 826).

Underidentification of persons in small facilities was clearly reflected in the differences between ILTCP and NMES estimates of the total population of persons with mental retardation and related conditions in mental retardation facilities (about 218,000) and the 244,000 identified in the 1982 census (Hauber et al., 1984) and the 252,000 reported by states in 1985 (Lakin et al., 1988). But the underestimation appears largely confined to facilities of 6 and fewer residents which did not have ICF-MR certification. The magnitude of the undercount appears on the order of 25,000-30,000 small facility residents (including facilities with 1 or 2 residents), or in the neighborhood of 30% of all small facility residents (Lakin, Hill, Chen, & Stephens, 1989). These limitations likely affect the accuracy of the data presented on "non-ICF-MR" and "all facilities." The limitations described appear to have had little, if any, effect on the ICF-MR facility and resident estimates.

Table 11 presents summary statistics on facility groupings by ICF-MR/non-ICF-MR ("not certified") status. The NMES estimates of populations of both large and small ICF-MR facilities are quite similar to the statistics reported by states at the time the NMES sample frame was being developed (Lakin et al., 1987). States reported that on June 30, 1986 they had 20,890 residents with mental retardation and related conditions in small ICFs-MR. The NMES estimated 21,077. For the same date, states reported 122,925 persons with mental retardation and related conditions in large ICFs-MR. The NMES estimated 118,084. As noted before, noncertified facilities appear substantially underestimated in NMES when compared to state reports, with almost all of the discrepancy being in the smaller (15 or fewer resident) facilities.

In general then the population statistics obtained on ICF-MR facilities and residents from NMES appear to be well within normal ranges of sampling error. Population estimates on non ICF-MR and total facilities and their residents suffer from an incomplete sample frame. Because of this descriptive statistics such as percentages and averages are generally used instead of numerical



estimates to describe the populations of ICF-MR certified, non-ICF-MR ("not certified"), and total facilities.

····		Ĩ	CF-MR Centil	ied		Not Certifica			All Facilities			
		15- ret.	16+ res.	Total	15- 100	16+ 104	Tetal	15- res.	16+ res.	Toul		
N of facility		3,330	904	4,235	7,724	1,372	9,095	11,054	2,276	13,330		
Set up beds		24,083	130,580	154,663	49,784	58,954	108,748	73,867	189,544	263,411		
Current res		21,420	123,089	144,509	48,062	47,048	95,109	69,431	170,137	239,619		
MR/RC res	•	21,077	118,084	139,161	43,859	35,613	79,472	64,936	153,697	218,633		

Table 11: Facilities, Set-up Beds and Residents by ICF-MR Certification Status

Notes. Number of facilities are weighted estimates based on the facility questionnaire data. Facility size is based upon the number of set up beds in reporting unit. The total facility may be larger than the reporting with although this is presumably ackiom the case. The number of residents is commonly less than the number of set up beds. National estimates of current residents from the Baseline (resident) Questionnaire and "set up beds" from the Facility Questionnaire indicate the former to be 91.0% of the latter. Number of current residents include residents who do not have mental retardation (MR) or a related condition (RC). Number of MR/RC residents (mental retardation and related conditions) are weighted estimates from the resident bischne questionnaire. All references to MR mean MR/RC. Based on analysis of their size and operation, facilities with missing dats for "ICF-MR" were assumed to be not certified. Because data are weighted and rounded to meanest whole humber, none totals may not equal 100%.

Facility Administrative Data

Table 12 presents basic administrative statistics for ICF-MR and noncertified facilities by type of operation and facility size. The statistics presented on facility capacity, current residents and certified capacity have the limitations discussed above.

Proportion of Capacity Occupie1

Data from the 1987 National Medical Expenditure Survey (NMFS) indicate occupancy of mental retardation facilities to be 90.2% of the maintained capacity of facilities. ICF-MR certified facilities had an occupancy of 92.0%. The noncertified facilities were 87.5% occupied. Small ICFs-MR reported a 89.0% occupancy rate, large ICFs-MR an 94% occupancy. The lowest occupancy rates were among the large private noncertified facilities (78.7%).

Proportion of Residents with Mental Retardation or Related Conditions

Based on NMES data, 91.2% of the residents of mental retardation facilities were persons with mental retardation or related conditions. ICF-MR certified facilities had a much higher proportion of their total population made up of persons with mental retardation or related conditions (96.3%) than did noncertified facilities (83.6%). In general, private for profit facilities were most likely to have residents who were reported not to have mental retardation or related conditions (23.7% of all residents), but among the for profit ICF-MR certified facilities 98.7% of residents were reported to have mental retardation or related conditions. Among noncertified, private for profit facilities, an estimated 32.3% of residents did not have mental retardation or related conditions.

Medicaid Certified Capacity

According to the NMES, mental retardation facilities nationwide had a total of 156,735 "beds" certified for Me_licaid participation. The Medicaid capacity within mental retardation facilities was overwallmingly concentrated in the ICF-MR program (98.7%). The estimates of Skilled Nursing Facility (SNF) and Intermediate Care Facility (ICF) capacities (584 and 1,489 total "beds" respectively) were based on so few sampled facilities that they cannot be considered reliable estimates of SNF and ICF certification of units in mental retardation facilities.



The Medicaid certified capacity of mental retardation facilities was indicated to be highly concentrated in large facilities. About 84% of total (ICF-MR, ICF and SNF) Medicaid certified capacity was estimated to be in large facilities, as was 84% of ICF-MR certified capacity alone. Generally speaking, the smaller the facility grouping the less likely it was to have its residential capacity certified for Medicaid participation. For example, facilities with 800 or more residents had 100% of their capacity Medicaid certified; those with 300-799 residents were 96.6% certified; those with 76-299 residents were 66.9% certified; and facilities with 16-75 residents were 31.3% certified. The undercounting of small (less than 16 residents) facilities is confined almost exclusively to small, noncertified facilities with greatly affects estimated proportion of small facility capacity certified, and that 32.5% of small facility residents with mental retardation and related conditions were in ICF-MR units, state reports of small facilities and small facilities with ICF-MR certifications for 1987 indicated 19.8% to be ICF-MR certified (Lakin et al., 1989). Given underrepresentation of small facilities in the NMES, the 19.8% statistic seems a more accurate reflection of participation of small facilities in the ICF-MR program.

Direct Care Personnel

Substantial differences were found among facilities in their ratios of direct care personnel to their total current "set up beds." Generally, NMES indicated that there were now more people providing direct care nationally than are receiving it (1.06 direct care staff:1 resident). But given 168 hours in a week and the prevailing 40 hour work week, this would translate to an average resident to direct care staff ratio of about 4 to 1 at any one time. Ratios of staff to residents were much higher in ICF-MR certified facilities (1.33:1) than among non-ICFs-MR (.66:1). Small ICFs-MR had much lower staff to resident ratios than did large ICFs-MR (.92:1 and 1.41:1, respectively). Among the small ICFs-MR non-government facilities had lower staff to resident ratios than the public facilities (.90:1 and 1.07:1, respectively). Smail for profit facilities had the lowest staff to resident ratios for both certified and noncertified facilities (.60 and .44 staff members per resident, respectively). One factor in these lower ratios was the fact that in many of the smaller proprietary facilities the owner/operators lived in the "facility" and were providing care and supervision for considerably more hours than was indicated by their being reported as a single full-time direct care position. One factor in the generally higher ratios in ICFs-MR was, as will be described later, that the residents of these facilities tended to have more extensive needs for care and supervision than did residents of non-ICFs-MR.



43

				Facility Operation						•		
		Private for Profi	t	P	rivete NonProfit			Public			All Facilities	
	15- 104.	16+ res.	Total	15- res.	10+ res.	Total	15- ras.	16+ res.	Total	15- res.	16+ res.	Total
ICF-MR Certified												
Total maintained												
capacity	7,188	20,779	27,987	13,394	11,796	25,189	3,501	100,375	103,878	24,083	130,580	157,033
Total current residents	6,264	18,409	24,673	12,153	12,703	24,858	3,003	69,607	92,610	21,420	123,059	144,509
Total MR/RC residents	6,128	18,228	24,356	11,948	12,302	24,248	3,004	87,554	90,556	21,077	118,084	139,161
Total ICF-MR beda	7,168	18,409	25,598	13,393	11,798	25,189	3,501	100,375	103,678	24,083	123,069	154,653
Direct care put bed	.60	1.02	.91	1.05	.91	.29	1.07	1.54	1.55	.92	1.41	1.33
Per diems by range												
\$1-530	29.0%	13.5	17.7	11.3	23.4	17.1	7.7	0.0	0.2	16.5	4.0	5.9
31-55	21.3	51.5	43.3	15.1	20.8	17.9	0.0	0.8	5,0	15.1	10.1	10.8
56-80	33.7	27.6	30.6	37.5	20.1	29.1	20.1	12.5	12.7	35.6	15.4	18.4
81-105	0.0	7.4	5.4	21.2	15.7	18.5	35.5	23.2	23.6	18.3	20.2	19.6
106+	11.1	0.0	3.0	14.9	20.1	17.4	38.7	6 3.5	62.8	16.5	50.3	45.4
Not ICF-MR Certified												
capacity	22,830	28,783	51.618	23.897	25,554	47,651	4,847	4,824	9,481	49,784	53,954	108,748
Total current residence	19.385	23,898	43,281	23,897	18,654	42,751	4,800	4,297	9,098	48,082	47,048	95,109
Total MR/RC residents	15.584	13,691	29,275	23,644	17,935	41,579	4,631	3,967	8,618	43,859	35,613	79,472
Total SNF/ICF bads	427	745	1,173	0	C	0	649	250	899	1,076	895	2,072
Direct care	.44	.48	.45	.76	.88	.83	.90	.97	.94	.63	.69	.63
Per diems by range												
\$1-230	78.4%	67.5	71.1	42.6	28.3	34.2	22.9	13.3	17.6	55.7	45.0	49.5
31-55	5.5	16.7	12.2	30.2	30.3	30.2	30.8	0.0	13.9	19.4	21.8	20.8
55-00	5.4	8.7	7.4	13.9	19.5	17.2	0.4	11.3	6,4	8.9	14.0	11.9
81-105	5.0	3.6	4.2	4.0	7.8	6.3	19.7	34.3	16.7	5.8	6.4	6.2
108+	7.8	3.5	5.2	9.3	14.1	12.1	26.1	61.1	45.3	10.1	12.8	11.7
All Facilities Total maintained												
capecity	30,018	47,198	77.214	35,502	37,349	72,851	8,348	104,999	113,347	73,867	189 544	265,781
Total current residents	25,629	44,678	70,304	36,050	31,557	67,607	7,803	\$3,904	101,707	69,481	170,137	239,619
Total MR/RC raudonts	21,712	31,919	53,332	35,590	30,237	65,827	7,633	91,541	99,174	64,936	153,697	218,633
Total Medicaid beds	7,615	19,154	26,769	13,394	11,798	25,139	4,150	100,624	104,775	25,160	131,575	158,735
Total ICF-MR beds	7,183	18,409	25,598	13,394	11,798	25,189	3,501	100,375	103,876	24,083	130,580	154,663
Direct care	.48	.69	.61	.87	.89	.63	.97	1.51	1.48	.72	1.18	1.08
Per diems by range												
\$1-\$30	63.3%	45.3	51.7	30.7	26.9	23.6	16.3	0.6	1.5	42.2	17.1	23.5
31.55	9.9	31.0	23.5	24.4	27.6	26.2	17.5	0.8	1.8	17.9	13.8	14.8
56-80	14.6	16.5	15.8	22.9	19.7	21.1	8.9	12.4	12.2	18.1	14.9	15.7
81-105	3.6	5.2	4.6	10.6	10.1	10.3	23.5	22.8	23.0	9.4	15.8	14.2
106+	8.7	2.1	4.4	11.4	15.8	13.8	30.7	63,4	61.4	12.3	38.4	31.8

Table 12: Basic Administrative Data by ICF-MR Certification Status and Facility Operation

Notes. Total maintained capacity is number of set up bads in reporting unit, estimated from weighted data on facility questionnaire. Total current residents and residents with MR/RC are weighted estimates from resident baseline questionnaire. Most fucilities with Medicaid certification (78.4%) are indicated to be 100% certified. For other facilities with Medicaid certification, total ICF, ICF MR, and SinF under an estimated to be the number of set up bads in reporting unit, estimated for multiple categories (e.g., 0-10% = 5%) of the recorded variables "percent of bads certified." Froitities with missing bed certification data but which are ICF-MR certified are assumed to be 100% ICF-MR. Per diems by range are the estimated percentage of residents in each facility category living in facilities in each per diem range. Facility size weights are "set up beds." Direct care personnel estimates are expressed as number of FTE direct care staff (idenzed nurses, nurses aids/orderlies, recreation/activity staff, and "aft other care staff") per set up bed. "Part time" assumed to equal 50% FTE. Data are weighted to represent correct proportions of <u>set up beds</u> (approximate), equal to the number of residents). Row and column totals may not be equal because of differences in missing data across cells.



Per Diem Costs

A major limitation of the NMES facility data was that costs were coded into 5 broad cost categories from continuous per day cost statistics that were originally gathered. The categories created from the NMES .' at and the weighted proportion of residents within the facilities of each range were: a) 30 c: less per day (23.5% of all facilities in the sample), b) 31-555 (14.8%), c) 56-80 (15.6%), d) 81-105 (14.2%), and e) 106 or more per day (31.8%). Based on other surveys (Hill, Lakin, Bruininks, Amado, Anderson, & Copher, 1989; White, Lakin, Hill, Wright, & Bruininks, 1988), facility costs generally range from 15 to well over 300 per day, so that the extreme data reduction in the NMES data files greatly decreased the usefulness of the facility cost statistics.

ICF-MR certified facilities, regardless of operator or size, were much less likely to be found in the lower cost ranges (e.g., \$55 per day or less) than noncertified facilities. Among private for profit facilities, 83% of residents in noncertified facilities were in places with a daily cost of \$55 or less as compared with 51% of residents of ICFs-MR. Among nonprofit facilities, 64% of residents in noncertified facilities and 35% of those in ICFs-MR were in places with a cost of \$55 a day or less. Among government operated facilities, 21% of noncertified facility residents were in places costing \$55 or less per day, as compared with an estimated 1% of persons in public ICFs-MR. Conversely, an estimated 65% of public and private ICF-MR residents were in places that cost \$81 or more per day as compared with 18% of persons in noncertified facilities. An estimated 72.2% of residents in small, government ICFs-MR were in facilities costing \$81 per day or more. This compared with 27.6% of residents of small private ICFs-MR and 15.9% of the sampled small facilities that were not ICF-MR certified. These cost variations were likely due primarily to differences in direct care and professional staffing intensities and pay scales, since personnel costs make up the bulk of the costs of operating residential facilities.

Resident Movement

Table 13 presents basic resident movement statistics for calendar year 1986 for ICF-MR and noncertified facilities by type of operation and size. Movement is expressed as a percentage of the "current residents." Movement data were based on Facility Questionnaire responses, but included or 'y facilities open for all of 1986. This had the effect of underestimating admissions to small facilities which generally have very high occupancy and which as a class tend to increase their total resident population by the creation of new facilities rather than increasing the number of people in existing facilities. Again, underrepresentation of small facilities may have affected the estimated rates for the small noncertified facilities.

Admission/Discharge Rates

Admission and discharge rates were generally higher among facilities without ICF-MR certification than among the ICFs-MR (16.2% vs. 9.0% for admissions and 14.0% vs. 9.9% for discharges). L general rates tended to be more similar between small and large facilities of the small certification types (ICF-MR or non-ICF-MR) than between facilities of the same general size category (15- residents or 16+ residents), but of different certification status. However, the smallest facilities (3-6 residents) were the most active in admissions and discharges during 1986 irrespective of ICF-MR status. They reported admissions in 1986 equal to 18.9% of their residential population and discharges equal to 14.2% of their residential population. Specific



admission/discharge rates for 6 and fewer resident ICFs-MR were 17.7 and 11.3, as compared with 19.4 and 15.6 for the noncertified facilities with 6 or fewer residents. Private for profit facilities had the highest admission and discharge rates for both ICF-MR and non-ICF-MR facilities, wi.h the greatest movement reported among facilities with 15 or fewer residents. While providing important information to evaluate service trends, the NMES baseline data do not include reasons for residents' movement.

Deaths

The estimated national death rate in residential facilities serving persons with mental retardation was 1.4% of the resident population. This included an estimated rate of 1.4% in ICF-MR facilities and 1.5% in noncertified facilities. These two estimates do not represent statistically significant differences. The estimated national death rate of 1.4% compares with 1.2% obtained in the 1982 National Census of Residential Facilities (Lakin, Hill, & Bruininks, 1985).



	······································		··· · · · · · · · · · · · · · · · · ·		acity Operatio	ก		i i i i i i i i i i i i i i i i i i i		<u>ين والد بالا م مد</u>	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
_		Private for Proli	it	P	rivete NonProfil	!		Public			All Facilities	
-	15- res.	16+ 162.	Total	15- rae.	16+ res.	Totel	15- res.	16+ res.	Total	15- res.	10+ res.	Total
ICF-MR Centilled												
Total current residents	6,264	20,779	27,043	12,153	12,703	24,858	3,003	89,607	92,610	21,420	123,089	144,509
Average 1955 admission												
6467	19.0	14.5	15.8	11.5	9.6	10.7	10.8	6.6	6.8	13.6	8.0	9.0
Average 1966 live												
cliecharge rate	44.3	12.1	12.8	8.7	8.0	8.4	3.9	9.7	9.5	9.8	9.9	9.9
Avorage 1968 death rete	0.8	1.7	1.5	0.6	1.7	1.2	0.0	1.4	1.4	0.7	1.5	1.4
Not ICF-MR Certified												
Total current residents	19,385	23,898	43,281	23,857	18,854	42,751	4,600	4,297	9,098	48,062	47.048	95,109
Average 1988 admission										-	-	-
rate	21.5	20.4	20.9	12.8	10.3	11.6	15.9	8.9	12.5	17.1	15.4	16.2
Avarage 1988 live										n		
discharge rate	15.1	16.0	15.6	12.8	12.3	12.5	15.6	10.0	12.9	14.1	14.0	14.0
Average 1988 desth rate	1.5	2.4	2.0	0.5	1.4	0.9	0.8	1.4	1.1	1.0	1.9	1.5
All Facilities												
Total current residents	25,629	44,676	70,304	36,050	31,558	67,607	7,803	93,904	101,707	69,481	170.137	239.619
Average 1966 admission					-	-			• • •			
rate	20.9	18.1	19.1	12.3	10.1	11.2	13.9	6.7	7.3	15.9	10.2	11.9
Average 1985 live												
discharge rate	14.9	14.4	14.6	11.1	10.8	11.0	10.9	9.7	9.8	12.0	11.1	11.5
Average 1988 death rate	1.3	2.1	1.8	0.6	1.5	1.0	0.5	1.4	1.3	0.9	1.6	1.4

Lable 13: Basic Resident Movement by ICF-2/R Certification and Facility Operation

Notes. Movement data are expressed as percent of est up bada. Table includes only facilities that were open all of 1986. It excludes a small number of facilities whose number of admissions or number of releases exceeded bed capacity. Certain facilities serve as disgnostic, placement and/or crisis centers. They receive and descrarge large number of residents each year. These were excluded in order to reflect the movement status of persons in typical residential settings.

ERI

ŧ

Resident Characteristics

The following tables present data on a range of diagnostic, medical and functional skills of residents of mental retardation facilities by ICF-MR certification status and facility size (15 and fewer/16 or more residents).

Level of Retardation/Type of Related Conditions

Table 14 presents the levels of retardation or types of related conditions for mental retardation facility residents reported to have mental retardation, epilepsy, cerebral palsy, autism, and/or spina bifida. Under "mentally retarded" are presented the estimated distribution of residents by level of retardation for individuals indicated to have mental retardation. Under "Related Conditions Only" are the estimates of prevalence of certain conditions among sample members who were indicated to have epilepsy, cerebral palsy, autism or spina bifida, but not mental retardation.

Persons with mental retardation. The NMES estimates indicated that 99% of the residents of mental retardation facilities who were reported to have mental retardation and/or related conditions, were reported to have mental retardation. This included an estimated 99.5% of residents of ICFs-MR. Essentially the same proportions were reported for large and small ICFs-MR and noncertified facilities. It is notable that of the persons indicated to have "mental retardation," 4% were classified as "borderline mentally retarded" or not technically within the range of measured intelligence (i.e., IQ) currently recognized as indicating mental retardation.

People with profound retardation were much more likely to reside in ICFs-MR than in non-ICFs-MR (49% vs. 14.5% of all residents). There were major differences between large ICFs-MR and large noncertified facilities in the proportion of their total populations reported to have different degrees of mental retardation. For example, among large ICFs-MR an estimated 54.5% of residents had profound mental retardation as compared with 17.4% of the residents of large noncertified facilities. An estimated 11.8% of large ICF-MR residents had borded or mild mental retardation as compared with 35.0% of residents of large noncertified facilities. In contrast small ICFs-MR and small noncertified facilities were quite similar with respect to the distribution of their residents by level of mental retardation. Mild/moderate mental retardation had a much higher prevalence within noncertified residential facilities (64% of residents) than within ICFs-MR (30%).

People with conditions related to mental retardation (i.e., epilepsy, cerebral palsy, autism and/or spina bifida), but who were not also diagnosed as mentally retarded appeared to be rare among mental retardation facilities (an estimated less than 1%), but were slightly more common among the noncertified facilities (1.4% vs. 0.6% in ICFs-MR). Epilepsy was the most commonly reported condition of persons who did not have mental retardation, but made up only an estimated 0.6% of all residents with mental retardation and related conditions. Although residents were rarely reported to have related conditions only, Table 14 shows these conditions very commonly accompanied mental retardation among the residents of mental retardation facilities. The statistics on related conditions may also be underestimated scmewhat because a diagnosis of mental retardation is frequently required for admission to these facilities.



				ICF-1	AR Certificatio	a Status			
	I	CF-MR Certifie	d		Not Certified			All Facilities	
	15- res.	16+ res.	Total	15- res.	16+ res.	Total	<u>15- res.</u>	<u>16+ res.</u>	Total
Mentally Retarded									
Mild/Borderline	29.8	11.8	14.6	30.9	35.0	32.7	30.6	16.9	20.9
Moderate	27.7	13.4	15.6	33.2	28.3	31.0	31.4	16.7	21.0
Severe	25.4	19.7	20.5	22.6	17.5	20.3	23.5	19.2	20.5
Profound	16.5	54.5	48.8	121	17.4	14.5	<u>13.6</u>	<u>46.3</u>	<u>36.7</u>
Total	99.4	99.4	99.5	98.8	98.2	98.5	99.1	99.1	99.1
Related Conditions Only									
Epileney only	0.2	0.4	0.4	0.9	1.0	1.1	0.7	0.6	0.6
Cerebral palsy only	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2
Autism only	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0
Soina bifida only	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Multiple related									
conditions	0.0	0.0	0.0	0.0	0.2	0.1	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
Total	0.5	0.6	0.6	1.2	1.7	1.4	1.0	0.8	0.8

Table 14: Percentage of Residents with Mental Retardation and Related Conditions in Mental Retardation Facilities by Level of Mental Retardation or Related Conditions and ICP-MR Certification Status

Notes. Statistics presented are proportion of total estimated population in each facility category indicated to have either mental retardation or a related condition by level of mental retardation or, if not indicated to have mental retardation, by a related condition. Columns may not add to 100% because of rounding. Statistics on residents with "related conditions only" are based only on 33 of the total 3,618 sample members.

Related Conditions by Level of Retardation

Table 15 presents estimates of the prevalence of conditions often associated with mental retardation among residents with different levels of mental retardation in ICFs-MR and noncertified residential facilities. Specific conditions included are epilepsy, cerebral palsy, autism, spina bifida and deafness or blindness.

Epilepsy. An estimated 29.6% of persons with mental retardation and related conditions residing in mental retardation facilities were reported to have epilepsy. This included 34.3% of ICF-MR residents and 21% of the residents of noncertified facilities. The presence of epilepsy was clearly associated with the level of mental retardation. About 15% of persons with mild mental retardation were reported to have epilepsy as compared with 43% of persons with profound mental retardation. This in itself accounts for most of the difference in prevalence of epilepsy between ICFs-MR and the noncertified facilities. But controlling for level of retardation, persons with epilepsy were still more likely to be residing in ICFs-MR than in noncertified facilities.

CercJral palsy. An estimated 11.7% of persons with mental retardation and related conditions in mental retardation facilities were reported to have cerebral palsy. This included 13.5% of ICF-MR residents and 8.6% of residents of noncertified facilities. As with epilepsy, there was a clear association between cerebral palsy and level of mental retardation of residents. Cerebral palsy was noted in the medical records of an estimated 5.5% of the individuals with mild or borderline mental retardation, 6.4% of those with moderate mental retardation, 9.2% of those with severe mental retardation, and 19.5% of those with profound mental retardation. Again the higher prevalence of cerebral palsy among ICF-MR residents was substantially associated with the higher proportions of ICF-MR residents with severe impairments (see Table 15).

Autism. An estimated 3.5% of residents of mental retardation facilities had autism noted in their medical records. There was a significantly lower rate of reported autism among ICF-MR



residents than residents of noncertified facilities (2.5% vs. 5.4%). The prevalence of reported autism was highest among persons with severe mental retardation (5.6%). Estimated rates of autism among persons with molerate and profound mental retardation were 3.3% and 3.6%, respectively. An estimated 1.4% of individuals with mild or borderline retardation were reported to be autistic. An estimated 5.4% of the sample members who were indicated to have a related condition, but not to have mental retardation were reported to have a utism. But this estimate was based on only 2 of 3,618 sample members, neither of whom resided in an ICF-MR.

Spina bifida. Spina bifida was estimated to be rare among the mental retardation facility populations. It was consistently reported to be below 1% for residents of both large and small ICFs-MR and noncertified facilities.

Blind or deaf. An estimated 7% of persons in mental retardation facilities were blind and/or deaf. About twice the proportion of persons in ICFs-MR were deaf or blind (8.8%) than in facilities that were not ICF-MR certified (4.3%). Again the difference was partially attributable to the association between these conditions and level of mental retardation; from 2.3% of persons with mild or borderline mental retardation to 13.8% of persons with profound retardation. Persons who were blind or deaf were more likely to reside in ICFs-MR of 16 or more residents (9.7%) than in noncertified facilities of 16 or more residents (5.2%), smal! ICFs-MR (3.9%) or other small facilities (3.6%).

There was a generally nigher reported prevalence of multiple disabilities among persons with more severe degrees of mental reta dation. However, the estimates obtained are likely to somewhat underestimate secondary disabilities among persons with severe cognitive impairments. Diagnosis of some secondary disabilities among persons with mental retardation (e.g., sensory impairments, psychiatric conditions) is at best difficult and quite likely to be done with different standards, different methods and different care across facilities.



Table 15: Perc	entage of Residents of I	Jental Retardation Facilit	es with Secondary an	nd/or Related Condition	na by Certification Status
----------------	--------------------------	-----------------------------------	----------------------	-------------------------	----------------------------

	ICF-MR Certification Status								
	ICF-MR Caralled			Not Certified			All Facilities		
	15- res.	16+ 100.	Total	15- rea.	18+ res.	Total	15- res.	16+ res.	Total
Montally Retarded									
Bordenine/Mild									
Epilepey	18.9	15.7	16.7	14.0	13.8	13.9	15.6	14.8	15.2
Cerebral Paley	5.2	7.9	7.1	6.0	2.4	4.2	5.7	5.3	5.5
Autism	0.0	1.1	0.8	1.1	3.0	2.0	0.7	2.0	1.4
Spina Bilida	0.0	1.3	0.9	0.4	0.0	0.2	0.3	0.7	0.5
Biind or Deef	21	2.4	2.3	3.5	1.0	2.3	3.1	1.8	23
Moderata									
Epilenay	.27	26.7	25.6	15.1	21.5	17.7	17.3	24.7	21.5
Con al Palsy	5.7	7.3	6.9	5.9	5.9	5.9	5.9	6.8	6.4
Autism	3.1	2.3	2.9	1.4	7.2	3.8	1.9	4.5	3.3
Spina Bilida	1	1.5	1.4	0.4	0.0	0.2	0.6	1.0	0.8
Blind or Desf	2.3	6.1	5.1	24	2.7	2.5	2.4	4.8	3.7
Severe									
Epilepey	18.5	32.5	29.9	21.5	18.1	20.2	20.4	29.6	26.5
Cerebral Palsy	10.9	8.8	9.2	10.1	7.6	9.2	10.4	8.6	9.2
Autism	4.6	3.6	3.7	7.6	11.3	9.1	6.5	5.1	5.6
Spina Bilida	0.0	0.4	0.3	0.0	1.3	0.5	0.0	0.6	0.5
Blind or Deal	٦	4.3	4.1	4.5	5.9	5.0	4.0	4.6	4.4
Profound									
Epilepey	27.6	44.6	43.3	29.2	48.4	39.6	28.6	44.9	43.2
Cerebral Palsy	15.3	19.7	19.0	19.7	25.1	22.5	13.9	20.2	19.5
Autism	21	2.5	2.4	6.1	15.0	10.9	4.5	3.5	3.6
Spina Bifida	0.0	0.5	0.5	1.5	0.0	0.7	0.9	0.5	0.5
Blind or Deef	10.9	14.2	14.0	6.1	17.8	12.4	~0	14.5	13.6
Related Conditions, Only	,								
Epilepsy	33.0	72.1	66.8	78.1	80,3	79.3	70.1	75.9	74.1
Cerebral Palsy	67.0	27.9	33.2	14.4	197	17.3	23.7	24.1	24.0
Autism	0.0	0.9	0.0	7.5	10.6	9.2	6.2	5.0	5.4
Spina Bilida	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>€</i> \0
Bilnd or Deaf	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Residents with MF	VRC								
Epilepsy	21.4	36.6	34.3	18.7	23.9	21.0	19.6	33.8	29.6
Corebral Palsy	7.1	14.6	13.5	8.7	8.5	8.6	8.2	13.2	11.7
Autism	23	2.6	25	3.3	7.9	5.4	3.0	3.7	3.5
Spinz Bilida	0.4	0.7	0.7	0.4	0.2	0.3	0.4	0.6	0.5
Bund or Deal	3.0	9.7	8.8	3.6	5.2	4.3	3.7	8.7	7.2

Notes. Blindness is defined as inability, with use of corrective lenses, to recognize (because of visual acuity) familiar people at a distance of 2 or 3 feet. Desfness is defined as inability, with a hearing aid, to hear things said to an individual. Data on "related conditions only" are percent of residents reported not to have mental retardation with?) each of five types of related condition, who have the additional condition listed. Within groups, columns do not always total 100% because some residents with related conditions only had more than one listed. "Total residents with MR/RC" includes percentage of all residents with and without MR who have the listed conditions. Only 33 sample members (out of 3,618 total) were indicated to have "related conditions only."

Age Distrubution of Residents

Table 16 presents estimates of the age distribution of persons with mental retardation and related conditions in ICF-MR certified and noncertified mental readation facilities. Age distribution estimates are provided for all residents and separately for those with mild/moderate levels of mental retardation, those with severe/profound mental retardation, and those who only had related conditions. It should be noted that the exclusion of facilities with 1 or 2 residents and the general underrepresentation of other small "family foster care" facilities has likely caused some degree of underestimation of the proportion of children and youth in mental retardation facilities. This was due to the somewhat greater proportion of children and youth in small family foster care settings than in



other facilities (51% greater than all other facilities in the 1982 National Census of Residential Facilities, Lakin, Hill, & Bruininks, 1985). Based on statistics from the 1982 national census survey it would appear likely the proportion of children and youth in all residential facilities in 1987, including those of 1 and 2 residents, was greater than the 15.5% estimated in the NMES. Adjustments for the undercounted smaller facilities and the eliminated 1 and 2 person placements, based on 1982 National Census of Residential Facilities statistics, would suggest that children and youth (21 years and younger) made up about 18% (45,800) of the 1987 population of mental retardation facilities. These general limitations affect only the comparative statistics for smaller, noncertified facilities. As noted earlier the ICF-MR population estimates for both large and small facilities are very near the expected numbers as reported by the states.

Like earlier studies, the NMES showed clearly the overwhelmingly adult population in mental retardation facilities. It estimated that only 15.5% of persons with mental retardation and related conditions in mental retardation facilities were persons 21 years and younger. Even the adjusted estimate of 18% was considerably less than the 24.8% found in the 1982 national survey and 37.4% found in the 1977 National Census of Residential Facilities (Lakin, Hill, & Bruininks, 1985). ICF-MR facilities reported even smaller proportions of children and youth (13.7%) than the underestimated proportions reported in noncertified facilities (18.4%). The estimated 13.7% of ICF-MR residents being 21 years or younger represents a substantial decrease from the 22.6% in 1982 (Lakin, Hill, & Bruininks, 1985). The primary factor in this decrease is the rapidly decreasing number of children placed in large institutions, particularly public institutions, were the bulk of the ICF-MR capacity is concentrated. For example, between June 30, 1982 and 1987 the number of children and youth (21 years and younger) in state institutions decreased from 25,792 to 12,026 (White, Lakin, Hill, Wright, & Bruininks, 1988).

At the other end of the life span populations of mental retard tion facilities are aging. According to NMES 5.5% of mental retardation facility residents were $\underline{65}$ years or older, including 5.8% of ICF-MR residents, and 4.8% of residents of noncertified facilities. In 1982 4.8% of all mental retardation facility residents were 63 or older, including 4.6% of all ICF-MR residents. In 1982 2.9% of small ICF-MR residents were $\underline{63}$ or older, by 1987 the estimated percentage of persons $\underline{65}$ or older in small ICFs-MR was only 3.5%, but still more than 2.9% reported in 1982. Person: 65 years and older made up 5.4% of residents with mental retardation and related conditions in noncertified facilities of 15 and fewer residents.

Resident age distributions were associated with level of retardation. Resident populations indicated to have ...ild or moderate levels of retardation contained lower proportions of children and youth than did the populations indicated to be severely or profoundly mentally retarded (12.2% vs. 17.9%). This was not only generally true, but was true within all facility sizes and types, including ICFs-MR and noncertified facilities. Conversely, higher proportions of older mental retardation facility residents were indicated to be mildly or moderately mentally retarded than were indicated to be severely or profoundly mentally retarded. Of all mildly/moderately retarded residents 9.4% were persons 55-64 years (9.3% in ICFs-MR), and 6.7% were persons 65 years or older (8.7% in ICFs-MR). Of all residents reported to be severely or profoundly retarded to be severely or profoundly mentally retarded to be severely or profoundly mentally retarded. Of all mildly/moderately retarded residents 9.4% were persons 55-64 years (9.3% in ICFs-MR), and 6.7% were persons 65 years or older (8.7% in ICFs-MR). Of all residents reported to be severely or profoundly retarded only 6.3% were persons 55-64 years (6.7% in ICFs-MR), and 4.3% were 65 years or older (8.7% in ICFs-MR). These differences reflect the generally lower life expectancy of persons with severe and profound levels of mental retardation. But they are also affected by the increasing life expectancy in general for persons with mental retardation.



The concentration of the residential population in early adulthood (22 to 39 years) was notable. While only 30.8% of the U.S. population was between 22 and 39 years at the time of this study, an estimated 53.4% of the ICF-MR and 48.5% of the non-ICF-MR population in 1987 was in young adulthood. This bulge is affected somewhat by the increase of this age cohort in the general population, but is more directly the result of placement factors such as the relatively low representation of children and youth and older people in residential settings; because children and youth increasingly stay ome until adulthood, and because older people with mental retardation and related conditions are often placed in nursing homes. In fact, according to the 1987 National Medical Expenditure Survey there were slightly more older people (65 or older) with mental retardation in nursing homes then in mental retardation facilities (about 15,500 versus 14,750).

		ICF-MR Certification Status									
		ICF-MR Certified			Not Certified			All Facilities			
	15- res.	18+ res.	Total	15- ras.	16+ res.	Total	15- 105.	18+ 126.	Total		
Montally Retarded											
Borderline/Mild/Mod	etano										
0-14 yaers	1.5	3.6	3.0	3.1	4.0	3.5	26	3.8	3.3		
15-21 years	9.1	6.5	7.3	7.9	13.0	10.1	8.2	9.4	8.9		
22-39 years	49.2	50.2	49.9	52.3	44.1	48.6	51.4	47.6	49.2		
40-54 years	27.3	19.5	21.8	22.5	23.8	23.1	23.9	21.4	22.5		
55-64 years	7.8	9.6	9.3	8.8	10.4	9.5	8.5	10.1	9.4		
65+ years	5.1	10.2	8.7	5.5	4.7	5.2	5.4	7.8	6.7		
Savere/Protound											
0-14 years	2.7	4.7	4.5	£1	9.9	9.5	6.7	5.3	5.6		
15-21 years	8.1	10.9	10.7	16.0	20.8	18.1	13.0	12.1	123		
22-39 years	60.3	54.6	55.1	49.4	49.4	49.4	53.5	54.0	53.9		
40-54 years	19.2	18.4	18.5	17.2	12.2	15.0	18.0	17.7	17.8		
55-14 vears	8.4	6.6	6.7	4.0	5.3	4.5	5.6	6.4	6.3		
65+ years	1.3	4.8	4.5	· 4.4	2.3	3.5	3.2	4.5	4.3		
Related Conditions Or	<u></u>										
0-14 vasrs	0.6	0.0	0.0	14.4	12.2	13.2	11.2	5.7	7.7		
15-21 voars	0.0	16.3	14.1	0.0	18.2	9.9	0.0	17.2	11.6		
22-39 years	100.0	17.1	28.4	23.0	21.3	22.1	35.6	19.1	24.7		
40-54 years	0.0	21.1	18.2	25.0	0.0	11	20.6	11.2	14.2		
55-64 V66/B	0.0	24.1	20.8	14.0	29.3	22.5	11.5	26.6	21.7		
65+ years	0.0	21.4	18.5	23.6	18.9	21.1	19.4	20.3	20.0		
Total MR and RC											
0-14 veers	2.0	4.4	4.0	5.2	6.1	5.6	4.2	4.8	4.8		
15-21 years	8.6	9.8	9.7	10.4	15.6	12.8	9.9	11.2	10.8		
22-39 veers	54.0	33.3	53.4	51.0	45.5	48.5	52.0	51.5	51.6		
40-54 vears	23.8	18.7	19.5	20.8	19.6	20.3	21.8	18.9	19.8		
55-64 vears	8.0	7.5	7.6	7.2	9.0	0.0	7.5	7.8	7.7		
65+ years	3.5	6.3	5.8	5.4	4.2	4.8	4.8	5.8	5.5		

Table 16: Age Distribution of Residents of Mental Retardation Facilities by Level of Retardation and Certification Status

Notes. Box, artina/Mild/Moderate category includes 2.5% of estimated population which was reported to be mentally rotarded, but whose level of rotardation was not reported. The "related conditions only" category is based on only 33 of 3,618 total sample members.

Activities of Daily Living (ADLs)

Table 17 presents estimates of the proportion of residents of ICF-MR and noncertified facilitic, who were reported to be able to perform certain activities of daily living independently, with special equipment, only with assistance or supervision from other persons, or not at all.



\$0

Bathing/showering. An estimated 39.1% of persons with metal retardation and related conditions in mental retardation focilities were reported to be able to bathe or shower independently. Residents of ICFs-MR were reported to be much less likely to be able to bathe or shower independently than were the residents of noncertified facilities (28.4% vs. 57.7%). However, the size of this difference derived almost entirely from the residents of large ICFs-MR, only 23.8% of whom were reported to bathe or shower independently as compared with 56.9% of large noncertified facility residents. Among small ICFs-MR and small noncertified facilities, comparable proportions of residents were reported to be independent in bathing or showering (53.9% and 58.5%, respectively). Obviously a major factor in these statistics was the much higher frequency of substantial mental impairment among the large ICF-MR populations. To exemplify the effect of mental impairment, taking all sample members irrespective of placement, 79.5% of individuals reported to have mild mental retardation were reported to be able to bathe or shower mental retardation, 33.6% of people with severe mental retardation and 6.5% of persons with profound mental retardation.

Dressing. An estimated 45.6% of residents with mental retardation and related conditions were reported to be able to dress themselves without assistance or supervision. Rates of independent dressing were much lower in ICFs-MR than in noncertified facilities (36.2% versus 62.2%), but were not appreciably different between small ICFs MR and small noncertified group homes (61.8% and 63.1%, respectively). The differences between arge ICFs-MR and large noncertified facilities in the proportions of residents reported to be able to dress independently were very large (31.6% and 61.1%, respectively). Again differences in the ability of people with different degrees of cognitive impairment generally appear to be the primary factor in the differences between the different types of facilities. About 85% of persons with mild mental retardation were reported to be able to dress independently as compared with 68.3% of persons with moderate mental retardation, 44.5% of people with severe mental retardation, and 9.2% of persons with profound mental retardation.

Toileting. Over two-thirds of the residents with mental retardation and related conditions were reported to be able to use the toilet independently. The difference between ICFs-MR and noncertified facilities in the proportion of residents independent in toileting was also substantial (59.1% and 83.7%). However, no difference was noted between small ICFs-MR and small noncertified group homes (86.6% and 85.7%, respectively). An estimated 9.4% of residents were reported to not use the toile at all. This included 12.5% of all ICF-MR residents and 14.6% of large ICF-MR residents. The proportion of residents reported to use the toilet independently ranged from 94.0% of residents with mild mental retardation, 88.9% of residents with moderate mental retardation and 76.6% of residents with severe mental retardation to 32.2% of residents with profound mental retardation.

Getting in and out of bed. An estimated 80.3% of residents with mental retardation and related conditions were reported to be able to get in and out of bed independently. While the proportion of all ICF-MR residents able to get out of bed independently was consistently lower than the proportion of noncertified facility residents (74.3% and 90.7%, respectively), a slightly higher proportion of residents of small ICFs-MR than residents of small aoncertified group homes were reported to be able to get out of bed independently (96.6% and 92.7%, respectively). An estimated 4.6% of mental retardation facilities residents were reported to not even assist in getting themselves out of bed. This included 6.4% of large ICF-MR residents.



Feeding self. An estimated 77.2% of residents with mental retardation and related conditions were reported able to feed themselves without assistance. ICF-MR residents were considerably less often reported as independent than were noncertified facility residents (70.1% and 89.5%, respectively), although little difference was noted among residents _ small ICFs-MR and small noncertified facilities (88.9% and 91.6%). An estimated 6.6% of mental retardation facility residents were reported to be unable to feed themselves even with the supervision or assistance of another person or equipment. This group included 9.2% of ICF-MR residents, almost all of whom were among the 10.8% of all large ICF-MR residents who were reported to be unable to feed themselves even with assistance.

Walking across room. Most residents (77.3%) with mental retardation and related conditions were reported to be able to <u>lk</u> across a room without physical assistance from other people or equipment. Another 1.2% were reported able to do so with the aid of equipment, but without assistance from another person. Comparable statistics for ICF-MR residents were 70.5% able to walk across a room completely without aid and another 1.4% with only the assistance of equipment. Residents of ICFs-MR were less likely to be ambulatory than residents of noncertified facilities (71.9% and 90.0%, respectively, without the assistance of another person). Again the differences were accounted for in the larger facilities, with small ICF-MR and small noncertified facility residents reported to be very similar in unassisted ambulation (93.9% and 91.2%, respectively). The proportion of ICF-MR residents reported to be unable to walk across the room even with the assistance of another person or equipment was 17.7%, including 20.7% of large ICF-MR residents. Small ICF-MR residents were less likely to be reported unable to walk across a room even with the assistance of equipment were residents were less likely to be reported unable to walk across a room even with the assistance of another person or equipment was 17.7%, including 20.7% of large ICF-MR residents. Small ICF-MR residents unable to walk across a room even with the assistance of equipment or another person than were residents of small noncertified facilities, but such levels of impairment were rare among both groups (1.3% and 3.6%, respectively).



				кғ.)	IR Contification	Statue				
	<u></u>	CF-MR Certifie	d		Not Certified			All Facilities		
Activity	<u>15- ras.</u>	<u>18+ res.</u>	Total	<u>15- rea</u>	<u>16+ res.</u>	Total	<u>15- res.</u>	<u>16+ res.</u>	Total	
Bathing or Showoring No difficulty w/o help Beceived sesistence	53.9	23.8	28.4	58.5	56.9	57.7	57.0	31.5	39.1	
or supervision Uses special	46.0	76.2	71.6	41.5	43.1	42.3	43.0	68.5	60.9	
equipment /no other assistance	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Average No difficulty w/o help	61.6	31.6	36.2	63.1	61.1	62.2	62.6	38.4	45.6	
or supervision	33.0	68.4	63.8	36.8	38.7	37.7	37.2	61.5	54.3	
equipment /no other assistance	0.2	0.0	0.0	0.1	0.2	0.2	0.2	0.0	0.1	
Using the Toilet No difficulty w/o help	85.6	54.2	59.1	85.7	81.2	83.7	8 5.0	60.4	68.1	
or supervision	12.2	31.1	28.2	11.2	13.4	12.1	11.5	27.0	22.4	
equipment /no	0.2	0.1	0.1	0.4	0.0	0.2	0.4	0.1	**	
other assistance Did not do at all	1.0	14.6	12.5	2.6	5.5	3.9	2.1	12.5	9.4	
Getting In/Out of Bed										
No difficulty w/o help Received assistance	96.6	70.3	74.3	92.7	88.2	90.7	94.0	74.4	80.3	
or supervision Uses spocial	2.6	23.3	20.2	5.7	7.0	6.3	4.7	19.5	15.1	
equipment /no	0.2	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	
Did not do at all	0.6	6.4	5.5	1.6	4.6	29	1.3	6.0	4.6	
Feeding Self No difficulty w/o help	88.9	66.8	70.1	91.6	86.9	89.5	90.7	71.5	TT 2	
or supervision	10.4	21.8	20.1	6.5	10.7	8.4	7.8	19.2	15.8	
equipment /no	0.6	0.6	σ.0	0.0	0.0	0.0	0.2	0.4	0.4	
otivar assistance Did not do at all	0.2	10.8	9.2	1.9	2.4	21	1.3	8.9	¢ 6	
Walking Across Room No difficulty w/o help	¥.8	65.4	70.5	90.3	87.7	86.2	91.2	71.4	TT.3	
or supervision	4.7	11.4	10.4	5.2	4.4	4.8	5.0	9.8	8.4	
acuioment Inc	4.4	15	14	٨a	40	08	00	12	10	
other sesistance	1.3	20.7	17.7	3.6	7.1	5.2	29	17.5	13.2	

Instrumental Activities of Daily Living (IADLs)

Table 18 presents estimates of the proportion of percons with mental retardation and related conditions in ICF-MR and noncertified mental retardation facilities reported to perform different instrumental activities of dat, living independently (with or without difficulty), with help, or not at all.



56

,

Use of telephone. An estimated 25.8% of residents of mental relardation facilities were reported to use a telephone independently. Another 25.5% were reported to use a telephone with assistance. ICFs-MR had a much lower proportion of people reported to use the telephone independently than did noncertified facilities (15.6% and 41.6%, respectively), but no difference was found between small ICFs-MR and small noncertified facilities (38.7% and 38.5%, respectively). A much larger proportion of ICF-MR residents was reported to never use a telephone at all, even with "help of any kind," than residents of noncertified facilities (61.0% and 29.8%, respectively), the proportions were again essentially equal for small facilities with and without ICF-MR certification (28.8% and 27.7%, respectively). Major differences were found between large ICFs-MR and large noncertified facilities in both the percentages of residents using the telephone independently (11.4% and 44.9%, respectively) and the percentage not using the telephone at all (66.9% and 32.0%, respectively).

Managing maney. An estimated 11.4% of persons with mental retardation and related conditions in ICF-MR and noncertified mental retardation facilities were reported to manage their money ("such as keeping track of expenses or paying bills") without assistance. Persons reported independent in managing their money included 6.5% of ICF-MR residents and 18.9% of residents of noncertified facilities. Only 5.4% of large ICF-MR facility residents were reported to independent ymanage their own money as compared with 19.5% of residents with mental retardation and related conditions in large noncertified facilities. Differences between small ICFs-MR and small noncertified facilities were small (12.5% and 18.4%, respectively). An estimated 60.8% of residents of both ICF-MR and noncertified facilities were reported to not participate in money management activities, even with assistance. ICF-MP residents were much less likely than noncertified facility residents to be involved in managing the common small ICFs-MR and small noncertified facilities (40.9% and 40.0%, respectively). The differences between large ICFs-MR and large noncertified facilities were substantial (76.2% and 51.2%, respectively).

Shopping for personal items. An estimated 15.6% of residents of both ICF-MR and noncertified mental retardation facilities were reported to "shop for personal items such as toil, items or medicines" without help. ICF-MR residents were considerably less likely to be independent in shopping for personal items than residents of noncertified facilities (8.7% and 26.4%, respectively). Among large facilities the differences between ICF-MR and noncertified facilities in the proportion of residents independently shopping for personal items was substantial (6.6% and 27.8%, respectively). Differences were much be tween small ICFs-MR and noncertified facilities (20.3% and 25.1%, respectively). Rates of independent or assisted involvement in shopping for personal items were also considerably lower in ICFs-MR than in noncertified facilities (42.7% and 72.4%, respectively). However, no differences were found between small ICFs-MR and small noncertified facilities in the proportion of residents involved in independent or assisted shopping for personal items were also considerably lower in ICFs-MR than in noncertified facilities (42.7% and 72.4%, respectively). However, no differences were found between small ICFs-MR and small noncertified facilities in the proportion of residents involved in independent or assisted shopping for personal items (76.3% and 75.6%, respectively).

Use of personal or public transportation. A substantial minority (17.3%) of residents of ICF-MR and noncertified mental retardation facilities were reported to be independent in getting around the community by using personal or using public transportation. (Presumably few sample members used personal transportation "to get around the community," by the use of personal and public transportation was combined in the NMES instrument.) ICF-MR readents were much less likely to be able to use private or public transportation independently than residents of noncertified facilities (9.3% and 29.6%, respectively). Differences were substantial between large ICFs-MR and large


noncertified facilities (6.4% and 30.0%, respectively). Differences between small ICFs-MR and small noncertified facilities were minor (25.5% and 29.1%, respectively).

An estimated 37.8% of residents of both ICF-MR and noncertified mental retardation facilities were reported not to get around the community "at al.," with or without assistance by using personal or public transportation. ICF-MR residents were much less likely than residents of noncertified facilities to use private or public transportation to get around town either independently or with help (48.0% and 22.0%, respectively). Differences between small ICFs-MR and noncertified facilities were negligible (16.8% and 18.4%, respectively); differences between large ICFs-MR and large noncertified facilities were notable (53.6% and 25.7%, respectively).

In a related analysis, notable differences were found among sizes and types of facilities in the extent to which assistance was provided to residents who were not independent to enable them to use private or public transportation \Rightarrow get around the community. For example, of the residents of small ICFs-MR who did not use private or public transportation independently (74.5% of all residents), 77.4% were provided assistance which permitted them to engage in the activity. Among small noncertified facility residents who were not independent, 74.0% received assistance; among nonindependent residents of large noncertified facilities 63.1% received assistance. In contrast of the large ICF-MR residents who did not perform the activity independently (93.6% of all residents), only 42.6% received assistance which permitted them to engage in the activity. Of course, most large ICF-MR residents line in public in stitutions which historically were constructed in geographically isolated settings and their location away from population centers may limit general access to public transportation.

		CF-MR Certification Status									
	ł	ICF-MR Cectied			Not Certified			All Facilities			
LADL	15- res.	18+ res.	Total	15- res.	164 128.	Totel	15- res.	16+ res.	Total		
Using Telephone											
Independent	38.7	11.4	15.6	33.5	44.9	41.6	33.5	20.5	25.8		
With help	32.6	21.7	23.4	33.8	23.1	28.6	33.5	22.1	25.5		
Not at all	23.8	66.9	61.0	27.7	32.0	29.8	23.0	57.4	43.7		
Managing Money											
Independent	12.5	5.4	6.5	18.4	19.5	18.9	16.6	9.3	11.4		
With help	46.6 40.9	18.3 78.2	22.7 70.8	41.6 40.0	29.3 51.2	35.6 45.5	43.2 40.3	21.3 69.4	27.8		
Not at all									60.3		
Shopping for Personal	kama										
Independent	20.3	6.6	87	25.1	27.8	26.4	23.6	123	15.6		
With help	58.0	30.1	34.0	60.5	41.3	45.0	52.2	33.1	38.7		
Not at all	23.7	63.4	57.3	24.4	30.9	27.6	24.2	54.6	45.6		
Using Cron or Public											
Transportation											
Independent	25.5	6.4	9.3	29.1	30.0	22.6	29.0	12.8	17.3		
With halo	57.7	33.9	42.7	52.5	44.2	48.5	54.1	41.1	44.9		
Not st ell	15.8	53.6	48.0	18.4	25.7	22.0	17.5	46.1	37.8		

Table 18:	Percontage	of Residents of I	Mental Rs	tardetion Facilities
Performing (instrumental.	Activities of Daily	/ Uving by	y Contribution Status

Disturbing Behavior and Moods

Table 19 presents estimates of the proportion of residents with mental retardation and related conditions exhibiting certain types of disturbing behavior "sometimes" or certain moods



58

"frequently." Estimates are presented for ICF-MR, noncertified and total facilities. The statistics on disturbing behavior included all members of the residered sample. Questions regarding "moods" in the National Medical Expenditure Survey were not asked of residents indicated to have profound mental retardation. Unfortunately, the absence of frequency and severity indicators for these behaviors and moods makes interpretation of the statistics somewhat difficult.

Gets upset/yells. About half (51%) of residents of ICF-MR and noncertified facilities were reported "sometimes" to get upset and yell. Small differences were noted between ICF-MR residents and those of noncertified facilities (53.6% versus 47.1%). Differences between large ICF-MR and large noncertified facilities were relatively small (54.0% and 45.4%, respectively). The estimates obtained for all ICF-MR and small noncertified facilities were not significantly different (51.7% and 48.7..., respectively).

Tries to hurt others. An estimated 28.5% of residents of ICF-MR and noncertified facilities were reported to sometin a attempt to hurt others physically. Again relatively consistent rates were reported across facility types and sizes. Somewhat higher proportions of ICF-MR residents were reported to be aggressive toward others than were estimated of noncertified facilities (31.7% and 23.6%). An estimated 32.7% of large ICF-MR residents were reported to try to hurt others as compared with 22.5% of large noncertified facilities. Small ICFs-MR and small aconcertified facilities had essentially equal proportions of their populations reported to try to hurt others (26.5% and 24.7%, respectively).

Tries to hurt self. An estimated 22.4% of all mental retardation facility residents were estimated to "sometimes" to try to hurt themselves. Self-injurious behavior was reported to be more prevalent in 1CFs-MR (25.5%) than in noncertified facilities (17.6%). Differences were again greater between large ICFs-MR and large noncertified facilities (26.3% and 16.6%, respectively) than between small ICFs-MR and small noncertified facilities (21.1% and 18.6%, respectively).

Steals from others. An estimated 15.7% of residents of all mental retardation facilities were reported to steal from others on occasion. Reported rates showed considerable consistency across facility types and sizes. ICF-MR rates were 17%, as compared with 13.8% in noncertified facilities. Differences between large ICFs-MR and large noncertified facilities were small (17.2% and 12.9%, respectively. The estimates obtained for small ICFs-MR and small noncertified facilities (15.9% and 14.7%, respectively) were not significantly different.

Exposes self/Has problem sexual behavior. An estimated 12.4% of residents of ICF-MR and noncertified facilities were reported to expose themselves or to exhibit other problem sexual behavior. Slightly higher rates were reported in ICFs-MR than in noncertified facilities (13.7% and 10.5%), with only small differences between large ICFs-MR and noncertified facilities (14.0% and 8.6%, respectively). The estimates for small ICFs-MR and small noncertified facilities were essentially equal (11.7% and 12.3%, respectively).

Gets last/wanders. An estimated 14.4% of persons with mental retardation and related conditions in ICFs-MR and noncertified residential facilities were reported to have problems with wandering and/or getting lost. Rates of reported problems of this type were quite consistent across the various types and sizes of facility. The reported rate for ICFs-MR was 16.1%; for noncertified facilities, it was 11.7%. Estimates for large ICFs-MR and large noncertified facilities



differed only slightly (16.5% and 11.4%, respectively). The rates reported by small ICFs-MR and small noncertified facilities were similar (14.1% and 12.1%, respectively).

Unable to avoid dangerous things/places. An estimated 23.6% of residents of all mental retardation facilities were judged by careproviders to present problems because of their being unable to avoid dangerous things and/or places. Reported rates were higher in ICFs-MR (28.3%) than in noncertified facilities (16.6%), particularly among the larger facilities (29.4% and 15.5%, respectively). Although there were differences between ICFs-MR and noncertified facilities, the degree of difference, which night be expected to be reflected in requirements for supervision, was not notably large, particularly given the substantial differences in staffing noted in Table 12.

Cries for no apparent reason. An estimated 12.5% of residents with mental retardation and related conditions were reported by careproviders to cry for long periods of time for no apparent reason. Differences in rates reported across facility types and sizes were relatively small, with reported rates for small ICFs-MR, large ICFs-MR and small noncertified facilities all being essentially equal (about 13%). Slightly lower rates were reported for large noncertified facilities (3.7%).

Moods

۰.

Frequently worried/apprehensive An estimated 31.4% of persons with mild to severe mental retardation or related conditions it all mental retardation facilities were reported to be frequently worried or apprehensive. Reported rates were essentially equal across factory types and sizes.

Frequently unresponsive or withdrawn. An estimated 18.5% of persons with mild to severe mental retardation or related conditions in all mental retardation facilities were judged by their careproviders to be frequently unresponsive or withdrawn. The reported rates for ICFs-MR and noncertified facilities were essentially equal.

Frequently impatient or annoyed. An estimated 42.5% of persons with mild to severe mental retardation or related conditions in all mental retardation facilities were reported by their careproviders to be frequently impatient or annoyed. Reported rates were higher for ICFs-MR than noncertified facilities (47.0% and 38.3%, respectively). The same degree of difference was reported between large ICFs-MR and large noncertified facilities (47.7% and 39.8%, respectively), as between small ICFs-MR and small noncertified facilities (44.7% and 36.8%, respectively).

Frequently suspicious. An estimated 20.3% of persons with mild to severe mental retardation or related conditions in ICFs-MR and noncertified facilities were reported to frequently exhibit sense of suspicion. Reported rates did not differ significantly between types or sizes of facility.



Table 19: Percentage of Residents of Mental Retardation Facilities Exhibiting Disturbing Behavior or Moods by Facility Certification Statur

		ICF-MR Certification Status							
	К	F-MR Contifs	ed	Not Certified			All Facilities		
	15- res.	18+ res.	Total	15-100.	18+ 188.	Total	15- res.	16+ res.	Total
Disturbing Behavior									
Gets upset/yet	51.7	54.0	53.6	48.7	45.4	47.1	49.6	51.6	51.0
Tries to hurt others physically	26.5	32.7	31.7	24.7	22.5	23.6	25.2	1.9	29.5
Tries to hurt self physically	21.1	20.3	25.5	18.6	16.6	17.6	19.4	23.6	22.4
Steels from others	15.9	17.2	17.0	14.7	12.9	13.8	15.0	16.0	15.7
Exposes self/has problem sexual behavior	11.7	14.0	13.7	12.3	8.6	10.5	12.1	12.5	12.4
Gets lost/wanders	14.1	16.5	16.1	12.1	13.4	11.7	12.7	15.1	14.4
Unable to avoid dangerous things/places	21.9	29.4	28.3	17.6	15.5	18.6	18.9	2.6	23.6
Cries for long period for no apparent reason	125	13.7	13.6	13.0	8.7	10.9	12.9	1 13	12.5
Moods (excludes persons with projound									
mantal retardation)									
Frequently worried/approhensive	32.4	29.6	30.3	32.8	31.9	32.3	32.7	30.6	31.4
Frequently unresponsive/withdrawn	15.5	20.2	19.1	18.3	17.7	18.0	17.5	19.2	18.5
Frequently Impetient/stracyed	44.7	47.7	47.0	36.8	39.8	38.3	39.1	44.5	42.5
Frequently suspicious	16.2	20.1	19.2	20.6	22.1	21.3	19.3	20.9	20.3
Frequently unresponsive/withdrawn Frequently impalient/annoyed Frequently suspicious	15.5 44.7 16.2	20.2 47.7 20.1	19.1 47.0 19.2	18.3 36.8 20.6	17.7 39.8 22.1	18.0 38.3 21.3	17.5 39.1 19.3	19.2 44.5 20.9	18.5 42.5 20.3

Notes. For "disturbing behavior" respondents were asked if the subjects "sometimes disturb [respondent] or others by . . . " (zerns in Table). For "moods" respondents were asked if the subjects were . . .

Medical Conditions by Age

Table 20 presents estimates of the prevalence of certain medical conditions among residents of mental retardation facilities. Estimates are presented for ICF-MR certified facilities, noncertified facilities and the totals for both types of facility. Because of the association of these medical conditions with aging, separate estimates are presented for residents 54 years and younger and 55 years and older.

Comatose. None of the 3,618 members of the sample was reported to be comatose. Therefore, "comatose" was omitted from the following tables.

Circulatory conditions. Circulatory conditions, including present diagnoses of high blood pressure, hardening of arteries, or heart disease, or past occurrence of a stroke or heart attack, were reported for an estimated 11% of residents with mental retardation and related conditions in ICFs-MR and noncertified facilities (11% was the estimate for both types of facilities). This overall rate was cursiderably less than the rate of 20.8% obtained in the 1985 National Health Interview Survey for the general population. As expected, circulatory conditions were considerably more common among those 55 and older than among the younger residents (31.4% and 7.8%, respectively). Again estimates for the different facility types were similar, although there was a somewhat higher estimated prevalence of circulatory conditions among people 55 years and older in ICFs-MR (33.5%) than in noncertified facilities (27.4%). The main sources of the total difference was the difference between the two types of large facilities (33.3% and 21.2%, respectively). Because mental retardation facilities house a lower proportion of older persons than are found generally in the population (e.g., 5.5% of mental retardation facility residents compared to 11.5% of the general population are 65 years or older), a somewhat lower rate of circulatory disorders among mental retardation facility residents might be expected. Reported rates of circulatory conditions were also somewhat higher for persons in the smaller facilities. These differences were noted despite a slightly older population in the larger facilities. Whether they reflect actual differences is the prevalence of circulatory conditions or less effective identification of existing conditions in the larger facilities cannot be determined.



Arthritis or rheumatism. An estimated 4.6% of residents of all mental retardation facilities were reported to have arthritis or rheumatism. This compares with an estimated 12% of the total U.S. population reported to experience limitations from arthritis and rheum m in the 1985 National Health Interview Survey. The magnitude of this difference cannot be explained by the somewhat younger population of mental retardation facilities than with the population as a whole. The estimated prevalence of arthritis and rheumatism among persons 55 and younger in mental retardation facilities (2.2%) was less than half of the estimated U.S. prevalence of arthritis and rheumatism in the U.S. population of persons under 45 years (5.4%). To some extent the differences in reported prevalence may have been affected by the type of responses gathered in the National Health Interview Survey (self-report with some "self-diagnoria" likely) and the NMES (reports of care providers). As in the general population, within the NMES sample arthritis and rheumatism were very highly related to age, 6 times as great among those 55 and older than among those 54 and younger. The estimated prevalence of arthritis and rheumatism among persons 55 years and older in mental retardation facilities (20%) was also lower than the estimated 25.5% reported for the general population 45 years and older in the National Health Interview Survey. Only small differences were noted in the prevalence of arthritis and rheumatism for different sizes and types of facilities, and these primarily among persons 55 years and older. Within the older age group, 25.3% of those in facilities of 15 and fewer residents were reported to have arthritis or rheumatism. This compared with 18% of older persons in facilities of 16 and more residents and only 15.3% in facilities of 76 or more residents. Differences between facilities with and without ICF-MR certification were not statistically significant.

Diabetes. The estimated prevalence of diabetes among residents of all mental retardation facilities was 2.0%. This compares with the National Health Interview Survey estimate of 2.6% of the U.S. population. There is a very high association of diabetes with aging (e.g., the rate among 18-44 year olds is one-fifth the rate among 45-64 years and one-tenth the rate of people over 65), and the difference in estimated prevalence between mental retardation facilities and the general population can be attributed largely to the smaller proportion of older people among the mental retardation facility residents than among the general population. Estimates of the prevalence of diabetes among ICF-MR and noncertified facilities were not statistically different.

Cancer. Cancer was rare among the residents of both ICF-MR and noncertified mental retardation facilities. The small number of individuals with cancer in the sample limited the precision of estimates across facility groups. The NMES estimated that 1.2% of residents in mental retardation facilities have some form of cancer. Differences between ICFs-MR and nonce. ified facilities were small and not statistically significant (1.3% and 1.0%, respectively). As expected the prevalence of cancer did vary by age groupings from .4% of persons 54 and younger to 6.8% of persons 55 and older.

Frequent constipation. Frequent constipation was reported as a problem affecting 20.9% of residents of all mental retardation facilities. Unlike the other medical conditions discussed above, frequent constipation was not associated with age. However, it was highly related to severity of mental impairment and more specifically associated with complications affecting amount of movement and the amount of upright positioning, as well as certain neuromuse but disorders and abdominal muscle weaknesses which can substantially contribute to constipation. Other contributors to constipation are relatively low fluid intake and general diet. The strong association between chrunic constipation and severity of mental impairment was clearly demonstrated in the total NMES saturple. It was reported for 10.1% of persons with mild mental retardation, 11.7% of persons with moderate



mental retardation, 15.5% of persons with severe mental retardation and 36.3% (f persons with profound mental retardation. The association between severity of impairment and constipation was in turn coinvolved in the substantial differences in reported prevalence in chronic constipation in ICFs-MR and noncertified facilities. Frequent constipation was noted for 26.4% of ICF-MR and 11.1% noncertified facility residents. Reported rates of chronic constipation were 29.1% in large ICFs-MR and 10.6% in large noncertified facilities. Essentially the same rates were reported for small ICF-MR and small noncertified facilities.

Obesity. About 13.2% of residents in all mental retardation facilities were reported to be obese (defined rather subjectively as "being very overweight"). Slightly lower rates were reported for ICFs-MR than for noncertified facilities (12.1% and 15.2%, respectively). Smaller ICFs-MR reported considerally lower rates of obesity among their residents than smaller facilities without certification (10.6% and 17.3%). Reported rates of obesity were essentially the same in large ICFs-MR (12.4%) and large noncertified facilities (12.6%).

	ICF-MR Certification Status								
		CF-MR Certifier	±t		Not Certified			All Facilities	
	15- res.	16+ res.	Total	15- res.	16+ 185.	Total	15- res.	<u>16+ res.</u>	Total
54 Years and Younger									_
Circulatory conditions	8.5	5.9	7.1	9.7	8.0	8.9	9.3	7.2	7.8
Arthritis or Rheumatism	1.2	1.9	1.8	2.8	3.4	3.1	~ 3	2.2	2.2
Diabetes	1.7	1.1	1.2	1.8	1.5	1.7	s	1.2	1.4
Cancer	0.8	0.2	0.3	0.4	0.7	0.5	0.5	0.3	0.4
Frequent constipation	11.5	29.4	26.6	11.0	10.7	10.9	11.2	25.1	20.9
Obesity	11.1	11.5	11.4	17.5	12.2	15.2	15.4	11.7	12.8
55 Years and Older									
Circulatory conditions	35.1	33.3	33.5	32.7	21.2	27.4	33.4	30.6	31.4
Arthritis or Rhoumatism	28.3	19.5	20.7	23.9	12.8	18.8	25.3	18.0	20.0
Diabetes	4.9	6.8	6.5	3.8	8.5	6.0	4.2	7.2	6.3
Cancer	10.8	7.8	8.2	2.3	6.4	4.2	4.9	7.5	6.8
Frequent constipction	13.1	27.0	25.2	14.6	10.2	12.6	14.2	23.2	20.7
Obesity	6.7	18.0	16.5	15.4	14.9	15.2	12.7	17.3	16.0
All Residents									
Circulatory conditions	11.5	10.5	19.7	12.6	9.8	11.3	12.2	10.3	10.9
Arthritis or Rhoumatism	4.3	4.3	4.3	5.5	4.6	5.1	5.1	4.4	4.6
Diabotes	2.1	1.9	1.9	2.0	2.4	22	2.0	2.0	2.0
Cancer	1.9	1.2	1.3	0.6	1.4	1.0	1.0	1.3	· 1.2
Frequent constipation	11.7	29.1	26.4	11.5	10.6	11.1	11.5	24.8	20.9
Obesity	10.6	12.4	12.1	17.3	12.6	15.2	15.1	12.4	13.2

Table 20: Percentage of Residents of Mental Retardation Facilities with Selected Medical Conditions/Aliments by Facility Certification Status

Notes. Entries are percent of residents within each group who have selected medical conditions/aliments. Columns do not add up t. 100% because some revidents had more than one condition and some had none. "Circular ry conditions" includes present high blood pressure, hardening of the arteries or heart disease or past stroke or heart attack.

Use of Special Equipment and Devices

Table 21 presents estimates of the use of various kinds of special equipment and devices by residents of ICF-MR and noncertified residential facilities.

Corrective lenses. An estimated 30.7% of residents of mental retardation facilities wore corrective lenses in 1987. ICF-MR residents were considerably less likely than noncertified facility residents to wear lenses (23.5% and 41.6%). Large ICF-MR residents were much less likely to wear



63

×,

S0

corrective lenses (20.3%) than residents of large noncertified facilities (36.4%), small ICFs-MR (42.1%), or small noncertified facilities (46.7%).

Hearing aids. Hearing aids were worn by only an estimated 3.6% of residents of all mental retardation facilities. They were more often worn by residents of small facilities (6.4%) than large facilities (2.5%). There were no significant differences in hearing aid use between large ICFs-MR and large noncertified facilities (2.5% and 2.2%, respectively); nor between small ICFs-MR and small noncertified facilities (7.1% and 6.1%, respectively).

Special underwear or diapers. An estimated 15.5% of residents of mental retardation facilities wore special underwear or diapers, including 19.7% of ICF-MR residents and 9.2% of residents of noncertified facilities. Use was considerably higher in large ICFs-MR (22.3%) than in large noncertified facilities (11.1%), small ICFs-MR (4.6%), or small noncertified facilities (6.3%).

Wheelchair. An estimated 17.9% of all residents used wheelchairs. ICF-MR residents were more likely to use wheelchairs (24.5%) than residents of noncertified facilities. (7.9%), but residents of small ICFs-MR were slightly less likely to use wheelchairs than residents of other small facilities (3.3% and 5.8%). Wheelchair use was highly associated with the most severe cognitive impairments. Among residents of all types of facilities, only 5% of persons with mild and moderate mental retardation used wheelchairs, as compared with 11.3% of persons with severe mental retardation and 39.1% of persons with profound mental retardation.

Walker, cane or crutches. An estimated 45% of residents of all mental retardation trailities used walkers, canes or crutches to aid them in walking. No differences were noted generally between ICFs-MR (4.6%) and noncertified facilities (4.4%), nor between the smaller ICF-MR and noncertified facilities (3.6% and 4.0%, respectively), nor the larger facilities (4.8% for both ICFs-MR and noncertified facilities).

Special dishes, cups, or usensils. An estimated 14.7% of persons with mental retardation and related conditions used adapted dishes, cups and/or utensils to aid them in feeding themselves. Persons in large facilities were considerably more likely than persons in small facilities to use adaptive utensils for eating (18.3% and 5.9%, respectively). Persons in large public institutions were most likely to use adaptive utensils for eating (24.0%). Use of adapted table settings was atrongly associated with degree of cognitive impairment, therefore expectedly, residents of large ICFs-MR were considerably more likely to be provided with special dishes, cups, and utensils (22.4%) that residents of large noncertified facilities (7.5%), small ICFs-MR (7.7%), or small noncertified facilities (5.1%).

Mechanical devices for eating. Mechanical devises to assist residents with eating were rarely used in mental retardation facilities; only an estimated 1.1% of residents were provided with such equipment. The use of such equipment was largely reported for residents of large ICFs-MR (1.9%). Only an estimated 0.3% of residents of noncertified facilities used such equipment, although the reliability of this estimate is limited since it is based on only 4 sample members who used mechanical devices for eating.

Velcro fasteners or snaps for clothing. Velcro fasteners and snaps as an adaptation for persons who have difficulty with buttons and zippers were provided for an estimated 12.4% of residents of all mental retardation facilities. These adaptations were more likely to be used in large ICFs-MR



(17.3%) than in large nonce ified facilities (6.2%), small ICFs-MR (7.0%) or small noncertified facilities (8.5%).

Symbol systems/communication boards. Symbol systems or communication boards were used as the primary means of communication by only 1.0% of residents of all mental retardation facilities. (Information was not gathered in the National Medical Expenditure Survey on the use of communication systems as supplements to primary use of spoken or signed language). Use of these alternative communication methods was low among all types and vizes of facilities, although slightly higher in large ICFs-MR (1.6%) than in large noncertified facilities (0.3%) or in small ICFs-MR and small noncertified facilities (both 0.4%).

Shower seats or tub stools. An $\epsilon_{\rm sim}$ imated 14.7% of persons with mental retardation and related conditions in mental retardation facilities used seats or stools for bathing/showering. Such devices were more commonly used in large ICFs-MR (by 21.2% of residents) than in large noncertified facilities (9.7%), small ICFs-MR (5.4%) or small noncertified facilities (7.2%).

Portable toilets. Portable toilets were not frequently used by residents of mental retardation facilities (3.2%). They were more commonly used for residents of large ICFs-MR (5.1%) than in large noncertified facilities (1.9%), but more often in large noncertified facilities than in small facilities (0.7%).

Urinary catheter. Urinary catheters were rarely used by the residents of mental retardation facilities (1.0%). Estimated use of 1.4% in large ICFs-MR was only slightly higher than estimated use in noncertified facilities (9.5%) or small ICFs-MR (0.7%).

Colostomy bag. Colostomy bags were very rarely used by residents of mental retardation facilities. Only .3% of residents were estimated to use colostomy bags, with no significant differences reported by facility type or size.



ICF-339 Certification Status										
Ю	F-MR Certify	M		Not Centified			All Facility			
<u>15- res.</u>	16+ res.	Total	15- res.	10+ res.	Total	<u>15- rea,</u>	18+ ros	btal		
42.1	20.3	23.5	48.7	36.4	41.5	45.2	24.8	30.7		
7. 1	2.6	3.3	6.5	2.2	4.2	6.4	25	3.6		
4.6	<u>52</u> 3	19.7	6.3	11.1	9.2	6.5	19.2	15.5		
3.3	28.1	24.5	5.8	10.0	7.9	5.0	23.1	17.9		
3.6	4.8	4.6	4.0	4.5	4.4	3.9	4.5	4.5		
7.7	22.4	20.2	5.1	7.5	6.3	5.9	18.3	14.7		
0.0	1.9	1.6	0.1	0.4	0.3	0.1	1.5	1.1		
7.0	17.3	15.8	8.5	6.2	7.4	8.0	14.2	12.4		
0.4	1.6	1.4	0.4	0.3	0.4	0.4	1.3	1.0		
5.4	21.2	18.8	7.2	9.7	8.4	6.6	18.0	14.7		
0.6	5.1	4.5	0.8	1.9	1.3	0.7	4.2	3.2		
0.7	1.4	1.3	Q.4	0.6	0.5	0.5	1.2	1.0		
0.2	0.4	0.3	0.2	0.2	0.2	0.2	0.3	0.3		
	15- res. 42.1 7.1 4.6 3.3 3.6 7.7 0.0 7.0 0.4 5.4 0.6 0.7 0.2	ICF-MR Centrifu 15- rms. 16+ rms. 42.1 20.3 7.1 2.6 4.6 12:3 3.3 28.1 3.6 4.8 7.7 22.4 0.0 1.9 7.0 17.3 0.4 1.5 5.4 21.2 0.6 5.1 0.7 1.4 0.2 0.4	ICF-MR Cartified 15-res. 16+res. Total 42.1 20.3 23.5 7.1 2.6 3.3 4.6 22.3 19.7 3.3 28.1 24.5 3.6 4.8 4.6 7.7 22.4 20.2 0.0 1.9 1.6 7.0 17.3 15.8 0.4 1.6 1.4 5.4 21.2 18.8 0.6 5.1 4.5 0.7 1.4 1.3 0.2 0.4 0.3	ICF-MR Centified 15- rms. 16+ rms. Total 15- rms. 42.1 20.3 23.5 48.7 7.1 2.6 3.3 6.1 4.6 22.3 19.7 6.3 3.3 26.1 24.5 5.8 3.6 4.8 4.6 4.0 7.7 22.4 20.2 5.1 0.0 1.9 1.6 0.1 7.0 17.3 15.8 8.5 0.4 1.6 1.4 0.4 5.4 21.2 18.8 7.2 0.6 5.1 4.5 0.8 0.7 1.4 1.3 0.4 0.2 0.4 0.3 0.2	ICF-MR Certified ICF-MR Certified Not Certified IS- res. IG+ res. Total IS- res. IE+ res. 42.1 20.3 23.5 48.7 38.4 7.1 2.6 3.3 6.1 2.2 4.6 X2.3 19.7 6.3 11.1 3.3 28.1 24.5 5.8 10.0 3.6 4.8 4.6 4.0 4.5 7.7 22.4 20.2 5.1 7.5 0.0 1.9 1.6 0.1 0.4 7.0 17.3 15.8 8.5 6.2 0.4 1.6 1.4 0.4 0.3 5.4 21.2 18.8 7.2 9.7 0.6 5.1 4.5 0.8 1.9 0.7 1.4 1.3 0.4 0.6 0.2 0.4 0.3 0.2 0.2	ICF-MR Certified Not Certified IS- res. 16+ res. Total IS- res. IE+ res. Total 42.1 20.3 23.5 48.7 38.4 41.5 7.1 2.6 3.3 6.3 2.2 4.2 4.6 X2.3 19.7 6.3 11.1 9.2 3.3 28.1 24.5 5.8 10.0 7.9 3.6 4.8 4.6 4.0 4.7 9.7 3.6 4.8 4.6 4.0 4.7 9.7 3.6 4.8 4.6 4.0 4.7 9.7 3.6 4.8 4.6 4.0 4.4 7.7 7.7 22.4 20.2 5.1 7.5 6.3 0.0 1.9 1.6 0.1 0.4 0.3 7.0 17.3 15.8 8.5 6.2 7.4 0.4 1.5 1.4 0.4 0.3 0.4	ICF-MR Centified Not Centified IS- res. IG+ res. Total IS- res. IG+ res. Total IS- res. 42.1 20.3 23.5 48.7 38.4 41.6 45.2 7.1 2.6 3.3 6.1 2.2 4.2 6.4 4.6 2.23 19.7 6.3 11.1 9.2 6.5 3.3 28.1 24.5 5.8 10.0 7.9 5.0 3.5 4.8 4.6 4.0 4.8 4.4 3.9 7.7 22.4 20.2 5.1 7.5 6.3 6.3 0.0 1.9 1.6 0.1 0.4 0.3 0.1 7.0 17.3 15.8 8.5 6.2 7.4 8.0 0.4 1.6 1.4 0.4 0.3 0.4 0.4 5.4 21.2 18.8 7.2 9.7 8.4 6.6 0.5 5.1 <td< td=""><td>ICF-MR Certification Statue IS-real IG+real Total IS-real IG+real <th< td=""></th<></td></td<>	ICF-MR Certification Statue IS-real IG+real Total IS-real IG+real IG+real <th< td=""></th<>		

Table 21: Pcroentage of Residents of Mentel Retardstion Facilities Using Various Types of Special Equipment and Devices by ICF-MR Centification Status

Employment Status and Wages

Table 22 pre-ents estimates of the percentages of residents of ICF-MR and noncertified mental retardation facilities working for pay, their place of employment and their average hourly wages. Estimates include only residents 18 years or older.

Works for pay. An estimated 38.8% of persons with mental retardation and related conditions living in all mental retardation facilities were employed for pay. In general ICF-MR residents were much less likely to have paid work than residents of noncertified facilities (32.1% and 49.1%, respectively), although the proportions of small ICF-MR and small noncertified facility residents with paid employment were essentially the same (60.6% and 59.2%, respectively). An estimated 26.9% of large ICF-MR residents and 38.9% of large noncertified facility residents were reported to work for pay.

Location of employment. An estimated 26.3% of residents of all mental retardation facilities worked for pay off the grounds of the residential facility in which they lived. This represented 67.8% of all employed residents. Only an estimated 9.7% of large ICF-MR residents had a paid job away from the facility in which they lived. This compared with 26.8% of residents of large noncertified facilities, 52.6% of residents of small ICFs-MR and 56.5% of residents of small noncertified facilities. ICF-MR residents with paid jobs were also much less likely to have jobs away from the residence than were residents of noncertified facilities who had paid jobs (50.8% and 85.1%, respectively). Almost all the paid workers living in small ICFs MR and small noncertified facilities, had jobs in which they worked away from the residential facilities (86.7% and 95.4%, respectively). Among the larger



facilities, residents of ICFs-MR who had paid jobs were much less likely to work away from the facility than paid workers living in large noncertified facilities (36.1% and 68.9%, respectively).

Type of employment. Sheltered workshops were the primary source of employment for residents of both ICF-MR and noncertified residential facilities. An estimated 29.8% of all mental retardation facility residents worked in sheltered workshops. This represented an estimated 76.8% of all residents working for pay. Although ICF-MR and noncertified facilities differed greatly in the proportion of their adult residents working for pay in any type of setting, the proportion of all workers who were employed in sheltered workshop settings was fairly consistent. An estimated 74.9% of paid workers living in ICFs-MR worked in sheltered employment settings, included 78.8% of those in small ICFs-MR and 73.4% of hose in large ICFs-MR. Among noncertified facilities, 77.8% of all paid workers worked in sheltered employment settings, including 83.9% of paid workers living in small facilities and 68.5% of paid workers living in large facilities. Only 3.0% of all residents (7.7% of employed residents) were in supported work programs, and even fewer (1.4%) were in competitive employment settings. Residents of small ICFs-MR and noncertified residential facilities were more likely to be in supported or competitive employment (7.4%, and 5.9%) than were residents of large ICFs-MR (2.7%). Work for pay other than sheltered, supported or competitive employment, most frequently "in facility" work of various types, was reported for 4.8% of all residents, including 4.7% of ICF-MR residents and 5.1% noncertified facility residents.

Work with nonhandicapped people. A very small proportion of residents of ICF-MR and noncertified facilities were reported to work with persons who were not handicapped (7.1% of all residents and 18.3% of employed residents). Small ICFs-MR had the highest percentage of all residents (15.8%) and the highest proportion of employed residents (26.1%) in integrated employment settings. This rate of integration was considerably higher than 8.6% of all residents and the 14.4% of all employed residents of small noncertified facilities who were in integrated employment settings. On the other hand, large ICF-MR residents were less likely to have paid work in integrated settings than residents of large noncertified facilities (4.6% and 8.6%, respectively).

Hourly wages. The estimated average hourly wage for paid workers living in mental retardation facilities was \$1.25 per hour. (The NMES did not request information on total hours worked so as to permit estimations of total income from work.) Average wages varied much more by the type of employment setting than by the residence in which workers lived. For example, sneltered workshop employees averaged \$1.06 per hour as compared with \$2.15 per hour for supported work participants and \$3.87 per hour for persons in competitive employment. In contrast, ICF-MR residents with jobs averaged \$1.16 per hour as compared with an average of \$1.34 for residents of noncertified facilities. The highest average wages for employed: workers were reported by small ICFs-MR (\$1.62 per hour) and large noncertified facilities (\$1.53). Large ICFs-MR reported an average hourly wage of \$1.05 per hour for their working residents.



بالاستعاقة فتعاد ستكثر تتعيد سنتنا			والمتحد المحيدة	ICF-I	AR Cartification	Status		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
		CF-MR Contine	1	-	Not Certified		All Facilities		
	15- res.	16+ res.	Total	15- res.	18+ ras.	Total	15- nea.	<u>16+ ras.</u>	Total
Works for Pay									
In facility	8.0	17.2	15.8	2.7	12.1	7.3	4.4	15.8	12.5
Away from facility	52.6	9.7	18.3	56.5	26.8	41.8	55.2	14.4	26.3
Total	60.6	26.9	32.1	59.2	38.9	49.1	59,6	30.2	38.9
Type of Employment									
Sheltered employment	47.9	19.9	24.2	50.0	26.7	33.6	49.3	21.8	29.8
Supported/transitional									
employment	5.8	2.1	2.6	3.5	3.6	3.6	4.3	2.5	3.0
Compatitive									
employment	1.6	0.6	0.6	1.7	2.9	2.3	1.7	1.2	1.4
Other	5.5	4.5	4.7	4.4	5.8	5.1	4.8	4.9	4.8
Total	60.8	27.1	32.3	59.6	39.0	49.6	60.1	30.4	38.9
Works with Non-									
handicapped People	15.8	4.6	8.3	8.6	8.1	8.4	10.9	5.6	7.1
Hourly Wages by Type									
Sheltered employment	1.12	0.97	1.03	1.03	0.99	1.01	1.05	0.98	1.02
Supported/transitional	1.96	1.70	1.80	2.46	2.84	2.63	2.21	2.09	2.15
Competitive									
employment	3.64	5.31	4.67	3.82	3.32	3.52	3.77	3.93	3.87
Other	2.45	0.53	0,90	1.53	2.30	1.94	1.86	1.12	1.35
Average hourly wage	1.62	1.05	1.16	1.23	1.53	1.34	1.29	1.21	1.25
					_				

Table 22: Employment Status of Adult Residents of Merkel Relardstion Facilities by !CF-MR Certification Status

Notes. Table includes only residents age 18 or older. Total by "Type of Employment" may not equal total "Works for Pay" because of varying item response rates.

Nursing Home Residents with Mental Retardation and Related Conditions

Table 23 presents estimates from the 1987 National Medical Expenditure Survey on the diagnostic characteristics and ages of persons with mental retardation and related conditions in nursing homes. In all there were a total of 204 sample members with mental retardation or related conditions among the 3,347 total sample members in the nursing home sample of the 1987 National Medical Expenditure Survey. These 204 persons yielded an estimated of 90,387 total persons with mental retardation and related conditions in nursing homes. These estimates have been broken down into 3 groups: 1) persons whose primary diagnosis in their medical records (i.e., the reason for placement) was mental retardation or a related condition; 2) persons whose primary diagnosis was mental illness, but who were also indicated to have mental retardation; and 3) persons whose primary diagnosis was a medical condition, but who were also indicated to have mental retardation or a related condition.

Level/Type of condition. Persons indicated to have mental retardation or a related condition as a primary diagnosis were estimated to number 57,849. About 78% of these persons were indicated to have ment I retardation as a primary diagnosis. About 19% (10,900) were estimated to be peeple with a primary diagnosis of cerebral palsy. Although no level of mental retardation was specified in the records of 28% of the individuals with a primary diagnosis of mental retardation, the largest group by level of mental retardation was made up of persons with mild or "borderline" mental retardation (33.4% of persons with levei of mental retardation indicated). About 24.6% of persons with level of mental retardation reported were indicated to be moderately retarded; 20.9% severely retarded, and 21.1% profoundly mentally retarded. There were an estimated 32,538 persons in nursing homes with primary diagnoses of mental illness or medical conditions who were reported al-5 to have mental



retardation or a related condition. The majority of these persons for whom the level of mental retardation was known were reported to be mildly or borderline mentally retarded, *i* acluding 86% of those with mental illness and 60.5% of those with medical conditions.

Age. Persons with mental retardation or a related condition living in nursing homes tended to be considerably older than the general population and much older than the population of persons in mental retardation facilities (see Table 17). Among persons with mental retardation or a related condition as a primary diagnosis the estimated median age was 56 years. Only an estimated 10.4% of nursing home residents with a primary diagnosis of mental retardation or a related condition were 21 years and younger. Of these 65.8% were reported to have profound mental retardation, 19.4% to have severe mental retardation, 7.4% were reported to have mild or moderate mental retardation and 7.4% had related conditions. On the other end of the age cycle there were an estimated 19,877 persons 65 years or older with a primary diagnosis of mental retardation or a related condition (34.4% of the total). The older group was much more likely to be mildly or moderately retarded than the younger groups. For example 31.1% of the 65 to 72 year olds with a reported level of retardation were reported to have mild or borderline mental retardation; 22% were reported to have moderate mental retardation; 23.3% had related conditions. Among persons with primary diagnoses of mental retardation or related conditions who were over 72 years, 39.4% of those with a specific level of retardation or related conditions indicated were mildly or borderline mentally retarded. An estimated 66.4% of persons with mental retardation or related conditions with primary diagnoses of mental illness were between 22 and 64 years. An estimated 83.3% of those with primary diagnoses of medical conditions were 55 years or older, with an estimated 47.3% reported to be 73 years and older.

				-				
Characteristics	Primary 1 of MR	Diagoesis or RC	Primary I of MI MR	Diagnosis , also RC	Primary I of Medic also M	Diagnosis al Cond., IR/RC	All Residents with MR/RC	
	Est. No.	Est. %	Est. No.	Est. %	Est. No.	Est. %	Est. No.	Est. %
CONDITION								
Mental Retardation								
Borderline/Mild	10,849	18.8	4,655	60.5	10,990	44.2	20,494	29.3
Moderate	7,998	13.9	759	9.9	4,022	16.2	12,779	14.1
Severe	6,794	11.7	0	0.9	0	0.0	6,794	7.5
Profound	6,858	11.9	0	0.0	2,113	8.5	8,971	9.9
Unspecified	12,762	22.1	2,275	<u>29.6</u>	<u>6,680</u>	<u>26.9</u>	<u>21,717</u>	<u>24.0</u>
Total MR	45,261	78.2	7,689	100.0	23,805	95.8	76,755	84.9
Related Conditions	·							
Cerebral Palsy	10,902	18.8	0	0.0	0	0.0	10,902	12.1
Others*	1,686	2.9	<u>0</u>	<u>0.0</u>	<u>1,044</u>	<u>4.2</u>	<u>2,730</u>	<u>3.0</u>
Total	12,588	21.8	ō	0.0	1,044	4.2	13,632	15.1
Total MR/RC	57,849	106.0	7,689	100.0	24,849	100.0	90,387	100.0
AGE							20/5	
0-12 Years	2,797	4,8	0	0.0	1,170	4.7	3,967	4.4
13-21 Years	3,232	5.6	0	0.0	585	2.4	3,817	4.2
22-54 Years	20,473	35.4	4,366	56.8	2,398	9.7	21,237	30.1
55-64 Years	11,470	19.8	739	9.6	4,465	18.0	16,674	18.4
65-72 Years	13,950	24.1	670	8.7	4,473	18.0	19,093	21.1
73+ Years	5,927	Z	<u>1,914</u>	<u>24.9</u>	<u>11,758</u>	<u>47.3</u>	<u>19,599</u>	21.7
Total All Ages	57,849	-	7,689	100.0	24,849	100.0	90,387	100.0

 Table 23: Number and Percentage of Nursing Home Residents with Primary Diagnoses of Mental Retardation (MR) or Related Conditions (RC) as Estimated in the 1987 National Medical Expenditure Survey

*Includes Autism, Spina Bifida, and a diagnosis of multiple handicaps, but with no indication of mental retardation.

ERIC Full Text Provided by ERIC 69

Summary and Conclusions

This report has summarized basic utilization and resident characteristics data on Medicaid ICF-MR, waiver and nursing home program participants. No attempt was made to interview state officials about these programs as part of this study, although findings from such interviews are contained in a recent related report (Lakin et al., 1989).

One of the most striking findings of this study, although by no means a new phenomenon, was the high variability in states' ICF-MR utilization and in the associated federal reimbursements to states for services provided under the program. However, the variability noted was not found in all types of facilities. With respect to services offered in large state institutions, the consistently high rates of state utilization (93% nationally) suggest a high degree of agreement on the part of states that the program is appropriate and beneficial for public institutions. Similar conclusions are apparently being made about care in large nonstate facilities, in which the proportion of all residents living in ICF-MR units has increased from 23% in 1977 to 41% in 1982 to 70% in 1988.

The ICF-MR program is obviously judged as quite suitable for institutional care. But institutional care is decreasing, down from 147,463 to 137,610 residents of 16 or more person facilities in just the two years between June 30, 1986 and June 30, 1988. This trend will continue. It is the utilization of the ICF-MR option for community services which raises the primary questions about the program's future, both in terms of projected utilization of the current ICF-MR program and also the possible need for major reform of Medicaid in order to provide the most appropriate and costeffective community services to persons with mental retardation and related conditions.

In 1988 the ICF-MR program remained primarily an institutional program. About 80% of ICF-MR service recipients lived in facilities of 16 or more residents. On the other hand, utilization statistics did indicate that nationally states continued to certify a substantial number of community-based facilities as ICFs-MR. Between 1986 and 1988 small ICFs-MR went from housing 20% of all small facility residents to 22%, an increase of about 8,100 total residents. However, this represented only 29% of the growth in community-based housing, as the number of residents of noncertified community facilities increased by about 19,500. These statistics reflect the ambivalence of states regarding the usefulness and appropriateness of the ICF-MR option for community settings. At present, despite very attractive federal cost-sharing of ICF-MR service expenditures, states vary considerably in their use of the ICF-MR option for community-based residences. At present only 14 states have certified the homes of at least 25% of their community facility residents for ICF-MR participation.

Data from the 1987 National Medical Expenditure Survey (NMES) also reflect this ambiguity among states in decisions about developing smaller community ICFs-MR. They suggest strongly that ICF-MR placements are more driven by policy decisions regarding financing strategies than by the establishment of the programmatic needs of potential residents. National estimates from NMES show small ICF-MR and small noncertified facility populations to be very similar. For example, 30% and 31% of residents, respectively, were estimated to have mild retardation, 16 and 12%, respectively, to have profound mental retardation. Among small ICF-MR populations an estimated 21% had epilepsy and 7% had cerebral palsy. Among small noncertified facility populations, estimates for epilepsy and cerebral palsy were 19% and 9%, respectively. Independently bathing was reported for 54% of small ICF-MR residents and 48% of small noncertified facility residents; independent dressing for 62% and 63%, respectively, independent toileting for 87% and 86%, respectively. There were no statistically



70

significant differences between the two populations on ambulatory abilities, behavior problems or medical conditions. What is more few differences were reported in the data on resident activities. For example, among small ICFs-MR 71% of residents were reported to use the telephone, with 33% receiving help to do so; among noncertified facilities, 72% of residents were reported to use the telephone, with 34% receiving help to do so. Among small ICFs-MR, 76% of residents were reported to shop for personal items, with 56% receiving help to do so, among noncertified 76% of residents were reported to shop for personal items, with 51% receiving help to do so. Statistics for managing money and using public transportation were also nearly identical.

Despite these similarities in resident characteristics and activities, the small ICFs-MR averaged 0.92 direct care staff members per resident, while the small noncertified facilities averaged 0.63 direct care staff members per resident. Staffing and other differences were in turn reflected in costs of care. While 68% of small ICF-MR residents were living in facilities that cost more than \$55 per day, and 33% were in facilities that cost more than \$80 a day, only 25% of residents of small noncertified facilities were living in places that cost more than \$55 per day and 16% were in places that cost more than \$80 a day. These differences are ones that states have identified in previous surveys as causing them to question whether sufficient benefit is derived from these different levels of expenditure (Lakin et al., 1989).

In light of interviews conducted with state mental retardation/developmental disabilities officials in 1988 (Lakin et al., 1989), it is particularly interesting to note that the number of people living in small ICFs-MR increased over the past two years more rapidly than did persons receiving Medicaid waiver zervices (an increase from 23,053 on June 30, 1986 to 28,689 on June 30, 1988). In those interviews, state officials were quite clear in their preference for the flexibility and individualizability of the waiver option for providing community services. However, most also noted that they experienced considerable difficulty in increasing the number of people to whom they were able to provide home and community based services because of utilization and cost restrictions in the Medicaid waiver regulations.

In general the past 2 years have brought considerably increased utilization of Medicaid ICF-MR and waiver services in community settings. From June 30, 1986 to June 30, 1988 the combined small ICF-MR and Medicaid recipients increased from 43,943 to 57,676 (31%). But despite this rapid increase, a very substantial majority of the new community service recipients were not provided services that benefitted from the favorable federal Medicaid cost share. Indeed, as costs of ICF-MR services continued to increase rapidly between 1982 and 1988 (55% per recipient as compared with a 14% increase in the Consumer Price Index), not only did the bulk of total ICF-MR expenditures continue to go to institutional care (86% in 1988), but so did over two-thirds of the increase in ICF-MR expenditures over the 6 year period. It is this continued drain of new funding as well as the continued lack of consistent federal support for community residential services that has brought such widespread attention to reform of Medicaid services for persons with mental retardation and related conditions.

The Medicaid Home and Community Quality Services Act, introduced in the U.S. Senate, and the Medicaid Community and Facility Habilitation Amendments, introduced in both Houses of Congress, have again focused attention on the ICF MR program. Both bills would open up Title XIX federal program participation not just to people living in a single model of long-term care (ICF-MR), or to a restricted number of service recipients or expenditures as with the Medicaid waiver.



•

Both would essentially create new Medicaid programs for persons with mental retardation and related conditions who receive residential, habilitation, vocational, and support services provided as part of a comprehensive state plan, and monitored according to a comprehensive quality assurance system. Both bills respond to many criticisms of the current *ICF-MR* program. For example, they would not restrict community-based residential programs receiving reimbursement under Title XIX to a single set of residential program standards. States which develop community-based services such as foster care and semi-independent living, family supports, vocational programs and other "noninstitutional" services for their citizens with mental retardation and related conditions would be able to receive federal assistance in paying for them. Both proposed programs would likely over time reduce substantially the major disparities among states in the exten. to which the federal government contributes to the costs of providing long-term care services for persons with mental retardation and related conditions. At the present time the most common federal support for community-based services still comes from the Supplemental Security Income (S.S.I.) and Social Security Disability Insurance (S.S.D.I.) programs, which provide barely ten dollars per day, as compared with an average of over \$60 in daily federal contributions for people living in ICFs-MR.

Both proposals would also establish a role and commitment on the part of the federal government to stimulate minimal levels of quality assurance in community settings as well as institutions. As noted only 22% of the total population of community residential facilities for persons with mental retardation nationwide is in ICFs-MR. The remaining community residents, including those in Medicaid waiver supported programs, receive varying levels of protective oversight depending on the state and/or locality in which they live. The quality assurance requirements of both proposed Medicaid refor, programs would represent a major departure from the present lack of federal attention to the qu. 'ity of non-ICF-MR community services. Both bills would also represent a major departure from the present Medicaid waiver program in that federal financial participation in home and community-based services would not be linked to existing levels of federal funding of institutional care, although, quite likely, the demanding "maintenance of effort" language in the proposed "Medicaid Community and Facility Habilitation Amendments" would limit states' abilities to make major commitments to new programs. This in turn could considerably diminish the Bill's effectiveness in assisting state, to deal with the sizable and growing waiting lists for community-based residential services, recent. estimated at about 60,000 persons nationwide (Davis, 1987).

Generally speaking, good federal policy for residential and habilitation services should exhibit four characteristics. First, it should assure reasonable access to appropriate services to individuals who are eligible for and need long-term care and related services. Second, it should assure reasonable quality of services irrespective of the specific "placement" decisions that are made based on an individual's specific needs and circumstances. Third, it should promise cost-effective utilization of public resources. Fourth, it should stimulate the evolution of service options in socially desirable directions (i.e., living in natural communities, using services and institutions of those communities, having maximum opportunity for integration and social experiences with other citizens, having opportunities to exercise choice and independence, supporting families).

Clearly, the present Medicaid program is not meeting such standards. Access to services is far behind demand, with "openings" existing only in institutional settings which are underutilized because they are incongruent with prevailing standards of appropriate service. The federal government plays a significant role in the monitoring of the quality of services for only slightly more than half of the persons with mental retardation and related conditions in long-term care settings and much less for other types of services. Even where technically extended, the extensiveness and



72

appropriateness of federal oversight has been the subject of much doubt and controversy in recent years. The present long-term care system is extremely inefficient in its allocation of resources. The bulk of funding goes to facilities which offer less promise of exbibiting habilitative "productivity," but whose per person costs are growing far more rapidly than the demonstrably more effective community-based models of service (Larson & Lakin, 1939). It seems clear that the obvious inefficiencies of present policy competing against the tantalizing promise of generous federal cost sharing are together the primary reason states show such remerkable variation in their utilization of the ICF-MR option for community-based services. Finally, in no way can present policy be construed as reasonably impelling change in the direction of currently espoused social values.

Congress noted in the 1987 Developmental Disabilities Act that, "it is in the national interest to offer persons with developmental disabilities the opportunity, to the maximum extent feasible, to make decisions for themselves and to live in typical homes and communities where they can exercise their full rights and responsibilities as citizens" (p. 3). It is difficult to see the present ICF-MR program as reflecting a serious commitment to advance this national interest. The current policy was developed in 1971 primarily to assure certain minimal standards of care and treatment to residents of large state institutions. Two decades later it seems essentially out of step with contemporary goals and standards for services to persons with mental retardation and related conditions, the vast majority of whom today receive those services while living in community-based residential settings or their own homes.

<u>100</u>

References

- Boggs, E., Lakin, K.C., & Clauser, S. (1985). Medicaid coverage of residential service. In K.C. Lakin, B.K. Hill, & R.H. Bruininks (Eds.), An analysis of Medicaid's Intermediate Care Facility for the Mentally Retarded (ICF-MR) Program (Report No. 20). Minneapolis: University of Minnesota, Department of Educational Psychology.
- Braddock, D., Hemp, R., Fujiura, G., Bachelder, L., & Mitchell, D. (1989). Public expenditures for mental-retardation and developmental disabilities in the United States. Baltimore: Paul H. Brookes.
- Davis, S. (1987). National status report on waiting lists of people with mental retardation for community-based services. Arlington, TX: Association for Retarded Citizens-United States.
- Davis, R., Silverstein, B., Uehara, E., & Sadden, L. (1987). Evaluation and service identification for developmentally disabled residents of intermediate care and skilled nursing facilities. Chicago: Taylor Institute.
- Edwards, W.S., & Edwards, B. (198^{*}) National Medical Expenditure Survey questionnaire and data collection methods for the Institutional Population Component: Methods 1. Hyattsville, MD: National Center for Health Services Research.
- General Accounting Office. (1./0). Report to Congress: Questionable claims under Medicaid program for care of persons in state institutions for mentally retarded in California. Washington, DC: General Accounting Office.
- Gettings, R.M., & Mitchell, D. (1980). Trends in capital expenditures for mental retardation facilities: A state-by-state survey. Washington, DC: National Association of State Mental Retardation Program Directors.
- Greenberg, J., Lakin, K.C., Hill, B.K., Bruininks, R.H., & Hauber, F.A. (1985). Costs of residential care in the United States. In K.C. Lakin, B.K. Hill, & R.H. Bruininks (Eds.), An analysis of Medicaid's Intermediate Care Facility for the Mentally Retarded (ICF-MR) program (Report No. 20). Minneapolis: University of Minnesota, Department of Educational Psychology.
- Hauber, F.A., Bruininks, R.H., Hill, B.K., Lakin, K.C., & White, C.C. (1984). National census of residential facilities: Fiscal Year 1982. Minneapolis, MN: University of Minnesota, Department of Educational Psychology.
- Hill, B.K., Lakin, K.C., Bruininks, R.H., Amado, A.N., Anderson, D.J., & Copher, J.I. (1989). Living in the community: A comparative study of foster homes and small group homes for people with mental retardation. Minneapolis: University of Minnesota, Center for Residential and Community Services.
- Lakin, K.C. (1979). Demographic studies of residential facilities for mentally retarded people: A historical review of methodologies and findings (Report No. 3). Minneapolis: University of Minnesota, Department of Educational Psychology.



75

- Lakin, K.C., Bruininks, R.H., Doth, D., Hill, B.K., & Hauber, F.A. (1982). Sourcebook on long-term care for developmentally disabled people (Report No. 17). Minneapolis: University of Minnesota, Department of Educational Psychology.
- Lakin, K.C., Hill, B.K., & Anderson, D.J. (in press). Persons with mental retardation in nursing homes in 1977 and 1985: A comparison of the findings of the 1977 and 1985 National Nursing Home Surveys. *Mental Retardation*.
- Lakin, K.C., Hill, B.K., & Bruininks, R.H. (Eds.). (1985). An analysis of Medicaid's Intermediate Care Facility for the Mentally Retarded (ICF-MR) program (Report No. 20). Minneapolis: University of Minnesota, Department of Educational Psychology.
- Lakin, K.C., Hill, B.K., Chen, T.H., & Stephens, S.A. (1989). Persons with mental retardation and related conditions in mental retardation facilities: Selected findings from the National Medical Expenditure Survey. Minneapolis: University of Minnesota, Center for Residential and Community Services.
- Lakin, K.C., Hill, B.K., White, C.C., Bruininks, R.H., & Wright, E.A. (1988). Longitudinal change and interstate variability in the size of residential facilities for persons with mental retardation (Brief Report #28). Minneapolis: University of Minnesota, Center for Residential and Community Services.
- Lakin, K.C., Hill, B.K., White, C..., & Wright, E.A. (1987). Medicaid's Intermediate Care Facility for the Mentally Retarded (ICF-MR) program: An update. Minneapolis: University of Minnesota, Center for Residential and Community Services.
- Lakin, K.C., Jaskulski, T.M., Hill, B.K., Bruininks, R.H., Menke, J.M., White, C.C., & Wright, E.A. (1989). *Medicaid services for persons with mental retardation and related conditions*. Minneapolis: University of Minnesota, Center for Residential and Community Services.
- Larson, S.A., & Lakin, K.C. (1989). Deinstitutionalization of persons with mental retardation: The impact on daily living skills. Journal of the Association for Persons with Severe Handicaps, 14(4), 324-332.
- Mitchell, G.J. (Chair). (1987). Medicaid Home and Community Quality Services Act of 1987 (S. Hrg. 100:817). Washington, DC: U.S. Government Printing Office.
- National Association for Retarded Citizens (1975). Nursing homes in the system of residential services. Arlington, TX: Author.
- National Institute of Mental Health. (1975). Changes in the age, sex, and diagnostic composition of the resident population of state and county mental hospitals in the United States, 1964-1973 (Statistical Note 112). Rockville, MD: National Institute of Mental Health, Division of Biometry. DHEW Publication No. (ADM) 75-158.
- Potter, D.E.B., Cohen, S.B., & Mueller, C.D. (1987). The 1987 Inventory of Long-Term Care Places as a sampling frame. In American Statistical Association: 1987 proceedings of the



section on survey research methods (pp. 823-828). Alexandria, VA: American Statistical Association.

- Sirrocco, A. (1989). Characteristics of facilities for the mentally retarded, 1986. (Vital and Health Statistics, Series 14, No. 4). Hyattsville, MD: National Center for Health Statistics.
- Smith, G., & Gettings, R. (1989). Medicaid Home and Community Based Services for persons with developmental disabilities. Alexandria, VA: National Association of State Mental Retardation Program Directors.
- U.S. Bureau of the Census. (1989). Statistical abstract of the United States, 1989. Washington, DC: U.S. Government Printing Office.
- U.S. Senate. (1967). Senate Report on H.R. 12080, Senate Reports 744, November 14, pp. 188-189.
- White, C.C., Lakin, K.C., & Bruininks, R.H. (1989). Persons with mental retardation and related conditions in state-operated residential facilities: Year ending June 30, 1988 with longitudinal trends from 1950 to 1988 (Report No. 30). Minneapolis: University of Minnesota, Department of Educational Psychology.
- White, C.C., Lakin, K.C., Hill, B.K., Wright, E.A., & Bruininks, R.H. (1987). Persons with mental retardation in state-operated residential facilities: Year ending June 30, 1986 with longitudinal trends from 1950 to 1986 (Report No. 24). Minncapolis: University of Minnesota, Department of Educational Psychology.



Appendix 16

3

END

U.S. Dept. of Education

Office of Education Research and Improvement (OERI)

ERIC

Date Filmed

March 21,1991



.