

DOCUMENT RESUME

ED 340 785

UD 027 326

TITLE Data Archive on Adolescent Pregnancy and Pregnancy Prevention (DAAPPP). Catalog of Products.

INSTITUTION Sociometrics Corp., Los Altos, CA.

PUB DATE Oct 89

NOTE 80p.

AVAILABLE FROM Sociometrics Corporation, 170 State Street, Suite 260, Los Altos, CA 94022-2812 (free).

PUB TYPE Reference Materials - Directories/Catalogs (132) -- Statistical Data (110)

EDRS PRICE MF01/PC04 Plus Postage.

DESCRIPTORS Abortions; *Adolescents; Adoption; Census Figures; Contraception; Databases; Early Parenthood; *Family Planning; *Females; *Full Text Databases; *Health; *Pregnancy; Premature Infants; Prenatal Influences; Sexuality; Surveys; Unwed Mothers

ABSTRACT

This catalog of products from the Data Archive on Adolescent Pregnancy and Pregnancy Prevention (DAAPPP) contains a list of DAAPPP social science Data Sets on topics related to teenage pregnancy and family planning. Each Data Set listing contains the following information: (1) name of study or program; (2) name of investigator or sponsoring agency; (3) description of study or program; and (4) price of available materials. Each Data Set is for sale and comes with a raw data file, a separate SPSS program statement file, and a user's guide. The archive provides easy access to a large-scale database on sexuality, health, and adolescence. Section 1 is an introduction to DAAPPP. Section 2 lists the members of the DAAPPP advisory panel. Section 3 contains the following lists of Data Sets: (1) "Comprehensive Archive and Related Products"; (2) "Index of Data Sets by Original Investigator"; and (3) "Index of Data Sets by Key Word." Section 4 contains a listing of the National Archive on Sexuality, Health and Adolescence (NATASHA), which is the CD-ROM version of the DAAPPP. Section 5 contains a list of special products related to teen pregnancy. Section 6 contains a list of products related to health promotion. Section 7 contains an order form. (JS)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *

1/16/90



ED340785

DATA ARCHIVE ON
ADOLESCENT PREGNANCY
AND PREGNANCY PREVENTION
(DAAPPP)

Catalog of Products

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

J J Carol
Sociometrics Corp.

- This document has been reproduced as received from the person or organization originating it
- Minor changes have been made to improve reproduction quality

• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)."

BEST COPY AVAILABLE

Sociometrics Corporation
170 State St., Suite 260
Los Altos, CA 94022

UD 027 326

**DATA ARCHIVE ON ADOLESCENT PREGNANCY
AND PREGNANCY PREVENTION
(DAAPPP)**

Catalog of Products

October 1989

TABLE OF CONTENTS

Introduction to DAAPP	1
DAAPP Advisory Panel	4
DAAPP Data Sets	5
Comprehensive Archive and Related Products	.47
Index of Data Sets by Original Investigator	.49
Index of Data Sets by Key Word	.53
NATASHA	.73
Special Products: Teen Pregnancy	.75
Special Products: Health	.81
Order Form	.85

DATA ARCHIVE ON ADOLESCENT PREGNANCY AND PREGNANCY PREVENTION

The Data Archive on Adolescent Pregnancy and Pregnancy Prevention (DAAPPP) is a collection of social science Data Sets on topics related to teenage pregnancy and family planning. Through DAAPPP, researchers, practitioners, administrators, and policy makers have easy access to a large-scale data base on sexuality, health, and adolescence. Data Sets were selected for the Archive by a national panel of experts, appointed by the U.S. Office of Population Affairs.

The data have been systematically processed in standard ways to facilitate their use. Each Data Set is assigned a Number according to the order in which it was deposited in the Archive, with Data Set Numbers running from 01 to 99, A1 to A9, B1 to B9, etc. Data Sets with a large number of variables, and successive waves of a single longitudinal study, are often assigned multiple Numbers. Most Data Sets come in two versions: mainframe and microcomputer. For the majority of Data Sets, the two versions are virtually identical. For some, a randomly selected extract of approximately 1,000 cases was selected for the microcomputer version because of general microcomputer space limitations. For a few, a microcomputer version was not created because even a 1,000-case extract would have exceeded normal microcomputer space limitations.

Each Data Set in DAAPPP comes with a raw data file and a separate SPSS program statement file. (SPSS/PC+ software is available from DAAPPP.) SPSS, a powerful and comprehensive program for analyzing data, will use these program statements to assign each variable name to the correct record and column position in the data file, and assign 40-character variable labels which identify the meaning of each variable in English words. SPSS programs also provide 20-character value labels (response option descriptions) for many variables. Users with access to one or more versions of SPSS (SPSS, SPSS^x, SPSS/PC, SPSS/PC+) will be able to use the statements provided to create SPSS system files. Other users can modify these statements according to the syntax of their alternative statistical packages; the SPSS programs function as machine-readable codebooks.

Each variable in each Data Set is given a unique 8-character name, according to precise Archive conventions. The first two characters of each name are a 2-letter string which codes the variable topic, from a list of 38 topics. The third character of each variable's 8-character name codes the variable type, from a list of 16 types. The fourth and fifth characters of each variable's name code the Data Set Number. The sixth through eighth characters of each variable's name code the variable's ordinal position within the Data Set.

Because the SPSS programs classify all variables according to topic and type, and provide variable and value labels, they provide excellent documentation of the data. Additionally, a printed *User's Guide* is provided with each Data Set. The *User's Guide* includes a descriptive overview of the Data Set; frequencies for 19 key variables, as available in the Data Set; a list of variables sorted by topic and type; a report on the data's completeness and consistency; and often photocopies of original instruments or codebooks, which are also available separately.

Product Specifications

Mainframe Tape:

Mainframe computer tapes include: (1) raw data, (2) SPSS program statements (SPSS for Data Sets 01 through 19, SPSS^x for Data Sets 20-24 onward), (3) a complete list of variable and value definitions, and (4) frequencies and/or other descriptive statistics for virtually every variable in the Data Set. Tapes are 9-track; 6250 or 1600 bpi; EBCDIC or ASCII; IBM Standard labelled, ANSI labelled, or unlabelled. Prices are \$75 for the first Data Set and \$25 for each additional Data Set in the same order. (Quantity discount may not be available at 1600 bpi.)

Floppy Diskette:

Floppy diskettes include: (1) raw data and (2) SPSS/PC program statements for use with either SPSS/PC or SPSS/PC + . For some very large Data Sets, the microcomputer version consists of an extract of approximately 1,000 cases from the mainframe computer version of the Data Set. This is noted in the individual Data Set descriptions. Floppy diskettes are available in either regular density (IBM/PC 5.25"; 360KB) or high density (IBM/AT 5.25"; 1.2MB). Prices are \$75 for the first Data Set and \$25 for each additional Data Set in the same order.

Bernoulli Box Cartridge:

Microcomputer versions of Data Sets can be transmitted via Bernoulli Box cartridges upon request. Cartridges are 8.5"; 20MB. Contact Sociometrics Corporation for prices.

CD-ROM:

Data Sets 01 through B1 are available on a single microcomputer CD-ROM (compact disk read-only memory). The product is called NATASHA: National Archive of Sexuality, Health & Adolescence, and is available for \$495. Both the mainframe and microcomputer versions of the raw data and accompanying SPSS program statements are included in NATASHA. Users with a large enough hard disk on their microcom-

puters may elect to use the complete, mainframe version of the Data Set if the microcomputer version is a case extract.

Printed Documentation:

User's Guides are printed booklets prepared by DAAPPP staff describing each Data Set and facilitating its use. They are included in the purchase price of mainframe tape, floppy diskette, or Bernoulli cartridge orders; they can also be purchased separately for \$8 each. The guides are included in microfiche format in NATASHA, the CD-ROM version of the Archive. Paper photocopies of original instruments and codebooks are available for many Data Sets at \$0.15 per page.

DAAPPP Advisory Panel

Wendy Baldwin, Ph.D. (Chair),
National Institute of Child Health & Human Development

Michael Donahue, Ph.D.
Search Institute

Brent Miller, Ph.D.,
Utah State University

Kristin Moore, Ph.D.,
Child Trends, Inc.

Alice Robbin, Ph.D.,
University of Wisconsin

Freya Sonenstein, Ph.D.
Brandeis University

Patricia Thompson, Ph.D.,
Office of Population Affairs,
Project Officer

DAAPP DATA SETS

DAAPPP Data Set No. 01

1971 U.S. National Survey of Young Women: Selected Variables

Melvin Zelnik and John Kantner

This study was aimed at documenting the sexual behavior and practices of adolescent females in the U.S. Two national probability samples were drawn, one of females aged 15 to 19 living in households in the continental U.S. in 1971, and one of university students living in dorms. A total of 4,611 women participated in the study. Data were collected primarily through in-person interviews, with questions presumed to be more sensitive asked in a self-administered questionnaire. Information was obtained regarding frequency of sexual behavior, contraceptive use, pregnancy, childbearing, and abortion, as well as basic background information (e.g., marital status, religion, education, employment status, family structure and family socioeconomic status). DAAPPP Data Set No. B8 includes all 516 variables from the original study.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
8 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	4.00
Original Codebook	18.00
Original Instrument	12.00

DAAPPP Data Set No. 02

1976 U.S. National Survey of Young Women

John Kantner and Melvin Zelnik

This study was similar in purpose, scope, and content to the above described 1971 National Survey of Young Women. The total sample size was 2,193, reflecting adjusted completion rates of 76.2% for whites and 78.5% for blacks. Data were obtained entirely through in-person interviews, conducted in the spring and early summer of 1976.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
5 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	7.50
Original Instrument	14.00

DAAPPP Data Set No. 03

Project TALENT: Consequences of Adolescent Childbearing for the Young Parents' Future Life, 1960-1974

J. J. Card

This study investigated the educational, occupational, and family-related consequences of adolescent pregnancy and childbearing for young women and men who were in the ninth grade in the U.S. in 1960. The study utilized data for a subset of 7,656 individuals (1,883 blacks and 5,773 whites) who had participated in a large-scale educational research study called Project TALENT. Data available include demographic background, cognitive characteristics, and social-psychological characteristics as measured in ninth grade; educational, marital, and childbearing histories through age 29; and plans and expectations at age 29 regarding future childbearing.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
9 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. 04

**Detroit Mother-Daughter
Communication Patterns: Mother File,
1978**

Greer Fox

This study examined patterns of communication between mothers and daughters about sex roles and sexual behavior and assessed the impact of varying communication patterns on the sexual and contraceptive knowledge and behaviors of daughters. The study sample consisted of 449 mothers of 14- or 15-year old daughters enrolled in the Detroit public schools; the daughters constituted a separate sample. A total of 1,935 mother-daughter pairs were invited to participate in the study; 449 (or 23%) accepted. Data were collected via in-person interviews and included, in addition to the topics noted above, mothers' marital and childbearing histories, knowledge about contraception, childrearing attitudes and behaviors, attitudes and knowledge regarding daughters' social and sexual behavior, sex-role attitudes, and aspirations for daughter.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide only	8.00
Original Codebook	N/A
Original Instrument	9.00

DAAPPP Data Set No. 05

**Detroit Mother-Daughter
Communication Patterns: Daughter
File, 1978**

Greer Fox

The previous paragraph gave the design for this study. Data collected from the daughters included patterns of communication with mothers about sex roles and sexual behavior, sexual and contraceptive knowledge and behaviors, educational activities and

plans, family structure, relationships with family members, and social activities.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	7.05

DAAPPP Data Set No. 06

**Philadelphia Collaborative Perinatal
Project: Economic, Social, and
Psychological Consequences of
Adolescent Childbearing, 1959-1965**

Jeanne Marecek

This study examined the consequences of adolescent childbearing for mothers and for their children. The study sample included 2,178 Philadelphia women, primarily black, who were age 25 or younger at the birth of their first child. Data were obtained through interviews and medical examinations, and cover the socioeconomic circumstances of the mother during pregnancy and seven years later, as well as the intellectual and behavioral status of the child at birth and at ages 9 months, 4 years, and 7 years.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	6.00
Original Instrument	N/A

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPP Data Set No. 07

**Nashville General Hospital
Comprehensive Child Care Project,
1974-1976: Selected Variables**

Howard Sandler

This study examined the child-rearing attitudes, perceptions of infant temperament, and mother-infant interactional behavior of primiparous adolescent mothers in comparison to mothers having their first infant post-adolescence. The newborn behavior of the infants was also examined. Data were obtained from the medical records of the mothers; from measures of maternal attitudes, maternal perceptions of infant temperament, and infant behavioral characteristics; and from an observational system. Data from the observational system were not included in the file archived for public use because they were available for only one-sixth of the sample and because they had already been subjected to detailed analysis by the principal investigators.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	0.45**

DAAPP Data Set No. 08

**State Policy Determinants of Teenage
Childbearing, 1979**

Kristin Moore

This study was designed to identify and catalog state governmental policies that affect the teenage mother and to describe how those policies may influence teenage childbearing. The policies examined included: Aid to Families with Dependent Children (AFDC), prenatal care programs, Medicaid, food stamps, family planning services, age of consent laws, abortion services, and alternatives to childbearing. The outcomes of interest included

teenage marriage, pregnancy, childbearing, and abortion rates. Two sets of analyses were carried out in the original study--one focusing on the individual teenage female as the unit of analysis, and the other focusing on the incidence of teenage childbearing within each state or SMSA as a whole. However, only the state-level data are included in the file. The sample thus consists of each of the 50 states plus the District of Columbia and the U.S. as a whole.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

DAAPP Data Set No. 09

**1980 U.S. Survey of Services Provided by
Adolescent Pregnancy Programs**

JRB Associates

Part of a national investigation of the problems associated with adolescent pregnancy and of methods for improving services to those directly affected by teenage childbearing, this study sought to "delineate, identify, describe, and evaluate existing programs at the federal, state, and local levels." The sample for this study consists of 1,118 adolescent pregnancy projects located in the fifty states, the District of Columbia, and Puerto Rico. Data were obtained regarding (1) the general characteristics of the program, (2) the types of services offered by the program, and (3) key administrative features of the project.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Original Codebook N/A
 Original Instrument N/A

DAAPPP Data Set No. 10
1982 Evaluation of OAPP Adolescent
Pregnancy Programs

Martha Burt

This project collected, summarized, and reported data on 31 adolescent pregnancy projects funded by the Office of Adolescent Pregnancy Programs. The purpose of the study was to provide information about how well the programs were meeting legislative and service objectives. The specific issues addressed concerned accountability (both financial and in terms of client targeting), comprehensiveness (i.e., the breadth and concentration of services offered), results of program services, and effects of program structure. Data relating to these issues were obtained from each project through quarterly reporting forms.

Raw Data, SPSS Program Statements,
 and User's Guide \$75.00*

Available Formats:
 Mainframe computer tape
 1 Floppy diskette for IBM-PC
 1 Floppy diskette for IBM-AT

User's Guide Only 8.00
 Original Codebook N/A
 Original Instrument 1.05**

DAAPPP Data Set No. 11
1980 Current Population Survey:
Selected Variables--Females

U.S. Bureau of the Census

In 1980, a special supplementary survey on marital and fertility histories was conducted in conjunction with the June Current Population Survey (CPS). The CPS, which is conducted monthly by the Bureau of the Census, provides estimates of employment, unemployment, and other demographic statistics. The

supplement provided information on up to three marriages and on the birthdates and sex of up to five children, as well as the total number of children, expectations for more children, and selected characteristics of the current spouse. The CPS sample consists of individuals living in the 50 states and the District of Columbia. This extract file contains data for 71,407 women aged 14 or older. Data include selected demographic and occupational information from the CPS as well as the data from the marital and fertility history supplement. The microcomputer version of the raw data is an extract of 1,006 cases.

Raw Data, SPSS Program Statements,
 and User's Guide \$75.00*

Available Formats:
 Mainframe computer tape
 2 Floppy diskettes for IBM-PC
 1 Floppy diskette for IBM-AT

User's Guide Only 8.00
 Original Codebook N/A
 Original Instrument 2.10**

DAAPPP Data Set No. 12
1980 Current Population Survey:
Selected Variables--Males

U.S. Bureau of the Census

This file was prepared primarily for use as a supplement to DAAPPP Data Set No. 11. It contains data from the June 1980 CPS as well as marital history data from the supplement described above. It provides additional information on the spouse's education, employment, and marital history, as well as information on other men in the household. It also provides information on the number, location, and support of children of men's previous marriages.

Raw Data, SPSS Program Statements,
 and User's Guide \$75.00*

Available Format:
 Mainframe computer tape

User's Guide Only 8.00

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.
 ** Included in User's Guide.

Original Codebook	N/A
Original Instrument	1.95**

DAAPPP Data Set No. 13
1980 Current Population Survey:
Selected Variables--Children

U.S. Bureau of the Census

This file contains variables concerning children in the households surveyed by the CPS, and was prepared primarily for use with DAAPPP Data Set No. 11. Data available include the age, race, sex, and relationship to the head of the household of 37,970 children aged 13 or younger.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	1.35**

DAAPPP Data Set No. 14
1982 Current Population Survey:
Selected Variables--Females

U.S. Bureau of the Census

The June 1982 supplementary survey on marital and fertility history and child-care practices conducted in conjunction with the Current Population Survey (CPS) collected information from a sample of 64,842 women, representative of the U.S. as a whole, from the 50 states and the District of Columbia. The CPS, which is conducted monthly by the Bureau of the Census, provides estimates of employment, unemployment, and other demographic statistics. In the supplement, women 18-59 who had ever been married were asked questions concerning the total number of their liveborn children, the birth dates of the oldest and youngest children, and the date of their first marriage. Women 18-34 were also asked about birth expectations for the future. Information

about arrangements for child-care for children under the age of 5 was obtained from women who were currently employed, and education and employment information for current spouses was also obtained. The microcomputer version of the raw data is an extract of 1,013 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	2.25**

DAAPPP Data Set No. 15
1982 Current Population Survey:
Selected Variables--Males

U.S. Bureau of the Census

This data file, which contains the CPS data for all males living in the same households as the females in DAAPPP Data Set No. 14 above, and prepared primarily for use as a supplement to that file, contains information on education, employment, marital status, and other demographic variables for 57,510 men in the 50 states and the District of Columbia. No questions from the fertility and child-care supplement were asked of men.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	2.10**

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. 16
1982 Current Population Survey:
Selected Variables--Children

U.S. Bureau of the Census

This file, containing variables on the age, race, sex, and relationship of the respondent to the head of the household, was prepared primarily as a supplement to DAAPPP Data Set No. 14 above. The data concerns 34,046 children age 13 or under who were living in households surveyed by the CPS.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	\$ 1.65**

DAAPPP Data Set No. 17
1977 Current Population Survey:
Selected Variables--Females

U.S. Bureau of the Census

The Current Population Survey (CPS), which is conducted monthly by the Bureau of the Census, provides estimates of employment, unemployment, and other demographic statistics. The June 1977 CPS contained supplementary questions, asked of women only. These questions obtained information about their marital and fertility histories, including total number of liveborn children, birth dates of youngest and oldest children, and details of child-care arrangements for those who worked. The study contains information for 61,847 women from the 50 states and the District of Columbia, from households selected to be representative of the U.S. as a whole. The microcomputer version of the raw data is an extract of 1,013 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	2.25**

DAAPPP Data Set No. 18
1977 Current Population Survey:
Selected Variables--Males

U.S. Bureau of the Census

This data file, which contains the CPS data for all males living in the same households as the females in DAAPPP Data Set No. 17 above, and prepared primarily for use as a supplement to that file, contains information on education, employment, marital status, and other demographic variables for 55,113 men in the 50 states and the District of Columbia. No questions from the fertility and child-care supplement were asked of men.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	2.10**

DAAPPP Data Set No. 19
First U.S. Health and Nutrition
Examination Survey (HANES),
1971-1975

National Center for Health Statistics

The first Health and Nutrition Examination Survey (HANES I) was conducted by the National Center for Health Statistics to measure the nutritional status

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

and health of the U.S. population aged 1-74 years. For children aged 1-5 years, information on the age of the biological mother at the time of birth of the subject child is available. Thus, it is possible to differentiate children born to teenage mothers from those born to older mothers. The Archive file contains information on all 1-5 year-olds. In addition, data from children aged 6-11 are included in the file to allow comparisons with the second HANES (HANES II; forthcoming in DAAPPP), which will contain data on age of mother for all 1-11 year-olds, and not just for 1-5 year-olds. The DAAPPP HANES I file includes data merged from the three HANES I public use files that are most relevant to studies of the health consequences for children of teen parents. The file contains all of the following information: demographic background characteristics; height and weight data; data on a series of body and skinfold measurements; results of x-rays of hand and wrist; medical examination results; medical history; and school lunch, milk, and breakfast programs data. The microcomputer version of the raw data is an extract of 994 cases.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:
Mainframe computer tape
3 Floppy diskettes for IBM-PC
1 Floppy diskette for IBM-AT

User's Guide Only 8.00
Original Codebook N/A
Original Instrument 1.35

DAAPPP Data Set No. 20-24
National Longitudinal Survey of Youth (NLSY), 1979-1982: Selected Variables (Waves 1-4), and Supplementary Variables

Ohio State University

The NLSY is an ongoing study of 12,686 young women and men aged 14-21 in 1979. The study sample includes an oversampling of blacks and Hispanics; as a result, this Data Set will be particularly valuable for analyses of these subgroups. The NLSY participants have been surveyed annually since 1979. The DAAPPP file contains data from

the first four survey waves, 1979-1982. Data from waves five and six will be added to DAAPPP as they become available. The current file contains an extract of approximately 2,000 of the NLSY variables, including the following: (1) complete childbearing histories (including age, sex, and current residence) of all children, for both males and females in the sample; (2) data on pregnancy losses, including timing and reason for loss; (3) data on both current and anticipated childcare arrangements, including costs of childcare; and (4) data on contraceptive usage both before and after pregnancies.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:
Mainframe computer tape

User's Guide Only 8.00
Original Codebook N/A
Original Instrument N/A

DAAPPP Data Set No. 25
1981 U.S. Survey of Title X-Funded Family Planning Clinics

Roberta Herceg-Baron

This file contains data on the scope of family planning clinic efforts to involve parents in family planning for teenagers. The study sample is based on a 1981 national survey of 351 Title X recipients. Data obtained via telephone interviews included information on agency characteristics, parental involvement activities, and parental consent or notification policies.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:
Mainframe computer tape
1 Floppy diskette for IBM-PC
1 Floppy diskette for IBM-AT

User's Guide Only 8.00
Original Codebook 3.15**
Original Instrument Incl. in Codebook

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. 26

1982 National Survey of Family Growth (NSFG), Cycle III (Women Aged 15-44)

National Center for Health Statistics

This is the third in a series of surveys conducted periodically by the National Center for Health Statistics on topics related to childbearing, contraceptive practice, and related aspects of maternal and child health. A probability sample of 7,969 U.S. women aged 15-44 was interviewed. In the original NSFG data tape, there were two kinds of records: respondent data for each woman, and pregnancy-interval data, based on information about each pregnancy. The DAAPPP file is an extract of the public use tape. The extract focuses on those variables most salient to the teenage portion of the lifespan--sexual debut, sexual behavior, contraceptive practice--and on those variables related to use of family planning services. Two hundred nine variables were selected from the respondent-level data. In addition, 37 interval-level variables were included from the data on the first pregnancy interval for all women who had data on a first pregnancy. These two types of data were merged to create a file with 7,969 cases. The microcomputer version of the raw data is an extract of 996 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	12.30
Original Instrument	23.10

DAAPPP Data Set No. 27

1982 National Survey of Family Growth (NSFG), Cycle III (Women Aged 15-19)

National Center for Health Statistics

The DAAPPP extract of the public use tape contains variables identical to those described above for DAAPPP Data Set No. 26. Data for women over

age 19 have been deleted from this file; thus, it contains respondent-level and first-pregnancy-interval data on 1,888 young women aged 15-19.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	12.30
Original Instrument	11.85

DAAPPP Data Set No. 28

1979-1980 U.S. Survey of Unmarried Women under 18 in Family Planning Clinics

Aida Torres

This file contains information on the extent to which the parents of unmarried teenagers under 18 years of age are informed that their daughters are attending a family planning clinic, how parents have been informed, and how notification requirements would affect the behavior of those teenagers whose parents do not know. The data are based on an Alan Guttmacher Institute survey of 1,212 young women seeking prescription-based contraceptive services from 53 family planning clinics. In addition, information on the metropolitan status of the clinic location and the minimum age at which clinics would provide services without parental consent or notification was added to the data base by the investigators.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	0.45
Original Instrument	0.15**

* Other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. 29

Effects of Organized Family Planning Programs on U.S. Adolescent Fertility, 1970-1975

Jacqueline Darroch Forrest

This file contains data used to estimate the effects of family planning programs in the U.S. on adolescent fertility. The study sample consists of 3,105 counties in the U.S. identified from Alan Guttmacher Institute files. The original study divided the counties into three kinds of statistical analysis units for analysis. The DAAPPP file focuses on county-level data only; however, the statistical analysis units used can be reconstructed using codes in the DAAPPP file. The file contains the following information for the years 1970 and 1975: (1) county-level tabulations of U.S. women by age, race, marital status, and poverty status based on the 1970 Census; (2) data on the number of organized family planning provider sites in each county and the number of teenage patients by age and race; (3) abortion accessibility measures; (4) private medical contraceptive sources; (5) socioeconomic and demographic measures; and (5) birth rate figures.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
7 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

DAAPPP Data Set No. 30

Johns Hopkins Study of Repeat Adolescent Pregnancy, 1976-1982

Janet B. Hardy

The purpose of this study was to use available data sources to obtain demographic, contraceptive, pregnancy, and pregnancy resolution information on 725 teenage girls aged 18 years or younger who were enrolled in the postnatal follow-up component of the

Johns Hopkins Adolescent Pregnancy Program during the years 1976 to 1982. Information was obtained primarily through intake interviews conducted at the time of the mother's postnatal visits. Since in many cases pregnancy data were obtained retrospectively, the actual years during which deliveries were recorded span the period of 1970 to 1982. Demographic information on the father of the index baby was also obtained.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	0.30**
Original Instrument	N/A

DAAPPP Data Set No. 31

1972-74 Ventura County Survey of Unmarried Pregnant Women Aged 13-20

Jerome Evans, Winston Chow, and Marvin Eisen

During the period of the study (1972-1974), the Public Health Clinic in Ventura County, California served as the primary intake point for nearly all women who received abortions in the county. In addition, large numbers of pregnant women who did not have abortions came to the clinic for prenatal care and counseling. This file contains information obtained via structured, close-ended interviews with a sample of 406 unmarried, never-before pregnant women who were in their first trimester of pregnancy and between the ages of 13 and 20. These questions focused on contraceptive knowledge, attitudes, and usage; attitudes regarding abortion; and perceived opinions and attitudes of significant others. Additional data included information on work and leisure activities, sexual and reproductive knowledge, and attitudes toward sexuality. Subsequent to collection of these data, additional information was collected from approximately 87% of the women at a 6 month follow-up interview. The follow-up data are archived separately (DAAPPP Data Set No. 47).

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook 3.15

Original Instrument Incl. in Codebook

DAAPPP Data Set No. 32

**1982 San Jose, California Study of
Adolescent Perinatal Risk Reduction
Behavior**

Paul Hensleigh and Nancy Moss

The purpose of this study was to develop a model of adolescent perinatal risk behavior and examine the relationship between at-risk pregnancy behavior of adolescents and perinatal outcomes. The file contains data collected from 93 women under age 18 who had just given birth in one of five San Jose area hospitals in July and August of 1982. The data were collected by means of a structured, close-ended survey instrument. The file includes information on substance use and abuse, pregnancy and labor outcomes, social support, the use of services, contraceptive use, previous pregnancies, education, respondents' orientation toward the future, and relationship to the father of the child.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook 3.00

Original Instrument Incl. in Codebook

DAAPPP Data Set No. 33

**1981-1982 Evaluation of OAPP
Adolescent Pregnancy Programs:
Individual Level Data I**

Martha Burt

The Department of Health and Human Services funds service projects for pregnant and parenting teens, teens at risk of pregnancy, and their families and male partners. This study was designed to evaluate project implementation and the impact of project participation on clients. The data in this file and DAAPPP Data Set No. 34 come from projects' use of a voluntary case management system developed by the Urban Institute. The original data came in 20 separate files, each representing a different project. Each file differed in the number of records used for each case. To facilitate use, DAAPPP merged these files and created a large rectangular file, where each case had the same number of records. DAAPPP Data Set No. 33 contains the information from the one project (198 clients) that had up to 28 records of information per case. The data include information on client entry characteristics, pregnancy outcomes, mother and infant follow-ups, and types of services delivered. This file and the following file (DAAPPP Data Set No. 34) are individual-level data files that can be used in conjunction with DAAPPP Data Set No. 10, which contains program-level information on OAPP adolescent pregnancy programs.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

2 Floppy diskettes for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook 3.15

Original Instrument N/A

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. 34

1981-1982 Evaluation of OAPP Adolescent Pregnancy Programs: Individual Level Data II

Martha Burt

This data file includes individual-level data from 2,104 clients seen in 19 OAPP-sponsored adolescent pregnancy programs. The data include information on client entry characteristics, pregnancy outcomes, mother and infant follow-ups, and types of services delivered. This is the second of two individual-level data files that can be used in conjunction with DAAPPP Data Set No. 10, which contains program-level information on OAPP adolescent pregnancy programs.

Raw Data, SPSS Program Statements, and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

4 Floppy diskettes for IBM-PC

2 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 3.15

Original Instrument N/A

DAAPPP Data Set No. 35

1979-1981 Philadelphia Study of Psychological Factors Associated with Adolescent Fertility Regulation--Females

Eugenie Walsh Flaherty and Jeanne Marecek

The purpose of this study was to obtain very extensive information from adolescent females on a number of factors that were posited as being related to adolescent fertility regulation, including: parental communication regarding contraception, sex, and pregnancy; exposure to teenage pregnancy; attitudes toward various contraceptives, and contraceptive use. Two samples of adolescents were studied: those who were pregnant at the time of the first interview, and those who were not pregnant and had never borne a child at the time of the first interview. Respondents in the second sample were

interviewed twice, with roughly a year's interval between interviews. The pregnant sample was drawn from four obstetrics/gynecology clinics participating in the study; the non-pregnant adolescent sample was drawn from the registry of the Philadelphia Collaborative Perinatal Project. Data were collected by the Philadelphia Health Management Corporation, Philadelphia, Pennsylvania.

Raw Data, SPSS Program Statements, and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook 11.55

Original Instrument 19.20

DAAPPP Data Set No. 36

1979-1981 Philadelphia Study of Psychological Factors Associated with Adolescent Fertility Regulation--Males

Eugenie Walsh Flaherty and Jeanne Marecek

The purpose of this study was to obtain very extensive information from adolescent males on a number of factors that were posited as being related to adolescent fertility regulation, including: parental communication regarding contraception, sex, and pregnancy; exposure to teenage pregnancy; and attitudes toward various contraceptives. Males' sexual and contraceptive experience comprised the major dependent variables of interest. The sample consisted of 77 Black adolescent males aged 14 to 18 years who were enrolled in the Philadelphia Collaborative Perinatal Project.

Raw Data, SPSS Program Statements, and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Original Codebook	6.45
Original Instrument	10.65

DAAPPP Data Set No. 37-38

The National Survey of Children, 1976

Child Trends, Inc.

The main purposes of this 1976 survey were to: assess physical, social, and psychological well-being of different groups of American children, and develop a national profile of the way children live and the care they receive. The sample was a multi-stage stratified probability sample of households in the continental U.S. containing at least one child in the age range of 7 through 11 years at that time (born between 1964 and 1969). Black households were oversampled. Data were gathered on 2,301 children, which represented 1,747 households. Interviews were conducted with the eligible child and the parent most capable of providing information about the child, usually the mother. A follow-up study of schools attended by the children was also carried out. In 1981, a reinterview survey was conducted with all of those children who were in a high conflict or disrupted family in 1976, and with a subsample of the others. Most of the background and outcome measures were repeated in the 1981 survey. In addition, new data were gathered on patterns of parent-child interaction and on outcome areas more relevant for teenage children, including dating and sexual activity, drinking, smoking, drug use, and delinquency. The data from the 1981 reinterview are also available from DAAPPP (DAAPPP Data Set No. 88-90). The microcomputer version of the raw data is an extract of 1,150 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
9 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	56.55
Original Instrument	19.80

DAAPPP Data Set No. 39

Florida-Puerto Rico Study of Adolescent Pregnancy and Neonatal Behavior, 1978

Barry M. Lester

The purpose of this study was to examine the relationship between neonatal behavior and prenatal and perinatal risk factors in infants of adolescent and older mothers in Puerto Rico and Mainland United States. The sample included 303 newborn infants; 156 were examined in Puerto Rico, and 147 in Florida. A follow-up study was conducted with 99 participants in the Puerto Rican infant sample. These follow-up data consisted largely of various measures of infant performance.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

DAAPPP Data Set No. 40

Maricopa County, Arizona Study of Child Maltreatment Risk among Adolescent Mothers, 1976-1978

Frank G. Bolton, Jr.

The purpose of this study was to determine whether the incidence of child maltreatment was higher among natural children born to adolescent mothers, compared to that obtained for children born to post-adolescent women. A random, one-half sample of 5,098 observations was drawn from the child maltreatment cases referred to the Maricopa County unit of the Arizona Department of Economic Security's Child Protective Services between January 1, 1976 and December 31, 1978. The sample included 247 (4.9%) cases with incomplete information. A "working sample" of 4,851 cases was based on cases that included complete information on mother's and oldest child's age. The DAAPPP data

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.
** Included in User's Guide.

file contains all 5,098 cases to facilitate utilization of all cases when variables other than mother's and oldest child's age are being analyzed. Data were collected by the Arizona Central Child Maltreatment Registry, Arizona.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:
Mainframe computer tape
2 Floppy diskettes for IBM-PC
1 Floppy diskette for IBM-AT

User's Guide Only 8.00
Original Codebook 0.30**
Original Instrument Incl. in Codebook

DAAPPP Data Set No. 41
**1955 Growth of American Families:
Married Women**

*Arthur A. Campbell, Pascal K. Whelpton,
and John E. Patterson*

The Survey Research Center of the University of Michigan gathered data from married women on topics such as births and miscarriages, sterility, the use of contraception, and the desired number of children. One of the main purposes of the study was to gather information that would help to improve forecasts of numbers of births in the U.S. Interviews were conducted with 2,713 white married women aged 18 to 39, living with their husbands or temporarily separated due to the husband's service in the armed forces. The sample was restricted to white women due to the researchers' limited resources for the field work. Young single women also were interviewed to determine their ideas on marriage and desired family size. The data on the single women are archived as DAAPPP Data Set No. 42.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:
Mainframe computer tape
4 Floppy diskettes for IBM-PC
2 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 17.55
Original Instrument 4.80

DAAPPP Data Set No. 42
**1955 Growth of American Families:
Single Women**

*Arthur A. Campbell, Pascal K. Whelpton,
and John E. Patterson*

A survey of 254 young single women aged 18 to 24 was conducted to determine ideas on marriage and desired family size. The gathered data enable comparisons to be made between the study's sample of single women and the sample of married women (DAAPPP Data Set No. 41). The single women were asked a large number of open-ended questions that were more exploratory than hypothesis-testing in purpose. The interview inquired about girlfriends' family-building probabilities, best age for marriage, ideal number of children, and other marriage and family-related issues. The sample was restricted to white women due to the researchers' limited resources for field work.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:
Mainframe computer tape
1 Floppy diskette for IBM-PC
1 Floppy diskette for IBM-AT

User's Guide Only 8.00
Original Codebook 4.80
Original Instrument 2.55

DAAPPP Data Set No. 43
1960 Growth of American Families

*Arthur A. Campbell, Pascal K. Whelpton,
and John E. Patterson*

This study gathered data on topics such as births and miscarriages, sterility, the use of contraception, and the desired and expected number of children from 3,322 women. The sample consisted of white wives,

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

nonwhite wives, and white women no longer married. One important purpose of this study was to see how well married women interviewed in 1955 (DAAPPP Data Set No. 41) had predicted the number of children that women like themselves would have in the 1955-60 period. This study also explored more thoroughly certain topics that received only brief attention in the 1955 survey, e.g., a couple's ability to have children and their success in using contraceptives. For the first time, some data on family planning attitudes and practices of nonwhite couples were obtained. The microcomputer version of the raw data is an extract of 1,086 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	25.80
Original Instrument	8.40

DAAPPP Data Set No. 44
1979 U.S. National Survey of Young Women

Melvin Zelnik and John F. Kantner

Like the 1971 and 1976 National Surveys of Young Women (DAAPPP Data Set Nos. 01 and 02), this study was aimed at providing estimates of the prevalence of sexual activity, contraceptive use and nonuse, premarital pregnancy and its resolution among teenage women. The study also attempted to determine how informed young women were about contraception and the menstrual cycle. Women aged 15 to 19 living in households in Standard Metropolitan Statistical Areas in the continental United States comprised the sample. The survey included 1,717 ever-married and never-married respondents. The survey also gathered data from young men (DAAPPP Data Set No. 45).

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	23.85
Original Instrument	Incl. in Codebook

DAAPPP Data Set No. 45
1979 U.S. National Survey of Young Men

Melvin Zelnik and John F. Kantner

Like the 1971 and 1976 National Surveys of Young Women (DAAPPP Data Set Nos. 01 and 02), the major purpose of this study was to provide estimates of the prevalence of sexual activity, contraceptive use and nonuse, premarital pregnancy and its resolution among U.S. teenagers. The 1979 survey, for the first time, gathered data from young men as well as women (DAAPPP Data Set No. 44). Men aged 17 to 21 living in households in Standard Metropolitan Statistical Areas in the continental United States comprised the sample. The survey included 917 ever-married and never-married young men. The men were not only interviewed but received some questions in a self-administered questionnaire.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	17.10
Original Instrument	Incl. in Codebook

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.
** Included in User's Guide.

DAAPPP Data Set No. 46

Chicago Urban League 1979 Young Chicagoans Survey

Dennis Hogan and Evelyn Kitagawa

This study examined the demographic, social, economic and fertility characteristics of black teenage girls residing in the City of Chicago in 1979. The study sample consisted of 1,078 black female respondents aged 13-19 selected to comprise two randomly drawn two-stage area probability samples of Chicago households. The two independent samples included 388 respondents from Chicago, and 690 respondents from surrounding poor areas. The survey non-response rate was less than 10%. All data were collected through personal interviews by female interviewers. Information was obtained regarding age at first coital experience, marriage, pregnancy and childbirth, as well as basic background information (e.g., marital status, religion, education, employment status, and family income).

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

5 Floppy diskettes for IBM-PC

2 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 4.50

Original Instrument 5.55

DAAPPP Data Set No. 47

1972-74 Ventura County Survey of Unmarried Pregnant Women Aged 13-20: Six-Month Follow-up

*Jerome Evans, Winston Chow,
and Marvin Eisen*

This Data Set addresses two major gaps in the adolescent pregnancy literature. First, it focuses on unwed teenagers with unintended pregnancies; second, it measures decision satisfaction after the actual abortion or delivery. The Data Set extends an earlier investigation (DAAPPP Data Set No. 31) to the period six months after abortion or delivery.

Data were collected from 333 never previously pregnant young unmarried women who utilized the services of the Ventura County Public Health Clinic between 1972 and 1974. This file includes data on post-decision satisfaction, current financial support, school enrollment, employment history, contraceptive attitudes and usage, and relationship with the man responsible for the pregnancy.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook 1.35

Original Instrument Incl. in Codebook

DAAPPP Data Set No. 48-49

1965 U.S. National Fertility Study

Norman Ryder and Charles Westoff

This study was designed to continue the collection of data which had begun with the 1955 and 1960 Growth of American Family (GAF) Surveys (DAAPPP Data Set Nos. 41, 42, and 43). The population sampled included currently married English-speaking women born after July 1, 1910 who were living with their husbands in the coterminous U.S. Of a national probability sample of 6,397 women eligible for the study, 5,617 were interviewed (88%). The primary differences from the previous GAF samples were an increased number of respondents (3,322 in 1960), greater age scope (55 in the current survey, 44 in previous data sets), and the inclusion of a greater number of non-white women. As in the two earlier surveys, data were collected on topics such as births and miscarriages, sterility, contraception, and the desired and expected number of children. The microcomputer version of the raw data is an extract of 1,123 cases.

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
7 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	20.70
Original Instrument	4.80

DAAPPP Data Set No. 50-51
1970 U.S. National Fertility Study
Charles Westoff and Norman Ryder

This study is the second wave of a three-part fertility study which began with the 1965 National Fertility Study (NFS) (documented as DAAPPP Data Set No. 48-49), and ended with the 1975 NFS (documented as DAAPPP Data Set No. 52). A national probability sample of ever-married women under 45 years of age was interviewed for this study. The data cover contraceptive efficacy, fecundability, attitudes toward abortion, sex roles, and world population issues. Also available are detailed background data on respondents and their spouses (age, education, religion and religiosity, ethnicity, occupation, family income, financial conditions). The microcomputer version of the raw data is an extract of 1,125 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	25.65
Original Instrument	9.60

DAAPPP Data Set No. 52
1975 U.S. National Fertility Study
Charles Westoff and Norman Ryder

This is the third in a series of studies begun in 1965 and continued in 1970 (documented as DAAPPP Data Set Nos. 48-49 and 50-51, respectively). Unlike its predecessors, this study was longitudinal in its design. The data collected were from a national probability sample of once-married and currently married women who were white, married fewer than 25 years and before the age of 25, and whose husbands were also once-married. Reinterview data were also collected from continuously married respondents to the 1970 survey (an interval of approximately five years). The sample included 1,042 new respondents, together with 2,361 women reinterviewed, for a total of 3,403 respondents. In addition to the scope of previous studies, the present data includes new information on those reinterviewed, such as success in fertility forecasting. The microcomputer version of the raw data is an extract of 1,134 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
6 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	18.75
Original Instrument	7.50

DAAPPP Data Set No. 53-55
**National Fertility Study: Married
Women Interviewed in 1970 and 1975**
Charles Westoff and Norman Ryder

This study is a special subset of the National Fertility Studies conducted in 1970 and 1975 (documented as DAAPPP Data Set Nos. 50-51 and 52, respectively). Included in this sample are the full set of variables for the 2,361 married women interviewed in 1970 and reinterviewed in 1975. The present data set enables an examination of changes in contraceptive efficacy, fecundability, work history, family planning

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

intentions, sterilization, and abortion, as well as related opinions and attitudes. Additional background information is also provided on respondent and spouse (age, family background, education, religion and religiosity, ethnicity, occupation and income).

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
User's Guide Only	8.00
Original Codebook	45.45
Original Instrument	18.00

DAAPPP Data Set No. 56
1973 Madison, Wisconsin Study of
Premarital Sexuality Among Young
People: Students

John DeLamater

The focus of this study is on the social aspects of premarital sexuality, sociopsychological characteristics, current sexual behavior and contraceptive knowledge and use among young people. Information on personal and family characteristics, sexual experience, peer group influence, and self-image was also collected. Interviews for the study were conducted with a stratified sample of undergraduates, consisting of 432 male students and 431 female students (see DAAPPP Data Set No. 57 for the corresponding non-student sample). The response rate for the study was 82%; married students were excluded from the survey.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	8.70
Original Instrument	N/A

DAAPPP Data Set No. 57
1973 Madison, Wisconsin Study of
Premarital Sexuality Among Young
People: Nonstudents

John DeLamater

This is the identical survey described in DAAPPP Data Set No. 56, only conducted with a non-student population. The sample was designed to consist of persons between the ages of 18 and 23 who resided in Madison, Wisconsin but were not students at the University. The sample was obtained by calling a systematic probability sample of residences in the telephone directory. Of the 1,134 eligible persons, 663 completed interviews. With the exclusion of married couples, the total sample consisted of 220 nonstudent males and 293 nonstudent females.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	8.70
Original Instrument	N/A

DAAPPP Data Set No. 58-60
1957-1967 Study of American Family
Growth -- The Princeton Study

*Charles F. Westoff, Robert C. Potter Jr.,
Philip C. Sagi, and Elliot C. Mishler*

This classic study examines the fertility history of American couples in the U.S. and the motivational connections between the environment and fertility decisions and behavior. Data describe fertility-planning status, as well as a wide variety of background information, social and psychological attitudes, and behavior. The study was designed as a longitudinal survey and consisted of three interviews between three and seven years apart. Urban native-born white couples with two children comprised this probability sample, stratified by metropolitan area. The first interview was com-

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

pleted by 1,165 couples (88.7% of the eligible couples), with 905 couples completing the second interview three years later. The final interview, conducted between 1963 and 1967 and scheduled after the end of each couple's reproductive years, was completed by 814 couples.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
User's Guide Only	8.00
Original Codebook	42.75
Original Instrument	21.60

DAAPPP Data Set No. 61

**1982 National Survey of Family Growth
Cycle III Exposure Interval File**

William Grady

This data was extracted to create a file compatible with an analysis of contraceptive failure, using data from Cycle III of the National Survey of Family Growth (separately documented as DAAPPP Data Set No. 26). The selection of eligible intervals was accomplished in three stages. First, each respondent was examined to determine eligibility for inclusion in the study. Second, among eligible women, each pregnancy interval was examined and ineligible intervals discarded. Finally, intervals of use and non-use of contraceptives occurring within eligible pregnancy intervals were examined and eligible intervals were selected. In all, the 7,969 respondents to the NSFG contributed 11,253 separate, continuous intervals of exposure. Continuous intervals separated by changes in marital status and/or by periods of no intercourse were coded as multiple intervals, yielding 12,962 intervals available for analysis. For each of these 12,962 intervals, 33 interval-related characteristics are available from this data file.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
8 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	1.50**
Original Instrument	See Data Set No. 26

DAAPPP Data Set No. 62

**1968 Study of Family Planning Services
and the Distribution of Black Americans**

*Kenneth C. Kammeyer, Norman R. Yetman,
and McKee J. McClendon*

This study collected data from a 1969 Planned Parenthood and Office of Economic Opportunity report and from U.S. Bureau of the Census reports in order to investigate the relationships between a number of variables and the availability of family planning services. Data were collected to test the hypothesis that a proportion of blacks in a county would be associated with a greater availability of family planning-services. Additional independent variables included measures of poverty, fertility, urbanization, region, and other ethnic variables. The population consisted of 3,046 (out of 3,072) U.S. counties--Hawaii and Alaska were excluded.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. 63-66

1966-1972 Baltimore Study of Unplanned Teen Parenthood

Frank F. Furstenberg

This Data Set includes information from four waves of interviews with 404 women who, in 1966, registered at the Sinai Hospital prenatal clinic. All were pregnant and under 18 at the time. The study, directed by Dr. Frank Furstenberg, began as an evaluation of a program designed to help teenage mothers. It was designed to be longitudinal in order to assess the lasting impact of the program. An adolescent interview focused on occupational and marital career plans, impacts of the pregnancy, sexual patterns, birth control knowledge and experience, attitudes toward medical care, and information on family relations. A separate interview with the adolescent's mother also solicited personal background material about the family and the occupational careers of the parents. As the study continued, its goals expanded and eventually formally became "explore the process of adjustment to unplanned parenthood and to explain the divergent life patterns that occur as a consequence of an unscheduled birth." This is a rich and detailed Data Set with 1,414 variables collected over five years. The longitudinal nature of the investigation makes this data set a unique source of information on what happens over time to teenage mothers and their families. The study is continuing to the present time, and data from later waves will be added to the archive as they become available.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	36.30
Original Instrument	N/A

DAAPPP Data Set No. 67

U.S. National Survey of Teens Seeking Abortion Services, 1979-1980

Aida Torres

The goal of the study was to investigate to what extent parents of unmarried teenagers 17 and younger are informed that their daughters are attending an abortion facility, how parents are informed, and how notification requirements would affect the behavior of those teenagers whose parents do not know. The study also assessed parent-daughter communication regarding contraception and abortion, in addition to contraceptive acquisition, use, and demographic information. Conducted between October 1979 and March 1980, the survey consisted of self-administered questionnaires distributed to all teenage patients in 52 abortion clinics, yielding a final sample of 1,172 (95% of abortion patients).

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	0.45
Original Instrument	0.15

DAAPPP Data Set No. 68

Parental Notification Policies in U.S. Abortion Facilities, 1979-1980

Aida Torres

The survey provides information on patterns followed by abortion clinics in 1979-1980 regarding parental consent and notification policies for teenagers. Data include at what age services are provided without parental consent or notification, what procedures are followed to obtain parental consent or to notify parents, and under what circumstances teenagers might be served without consent or notification. Conducted between October 1979 and March 1980, the survey consisted of a questionnaire mailed to 2,110 hospitals and frees-

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

tanding clinics across the country that report abortion services, including private physicians who performed more than 100 abortions during the first quarter of 1978. The final sample includes a total of 645 respondent agencies, weighted by type of agency and by caseload.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	0.45
Original Instrument	0.15

DAAPPP Data Set No. 69

U.S. Family Planning Clinic Parental Notification Policies, 1979-1980

Aida Torres

The survey provides information on patterns of parental consent and notification policies for teenagers followed by family planning clinics in 1979-1980. During October 1979 to March 1980, a questionnaire was mailed to 2,540 family planning agencies that administer about 5,000 clinics across the country, yielding a total of 1,796 cases, weighted by type of agency and by caseload. Data include information on age at which services are provided without parental consent or notification, procedures followed to obtain parental consent or to notify parents, and circumstances under which teenagers might be served without consent or notification.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	0.60
Original Instrument	0.15

DAAPPP Data Set No. 70

Fee Policies for U.S. Clinics With And Without Title X Funding

Aida Torres

This study includes data on clinic policies regarding patient fees, using as its standard what a clinic would charge a new pill patient for her first visit, plus the cost of a 3 month supply of pills. The respondents are grouped based on whether or not they receive Title X funding, with additional data providing information on how patients' incomes are verified, how fee levels are arrived at, and the number of sites covered by these policies. The survey was conducted from December 1983 to January 1984 using a questionnaire mailed to agencies originally surveyed in 1982 (separately documented as DAAPPP Data Set No. 71-72). A total of 317 out of 543 agencies responded with useful information, and responses were weighted to reflect the distribution of organized providers by type of agency.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	1.35
Original Instrument	0.30

DAAPPP Data Set No. 71-72

1982 And 1983 Surveys of U.S. Family Planning Agencies

Aida Torres

This study was conducted to examine the effects of the federal budget cuts on the availability and delivery of family planning agency services. It includes data on changes that occurred in the provision of family planning services between 1980, the year before the 1981 budget cuts, and 1983. It also includes data on type of funding, type of programs and services available, and fee schedules. This mail survey was sent to a random sample of

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

family planning provider agencies, with a total response of 327 providers. A similar follow-up study was carried out in mid-1983. The data has been weighted to account for nearly two-thirds of all patients served in 1980.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	7.20
Original Instrument	2.10

DAAPPP Data Set No. 73
1983-85 Pennsylvania Study of Family Planning Discontinuation: Clinic and Community File

Roberta Herceg-Baron

This is one of several Data Sets concerning family planning clinic discontinuation in Pennsylvania supported by the Office of Population Affairs (see DAAPPP Set Nos. 74, 75, and 76). The clinics involved are from two provider networks: the Maternal Family Health (MFH) and the Family Planning Council (FPC), representing northeastern/northcentral and southeastern Pennsylvania, respectively. This data set contains observations at the family planning clinic level, including clinic annual reports, a clinic practices survey administered to clinics participating in the study, patient flow analyses, and 1980 census data. This survey was conducted from October 1983 through June 1985, and includes data from 51 clinics.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	3.45

DAAPPP Data Set No. 74
1983-85 Pennsylvania Study of Family Planning Discontinuation: Visit File

Roberta Herceg-Baron

The second in a series of family planning studies (see DAAPPP Set Nos. 73, 75, and 76), the units of observation of this study are the family planning clinic visits of individual women on a visit by visit basis. The visit file includes data on counseling procedures, contraception practices, medical assistance coverage, referral sources, and childbearing histories of patients. Conducted from October 1983 through June 1985, patient visit abstracts (PVAs) from Automated Health Records of Philadelphia formed the bases of the study. The clinics involved are from two provider networks: the Maternal Family Health (MFH) representing a collection of counties in northeastern and northcentral Pennsylvania, and the Family Planning Council (FPC), representing southeastern Pennsylvania. Young women were oversampled; the stratified samples were subsampled to produce a representative (self-weighting) sample of 5% overall. For MFH, 22,909 visits by 4,990 women were included; for the FPC, 45,423 visits by 13,362 women were obtained. The microcomputer version of the raw data is an extract of 1,005 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	2.85
Original Instrument	N/A

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.
 ** Included in User's Guide.

DAAPPP Data Set No. 75

1983-85 Pennsylvania Study of Family Planning Discontinuation: Patient File

Roberta Herceg-Baron

This study is the third in a series of four studies documented by DAAPPP concerning family planning clinic discontinuation in Pennsylvania (see DAAPPP Data Set Nos. 73, 74, and 76). The unit of observation in this Data Set is the patient's file of visit data summarized on a patient basis. The patient file includes data on contraception and childbearing histories, clinic visits, visit coverage, and income and educational levels of respondents. Creation of the patient file relied entirely on information contained in the visit file for the two council. (see DAAPPP Data Set No. 74). The data source was a compilation of PVA's for each council. As with DAAPPP Data Set No. 74, young women were oversampled and a subsequent self-weighting sample of 5% overall was produced. A total of 4,990 women from the MFH and 13,362 women from the FPC are included in this Data Set.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
6 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	2.40
Original Instrument	0.75

DAAPPP Data Set No. 76

1983-85 Pennsylvania Study of Family Planning Discontinuation: Discontinuer Survey File

Roberta Herceg-Baron

The fourth in a series of related studies, this Data Set surveys women who had discontinued family planning clinic services. Observations include data on educational and work background of the women surveyed, birth control history, clinics used by the women, and the reasons for discontinuation. The

target population was defined as family planning clients in the FPC or MFH systems with the following characteristics: initial clinic visit after 7/01/80; last recorded visit before 6/30/83; not sterile or menopausal at last visit; not using family planning services for pregnancy testing; contact permitted; and not a transient client. The planned sample size was 600, with 400 from the FPC, and 200 from the MFH. The sampling frame was the set of all patients who were noted on their clinic's drop list. Records were sampled systematically at clinic sites, and the sample design was consequently a stratified sampling scheme. The actual interviews were conducted by trained personnel over the phone.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	3.30

DAAPPP Data Set No. 77

1979 U.S.-Mexico Border Survey

Jack C. Smith

The United States-Mexico Border Health Association conducted this survey on the utilization of family planning and maternal health services among households in the area in 1979. Data include information on fertility, family planning, maternal and child health, alcohol consumption, smoking, and knowledge of contraception. Some general descriptive information about the area surveyed is also included. Conducted during the period June-September 1979, a sample of households was chosen from all households in 51 selected counties in the four U.S. border states of Texas, New Mexico, Arizona and California. The survey questionnaire, administered in personal interview, had two parts: a household questionnaire and an individual questionnaire. All interviewers were bilingual females. The DAAPPP file includes 2,135 females aged 15-44.

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	4.80
Original Instrument	2.10

DAAPPP Data Set No. 78

1980-1982 U.S. National Study of High School and Beyond, Selected Variables: A Longitudinal Study of Female Sophomores

*Peter Morrison, Linda Waite,
and Allan Abrahamse*

This is the second of two National Longitudinal Studies (NLS). The first, NLS-72, began with over 22,000 high school seniors in the spring of 1972. The second study began with a 1980 collection of base year data on individual and family background, high school experiences, work experiences, plans for the future, and cognitive ability and achievement from high school seniors and sophomores. The first follow-up was conducted in the spring of 1982, and a second follow-up was conducted in 1984. The current Data Set was designed to build on the NLS-72 by replicating selected 1972 study questionnaire and cognitive test items as well as expanding the data to include a broader range of lifecycle factors, such as family-formation behavior and social participation. Over 30,000 sophomores enrolled in 1,015 public and private high schools across the country participated in the Base Year survey, with questionnaires administered at schools or appropriate off-campus locations. The 1982 follow-up sample consisted of approximately 30,000 1980 sophomores, with different questionnaires for those who had dropped out of school and those who remained enrolled in school. The DAAPPP file is an extract designed by Peter Morrison and his colleagues at the Rand Corporation. The cases were limited to female high school sophomores who were not mothers at the time of the 1980 baseline survey. In addition to the approximately 100 variables obtained directly from the High School and Beyond

Data Set, the investigators computed approximately twenty scale score and indicator variables.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00**
Available Formats:	
Mainframe computer tape	
8 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

DAAPPP Data Set No. 79-81

1980-1981 Philadelphia Study of Kinship Support for Adolescents in Family Planning Programs

*Roberta Herceg-Baron
and Frank F. Furstenberg*

The primary objective of this study was to test the impact of a program designed to promote greater communication between adolescents and their families. It was hypothesized that greater communication would improve contraceptive use. Three interviews were scheduled: one at the initial visit to the clinic, one at six months, and one at about 15 months after the initial visit. Information was collected on contraceptive use, pregnancy history, amount of communication with family members about sex and birth control, and experiences in the clinic programs. In addition, participants reported on their educational and occupational situation, life goals, relations with peers, and heterosexual experiences. Many of the questions were drawn from comparable surveys (DAAPPP Data Set Nos. 1, 2, 4, 5, 44, 45, and 63-66). The questions have thus been extensively tested, and the findings could be compared to earlier work. The adolescents in the study were evenly divided between whites and blacks. They were recruited from six federally funded family planning agencies over a 20-month period from January 1980 to September 1981. Initial contact with the adolescents was made in person; the first interview generally occurred in the clinic, and remaining interviews were carried out by phone. Of those adolescents who were approached, 93% agreed to cooperate, yielding a total sample of 502, including

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

61 (14%) controls (a family support, periodic support, and an additional control group). Attrition rates were low (88% concluded the second interview, 85% concluded the second follow-up).

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	\$25.50
Original Instrument	\$15.60

DAAPPP Data Set No. 82-83
1980 U.S. National Natality Survey
National Center for Health Statistics

This survey is a nationally representative sample of 9,941 vital records of live birth in the United States in 1980. Married mothers, hospitals, attendants at delivery, and other medical providers of radiation procedures (four groups that were associated with the sampled deliveries) were mailed 8-page questionnaires. Their responses include information on demographic and social characteristics, maternal health, infant health, labor and delivery practices and radiation exposure before and during pregnancy. The mothers received 15-minute telephone interviews, and the medical sources 5-minute reminders if they did not respond to two waves of mailed questionnaires. The microcomputer version of the raw data is an extract of 1,104 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
7 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	40.95
Original Instrument	N/A

DAAPPP Data Set No. 84-85
1980 U.S. National Fetal Mortality Study
National Center for Health Statistics

This nationally representative study is based on a sample of 6,386 vital records for fetal deaths occurring at 28 weeks gestation or more in the United States in 1980. As with DAAPPP Data Set No. 82-83, married mothers, hospitals, attendants at delivery, and other medical providers of radiation procedures (four groups that were associated with the sampled deliveries) were mailed 8-page questionnaires. Information on demographic and social characteristics, maternal health, infant health, labor and delivery practices and radiation exposure before and during pregnancy was assessed. The survey was limited to late fetal deaths which were more likely to have occurred in a hospital. Abortions were also excluded from this study. The final sample represents 1 in 3 of the estimated number of late fetal deaths in 1980. The microcomputer version of the raw data is an extract of 1,064 cases.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
7 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	40.95
Original Instrument	N/A

DAAPPP Data Set No. 86-87
**1981 Child Health Supplement to the
National Health Interview Survey**
National Center for Health Statistics

The National Health Interview Survey (NHIS) was designed to provide national data on the incidence of acute illness and accidental injuries, chronic conditions and impairments, disabilities, the utilization of health care services, and other health-related topics. In 1981, after several years of planning and preparation, a comprehensive supplement on children was included with the survey. One child from each eligible household was randomly

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.
** Included in User's Guide.

selected, and data collected on a nationwide probability sample of 15,416 children 17 years of age and under. Questionnaire topics included family structure, child care arrangements, breastfeeding, motor and social development, medications, birth and prenatal events, lifetime hospitalizations and surgery, chronic conditions, weight, eyes and teeth, school attendance and performance, behavior problems, social effects of ill health, and sleep habits. Additional data about health and medical care were also collected as part of the core NHIS questionnaire. In all there are 1,416 variables in the Data Set. This Data Set should prove particularly useful as a baseline national sample for comparisons with smaller or more specialized samples. The microcomputer version of the raw data is an extract of 1,028 cases.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

5 Floppy diskettes for IBM-PC

2 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 37.05

Original Instrument 10.65

DAAPPP Data Set No. 88-90

The 1981 National Survey of Children

Child Trends, Inc.

This is the second of the two waves of studies sponsored by the Foundation for Child Development and the National Institute of Mental Health. When weighted, the data constitute a national sample of children aged 12-16 in 1981. The information provided is based on reinterviews with a subsample of those originally studied in 1976 (documented separately as DAAPPP Data Set No. 37-38). The main purposes of the 1976 survey were to: assess physical, social, and psychological well-being of different groups of American children, and develop a national profile of the way children live and the care they receive. The sample was a multi-stage stratified probability sample of households in the continental U.S. containing at least one child in the age range of 7 through 11 years at that time (born between 1964

and 1969). Black households were oversampled. Data were gathered on 2,301 children, which represented 1,747 households. Interviews were conducted with the eligible child and the parent most capable of providing information about the child, usually the mother. A follow-up study of schools attended by the children was also carried out. In 1981, a reinterview survey was conducted with all of those children who were in a high conflict or disrupted family in 1976, and with a subsample of the others. A total of 1,423 children completed the 1981 reinterview, 1,036 whites and 337 blacks. At the time of this second interview, children in the sample were aged 11 to 16. Most of the background and outcome measures were repeated in the 1981 survey. In addition, new data were gathered on patterns of parent-child interaction and on outcome areas more relevant for teenage children, including dating and sexual activity, drinking, smoking, drug use, and delinquency. Users who want to conduct longitudinal analyses of the 1976 and 1981 data should order *both* DAAPPP Data Set Nos. 37-38 and 88-90.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

8 Floppy diskettes for IBM-PC

3 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 36.00

Original Instrument 18.60

DAAPPP Data Set No. 91-94

Project Redirection, 1980-1983

Denise Polit

Project Redirection was a pilot program designed to help disadvantaged pregnant teenagers and teenage mothers achieve economic self-sufficiency. From 1980 to 1983 investigators compiled data from three interviews with participating teens (at baseline, 12 months, and 24 months) in order to evaluate the efficacy of Project Redirection in aiding pregnant or parenting teens as compared to a similar non-Redirection control group. Community-based organizations in four locations arranged a variety of services for Redirection participants including In-

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

dividual Participant Plans (IPPs), peer group sessions, and community women (local volunteers for support and for positive role models). These services were designed to facilitate the teenagers' participation in educational, vocational, and/or parenting training programs. On average, teenagers stayed with the program for one year. Initial subjects had enrolled in program sites between September 1980 and July 1981 and, along with a comparison group, comprise Sample I. In the fall of 1981, funds became available to enlarge the research sample. Teens enrolled in the program between March 1981 and March 1982, together with an additional group of comparison teens, comprise Sample II. Sample II teens were not administered a baseline interview, since the decision to enlarge the sample came after many Sample II teens were already enrolled in the program. Because Sample II teens were not studied at baseline, many baseline variables for this group were obtained at the 12-month survey. Other baseline variables are missing for the entire Sample II group. Eighty-six percent of the original teenagers (675 of 789) completed the follow-up interviews. The DAAPPP file consists of information on 958 variables gathered from these 675 teens.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	46.20
Original Instrument	50.40

DAAPPP Data Set No. 95

1975 Los Angeles County Study of Motivations, Roles, and Family Planning of Women

Linda J. Beckman

The study contains data collected in 1975 from a Los Angeles County representative sample of 583 married women in their childbearing years (age 18 through 49). Information collected includes contraceptive perceptions and usage, sex-role attitudes and behaviors, fertility and fertility preferences, per-

ceived satisfactions and costs of children, perceived satisfactions and costs of motherhood, and perceived values of employment. The overall refusal rate for the study was 20.6%. Comparison of the demographic characteristics of the sample with similar data both from the 1970 Los Angeles County Census and from more recent county-representative surveys and population estimates shows that differences between the characteristics of the present sample and the more general county distribution on demographic variables are well within tolerable limits.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	24.15
Original Instrument	8.25

DAAPPP Data Set No. 96-97

1973-1976 New York City Study of the Social and Demographic Consequences of Teenage Childbearing

Harriet B. Presser

This study may be described as a follow-back survey of three first-parity cohorts of New York City women: 310 women aged 15-29 who had their first birth in July of 1970, 1971 or 1972. It investigates the relationship between women's roles and fertility, focusing on the age at which women had their first child. In particular, it seeks to determine some of the distinctive role-related aspects of teenage childbearing and childrearing relative to those who postpone motherhood until their twenties. Data for the analysis is a longitudinal study (1973-1976) in three boroughs of New York City, conducted in three waves of interviews. Although the longitudinal period between interviews is only three years, retrospective and prospective questions asked during the interviews permit analysis of the span from early childhood to middle age.

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	22.50
Original Instrument	16.65

DAAPPP Data Set No. 98

**1975 National Survey of Physicians'
Attitudes Toward Abortion**

Leonard LoSciuto

The survey used a national probability sampling frame and includes 1,452 personal interviews with physicians and osteopaths stratified by four physician specialty types: obstetrician-gynecologists, psychiatrists, generalists, and physicians in other specialties. The probability of PSU selection was also taken into account. The questionnaire included queries on the justifications for abortion, opinions on effects of the 1973 Supreme Court abortion decision, practices regarding abortion in 1972 and currently, perceived influences on attitudes, and various details of background, training, and demographic variables.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	9.00
Original Instrument	N/A

DAAPPP Data Set No. 99

**1964-1966 U.S. National Infant
Mortality Survey**

National Center for Health Statistics

The study is a collection of data for a sample of infant deaths occurring in calendar years 1964, 1965, and 1966. Each data record is composed of information obtained from the death certificate and from a questionnaire that was sent to the mother of the deceased child. The survey extends, for statistical purposes, the range of items normally included in the vital records, providing national estimates of infant deaths by characteristics not available from the vital registration system and serving as a basis for evaluating the quality of information reported on the vital records. Data include information on hospitalization of the infant who died, other children of the mother, household composition, income, employment of mother, education of parents and health insurance. The nationally representative survey was based on a sample of infant death vital records (1 out of 110 infant deaths) with a response rate of 88 per cent. The sample size is 7,866 cases; weights applied to the 2,490 cases of infant deaths in 1964-1966 may be used to reflect U.S. estimates of infant deaths during the study period.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	2.70
Original Instrument	N/A

DAAPPP Data Set No. A1-A2

**1983 Cuyahoga County, Ohio Familial
Communication and Adolescent Sexual
Behavior Project**

Janet R. Kahn

This study examines the extent of parent-child communication about sexuality and the relative

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

importance of that communication to the child's sexual behavior and attitudes at adolescence. In 1976, the Project on Human Sexual Development (PHSD) conducted a major study on family life and sexual learning, involving personal interviews with over 1,400 parents of young children in Cuyahoga County, Ohio. The present study is a continuation of that work. Three hundred twenty-six (326) adolescent children aged 12-18 were interviewed. The adolescent respondents were drawn from two subsamples: (1) PHSD families; and (2) a supplemental sample of families living in the same areas in 1983 that did not participate in the PHSD. Parents of participating adolescents were asked to complete questionnaires providing updates on their perspectives; 71% of mothers and 56% of fathers did so. The project had four essential purposes: (1) to add to the descriptive information gathered earlier on the timing and content of parent-child communication about sexuality; (2) to create a model of factors associated with successful parent-child communication about sexuality; (3) to develop a second model examining the role of this communication and other factors in influencing adolescents' sexual behavior, knowledge and attitudes; and (4) to look at parents' use and need for assistance in their roles as sex educators of their children to provide information that can be used by those organizations seeking to help families with this important aspect of life. The teenagers were asked to respond to a variety of questions including family composition, educational background and aspirations, family closeness, religiosity, friendship networks, discussions with parents, sexual knowledge, sexual behaviors ranging from kissing to intercourse, reactions to sexuality, histories of intercourse patterns and birth control usage. Parents were asked to provide information on socioeconomic status, changes in family composition, marital status and employment, discussions of sexual topics, parental values, sex role attitudes, and sources of sex education assistance.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
2 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	10.05
Original Instrument	10.65

DAAPPP Data Set No. A3

1964-1966 U.S. National Natality Survey

National Center for Health Statistics

The study is a collection of data for a sample of live births to married women occurring in calendar years 1964, 1965, and 1966. The survey extends, for statistical purposes, the range of items normally included on the vital records. It provides national estimates of births by characteristics not available from the vital registration system. It also serves as a basis for evaluating the quality of information reported on the vital records. Each data record is composed of information obtained from the birth certificate, and from questionnaires sent to the mother, the physician who delivered the baby, and the medical facility where the baby was born. The survey gathered information on pregnancy history, expectations of having more children, household composition, income, whether this was a first or later marriage, date of first marriage and date of this marriage, whether mother was employed and when during her pregnancy she stopped working, education, and health insurance. One out of 1,000 births were originally selected. This data file contains only the subsample of married mothers. Data were collected primarily by mail from addresses given on the birth certificates. The response rate was 89 percent. The total sample size is 10,395 cases. Weights may be used to reflect U.S. estimates of infant births during the study period.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
10 Floppy diskettes for IBM-PC	
3 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	6.75
Original Instrument	N/A

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.
** Included in User's Guide.

DAAPPP Data Set No. A4

1967 U.S. National Natality Survey

National Center for Health Statistics

The National Natality Surveys were conducted over a number of years between 1964 and 1980. The 1967 survey was designed primarily to collect information on pre- and post-natal care received by women and by their newborn infants. Additional information was obtained on certain socioeconomic and demographic characteristics. The initial source of data were certificates of live births. Every 1,000th legitimate white infant and every 500th legitimate non-white infant were sampled and questionnaires mailed to 3,511 mothers. The final response rate was 91%. Values for most missing data were imputed for those who did not respond as well as for an additional 65 births who were selected but not mailed questionnaires.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	8.25**
Original Instrument	1.05**

DAAPPP Data Set No. A5

1968 U.S. National Natality Survey

National Center for Health Statistics

The National Natality Surveys were conducted over a number of years between 1964 and 1980. The 1968 survey was designed primarily to collect information on pre- and post-natal care received by women and by their newborn infants. Additional information was obtained on certain socioeconomic and demographic characteristics. The initial source of data were certificates of live births. Every 1,000th white legitimate infant and every 500th legitimate non-white infant were sampled and questionnaires mailed to 3,474 mothers. The final response rate was 89%. Values for most missing data were imputed for those who did not respond as well as for an ad-

ditional 121 births who were selected but not mailed questionnaires.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	8.85**
Original Instrument	1.20**

DAAPPP Data Set No. A6

1969 U.S. National Natality Survey

National Center for Health Statistics

The National Natality Surveys were conducted over a number of years between 1964 and 1980. The 1969 survey was designed primarily to collect information on pre- and post-natal care received by women and by their newborn infants. Additional information was obtained on certain socioeconomic and demographic characteristics. The initial source of data were certificates of live births. Every 1,000th white legitimate infant and every 500th legitimate non-white infant were sampled and questionnaires mailed to 3,611 mothers. The final response rate was 85%. Values for most missing data were imputed for those who did not respond as well as for an additional 55 births who were selected but not mailed questionnaires.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	8.85**
Original Instrument	1.20**

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. A7**1972 U.S. National Natality Survey***National Center for Health Statistics*

The survey is nationally representative based on a sample of 5,689 vital records of live birth in the United States in 1972, conducted by the National Center for Health Statistics. Married mothers, hospitals, and physicians were mailed different questionnaires. Their responses include information on demographic and social characteristics, maternal health, infant health, and labor and delivery history.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

10 Floppy diskettes for IBM-PC

3 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 10.80

Original Instrument 3.60

DAAPPP Data Set No. A8**1975-1983 State And Regional Indicators Archive***Murray A. Straus*

This data file includes macro-level data from the 50 states on 55 variables including: Percentages of households receiving aid of some sort, crimes committed by gender, political offices held by race, and marital status by age. Data were compiled from several public and private surveys and publications.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook N/A

Original Instrument N/A

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPPP Data Set No. A9**U.S. Census County And City Data Book, 1983: State Files Plus Washington, D.C.***U.S. Census Bureau*

The *U.S. Census County and City Databook, 1983*, encompasses descriptive data ascertained from various U.S. census reports. Topics discussed range from basic demographic percentages such as number of whites or blacks in the population or number of females in the workforce to the payroll of retail markets or types of heating used in homes. This Data Set provides state-level profiles. A related Data Set (DAAPPP Data Set No. B1) provides city-level profiles.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Formats:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook N/A

Original Instrument N/A

DAAPPP Data Set No. B1**U.S. Census County and City Data Book, 1983: City Files***U.S. Census Bureau*

The *U.S. Census County and City Databook, 1983*, encompasses descriptive data ascertained from various U.S. census reports. Topics discussed range from basic demographic percentages such as number of whites or blacks in the population or number of females in the workforce to the payroll of retail markets or types of heating used in homes. This Data Set provides city-level profiles. A related Data Set (DAAPPP Data Set No. A9) provides state-level profiles.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Formats:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

DAAPPP Data Set No. B2

**Contemporary American Family Poll,
Sept. 18-25, 1981**

Yankelovich, Skelly & White

The Contemporary American Family Poll, Sept. 18-25, 1981 is a nationally stratified sample of public opinion regarding abortion and abortion-related issues conducted by Yankelovich, Skelly, and White for *Life* magazine. Topics addressed in the study include the appropriateness or non-appropriateness of abortion under differing circumstances; attitudes toward sexual activity, sex education, and abortion; as well as personal experiences with abortion. Information on various sociodemographic, economic and religious characteristics of respondents is also provided.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	3.30**
Original Instrument	Incl. in Codebook

DAAPPP Data Set No. B3

**Contemporary Views on Sex Education,
Nov. 10-12, 1986**

Yankelovich, Clancy & Shulman

The Contemporary Views on Sex Education, Nov. 10-12, 1986 is a nationally stratified sample of public opinion regarding sex education throughout the continental U.S. The private firm of Yankelovich, Clancy and Schulman conducted the study for *Time* magazine. The study queries respondents for information regarding their personal experience with sex education, their perceptions of what specific topics should be discussed with children of varying ages in sex education courses, and their personal communication with their children on the topic of sex. In particular, the survey includes questions about AIDS education. Various sociodemographic, economic and religious indicators are provided. All respondents were 18 years or older.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	2.85**
Original Instrument	Incl. in Codebook

DAAPPP Data Set No. B4

**1983 Survey of Family Relations and
Adolescent Sex Behavior in Salt Lake
City, Utah, and Albuquerque, New
Mexico**

Brent C. Miller

This study was designed in response to the Adolescent Family Life Act of 1981 promoting greater parental involvement in the prevention of adolescent pregnancy. It was conducted as an evaluation of a prevention service demonstration grant awarded J. D. Olson of Brigham Young University by the Office of Population Affairs. Six hundred fifty (650) students attending high school in Salt Lake City,

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Utah, and Albuquerque, New Mexico were subjected to an alternative curriculum designed to promote greater parental involvement in adolescent sexual decision making and surveyed on a gamut of familial communication, personality perception and sexual attitude questions. A pretest and posttest design (with a comparison group of 186 students) was employed to assess the effectiveness of the alternative curriculum.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
6 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	4.65**

DAAPPP Data Set No. B5

1984 Survey of Family Relations and Adolescent Sex Behavior in Salt Lake City, Utah, Albuquerque, New Mexico, and San Bernardino County, California

Brent C. Miller

This study was designed in response to the Adolescent Family Life Act of 1981 promoting greater parental involvement in the prevention of adolescent pregnancy and conducted as an evaluation of a prevention service demonstration grant awarded T. D. Olson of Brigham Young University by the Office of Population Affairs. Students ($n = 1,587$) attending high school in Salt Lake City, Utah, Albuquerque, New Mexico, and San Bernardino County, California were subjected to an alternative curriculum designed to promote greater parental involvement in adolescent sexual decision making, and surveyed on a gamut of familial communication, personality perception, and sexual attitude questions. A pretest and posttest design was employed to assess the effectiveness of the alternative curriculum. In addition, parental data were acquired from a parent questionnaire designed to differentiate degree of parental involvement.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	3.75**

DAAPPP Data Set No. B6

1976-1980 Second U.S. National Health and Nutrition Examination Survey: Selected Variables

National Center for Health Statistics

The Second National Health and Nutrition Examination Survey (NHANES II) was conducted between 1976 and 1980. Like the earlier NHANES (DAAPPP Data Set No. 19), it was designed as a national probability sample to obtain data on the civilian non-institutionalized U.S. population. The Data Set contains information for all 6 month to 11 year olds, including the age of the mother at the birth. The file merges information obtained from a demographic and household survey, a medical history survey, and a medical examination. It contains information on the demographic background of the household and household head; height and weight; a series of body and skinfold measurements; medical examination results; and a medical history. Because of the information on the age of the mother and the household data, this data set is especially useful for examining the effect of teen parenting on child health and development.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
29 Floppy diskettes for IBM-PC	
10 Floppy diskettes for IBM-AT	
User's Guide Only	8.00

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Original Codebook N/A
 Original Instrument N/A

DAAPP Data Set No. B7

Consequences of the Adoption Decision Among Clients of the Options for Pregnancy Program in Washington and Northern Idaho, 1985

Steven D. McLaughlin, Diane L. Manninen, and Linda D. Wings

Data were collected on a total of 269 adolescents who gave birth--146 who chose to parent their children and 123 who chose to relinquish their children for adoption. This sample represents former clients of the Options for Pregnancy Program, a pregnancy counseling service of the Adoption Services of the Western Association of Concerned Adoptive Parents (WACAP). The major objective of the study was to compare the two groups with respect to subsequent educational attainment, marriage and fertility, labor force participation, income, and various social/psychological measures, such as satisfaction with their decision to parent or relinquish, life satisfaction, and self-esteem. This file includes 164 variables.

Raw Data, SPSS Program Statements, and User's Guide \$75.00*

Available Format:

Mainframe computer tape

1 Floppy diskette for IBM-PC

1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook N/A

Original Instrument 5.10**

DAAPP Data Set No. B8

1971 U.S. National Survey of Young Women

Melvin Zelnik and John F. Kantner

The aim of this study was to document the sexual behavior and practices of females aged 15 to 19 years old living in the U.S. Two national probability samples were drawn, one of adolescent females living in households in the United States, and the second of university students living in dorms. The two samples together had a total of 4,611 respondents. There are 516 variables. Data include information on frequency of sexual behavior, use of contraception, pregnancy, childbearing, and abortion; attitudinal measures on these topics; and basic background information on respondents. Data were collected in mid-1971 by the Institute for Survey Research of Temple University via interviews and self-administered questionnaires. A selection of 238 variables was originally included in DAAPP as Data Set No. 01.

Raw Data, SPSS Program Statements, and User's Guide \$75.00*

Available Format:

Mainframe computer tape

12 Floppy diskettes for IBM-PC

4 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 16.80

Original Instrument 9.90

DAAPP Data Set No. B9

Clients of the Certified Nurse Midwifery Program of Maternal and Family Health Services in Wilkes-Barre, Pennsylvania, 1982-1986

Charles LaJeunesse, Mary Louise Schaefer, and Connie McNunis

Data Set No. B9 was collected as an evaluation of the Certified Nursing Midwifery (CNM) Program of the Maternal and Family Health Services, Inc. in Wilkes-Barre, Pennsylvania. The project began in 1982 with funding from the U.S. Office of Adoles-

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

cent Pregnancy Programs, under Title XX of the Adolescent Family Life Act. The project provides care services to a predominantly white population of pregnant and parenting adolescents. In this evaluation, the hospital-based outpatient care program with a Health Visitor component is compared with the hospital-based clinic operation before the Health Visitor component was given a major role. The study group includes 135 clients who entered the program from February 1984 through May 1986. The comparison group includes 146 clients who entered the program from April 1982 through August 1983. There are 281 cases total. The file contains 123 variables with information on respondent demographic characteristics, pregnancy and childbirth history, contraceptive methods and behaviors, medical complications, pregnancy risk factors, delivery complications, and program involvement at 0-3, 4-6, and 12 month follow-up periods. Approximately 72% of the cases with information on a live birth also have 12-month follow-up information.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	1.35**
Original Instrument	N/A

**DAAPPP Data Set No. C1
1983-1984 University of Utah Adolescent
Pregnancy Evaluation and Outcome
Study**

Arthur B. Elster

The program being evaluated is the Teen Mother and Child Program (TMCP) of the University of Utah, an outpatient hospital-based multidisciplinary health and education program which also contains a client home-visit component for pregnant and parenting teens. It is being compared with traditional, more fragmented services provided to a matched sample of teens in the community through enrollment in the Women, Infants, and Children

(WIC) program. The evaluation consists of (1) demographic, prenatal and pregnancy information; (2) a 4-week follow-up; (3) a 6-month follow-up; (4) a set of 9-month Bayley scores; (5) a 12-month follow-up; (6) an 18-month follow-up; (7) a 26-month follow-up; and (8) a set of 26-month Bayley scores. Data include maternal educational and occupational information, maternal child development, parenting knowledge and behavior, maternal and infant health, maternal psychosocial status, infant mental and motor development, infant language development, and infant health status. There are 260 cases and 610 variables. The Data Set may be linked to respondents included in DAAPPP Data Set No. C2, "1981-1986 University of Utah Teen Mother and Child Program Background Data," and/or DAAPPP Data Set No. C3, "1980-1985 University of Utah Adolescent Family Study." These latter studies were conducted by the same principal investigator and all stem from the Utah Teen Mother and Child Program (TMCP).

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	10.05**
Original Instrument	N/A

**DAAPPP Data Set No. C2
1981-1986 University of Utah Teen
Mother and Child Program Background
Data**

Arthur B. Elster

The study was conducted by the University of Utah School of Medicine. Respondents to this study were teen mothers who had at least one delivery at a Teen Mother and Child Program (TMCP) clinic during 1981-1986. The Data Set includes demographic and socioeconomic information on the mother and father, as well as prenatal, perinatal, and postnatal health data on mother and child. The file may be merged with DAAPPP Data Set No. C1, "1983-1984 University of Utah Adolescent Pregnancy Evalua-

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

tion and Outcome Study," and/or DAAPPP Data Set No. C3, "1980-1985 University of Utah Adolescent Family Study." This study has 43 variables and 440 cases.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:
Mainframe computer tape
1 Floppy diskette for IBM-PC
1 Floppy diskette for IBM-AT

User's Guide Only 8.00
Original Codebook 0.60**
Original Instrument N/A

DAAPPP Data Set No. C3
1980-1985 University of Utah Adolescent Family Study

Arthur B. Elsier

Records of clinic-intake interviews conducted in the University of Utah's adolescent pregnancy program over the period 1980-1985 provided data for the study. Respondents were mostly middle-class Caucasian adolescent mothers and their partners living in Utah. Data include reactions to the pregnancy; changes in relationships due to the pregnancy; mother and father's history of drinking, smoking, and substance use; history of physical and sexual maltreatment; educational status; employment status; religion; sources of emotional support; contraceptive use; and anxieties involving parenthood. The file may be merged with DAAPPP Data Set No. C1, "1981-1986 University of Utah Adolescent Pregnancy Evaluation and Outcome Study," and/or DAAPPP Data Set No. C2, "1981-1986 University of Utah Teen Mother and Child Program Background Data." There are 328 cases and 139 variables in the study.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:
Mainframe computer tape
1 Floppy diskette for IBM-PC
1 Floppy diskette for IBM-AT

User's Guide Only 8.00

Original Codebook 3.00**
Original Instrument 1.35

DAAPPP Data Set No. C4
1980 State-Level Data on Adolescent Pregnancy, Assembled by The Alan Guttmacher Institute

Susheela Singh

This data file includes macro-level data from the 50 states on 95 variables including: adolescent rates of birth, pregnancy, and abortion; social factors such as population growth and residential mobility, school dropout rate, crime rate, teenage suicide rate, circulation of sexually explicit magazines, voting behavior, and stress level; and policy measures such as state spending on education, teacher-student ratio, welfare payments, sex education, availability of Medicaid funds for abortion, and accessibility of abortion providers. Data were compiled from publications of the National Center for Health Statistics, the Alan Guttmacher Institute, and the Centers for Disease Control.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:
Mainframe computer tape
1 Floppy diskette for IBM-PC
1 Floppy diskette for IBM-AT

User's Guide Only 8.00
Original Codebook 1.80**
Original Instrument N/A

DAAPPP Data Set No. C5
1980 Area-Level Data on the Impact of Family Planning Program Activity, Assembled by Centers for Disease Control: Whites and All Races

John Anderson and Lisa Cope

Since the enactment of the Family Planning Services and Population Research Act in 1970, there have

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

been large increases in the number of women who have received services from family planning clinics. This study investigates the effects of this increase in program enrollment on fertility rates. The data come from the 1980 Census Summary tape as well as the 1970 and 1980 Special Tabulations of the Census, with additional variables supplied from the data files of the Alan Guttmacher Institute. The data set consists of 100 derived and 184 source variables. There are 1,638 cases in the data set. Each case is a single Statistical Analysis Unit (SAU) consisting of one or more counties. The number of counties within an SAU was dependent upon the number of women of a particular age and racial subgroup necessary to provide a stable birth rate. Data Set C6, "1980 Area-Level Data on the Impact of Family Planning Program Activity, Assembled by The Centers for Disease Control: Blacks" is the analogous data set for deriving statistics on Black Americans. Similar state-level information for 1980 is available in Data Set C4, "1980 State Level Data on Adolescent Pregnancy, Assembled by The Alan Guttmacher Institute," and in Data Set C7, "1969-1982 State-Level Data on Adolescent Pregnancy, Assembled by the Institute for Research and Evaluation."

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:

Mainframe computer tape

35 Floppy diskettes for IBM-PC

12 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook N/A

Original Instrument N/A

DAAPPP Data Set No. C6
1980 Area-Level Data on the Impact of Family Planning Program Activity, Assembled by Centers for Disease Control: Blacks

John Anderson and Lisa Cope

Since the enactment of the Family Planning Services and Population Research Act in 1970, there have been large increases in the number of women who have received services from family planning clinics.

This study investigates the effects of this increase in program enrollment on fertility rates. The data come from the 1980 Census Summary tape as well as the 1970 and 1980 Special Tabulations of the Census, with additional variables supplied from the data files of the Alan Guttmacher Institute. The data set consists of 100 derived and 184 source variables. There are 448 cases in the data set. Each case is a single Statistical Analysis Unit (SAU) consisting of one or more counties. The number of counties within an SAU was dependent upon the number of women of a particular age and racial subgroup necessary to provide a stable birth rate. Data Set C5, "1980 Area-Level Data on the Impact of Family Planning Program Activity, Assembled by The Centers for Disease Control: Whites and All Races" is the analogous data set for deriving statistics on White and Nonwhite Americans. Similar state-level information for 1980 is available in Data Set C4, "1980 State Level Data on Adolescent Pregnancy, Assembled by The Alan Guttmacher Institute," and in Data Set C7, "1969-1982 State-Level Data on Adolescent Pregnancy, Assembled by the Institute for Research and Evaluation."

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:

Mainframe computer tape

10 Floppy diskettes for IBM-PC

4 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook N/A

Original Instrument N/A

DAAPPP Data Set No. C7

1969-82 State-Level Data on Adolescent Pregnancy, Assembled by the Institute for Research and Evaluation

Stan E. Weed and Joseph A. Olsen

This data file includes macro-level data from the 50 states and the District of Columbia on 75 elementary constituent variables and 69 derived and computed variables. The elementary variables include information on the number of females and single females aged 15-19; the number of whites, people below poverty, people in urban areas, and people who lived 5 years in the same residence per 1,000 population;

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

the number of births, abortions, and estimated miscarriages to females aged 15-19; a breakdown of abortions by state residence and occurrence; and the number of teen clients in organized family planning programs. Derived and computed variables include information on birth, family planning, abortion, and miscarriage rates per 1,000 females aged 15-19; adjusted abortion residence-occurrence ratios; rates of pregnancy occurrence and continuation for females aged 15-19; and a variable which weights the state-level observations proportionately to the number of young women aged 15-19 in each state. Data were compiled from publications of the U. S. Census Bureau, the National Center for Health Statistics, the Centers for Disease Control, and the Alan Guttmacher Institute.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	N/A

DAAPPP Data Set No. C8-C9
1981-1987 San Francisco Teenage
Pregnancy and Parenting Project

Amy Loomis and Virginia Broder

The San Francisco Teenage Pregnancy and Parenting Project (TAPP) is based in a private non-profit Family Service Agency in San Francisco, California, and receives federal funding under the Adolescent Family Life (AFL) Title XX of the 1981 Public Health Service Act. Program components include comprehensive care, continuous case management, and co-location of service providers for expectant and parenting adolescents. Data were collected by case managers at client intake, pregnancy outcome, and at six and 12 months after delivery. Data included in DAAPPP cover clients who entered the program from December 1981 through September 1987. A selection of 175 variables most useful to DAAPPP users is included.

These data are presented in 2 Data Sets. DAAPPP Data Set No. C8 ("Intake") includes intake information on 1,513 clients, with a total of 70 variables. Data Set No. C9 ("Outcome") includes pregnancy outcome and follow-up information on 1,008 pregnancies, with a total of 105 variables. The same client may have as many as four separate pregnancy records in the Outcome file, Data Set No. C9. Information on the same client from these two separate files may be linked by the client's identification code.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
4 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	9.45
Original Instrument	N/A

DAAPPP Data Set No. D1-D3
1985-1986 Field Test of Values and
Choices, Search Institute's Adolescent
Pregnancy Prevention Demonstration
Project

Michael J. Donahue, Peter L. Benson, and
Richard J. Gordon

Values and Choices is a 15-session, values-based, parent-involved, video-assisted school curriculum for seventh and eighth graders, sponsored by Search Institute in Minneapolis, Minnesota. Field tests of the curriculum were conducted in public schools in Denver, Colorado; Detroit, Michigan; Minneapolis and Grand Rapids, Minnesota; and the San Francisco Bay area of California. A pretest/posttest/delayed posttest design, with a control group and using a confidential self-administered questionnaire, was employed. Hypotheses tested pertained to issues such as sexual restraint, sexual coercion, sexual knowledge, communication with parents about sex, sexual attitudes, and intention to engage in sexual intercourse. Respondents were 1,713 at pretest (Data Set No. D1), 1,716 at posttest (Data Set No. D2), and 1,519 at delayed posttest (Data Set No. D3). About two-thirds of the respondents at each testing were in the experimental group, and

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

about one-third in the control group. Approximately 44% of the respondents at pretest can be linked to both posttest and delayed posttest data. The remainder of respondents cannot be linked because of an emphasis of confidentiality over linkage in the data-collection design. An identical questionnaire at each testing yielded 188 variables per testing, for a total of 564.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
6 Floppy diskettes for IBM-PC	
2 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	N/A
Original Instrument	1.20**

DAAPPP Data Set No. D4
1977-1979 Boston City Hospital Study
on Neonatal Outcome

Barry Zuckerman and Suzette Levenson

A study of maternal health and neonatal development at Boston City Hospital provided an opportunity to assess whether adolescent mothers deliver infants with poorer outcomes at birth than nonadolescents, independent of numerous social and health differences between adolescent and non-adolescent mothers. A total of 698 infants, 275 of primiparous adolescents (aged 13 to 18 years) and 423 of primiparous nonadolescents, were compared at birth. The 54 variables include background information such as mother's ethnic identity, educational attainment, age at time of delivery, time of first prenatal visit, gravidity, number of abortions or miscarriages, and prepregnancy weight; risk factors such as maternal illnesses, number of cups of coffee per day during pregnancy, and cigarette, drug, and alcohol use; pregnancy and delivery-related information such as meconium stained fluid, weight change during pregnancy, and type of anesthesia during delivery; and outcome variables such as size at birth, length of gestation, Apgar scores, malformations, and birth trauma.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	0.90
Original Instrument	N/A

DAAPPP Data Set No. D5-D7
1983 National Survey of Unmarried
Women, Age 20-29

Koray Tanfer

The 1983 National Survey of Unmarried Women queried women ages 20 to 29 on various topics. The aim of the survey was to examine these women's sexual, contraceptive, and fertility behaviors. Special attention was given to: (1) the events leading up to pregnancy and childbirth within a situational and interpersonal context; (2) knowledge and perceptions of contraceptive methods, their availability, practicality, safety, effectiveness, and accessibility; (3) patterns and trends in the use and nonuse of contraception and factors affecting method choice; (4) abortion attitudes and behavior; and (5) wantedness and disposition of live births. This Data Set includes 2,843 variables; respondents were 1,149 household women and 165 college women, for a total of 1,314 respondents. A detailed "Sampling Report on the Survey of Unmarried Young Women" is excerpted in the User's Guide, and available in full as a supplementary document.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
33 Floppy diskettes for IBM-PC	
11 Floppy diskettes for IBM-AT	
User's Guide Only	8.00
Original Codebook	35.70
Original Instrument	14.10
Sampling Report	3.00

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

DAAPP Data Set No. D8

Birthweights of Infants Born in the Years 1970-1975 to Adolescent and Young Adult Women in Magee-Women's Hospital, Pittsburgh, PA

Isabelle L. Horon, Donna M. Strobino, and Hugh MacDonald

This study involves a comparison of two groups each consisting of 422 primigravid mothers and their infants. The purpose of the research was to determine if adolescent women under the age of 16 had lower birthweight infants than women aged 20 to 24.

The study found no basic differences in infant birthweight based upon the age of the mother. However, it did find infant birthweight differences related to other demographic factors. Those women who were white and those who had more economic buying power had infants with higher birthweights. Gestational age, pregnancy weight, weight change during pregnancy, and number of antepartum clinic visits were also associated with higher birth weight infants.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
1 Floppy diskette for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	.75**
Original Instrument	N/A

DAAPP Data Set No. D9

1987-1988 Alan Guttmacher Institute Survey of Reasons Women Choose Abortion

Aida Torres and Jacqueline Darroch Forrest

A sample of 30 abortion facilities yielded a sample of 1,900 patients, who completed a self-administered questionnaire about their reasons for having an abortion, and their reasons for delaying their abor-

tion until the second trimester if they did so. The survey was conducted by the Alan Guttmacher Institute from November 1987 through March 1988. Abortion facilities were selected for the survey if they performed at least 400 abortions in 1985 (a population that accounts for 90 percent of all abortions), and were primarily, but not exclusively, nonhospital facilities. The Data Set includes 265 variables.

Raw Data, SPSS Program Statements, and User's Guide	\$75.00*
Available Format:	
Mainframe computer tape	
3 Floppy diskettes for IBM-PC	
1 Floppy diskette for IBM-AT	
User's Guide Only	8.00
Original Codebook	1.80**
Original Instrument	1.80**

DAAPP Data Set No. E1-E4

1980-1985 Philadelphia Study of Premarital Sexual Relations and Pregnancy Among Puerto Rican Youths

Manuel J. Gutierrez, Braulio Montalvo, Kay Armstrong, David Webb, and Gary Pickens

This 4-wave longitudinal study focuses on an initial sample of 505 urban Puerto Rican youths and their parents. Youths and parents were initially interviewed when the youths were in 10th grade at mean age 16.5, and then again at ages 17.5 and 18.5, regarding school dropout, delinquency issues, and demographic information. For the final wave, youths were interviewed retrospectively about their sexuality-related behaviors during adolescence (mean age at this final interview was 21). There is a focus on family and peer involvement concepts and variables which pertain to sexuality and pregnancy-related behavior and outcomes. This Data Set includes information from 531 respondents on 2,151 variables. Data Set numbers E1 through E4 refer to waves 1 through 4 respectively.

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:

Mainframe computer tape

10 Floppy diskettes for IBM-PC

3 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 37.35

Original Instrument 57.45

DAAPPP Data Set No. E5-E6

**Fertility and Contraception Among
Low-Income Child Abusing and
Neglecting Mothers in Baltimore, MD,
1984-1985**

Susan J. Zuravin

This study concerned fertility patterns and contraceptive behaviors of mothers who personally neglect their children and mothers who either physically abuse or allow someone else to physically abuse their children. Data were collected from 518 women interviewed in their homes. All respondents were residents of Baltimore, Maryland in January 1984, received Aid to Families with Dependent Children (AFDC), were known to have at least one natural child 12 or under, and were not living with a legally wedded spouse. Respondents comprised three groups: 118 women with one or more physically abused children, 119 women who were known to personally neglect one or more children, and 281 women who were not known to have any children who met study criteria for abuse or neglect.

The interview included 1,372 closed-end items and took approximately 90 minutes to complete. Topics covered included growing-up experiences, problems with depression and substance abuse, employment aspirations, marital and courtship violence, self-esteem, reproductive history, family planning behaviors, and demographic characteristics. Items were taken from the National Survey of Family Growth, Cycle III (DAAPPP Data Set Nos. 26 and 27), the 1979 National Survey of Young Men and Young Women (DAAPPP Data Set Nos. 44 and 45), and the National Survey of Unmarried Young

Women (DAAPPP Data Set No. D5-D7). Also included were the Beck Depression Inventory, the Rosenberg self-esteem measures, the Michigan Profile of Parenting, the Conflict Tactics Scale, and a series of questions regarding mental health problems and social relationships from the NIMH Diagnostic Interview Schedule. The resulting data file has 518 cases and 1,404 variables.

Raw Data, SPSS Program Statements,
and User's Guide \$75.00*

Available Format:

Mainframe computer tape

4 Floppy diskettes for IBM-PC

2 Floppy diskettes for IBM-AT

User's Guide Only 8.00

Original Codebook 13.95

Original Instrument Incl. in Codebook

* If other Data Sets are ordered at the same time, the price is \$25.00 for the second and subsequent Data Sets.

** Included in User's Guide.

COMPREHENSIVE ARCHIVE AND RELATED PRODUCTS

Comprehensive Archive (See also NATASHA, the CD-ROM version of DAAFPP, page number 51):

Mainframe Version (Prices apply to 6250 bpi Orders only):

Part I	- Data Sets 1-45	\$ 525.00
Part II	- Data Sets 46-85	525.00
Part III	- Data Sets 86-B1	525.00
Parts I, II, and III	- All of the above data sets	1,350.00

Bernoulli Cartridge Version:

Parts I, II, and III	- Data Sets 1-11, 14, 17, 19, 25-52, 56-57, 61-B1	750.00
----------------------	--	--------

**The 1976 And 1981 National Survey Of Children (Child Trends, Inc.),
Data Sets 37-38 and 88-90:**

Mainframe Version (Prices apply to 6250 bpi Orders only): 100.00

Microcomputer Version: 120.00

Custom Searches of the Archive's contents:
Call Sociometrics Corporation for details.
(415) 949-3282

\$15.00 + \$0.05 a variable
up to a maximum of \$60.00

SPSS/PC +

<i>Basic Package</i>	695.00
<i>Advanced Statistics</i>	345.00
<i>Graphics, featuring Harvard Graphics</i>	345.00

INDEX OF DATA SETS BY ORIGINAL INVESTIGATOR

Original Investigator	Data Set	Page
Abrahamse, Allan	78	29
Anderson, John	C5	41
	C6	42
Armstrong, Kay	E1-E4	45
Beckman, Linda J.	95	32
Benson, Peter L.	D1-D3	43
Bolton, Jr., Frank G.	40	18
Broder, Virginia	C8-C9	43
Bureau of the Census	11	10
	12	10
	13	11
	14	11
	15	11
	16	12
	17	12
	18	12
	A9	36
	B1	36
Burt, Martha	10	10
	33	16
	34	17
Campbell, Arthur A.	41	19
	42	19
	43	19
Card, J. J.	03	7
Census Bureau	11	10
	12	10
	13	11
	14	11
	15	11
	16	12
	17	12
	18	12
	A9	36
	B1	36

Original Investigator	Data Set	Page
Child Trends, Inc.	37-38	18
Child Trends, Inc. (Con.)	88-90	31
Chow, Winston	31	15
	47	21
Cope, Lisa	C5	41
	C6	42
DeLamater, John	56	23
	57	23
Donahue, Michael J.	D1-D3	43
Eisen, Marvin	31	15
	47	21
Elster, Arthur B.	C1	40
	C2	40
	C3	41
Evans, Jerome	31	15
	47	21
Flaherty, Eugenie Walsh	35	17
	36	17
Forrest, Jacqueline Darroch	29	15
	D9	45
Fox, Greer	04	8
	05	8
Furstenberg, Frank F.	63-66	25
	79-81	29
Gordon, Richard J.	D1-D3	43
Grady, William	61	24
Gutierrez, Manuel J.	E1-E4	45
Hardy, Janet B.	30	15
Hensleigh, Paul	32	16
Herceg-Baron, Roberta	25	13

Original Investigator	Data Set	Page
Herceg-Baron, R. (Con.)	73	27
	74	27
	75	28
	76	28
	79-81	29
Hogan, Dennis	46	21
Horon, Isabelle L.	D8	45
JRB Associates	09	9
Kahn, Janet R.	A1-A2	33
Kammeyer, Kenneth C.	62	24
Kantner, John F.	01	7
	02	7
	44	20
	45	20
	B8	39
Kitagawa, Evelyn	46	21
LaJeunesse, Charles	B9	39
Lester, Barry M.	39	18
Levenson, Suzette	D4	44
LoSciuto, Leonard	98	33
Loomis, Amy	C8-C9	43
MacDonald, Hugh	D8	45
Manninen, Diane L.	B7	39
Marecek, Jeanne	06	8
	35	17
	36	17
McClendon, McKee J.	62	24
McLaughlin, Steven D.	B7	39
McNunis, Connie	B9	39
Miller, Brent C.	B4	37

Original Investigator	Data Set	Page
Miller, Brent C. (Con.)	B5	38
Mishler, Elliot C.	58-60	23
Montalvo, Bravlio	E1-E4	45
Moore, Kristin	08	9
Morrison, Peter	78	29
Moss, Nancy	32	16
National Center for Health Statistics	19	12
	26	14
	27	14
	82-83	30
	84-85	30
	86-87	30
	99	33
	A3	34
	A4	35
	A5	35
A6	35	
A7	36	
B6	38	
Ohio State University	20-24	13
Olsen, Joseph A.	C7	42
Patterson, John E.	41	19
	42	19
	43	19
Pickens, Gary	E1-E4	45
Polit, Denise	91-94	31
Potter, Jr., Robert C.	58-60	23
Presser, Harriet B.	96-97	32
Ryder, Norman	48-49	21
	50-51	22
	52	22
	53-55	22
Sagi, Philip C.	58-60	23

Original Investigator	Data Set	Page
Sandler, Howard	07	9
Schaefer, Mary Louise	B9	39
Singh, Susheela	C4	41
Smith, Jack C.	77	28
Straus, Murray A.	A8	36
Strobino, Donna M.	D8	45
Tanfer, Koray	D5-D7	44
Torres, Aida	28	14
	67	25
	68	25
	69	26
	70	26
	71-72	26
	D9	45
U.S. Bureau of the Census	11	10
	12	10
	13	11
	14	11
	15	11
	16	12
	17	12
	18	12
	A9	36
	B1	36
Waite, Linda	78	29
Webb, David	E1-E4	45
Weed, Stan E.	C7	42
Westoff, Charles F.	48-49	21
	50-51	22
	52	22
	53-55	22
	58-60	23
Whelpton, Pascal K.	41	19

Original Investigator	Data Set	Page
Whelpton, Pascal K.	42	19
(Con.)	43	19
Winges, Linda D.	B7	39
Yankelovich, Clancy & Shulman	B3	37
Yankelovich, Skelly & White	B2	37
Yetman, Norman R.	62	24
Zelnick, Melvin	01	7
Zelnick, Melvin (Con.)	02	7
	44	20
	45	20
	B8	39
Zuckerman, Barry	D4	44
Zuravin, Susan J.	E5-E6	46

INDEX OF DATA SETS BY KEY WORD

Key Word	Data Set	Page	Key Word	Data Set	Page
10	B3	37	1965	06	8
12	B3	37		48-49	21
13	31	15	1966	63-66	25
	47	21		99	33
15	26	14		A3	34
	27	14	1967	58-60	23
18	28	14		A4	35
	B2	37	1968	62	24
19	27	14		A5	35
20	31	15	1969	A6	35
	47	21		C7	42
	D5-D7	44	1970	29	15
25	B2	37		50-51	22
29	D5-D7	44		53-55	22
44	26	14		D8	45
1955	41	19	1971	19	12
	42	19		B8	39
1957	58-60	23	1972	31	15
1959	06	8		47	21
1960	03	7		63-66	25
	43	19		A7	36
1964	99	33	1973	56	23
	A3	34		57	23
				96-97	32

Key Word	Data Set	Page
1974	03	7
	07	9
	31	15
	47	21
1975	19	12
	29	15
	52	22
	53-55	22
	95	32
	98	33
	A8	36
	D8	45
1976	07	9
	30	15
	37-38	18
	40	18
	96-97	32
	B6	38
1977	17	12
	18	12
	D4	44
1978	04	8
	05	8
	39	18
	40	18
1979	08	9

Key Word	Data Set	Page	
1979 (Con.)	20-24	13	
	28	14	
	35	17	
	36	17	
	44	20	
	45	20	
	46	21	
	67	25	
	68	25	
	69	26	
	77	28	
	D4	44	
	1980	11	10
		12	10
13		11	
28		14	
67		25	
68		25	
69		26	
78		29	
79-81		29	
82-83		30	
84-85	30		
91-94	31		
B6	38		
C3	41		

55

Key Word	Data Set	Page	
1980 (Con.)	C4	41	
	C5	41	
	C6	42	
	E1-E4	45	
1981	25	13	
	33	16	
	34	17	
	35	17	
	36	17	
	79-81	29	
	86-87	30	
	88-90	31	
	B2	37	
	C2	40	
	C8-C9	43	
	1982	10	10
		14	11
		15	11
16		12	
20-24		13	
26		14	
27		14	
30		15	
32		16	
33		16	
34		17	

Key Word	Data Set	Page
1982 (Con.)	61	24
	71-72	26
	78	29
	B9	39
1983	C7	42
	71-72	26
	73	27
	74	27
	75	28
	76	28
	91-94	31
	A1-A2	33
	A8	36
	A9	36
	B1	36
	B4	37
	C1	40
	D5-D7	44
1984	B5	38
	C1	40
	E5-E6	46
1985	73	27
	74	27
	75	28
	76	28
	C3	41

Key Word	Data Set	Page
1985 (Con.)	D1-D3	43
	E1-E4	45
	E5-E6	46
1986	B3	37
	B9	39
	C2	40
	D1-D3	43
1987	C8-C9	43
	D9	45
1988	D9	45
Abortion	67	25
	68	25
	98	33
Abusing	E5-E6	46
Activity	C5	41
	C6	42
Adolescent	03	7
	06	8
	09	9
	10	10
	29	15
	30	15
	32	16
	33	16
	34	17
	35	17

Key Word	Data Set	Page
Adolescent (Con.)	36	17
	39	18
	40	18
	A1-A2	33
	B4	37
	B5	38
	C1	40
	C3	41
	C4	41
	C7	42
	D1-D3	43
	D8	45
Adolescents	79-81	29
Adoption	B7	39
Adult	D8	45
Age	D5-D7	44
Aged	26	14
	27	14
	31	15
	47	21
Agencies	71-72	26
Alan Guttmacher	C4	41
	D9	45
Albuquerque	B4	37
	B5	38
All	C5	41

Key Word	Data Set	Page
American	41	19
	42	19
	43	19
	58-60	23
	B2	37
Americans	62	24
Archive	A8	36
Area	C5	41
	C6	42
Arizona	40	18
Assembled	C4	41
	C5	41
	C6	42
	C7	42
Associated	35	17
	36	17
Attitudes	98	33
Background	C2	40
Baltimore	65-66	25
	E5-E6	46
Behavior	32	16
	39	18
	A1-A2	33
	B4	37
	B5	38
Beyond	78	29

Key Word	Data Set	Page
Birthweights	D8	45
Black	62	24
Blacks	C6	42
Book	A9	36
	B1	36
Border	77	28
Born	D8	45
Boston	D4	44
California	32	16
	B5	38
Care	07	9
Census	A9	36
	B1	36
Centers	C5	41
	C6	42
Certified	B9	39
Chicago	46	21
Chicagoans	46	21
Child	07	9
	40	18
	86-87	30
Childbearing	C2	40
	E5-E6	46
	06	8
	08	9
	96-97	32

Key Word	Data Set	Page
Childrearing	03	7
Children	13	11
	16	12
	37-38	18
	88-90	31
Choices	D1-D3	43
Choose	D9	45
City	A9	36
	B1	36
	D4	44
Clients	B7	39
	B9	39
Clinic	69	26
	73	27
Clinics	25	13
	28	14
	70	26
Collaborative	06	8
Communication	04	8
	05	8
	A1-A2	33
Community	73	27
Comprehensive	07	9
Consequences	03	7
	06	8

Key Word	Data Set	Page	
Consequences (Con.)	96-97	32	
	B7	39	
Contemporary	B2	37	
	B3	37	
Contraception	E5-E6	46	
Control	C5	41	
	C6	42	
County	A9	36	
	B1	36	
Current	11	10	
	12	10	
	13	11	
	14	11	
	15	11	
	16	12	
	17	12	
	18	12	
	Cuyahoga County	A1-A2	33
	Cycle III	26	14
27		14	
61		24	
D.C.	A9	36	
Data	33	16	
	34	17	
	A9	36	
	B1	36	

53

Key Word	Data Set	Page
Data (Con.)	C2	40
	C4	41
	C5	41
	C6	42
	C7	42
Daughter	04	8
	05	8
Decision	B7	39
Demographic	96-97	32
Demonstration	D1-D3	43
Determinants	08	9
Detroit	04	8
	05	8
Discontinuation	73	27
	74	27
	75	28
	76	28
	76	28
Discontinuer	76	28
Disease	C5	41
	C6	42
Distribution	62	24
Economic	06	8
Education	B3	37
Effects	29	15
Evaluation	10	10
	33	16

Key Word	Data Set	Page
Evaluation (Con.)	34	17
	C1	40
Examination	C7	42
	19	12
Exposure	B6	38
	61	24
Facilities	68	25
Factors	35	17
	36	17
Familial	A1-A2	33
Families	41	19
	42	19
	43	19
Family	25	13
	26	14
	27	14
	28	14
	29	15
	58-60	23
	61	24
62	24	
Factors	69	26
	71-72	26
	73	27
	74	27
	75	28

Key Word	Data Set	Page	
Family (Con.)	76	28	
	79-81	29	
	95	32	
	B2	37	
	B4	37	
	B5	38	
	B9	39	
	C3	41	
	C5	41	
	C6	42	
	Family Planning	25	13
		28	14
		29	15
		62	24
69		26	
71-72		26	
73		27	
74		27	
75		28	
76		28	
79-81		29	
95		32	
C5		41	
Fee		70	26
Female	78	29	
Females	11	10	

Key Word	Data Set	Page
Females (Con.)	14	11
	17	12
	35	17
Fertility	29	15
	35	17
	36	17
	48-49	21
	50-51	22
	52	22
	53-55	22
	E5-E6	46
Fetal	84-85	30
Field	D1-D3	43
File	04	8
	05	8
Files	61	24
	73	27
	74	27
	75	28
	76	28
	A9	36
	B1	36
	First	19
Florida	39	18
Follow-up	47	21
Funded	25	13

Key Word	Data Set	Page
Funding	70	26
Future	03	7
General	07	9
Growth	26	14
	27	14
	41	"
	42	19
	43	10
	58-60	23
	61	24
HANES	19	12
	B6	38
Health	19	12
	86-87	30
	B6	38
	B9	39
High School	78	29
Hospital	07	9
	D4	44
	D8	45
Idaho	B7	39
Impact	C5	41
	C6	42
Income	E5-E6	46
Indicators	A8	36
Individual	33	16

Key Word	Data Set	Page
Individual (Con.)	34	17
Infant	99	33
Infants	D8	45
Institute	C4	41
	C7	42
	D1-D3	43
	D9	45
Interval	61	24
Interview	86-87	30
Interviewed	53-55	22
Johns Hopkins	30	15
Kinship	79-81	29
Level	33	16
	34	17
	C4	41
	C5	41
	C6	42
	C7	42
Life	03	7
Longitudinal	20-24	13
	78	29
Los Angeles County	95	32
Low-Income	E5-E6	46
Madison	56	23
	57	23
Magee	D8	45

Key Word	Data Set	Page
Males	12	10
	15	11
	18	12
	36	17
Maltreatment	40	18
Maricopa County	40	18
Married	41	19
	53-55	22
Maternal	B9	39
MD	E5-E6	46
Men	45	20
Mexico	77	28
Midwifery	B9	39
Mortality	84-85	30
	99	33
Mother	04	8
	05	8
	C2	40
Mothers	40	18
	E5-E6	46
Motivation	95	32
NLSY	20-24	13
NSFG	26	14
	27	14
Nashville	07	9
Nativity	A7	36

Key Word	Data Set	Page
Nativity (Con.)	82-83	30
	A3	34
	A4	35
	A5	35
	A6	35
	01	7
National	02	7
	20-24	13
	26	14
	27	14
	37-38	18
	44	20
	45	20
	48-49	21
	50-51	22
	52	22
	53-55	22
	61	24
	67	25
78	29	
82-83	30	
84-85	30	
86-87	30	
88-90	31	
98	33	
99	33	

Key Word	Data Set	Page
National (Con.)	A3	34
	A4	35
	A5	35
	A6	35
	A7	36
	B6	38
	B8	39
	D5-D7	44
Neglecting	E5-E6	46
Neonatal	39	18
	D4	44
New Mexico	B4	37
	B5	38
New York City	96-97	32
Nonstudents	57	23
Northern Idaho	B7	39
Notification	68	25
	69	26
November	B3	37
Nurse	B9	37
Nutrition	19	12
	B6	38
OAPP	10	10
	33	16
	34	17
Ohio	A1-A2	33

Key Word	Data Set	Page
Options	B7	39
Organized	29	15
Outcome	C1	40
	D4	44
Parental	68	25
	69	26
Parenthood	63-66	25
Parenting	C8-C9	43
Parents	03	7
Patient	75	28
Patterns	04	8
	05	8
	73	27
Pennsylvania	74	27
	75	28
	76	28
	B9	39
	D8	45
	56	23
People	57	23
	06	8
Perinatal	32	16
	06	8
Philadelphia	35	17
	36	17
	79-81	29

Key Word	Data Set	Page
Philadelphia (Con.)	E1-E4	45
Physicians	98	33
Pittsburgh	D8	45
Planning	25	13
	28	14
	29	15
	62	24
	69	26
	71-72	26
	73	27
	74	27
	75	28
	76	28
	79-81	29
	95	32
	C5	41
	C6	42
Policies	68	25
	69	26
	70	26
Policy	08	9
Poll	B2	37
Population	11	10
	12	10
	13	11
	14	11

Key Word	Data Set	Page
Population (Con.)	15	11
	16	12
	17	12
	18	12
Pregnancy	09	9
	10	10
	30	15
	33	16
	34	17
	39	18
	B7	39
	C1	40
	C4	41
	C7	42
	C8-C9	43
	D1-D3	43
	E1-E4	45
	Pregnant	31
47		21
Premarital	56	23
	57	23
	E1-E4	45
Prevention	D1-D3	43
Princeton	58-60	23
Program	B7	39
	B9	39

Key Word	Data Set	Page
Program (Con.)	C2	40
	C5	41
	C6	42
Programs	09	9
	10	10
	29	15
	33	16
	34	17
	79-81	29
Project	03	7
	06	8
	07	9
	91-94	31
	A1-A2	33
	C8-C9	43
	D1-D3	43
	09	9
Psychological	06	8
	35	17
	36	17
Puerto Rican	E1-E4	45
Puerto Rico	39	18
Races	C5	41
Reasons	D9	45
Redirection	91-94	31
Reduction	32	16

Key Word	Data Set	Page
Regional	A8	36
Regulation	35	17
	36	17
Relations	B4	37
	B5	38
	E1-E4	45
Repeat	30	15
Research	C7	42
Risk	32	16
	40	18
Roles	95	32
Salt Lake City	B4	37
	B5	38
San Bernardino County	B5	38
San Francisco	C8-C9	43
San Jose	32	16
Search	D1-D3	43
Second	B6	38
Seeking	67	25
Selected	01	7
	07	9
	11	10
	12	10
	13	11
	14	11
	15	11

Key Word	Data Set	Page
Selected (Con.)	16	12
	17	12
	18	12
	20-24	13
	78	29
	86	38
September	B2	37
Services	09	9
	62	24
	67	25
	B9	39
Sex	B3	37
	B4	37
	B5	38
Sexual	A1-A2	33
	E1-E4	45
Sexuality	56	23
	57	23
Single	42	19
Six-Month	47	21
Social	06	8
	96-97	32
Sophomores	78	29
State	08	9
	A8	36
	A9	36

Key Word	Data Set	Page
State (Con.)	C4	41
	C7	42
Students	56	23
Study	30	15
	32	16
	35	17
	36	17
	39	18
	40	18
	48-49	21
	50-51	22
	52	22
	53-55	22
	56	23
	57	23
	58-60	23
62	24	
63-66	25	
73	27	
74	27	
75	28	
76	28	
78	29	
79-81	29	
84-85	30	
95	32	

Key Word	Data Set	Page
Study (Con.)	96-97	32
	C1	40
	C3	41
	D4	44
	E1-E4	45
Supplement	86-87	30
Supplementary	20-24	13
Support	79-81	29
Survey	01	7
	02	7
	09	9
	11	10
	12	10
	13	11
	14	11
	15	11
	16	12
	17	12
	18	12
	19	12
	20-24	13
	25	13
	26	14
	27	14
	28	14
31	15	

Key Word	Data Set	Page
Survey (Con.)	37-38	18
	44	20
	45	20
	46	21
	47	21
	61	24
	67	25
	76	28
	77	28
	82-83	30
	86-87	30
	88-90	31
	98	33
	99	33
	A3	34
	A4	35
	A5	35
A6	35	
A7	36	
B4	37	
B5	38	
B6	38	
B8	39	
D5-D7	44	
D9	45	
Surveys	71-72	26

Key Word	Data Set	Page
TALENT	03	7
Teen	63-66	25
	C2	40
Teenage	08	9
	96-97	32
	C8-C9	43
Teens	67	25
Test	D1-D3	43
Title X	25	13
	70	26
Toward	98	33
U.S.	01	7
	02	7
	09	9
	19	12
	25	13
	28	14
	29	15
	44	20
	45	20
	48-49	21
	50-51	22
	52	22
	67	25
	68	25
	69	26

Key Word	Data Set	Page
U.S. (Con.)	70	26
	71-72	26
	77	28
	78	29
	82-83	30
	84-85	30
	99	33
	A3	34
	A4	35
	A5	35
	A6	35
	A7	36
	A9	36
	B1	36
	B6	38
	B8	39
Under	28	14
University	C1	40
	C2	40
	C3	41
Unmarried	28	14
	31	15
	47	21
	D5-D7	44
Unplanned	63-66	25
Urban League	46	21

Key Word	Data Set	Page
Utah	B4	37
	B5	38
	C1	40
	C2	40
	C3	41
Values	D1-D3	43
Variables	01	7
	07	9
	11	10
	12	10
	13	11
	14	11
	15	11
	16	12
	17	12
	18	12
	20-24	13
	78	29
	B6	38
	Ventura County	31
	47	21
Views	B3	37
Visit	74	27
Washington	A9	36
	B7	39
Waves	20-24	13

Key Word	Data Set	Page
Whites	C5	41
Wilkes-Barre	B9	39
Wisconsin	56	23
	57	23
Women	01	7
	02	7
	26	14
	27	14
	28	14
	31	15
	41	19
	42	19
	44	20
	47	21
	53-55	22
	95	32
	B8	39
	D5-D7	44
D8	45	
D9	45	
Years	D8	45
Young	01	7
	02	7
	03	7
	44	20
	45	20

Key Word	Data Set	Page
Young (Con.)	46	21
	56	23
	57	23
	B8	39
	D8	45
Youth	20-24	13
Youths	E1-E4	45

71

NATASHA

72

NATASHA
National Archive on Sexuality, Health & Adolescence

NATASHA is the CD-ROM version of the Data Archive on Adolescent Pregnancy and Pregnancy Prevention (DAAPPP) and represents DAAPPP holdings as of 31 December 1987 (Data Sets Nos. 01 through B1). Both the mainframe and microcomputer versions of the Archive are included in NATASHA. For each study, a User's Guide describing the study's research design and contents has been prepared. The complete guides are included in NATASHA in the form of microfiche; the most salient portions of the guide are accessible from the CD-ROM.

The NATASHA product includes a CD-ROM containing original ASCII data from 82 studies, a floppy diskette with search and retrieval software, microfiche of User's Guides for each study, and a comprehensive User's Manual for the whole product. For each study, the CD-ROM also contains machine-readable documentation in the form of a program file which can be read by SPSS. When used with SPSS, this program will define all variables and values and create an SPSS system file. For most studies, these files are available in both mainframe and microcomputer form; there are 82 mainframe data files, 82 mainframe SPSS or SPSS^x program files, 74 microcomputer data files, and 74 SPSS/PC program files (also readable by SPSS/PC +).

Variable Search. Each of NATASHA's 39,815 variables is uniquely identified and searchable by topic, type, study, word in its variable descriptor label, or logical combination thereof. Results from a variable search can be written to a file or printed; the summaries for the studies in which the variables are found can be accessed directly for further information.

Study Summaries. Summaries include title; principal investigator; number of variables; number of cases, including coverage of gender, race, and age; names of data and SPSS program files; identification of which variables most closely correspond to 20 important "key characteristics" in a Key Characteristics Menu; and abstract.

Crosstabulation. NATASHA can provide the user with a crosstabulation of frequencies for virtually any pair of variables within the microcomputer version of a study.

File Transfers. NATASHA includes software to transfer microcomputer versions of data and SPSS/PC files from the CD-ROM to disk for analysis. Mainframe versions of these files can be uploaded to a mainframe computer via the user's communication software.

Sophisticated Statistical Analysis. Sophisticated statistical analyses are available to users of SPSS. Users of other statistical packages (such as SAS, BMDP, SYSTAT) can modify NATASHA's SPSS program statements to suit the syntax of their package. The modified program can read the ASCII data file from the CD-ROM.

Requirements. NATASHA requires an IBM-PC/XT/AT or compatible microcomputer with at least 640K RAM, a hard disk, DOS 3.1 or higher, and a CD-ROM drive. The CD-ROM drive is available separately from Sociometrics Corporation. SPSS/PC is available from SPSS, Inc., 444 N. Michigan Ave., Chicago, IL 60611. Tel. (312) 329-3500.

NATASHA	\$495.00
Amdek CD-ROM Drive	\$795.00
SPSS/PC +	
Basic Package	\$695.00
Advanced Statistics	\$345.00
Graphics, featuring	
Harvard Graphics	\$345.00

SPECIAL PRODUCTS:

Teen Pregnancy

Evaluating Programs Aimed at Preventing Teenage Pregnancies

Josefina J. Card, Ed.

This monograph focuses on technical standards, methods, and instruments for evaluating teen pregnancy prevention programs. The monograph is broken down into four major chapters. Chapter 1 offers guidance on characteristics of an effective prevention program. Chapters 2, 3, and 4 focus specifically on the evaluation of teenage pregnancy prevention programs and represent the joint work of participants at the Primary Prevention Conference sponsored by the Kaiser Family Foundation, the William and Flora Hewlett Foundation, and the U.S. Office of Population Affairs in April of 1988. Chapter 2 describes the wide range of teen pregnancy prevention programs in existence in the U.S. today. Chapter 3 tells us why impact evaluations of these programs are important, and provides "how to" guidelines, tips, and scientific standards for such evaluations. Chapter 4 provides an instrument covering the essential facts which an impact evaluation of a teen pregnancy prevention program will need to obtain.

The monograph is intended for a wide professional audience. Both scientists and non-scientist professionals will find it useful.

Prevention Monograph \$20.00

Evaluating and Monitoring Programs for Pregnant and Parenting Teens

Josefina J. Card, Ed.

The monograph provides guidelines for the scientific evaluation of care programs for pregnant teens and/or teen mothers. It was developed following a conference co-sponsored by the C. S. Mott Foundation and the U.S. Office of Population Affairs (OPA). Both Mott and OPA have been leaders in encouraging the development of standard evaluation-related definitions, procedures, and instruments to maximize the resultant data's scientific quality, usability, and policy relevance.

Care Monograph \$20.00
Mott Workshop Summary 3.00

dBASE III Minimum Evaluation Data Set Program for Teen Pregnancy Care Programs

Dennis McBride

The dBASE III Minimum Evaluation Data Set Program was designed to provide a complete computerized data management system for teen pregnancy care programs. The intent was to design a data system (1) that includes data elements considered minimally essential for information collection by adolescent pregnancy programs, (2) that produces information that is comparable across programs, and (3) that is easy to place into operation and simple to use. The simplicity will hopefully contribute to both the willingness to use the system and the quality of data that are generated.

Information categories include Intake Data, Pregnancy Outcomes, Client and Infant Follow-up, and Service Delivery Information. (Note: You will need dBASE III software to run the program.)

dBASE III MEDS Program \$15.00
MEDS Instrument 8.00

Sourcebook of Comparison Data for Evaluating Adolescent Pregnancy and Parenting Programs

Josefina J. Card, R. Timothy Reagan, and Philip E. Ritter

The *Sourcebook* contains 51 tables of data on antecedent, outcome, and follow-up variables related to pregnancy prevention and care. All tables are broken down by age and race; prevention tables are also broken down by urban versus rural; care tables are broken down by fertility status (never pregnant, currently pregnant, mother of 12-month-old, mother of 24-month-old).

The *Sourcebook* contains instructions on how to compute comparison statistics and how to perform statistical tests, with illustrative examples. It is intended for an audience with a range of statistical sophistication, from limited to extensive. *Sourcebook* data are derived from the 1982 National Survey of Family Growth, Cycle III; the 1979-1985 National Longitudinal Survey of Youth; and 1984 National Birth Certificate Data.

Teen Pregnancy Sourcebook \$15.00

Procedures for Computing Variables for "Sourcebook of Comparison Data for Evaluating Adolescent Pregnancy and Parenting Programs" from the 1979-1985 National Longitudinal Survey of Youth (NLSY)

R. Timothy Reagan

Tables C1 through C21 of the *Sourcebook* were calculated from the 1979-1985 National Longitudinal Survey of Youth (NLSY). Because calculations were aggregated across survey years, and because many of the calculations required complex combinations of variables in the NLSY, it was not possible to specify precisely in the table footnotes how the information was derived. Therefore, the Technical Appendix to the *Sourcebook* was developed as a separate publication.

Technical Appendix to the Sourcebook \$ 5.00

Components of Effective Fertility Regulation (CEFR)

Donald W. Helbig

The Components of Effective Fertility Regulation is a study of 1,303 women aged 14 to 46, each interviewed 5 times over a period of 20 months. At intake, all respondents were starting, restarting, or continuing to use either oral contraceptives or the diaphragm. Enrollment began in April 1982 and ended in April 1983, with final data collected in late 1984. The investigation was conducted by Donald W. Helbig, MD, MPH, with a grant from the Demographic & Behavioral Sciences Branch of the Center for Population Research, NICHD.

The study is a longitudinal, prospective investigation of correlational factors which may be predictive of correct, continuous, and effective fertility regulation. The data come in 378 files, including raw data and SPSS program statements. The product includes three 20-megabyte Bernoulli cartridges (or approximately 60 high-density floppy diskettes), and four volumes of supporting documentation.

The Data Set was originally approved by the National Advisory Panel for inclusion in DAAPPP. However, the tremendous size of the Data Set, and Dr. Helbig's extensive documentation of the data, prompted the Panel to recommend that the data be

made available without standard DAAPPP processing and documentation. Dr. Helbig offers technical assistance "within generous limits."

Raw Data, SPSS Program Statements, and documentation \$350.00

Available Formats:
3 20-megabyte Bernoulli cartridges
Approx. 60 high-density floppy diskettes

Statistical Exercises on the Microcomputer Using the 1982 National Survey of Family Growth, Data from Women Aged 15-19

This manual was written to illustrate how DAAPPP can be used in the classroom to: (1) teach basic statistical concepts in a "hands-on" manner; (2) provide practice in the use of a microcomputer-based statistical package (SPSS/PC); and (3) familiarize students with concepts and research methods in the population field.

The exercises make use of data from teenage participants in the National Center for Health Statistics' 1982 National Survey of Family Growth (NSFG), Cycle III (DAAPPP Data Set No. 27). Three floppy diskettes accompany the manual. The diskettes contain four machine-readable files: File NSFG.RW1 on Floppy 1 and File NSFG.RW2 on Floppy 2, which give the raw data from the NSFG; and Files NSFG.SPC and NSFG.SPA on Floppy 3, which give the SPSS/PC+ program statements designed to transform the raw data into an SPSS/PC+ system file.

Statistical Exercises on the Micro \$ 80.00

Inventory and Assessment of Data Sources on Young Male Sexuality, Contraception, and Fatherhood as found in the Data Archive on Adolescent Pregnancy and Pregnancy Prevention (DAAPPP)

Josefina J. Card

This paper presents an overview of fertility-related data sources dealing with young male sexuality, contraception, and fatherhood. Not surprisingly, most

work in the area has focused exclusively on females. Only ten of the 85 data sources in the Data Archive on Adolescent Pregnancy and Pregnancy Prevention (DAAPPP) at the time this paper was written (Data Sets 01 through 85) were found to have data from young males. Seven of these data sources were national in scope; three were limited to one geographic area of the country (one Data Set on black teens in Philadelphia, and two Data Sets on college-age students and non-students in Madison, Wisconsin). The available Data Sets focused on sexual attitudes and behavior, contraceptive use, education, and occupation. There was virtually no attention to *out-of-wedlock* parenting per se.

The Data Sets can be analyzed further to shed light on the antecedents and consequences of male fertility-related behavior. This paper has included a description of how DAAPPP's products have been designed to facilitate such secondary analysis.

The Appendix contains a Key Characteristic Report; a matrix showing the Distribution of the Data Set's Contents (Variables) by topic and type; and a List of Variables Included, sorted by topic and, within topic, by type for each data source referenced in the paper.

Male Sexuality Paper	\$ 3.00
Male Sexuality Appendix	27.50

Accessing and Using Files from the Data Archive on Adolescent Pregnancy and Pregnancy Prevention: An Introduction for the Novice

Sabrina Lin

This Manual serves as a guide for prospective users of DAAPPP who are not seasoned in techniques of computer statistical analysis. It discusses how DAAPPP files can be accessed and used. The first chapter gives an overview of the Archive and describes the various DAAPPP publications from which one can obtain general and specific information about the Archive's contents. The second chapter introduces the reader to the use of mainframe computers and analysis of DAAPPP data using SPSS. The third chapter introduces the reader to SPSS/PC through the IBM/PC microcomputer.

Intro for the Novice	\$ 4.00
----------------------	---------

77

SPECIAL PRODUCTS:

Health

Sourcebook of Comparison Data for Evaluating Health Promotion and Disease Prevention Programs (HPDP)

Max Nelson-Kilger, Josefina J. Card, R. Timothy Reagan, and Philip E. Ritter

The *HPDP Sourcebook* includes 46 tables, covering the areas of general health (including nutrition); injury control and child health; high blood pressure; stress; exercise; smoking; alcohol use; dental care; and occupational safety and health. The data are based on a national probability sample of 33,630 adults. The publication demonstrates an innovative use of HPDP survey data, showing how survey results can be used as an inexpensive source of comparison data for program evaluation, and as a research tool in assessing the comparability of local norms to national or regional norms. Instructions on how to use the *HPDP Sourcebook*, complete with illustrative examples, are included.

HPDP Sourcebook \$20.00

The Supplement on Aging to the 1984 National Health Interview Survey: Selected Cases and Variables

National Center for Health Statistics and Sociometrics Corporation

The *Supplement on Aging* is now available in microcomputer form. Included as a special supplement to the National Center for Health Statistics' 1984 National Health Interview Survey, the original data base included a probability sample of 11,497 noninstitutionalized people aged 65 and over in the United States. The microcomputer version contains data from all 855 blacks in the original sample, plus a random sample of 3,000 nonblacks.

The *Supplement on Aging* contains a selection of variables pertaining to family structure; occupation; medical conditions and health opinions; and behavior. The product includes five floppy diskettes, with four floppies containing the data and a fifth floppy containing SPSS/PC and SAS/PC program statements to read the data files. An accompanying training manual documents the data base and provides a tutorial for using SPSS/PC or SAS/PC to analyze the data, with illustrative example. The

product is oriented toward both research and classroom use.

Supplement on Aging \$80.00

The 1985 National Health Interview Survey of Health Promotion and Disease Prevention: Selected Cases and Variables

National Center for Health Statistics and Sociometrics Corporation

The 1985 National Health Interview Survey of Health Promotion and Disease Prevention (HPDP) is now available in microcomputer form. Included as a special supplement to the National Center for Health Statistics' 1985 National Health Interview Survey (NHIS) questionnaire, the HPDP included a national probability sample of 33,630 adults. The microcomputer version contains data from a representative sample of 3,000 blacks and 3,000 nonblacks. Case weights are provided to allow the construction of national estimates.

The HPDP contains a selection of variables pertaining to general health; injury control and child health; high blood pressure; stress; exercise; smoking; alcohol use; dental care; and occupational safety and health. The product includes six floppy diskettes containing the data and a seventh floppy diskette containing SPSS/PC and SAS/PC program statements to read and document the data file. An accompanying training manual describes the data base and provides a tutorial for using SPSS/PC or SAS/PC. Illustrative statistical exercises show how the product can be used for research or instructional purposes.

HPDP Manual \$80.00

