

DOCUMENT RESUME

ED 382 897

CG 026 237

AUTHOR Skerker, Roni; McDonough, George
 TITLE Developing the Resilient Child: A Prevention Manual
 for Parents, Schools, Communities and Individuals.
 INSTITUTION Northeast Regional Center for Drug-Free Schools and
 Communities, Sayville, NY.
 SPONS AGENCY Department of Education, Washington, DC.
 PUB DATE [93]
 NOTE 48p.
 PUB TYPE Guides - Non-Classroom Use (055)


EDRS PRICE MF01/PC02 Plus Postage.
 DESCRIPTORS *Alcohol Education; Child Behavior; Developmental
 Stages; *Drug Education; *Early Intervention;
 Elementary Secondary Education; *Health Education;
 Interaction; Interpersonal Relationship;
 *Prevention
 IDENTIFIERS Drug Free Schools; *Preventive Education;
 Psychosocial Factors; *Resilience (Personality)

ABSTRACT

The purpose of this manual is to provide families, educators, community leaders, and others with current information to assist in the development of comprehensive prevention programs that provide opportunities for all children to develop into drug-free, productive adults. Part I describes the psychosocial factors that place children at risk for drug use, violence, school failure and other destructive behaviors. The manual places these factors in the context of a child's interaction with peers, family, school, and community. It describes the risk factors, as well as the protective factors in each of these interactions and how a program should address the interactions. Part II outlines the characteristics of children in different development stages and offers examples of strategies that are appropriate to each stage. Part III includes sample worksheets that are designed to facilitate a step-by-step approach to developing a comprehensive prevention education program. Part VI contains visual aids for photocopying or making into transparencies. (Contains 33 references.) (JE)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *

DEVELOPING THE RESILIENT CHILD



A Prevention Manual For Parents, Schools, Communities and Individuals

developed by



U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it
- Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy

The Northeast Regional Center for Drug-Free Schools and Communities
for the U.S. Department of Education
and

Representatives of the 12 State Educational Agencies in the Northeast Region

BEST COPY AVAILABLE

The Northeast Regional Center
is operated by
Super Teams, Ltd.



ED 382 897

026237



**NORTHEAST REGIONAL CENTER
FOR DRUG-FREE SCHOOLS AND COMMUNITIES
FOR THE UNITED STATES DEPARTMENT OF EDUCATION
OPERATED BY SUPER TEAMS, LTD.**

Gerald Edwards, Ed.D., Director
Lynn Sitrin, Deputy Director
Philip Olynciw, Director of Training and Technical Assistance
Lawrence McCullough, Director of Dissemination
Teresa Hartman, Director of Communications
Lonnie Duke, Director of Community Development
Dr. Richard Doolittle, Director of Evaluation
Ronald Rix, Director of Community Training

Regional Managers:

Lynda Bookhard, Downstate New York
James Frantz, Massachusetts, Connecticut, Rhode Island
Marilyn Harris, Pennsylvania, Ohio
Brenda McGuire, Upstate New York
Gary Parnham, Maine, New Hampshire, Vermont
Ralph Perez, Maryland, Delaware
Donald Stumpf, New Jersey

12 Overton Avenue, Sayville, New York 11782
(516) 589-7022 • Fax (516) 589-7894

PREFACE

The purpose of this manual is to provide families, educators, community leaders and others with current information to assist in the development of comprehensive prevention programs to provide opportunities for all children to develop into drug-free, productive adults.

The following manual demonstrates how comprehensive prevention education is the result of collaborative, coordinated and systematic efforts which:

- utilize the most accurate, up-to-date prevention research;
- present information in a format that is easy to use;
- meet the needs of all the essential partners in the prevention efforts; and
- provide appropriate worksheets for program development and evaluation.

This manual is provided under a grant from the United States Department of Education. However, the contents do not necessarily represent the policy of the Department of Education and endorsement by the federal government should not be assumed. In addition, the copyrighted materials which appear are reprinted with permission of the copyright holder and are not considered part of the public domain.

The development of this manual was made possible by the support of the 12 state educational agencies in the Northeast and the Northeast Regional Center for Drug-Free Schools and Communities.

Roni Skerker
Connecticut

John Bynoe
Massachusetts

Emmett Bobbitt
Ohio

Edith Vincent
Delaware

David Gebhardt
New Hampshire

Biagio Musto
Pennsylvania

Roger Richards
Maine

Joanne Boyle
New Jersey

George McDonough
Rhode Island

Linda Roebuck
Maryland

Jacquee Albers
New York

Susan Mahoney
Vermont

The Center would like to acknowledge the efforts of Roni Skerker and George McDonough, the primary authors of this manual. We would also like to thank Tom Murray and Ron Rix of the Northeast Regional Center, and Biagio Musto of Pennsylvania for their support in assembling this document.

TABLE OF CONTENTS

	Page
Section I. Overview	1
Section II. The Child at Risk	3
Protective Factors	6
Comprehensive Prevention Education	7
Section III. Part I Risk Factors and Strategies	
An Overview	8
School	9
Individual/Peers	10
Community	11
Family	12
Part II Developmental Stages	13
Part III Worksheets	
Risk Factors Identified for Children in the Community	17
Protective Factors That Need to be Enhanced	18
Current Prevention Programs	19
Prevention Programs Needed to Impact the Developmental Stages of Youth	20
Worksheet for School Agency-Family Component	21
Worksheet for Family Involvement	22
Community Resource Identification Worksheet	23
Part IV Visual Aids	29
Child at Risk — Psychosocial Causes	30
Risk Factors	31
Developing the Resilient Child	32
Protective Factors	
Community	33
School	34
Individual/Peers	35
Family	36
References	37

SECTION I

OVERVIEW

For the past several decades, the use of alcohol and other drugs by Americans has created major problems which have impacted all facets of our society. As a result, schools, communities, families, judicial and penal institutions, law enforcement agencies and private industry have collectively cried out for the resources to put an end to this "social scourge."

One response to this cry of need came with the passage by the federal government of the Drug-Free Schools and Communities Act of 1986. Now schools — which heretofore had seen their primary role as instruction in the "three Rs" — had to include instruction in alcohol and other drug prevention. Quite justifiably, the schools used these new resources as they had with other new mandates in the past. They purchased new educational supplies, materials, and equipment that were appropriate under the mandate. Many of them sponsored assemblies and brought in speakers who addressed drug-related topics. Districts often assigned someone to coordinate their drug programs. Very few were experienced and/or trained in substance abuse prevention issues, and many were looking for "what was working."

After the first few years, nearly all the educators who had been involved with the Drug-Free Schools and Communities effort realized that the usual approaches were not going to work. First, many realized that alcohol, tobacco and other drug (ATOD) use was not an educational problem, but a behavioral problem. As one educational administrator said, "You can purchase the curriculum, teach the curriculum, and test the curriculum to see if the students know the information, but you may only be proving that you have knowledgeable users." Second, there is a growing realization that ATOD prevention efforts must extend beyond the domain of schools. Many other state and federal ATOD prevention programs are being supported through community groups and agencies outside of the schools. Since these programs are designed to assist schools, children, communities and families, it is only sensible to include all of these groups in comprehensive prevention efforts.

Developing effective prevention programs, therefore, requires collaboration and cooperation among various systems and groups. These systems and groups must develop multiple strategies in order to impact the multiple causes of ATOD use and other negative behaviors. In addition, these strategies must be appropriate for the developmental stages of the individuals targeted. Prevention strategies acknowledge that the developmental stages of children will determine what strategies should be provided in prevention programs. Successful programs recognize that children progress through a continuum, from a period when society must provide everything for the child, through a time of transition, and to a point at which the individual becomes a contributor to society.

However, the child does not progress through this continuum in a vacuum. To ensure that prevention education is effective, parents, schools, individuals and the entire community must be involved. Families, schools and communities must form partnerships in order to develop and implement programs designed to nurture resilient children who are protected from the psychosocial causes and risk factors associated with ATOD use and other destructive behavior.

BEST COPY AVAILABLE

For this partnership to develop and succeed, there must be a shared understanding of:

- the relationship between the risk factors and the psychosocial causes of ATOD use and other high-risk behaviors;
- the protective factors and strategies necessary to mitigate the negative risks that can lead to aberrant behaviors;
- the definition of comprehensive prevention education;
- effective prevention strategies at key developmental stages;
- a process to assess community needs in light of risk factors and protective factors; and
- methods to identify and mobilize critical community resources.

The following pages should enable families, educators and community leaders to understand the current research and information necessary to begin the process of developing comprehensive prevention education for the children and families in their communities.

SECTION II

THE CHILD AT RISK

In past years, researchers and educators, as well as other individuals who have worked with children, have discovered that certain environmental factors place children at risk for ATOD use, violence, vandalism, truancy, school failure and other destructive behaviors.

The following illustration displays some of the psychosocial causes that place a child at risk:

PSYCHOSOCIAL CAUSES:

ALIENATION

APATHY

BOREDOM

DARE

DEFIANCE

DEPRESSION

EMOTIONAL PAIN

ENVIRONMENT

ESCAPE

FAILURE

FAMILY PROBLEMS








FRUSTRATION

HOPELESSNESS

IGNORANCE

INSECURITY

LONELINESS



LOW SELF ESTEEM

NEGATIVE PEER

PRESSURE

NEGATIVE ROLE

MODELS

NON-GOAL ORIENTED

POOR SELF IMAGE

POWERLESSNESS

REBELLION

REJECTION

TENSION

UNAWARE

UNCHALLENGED

UNEQUAL

UNLOVED


UNMOTIVATED

© Copyright Super Teams

In the past, when a child exhibited negative behaviors, it was typically attributed to psychosocial causes. The response of caring adults was to develop a program or strategy to address the specific psychosocial factor. However, research now indicates that these factors are more accurately viewed as symptoms of a broader problem. Therefore, it has become necessary to take a broader approach — one which examines the individual child's behavior and his or her interaction with peers, family, school and community. The ultimate goal is to develop a resilient child — a child who is capable of responding to the many psychosocial factors, as well as being able to manage the risk factors present within his or her world.

Therefore, in simple terms, the focus of all prevention programs is to develop a resilient child. The profile of a resilient child is one who "works well, plays well, loves well and expects well." (Werner, 1988.) A resilient child possesses problem-solving skills, social skills, autonomy, and a sense of purpose and future. Most children become resilient through a complex interaction of protective factors within their world. These factors can be identified within four specific areas or domains — that is within the child and peers, the family, the school and the community.

DEVELOPING THE RESILIENT CHILD



PROTECTIVE FACTORS

Community

- Clear Norms
- Clear Rules and Regulations
- Intergenerational Ties
- Competent Role Models
- External Support Systems

Individual & Peers

- Ability to Set Goals
- Good Sense of Humor
- Autonomy
- Ability to Develop Friendships
- Strong Sense of the Future
- Strong Social Competencies
- Belief in One's Self
- Good Health
- Average Intelligence
- Easy Temperament

Family

- Strong Religious Affiliation
- Consistent Rituals and Traditions
- Clear Rules and Regulations
- Clear Norms
- Significant Relationship with Parent or Caregiver

School

- Clear Rules and Regulations
- Competent Role Models
- Great Expectations for All Children
- Guidance of Social Competencies
- Significant Relationship with Adult
- Goal-Directed Behavior
- Solid School Ethos

COMPREHENSIVE PREVENTION EDUCATION: A DEFINITION

A comprehensive prevention education program must be a multi-dimensional and multi-faceted approach and must:

- promote the well being of all young people, beginning before birth;
- be age appropriate;
- strive to develop resilient children;
- reduce risk factors and enhance protective factors in the individual, school, family and community;
- teach and reinforce life skills, e.g., decision making and peer resistance;
- provide opportunities for guided rehearsals in a variety of contexts to achieve mastery of skills;
- be developmentally and culturally appropriate;
- provide accurate information at all grade levels to establish positive, normative expectations among youth;
- include early intervention activities that impede risk-taking and destructive behaviors; and
- address the needs of youth from high-risk environments, including children exposed to ATOD prenatally and/or after birth.

For prevention education to be successful, it must be a broad-based, community-wide effort that develops within our children the skills, attitudes and attributes necessary for them to become drug-free, productive citizens. Prevention education is a difficult task, and it requires the coordination and collaboration of all members of the community. While police, schools and local helping agencies are often viewed as key players in the community, there are other groups that may become involved for prevention to be successful. They include:

- family;
- media (local and national);
- industry and business;
- clergy;
- agencies (public and private);
- local government;
- medical community;
- judicial system;
- senior citizens;
- youth outreach workers;
- youth;
- representatives of ethnic groups;
- community organizations; and
- institutions of higher education.

These groups must come together to identify what portion of comprehensive prevention education each is best qualified to offer and develop appropriate strategies to ensure that all children have access to these services.

SCHOOL

RISK FACTORS

- negative school climate
- undefined or unenforced school policy
- availability of ATOD
- transition between schools
- academic failure
- labeling and identifying students as "high risk"

PROTECTIVE FACTORS

- clear rules and regulations
- competent role models
- great expectations for all children
- reinforcement of developing social competencies
- relationship with significant adult
- goal-directed behavior
- school ethos

PROGRAMS SHOULD:

- express high expectations
- encourage goal setting and mastery
- have a staff that is "nurturing" and "caring"
- encourage pro-social development
- provide leadership and decision-making opportunities
- foster active student involvement
- provide training of teachers in social development and cooperative learning
- provide ATOD alternative activities

INDIVIDUAL/PEERS

RISK FACTORS

- early antisocial behavior
- feelings of alienation
- rebelliousness
- favorable attitudes toward drug use
- early first use
- greater influence by and reliance on peers (more so than parents)
- identification with friends who use tobacco, alcohol, and other drugs

PROTECTIVE FACTORS

- ability to set goals
- good sense of humor
- autonomy
- ability to develop friendships
- strong sense of the future
- strong social competencies
- belief in one's self
- good health
- average intelligence
- easy temperament

PROGRAMS SHOULD:

- involve drug-free activities
- demonstrate respect for authority
- bond to conventional groups
- appreciate the unique talents that each person brings to the group

COMMUNITY

RISK FACTORS

- economic/social deprivation
- low neighborhood attachment and community disorganization
- lack of employment opportunities and youth involvement
- easy availability of alcohol, tobacco, and other drugs
- favorable use of ATOD as evidenced by community norms and laws

PROTECTIVE FACTORS

- clear norms
- clear rules and regulations
- intergenerational ties
- competent role models
- external support systems

PROGRAMS SHOULD:

- provide norms and policies supporting non-use
- provide access to resources (housing, healthcare, child care, job training, recreation, employment)
- provide supportive networks and social bonds
- involve youth in community service

FAMILY

RISK FACTORS

- problematic family management
 - unclear expectations for behavior
 - lack of monitoring
 - inconsistent or harsh discipline
 - lack of bonding or caring
- condoning teen use of alcohol and other drugs
- misuse of tobacco, alcohol, and/or other drugs by parents
- low expectations of child's success
- risky family history, including presence of alcoholism
- lack of prenatal care

PROTECTIVE FACTORS

- religious affiliation
- solid rituals and traditions
- clear rules and regulations
- clear norms
- significant relationship(s) with parent or caregiver

PROGRAMS SHOULD:

- have parent(s) or caregiver(s) that
 - seek prenatal care
 - develop close bond(s) with child(ren)
 - value and encourage education
 - manage stress well
 - spend quality time with child(ren)
- have high warmth/low criticism
- nurture and protect
- express clear expectations
- share family responsibilities
- encourage supportive relationships with caring adults beyond the family

SECTION III

PART II

DEVELOPMENTAL STAGES

To be successful, comprehensive prevention programs must address identified risk factors, enhance protective factors, and acknowledge and incorporate the developmental stages of children. The following pages outline characteristics of children at their developmental stages and offer some examples of strategies that are appropriate at each stage.

Children Up to 3 Years Old

The earliest years of a child's development lay the foundation for future patterns of behavior and development. The most critical variable for the healthy development of children at this level is consistent nurturing and warmth from parents and/or primary caregivers. It is important to:

- provide comprehensive health and social services for prenatal care;
- provide accurate information to pregnant women regarding fetal alcohol syndrome and the results of fetal drug exposure;
- provide proper child care training to parents of newborns to help foster bonding and nurturing between parent(s) and child;
- organize networks of support groups for parents of newborns; and
- provide quality day care for families of young children.

Pre-Kindergarten

At the pre-kindergarten stage of development, parents and children are preparing for the transition to the school setting. While still developing language and motor skills, children also need to learn social skills through play and group activities with other children. It is important to:

- provide programs for parents and children that promote bonding to family and school and develop family expectations of success;
- provide programs which inform parents of the child's needs at this stage of development, including information on risk and protective factors;
- provide activities for children that emphasize caring and cooperation with other children and enhance the development of pro-social skills; and
- provide child-initiated activities which develop the child's autonomy through planning and decision making.

Kindergarten-3rd Grade

The younger children of this age group are making the transition to school, yet are still primarily oriented to their parents. They require clear rules and limits for their behavior, as well as security in their environments. They are learning to enjoy group play, but still have not acquired the ability to deal with more than one or two ideas at a time. It is important to:

- implement a comprehensive prevention curricula;
- provide programs and activities as suggested for pre-K children;
- provide programs and activities which enhance a child's self esteem;
- teach assertiveness skills;
- begin introduction of simple drug information;
- train parents and school personnel in the developmental needs of children; and
- begin to teach or reinforce cooperative play and learning experiences.

4th-5th Grades

Older role models and parents have a great influence on children's behavior for this age group, but the family system is still influential. Group play and peer relationships are more widely enjoyed. As such, there is a concern for physical image, and competitive behaviors emerge. These behaviors are sometimes conducted without regard for how they affect others. There is sometimes experimentation with tobacco, alcohol and other "gateway" drugs. It is important to:

- establish family, school and community norms which promote non-drug use;
- have teachers select and use appropriate classroom activities which deliver a "no use" message and teach social competencies;
- provide teachers with training to develop cooperative learning groups which promote academic achievement through pro-social influence;
- provide training for parents and school personnel on the developmental needs of their children including risk and protective factors; and
- develop processes to assess and improve school climate.

6th-8th Grades

Children of this age group are beginning to think abstractly and are capable of problem solving and integrating multiple factors to understand concepts. They are entering a "tumultuous and intimidating" stage. They are oriented in the present, mainly concerned with peer acceptance, physical and sexual maturation, and awkwardness in social behavior. Children experiment with chemicals and other risk-taking behaviors to feel part of a social group. It is important to:

- provide programs and activities as suggested previously for children in grades 4-5;
- provide psychosocial programs which fortify children with refusal skills;
- provide positive peer role models;
- provide opportunities for leadership and involvement;
- train parents and school personnel in the developmental needs of adolescents; and
- provide mentor and advisor/advisee relationships.

9th-12th Grades

Adolescents are seeking identity, autonomy and financial independence. They are seeking significant relationships with others their age while distancing themselves from family. However, they still need understanding, support and encouragement to make a successful transition to the adult world. It is important to:

- provide opportunities for students to demonstrate important skills to younger teens;
- provide opportunities to explore career options;
- provide employment and business experiences;
- involve students in planning, decision making and group problem solving;
- conduct community projects, peer programs and drug-free activities which provide leadership opportunities for students;
- train parents and school personnel in the developmental needs of adolescents; and
- reinforce social competencies.

BEST COPY AVAILABLE

SECTION III
PART III
WORKSHEETS

The following worksheets have been designed for use by schools, communities and families. They are designed to facilitate a step-by-step approach to develop a comprehensive prevention education program. By completing the appropriate worksheets, these groups can assess prevention programming needs and identify gaps in current services.

**RISK FACTORS IDENTIFIED FOR CHILDREN
IN THE COMMUNITY**

SCHOOL	FAMILY	COMMUNITY	INDIVIDUAL

PROTECTIVE FACTORS THAT NEED TO BE ENHANCED

SCHOOL	FAMILY	COMMUNITY	INDIVIDUAL

CURRENT PREVENTION PROGRAMS

List current programs that address known risk factors, enhance protective factors, and are developmentally appropriate.

Birth to Age 3	Pre-School	K-3	4-5	6-8	9-12

PREVENTION PROGRAMS NEEDED TO IMPACT THE DEVELOPMENTAL STAGES OF YOUTH

This worksheet helps the programmer focus on the appropriate prevention program for each developmental stage in children.

Birth to Age 3	Pre-School	K-3	4-5	6-8	9-12

WORKSHEET FOR SCHOOL AGENCY-FAMILY COMPONENT

What programs/strategies have encouraged family participation in the past?	Why have they worked?	How can you incorporate these elements into prevention efforts?

WORKSHEET #6

Brainstorm a list of creative ways for families to participate in and support prevention efforts.

WORKSHEET FOR FAMILY INVOLVEMENT

List creative ways in which families can become involved	What needs to be done?

**COMMUNITY RESOURCE
IDENTIFICATION WORKSHEET**

ORGANIZATION	RESOURCES	CONTACT PERSON
<u>SERVICE ORGS.</u>	Programs, Facilities Kids, Parents	
Lions _____		
Elks _____		
Rotary _____		
Women's League _____		
YMCA/YWCA _____		
Boy/Girl Clubs _____		
Boy/Girl Scouts _____		
Prof. Athletes _____		

<u>SOCIAL SERVICES</u>	Referrals, Expertise	
Youth Services _____		
Counseling Ctrs. _____		
D/A Agencies _____		
Mental Health _____		

ORGANIZATION	RESOURCES	CONTACT PERSON
<u>MEDICAL</u>	Speakers, Info.	
Private Doctors _____		
Medical Associations _____		
Hospitals _____		
Clinics _____		
<u>LOCAL BUSINESS</u>	Donations, Rewards, Services	
Printers _____		
Amusements _____		
<u>INDUSTRY</u>	Internships, Workers Materials	
<u>SENIOR CITIZENS</u>	Time, Experience, Trans., Votes, Support	
Local Senior Ctr. _____		

ORGANIZATION	RESOURCES	CONTACT PERSON
<u>PARENTS</u>	Support, Professionals, Chaperones, Votes	
PTOs _____		
Neighborhood Groups _____		

<u>SCHOOLS</u>	Kids, Materials, Support	
Social Workers _____		
Student Groups _____		

Counselors _____		
PE Equip./Gym _____		
<u>FACILITIES</u>		
Auditorium _____		
Cafeteria _____		
Print Shop _____		
IA _____		
Home Ec. _____		
Business Dept. _____		
Special Ed. _____		
Bus transportation _____		

WORKSHEET #7 Con't.

ORGANIZATION	RESOURCES	CONTACT PERSON
<u>LOCAL GOVERNMENT</u>	Support, Resources Speakers, Meet space, Visibility	
Mayor _____		
Council/Select _____		
Police _____		
Recreation _____		
Health Dept. _____		
DPW _____		
Library _____		

<u>STATE GOVERNMENT</u>	Funds, Info., T.A.	
CSAP _____		
DCYS _____		
SDE _____		
SSA _____		
Human Serv. _____		
Health Dept. _____		
Legislators _____		

ORGANIZATION	RESOURCES	CONTACT PERSON
<u>FEDERAL GOVERNMENT</u>	Support, Bills, \$, Materials	
Clearinghouse _____		
CSAP _____		
Health/Hum. Serv. _____		
Congress _____		

Federal Register Grants _____		
<u>RELIGIOUS ORGS.</u>	Support, Meet space, Manpower	
Area Churches _____		

<u>MEDIA</u>		
TV _____		
Radio _____		

Newspapers _____		

Cable TV _____		

YOUTH GROUPS

Peer Leaders _____

SADD _____

Student Council _____

Athletics _____

Music Groups _____

Gangs _____

OTHER

SECTION III
PART IV
VISUAL AIDS

The following information has been described and discussed in the body of this document. These visuals have been enlarged in order to be easily photocopied or made into transparencies.

CHILD AT RISK PSYCHOSOCIAL CAUSES®

ALIENATION

APATHY

BOREDOM

DARE

DEFIANCE

DEPRESSION

EMOTIONAL

PAIN

ENVIRONMENT

ESCAPE

FAILURE

FAMILY PROBLEMS

FRUSTRATION

FUN

HOPELESSNESS

IGNORANCE

INSECURITY

LONELINESS



LOW SELF ESTEEM

MACHO

NEGATIVE PEER

PRESSURE

NEGATIVE ROLE

MODELS

NON-GOAL ORIENTED

POOR SELF IMAGE

POWERLESSNESS

REBELLION

RECREATION

REJECTION

TENSION

UNAWARE

UNCHALLENGED

UNEQUAL

UNLOVED

UNMOTIVATED



©Copyright Super Teams

RISK FACTORS

SCHOOL

- negative school climate
- undefined or unenforced school policies and procedures
- availability of ATOD
- transition between schools
- academic failure
- labeling and identifying students as "high risk"

CHILD/PEERS

- early antisocial behavior
- feelings of alienation
- rebelliousness
- favorable attitudes toward drug use
- early first use
- greater influence by and reliance on peers
- identification with friends who use tobacco, alcohol, and other drugs


COMMUNITY

- economic/social deprivation
- low neighborhood attachment and community disorganization
- lack of employment opportunities and youth involvement
- easy availability of tobacco, alcohol, and other drugs
- favorable use of ATOD as evidenced by community norms and laws

FAMILY

- problematic family management
 - unclear expectations for behavior
 - lack of monitoring of children
 - inconsistent or harsh discipline
 - lack of bonding to or caring for children
- condoning teen use of alcohol and other drugs
- favorable attitudes toward ATOD use
- low expectations of child's success
- family history of alcoholism
- lack of prenatal care

DEVELOPING THE RESILIENT CHILD



The Northeast Regional Center for Drug-Free Schools and Communities

PROTECTIVE FACTORS

Community

- **Clear Norms**
- **Clear Rules and Regulations**
- **Intergenerational Ties**
- **Competent Role Models**
- **External Support Systems**

PROTECTIVE FACTORS

School

- **Clear Rules and Regulations**
- **Competent Role Models**
- **Great Expectations for All Children**
- **Reinforcement of Developing of Social Competencies**
- **Relationship with Significant Adult**
- **Goal-Directed Behavior**
- **School Ethos**

PROTECTIVE FACTORS

Individual/Peers

- Ability to Set Goals
- Good Sense of Humor
- Autonomy
- Ability to Develop Friendships
- Strong Sense of the Future
- Strong Social Competencies
- Belief in One's Self
- Good Health
- Average Intelligence
- Easy Temperament

PROTECTIVE FACTORS

Family

- **Religious Affiliation**
- **Solid Rituals and Traditions**
- **Clear Rules and Regulations**
- **Clear Norms**
- **Significant Relationship with Parent or Caregiver**

REFERENCES

- Beardslee, W., Podorefsky, D. Resilient Adolescents Whose Parents Have Serious affective and Other Psychiatric Disorders: Importance of Self-Understanding and Relationships. American Journal of Psychiatry 145 (1), January 1988.
- Bell, P., Community-Based Prevention. Proceedings of the National Conference on Alcohol and Drug Abuse Prevention: Sharing Knowledge for Action. NIDA, 1987
- Bernard, B., Fostering Resiliency in Kids: Protective Factors in the Family, School, and Community. Far West Laboratories, August 1991.
- Bernard, B., Protective Factor Research: What We Can Learn from Resilient Children. Illinois Prevention Forum 7(3), March 1987.
- Botvin, G., Prevention of Adolescent Substance Abuse Through the Development of Personal Social Competence in Preventing Adolescent Drug Abuse: Intervention Strategies. National Institute for Drug Abuse Research Monograph DHHS Publications, 1983.
- Botvin, G., Wills, T., Personal and Social Skills Training: Cognitive-Behavioral Approaches to Substance Abuse Prevention. Prevention Research: Deterring Drug Abuse Among Children and Adolescents. NIDA Research Monograph No. 63, USGPO, 1985.
- Cameron-Bandler, L., Strategies for Creating a Compelling Future. Focus on Family and Chemical Dependency, July/August, 1986.
- Cauce, A.M., Srebnik, D., Returning to Social Support Systems: A Morphological Analysis of Social Networks. American Journal of Community Psychology 18(4), 1990.
- Coleman, J., Families and Schools, Educational Research. August/September 1987.
- Coleman, Jr., Hoffer, T. Public and Private High Schools: The Impact of Communities. Basic Books, 1987.
- Cowen, E., Work, W., Resilient Children, Psychological Wellness, and Primary Prevention. American Journal of Community Psychology 16, 1988.
- Demos, V. Resiliency in Infancy. The Child in Our Times, 1989.
- Dugan, T., Coles, R. The Child in Our Times: Studies in the Development of Resiliency. Brunner-Mazel, 1989.
- Edwards, Gerald, et al., Impact Teaching. Impact Strategists, Inc., 1990.
- Edwards, Gerald, Reaching Out: The Prevention of Drug Abuse Through Increased Human Interaction. PULSE, 1985.
- Edwards, Gerald, et al., Super Teams' Training Manual. Super Teams, Ltd., 1992.
- Fleming, J., Kellan, S., Brown, C., Early Predictors of Age at First Use of Alcohol, Marijuana, and Cigarettes. Drug and Alcohol Dependence 9, 1982.

Garmezy, Norman. Resiliency and Vulnerability to Adverse Developmental Outcomes Associated With Poverty. American Behavioral Scientist 34(4), March/April 1991. Sage Publications, Inc., 1991.

Garmezy, N., and Rutter, M., Stress, Coping, and Development in Children. McGraw-Hill, 1983.

Garmezy, N., Stress-Resistant Children: The Search for Protective Factors. Recent Research in Developmental Psychopathology, 1985. Journal of Child Psychology and Psychiatry 4, 1985.

Hawkins, J.D., Catalano, R.F., Broadening the Vision of Education: Schools as Health-Promoting Environments. Journal of School Health, 1991.

Hawkins, J.D., Catalano, R.F., Miller, J.Y., Risk and Protective Factors for Alcohol and Other Drug Problems in Adolescence and Early Adulthood. Implications for Substance Abuse Prevention. University of Washington, 1991.

Hawkins, J.D., Catalano, R.F., Morrison, D.M., O'Donnell, J., Abbot, R.D., Day, L.E., The Seattle Social Development Project: Effects of the First Four Years on Protective Factors and Problem Behaviors. The Prevention of Antisocial Behavior in Children, Guilford Press, in press.

Hawkins, J.D., Doueck, H.J., Lishner, D.M., Changing Teaching Practices in Mainstream Classrooms to Improve Bonding and Behavior of Low Achievers. American Education Research Journal, Spring 1988.

Hawkins, J.D., et al., Childhood Predictors of Adolescent Substance Abuse. Etiology of Drug Abuse Implications for Prevention. NIDA Research Monograph 56, DHHS Publications. Superintendent of Documents, US Government Printing Office, 1985.

Johnson, C., et al., The Relative Effectiveness of Comprehensive Community Programming for Drug Abuse with Risk and Low-Risk Adolescents. University of Southern California, 1989.

Kandel, D., Simcha-Fagan, O., Davies, M., Risk Factors for Delinquency and Illicit Drug Use From Adolescence to Young Adulthood. The Journal of Drug Issues 16, 1986.

Kelly, J., A Guide to Conducting Prevention Research in the Community: First Steps. Prevention in Human Services 6(1), 1988.

Masten, A., Best, K., Garmezy, N., Resilience and Development: Contributions From the Study of Children Who Overcome Adversity. Development and Psychopathology, 2 (1990). Cambridge University Press, 1991.

McIntyre, K., White, D., Yoast, R., Resilience Among High-Risk Youth. Wisconsin Clearinghouse, 1990.

Mills, R., Dunham, R., Alpert, G., Working With High-Risk Youth in Prevention and Intervention Programs: Toward a Comprehensive Wellness Model. Adolescence 23(91), Fall 1988.

Newcomb, M., Maddahian, E., Skager, R., Bentler, P., Substance Abuse and Psychosocial Risk Factors Among Teenagers: Associations With Sex, Age, Ethnicity, and Type of School. Journal of Drug and Alcohol Abuse 13, 1987.

Parker, G., et al., Test Correlates of Stress Resilience Among Urban School Children. Journal of Primary Prevention 11(1), 1990.