

DOCUMENT RESUME

ED 420 964

EC 306 536

AUTHOR Dahlquist, Lori Hubble
 TITLE Classroom Amplification: Not Just for the Hearing Impaired Anymore.
 PUB DATE 1998-00-00
 NOTE 4p.; Paper presented at the CSUN 1998 Conference (Los Angeles, CA, March 1998).
 AVAILABLE FROM http://www.dinf.org/csun_98/csun98124.htm
 PUB TYPE Reports - Descriptive (141) -- Speeches/Meeting Papers (150)
 EDRS PRICE MF01/PC01 Plus Postage.
 DESCRIPTORS *Acoustical Environment; *Assistive Devices (for Disabled); *Audio Equipment; *Auditory Perception; *Classroom Environment; Elementary Secondary Education; Hearing Impairments; Noise (Sound)
 IDENTIFIERS *Soundfield Equalization

ABSTRACT

This paper discusses the difficulties that children with central auditory processing difficulties can have in the classroom environment. Classroom acoustics that can hinder a child's accessibility to instruction are discussed, including open windows or windows not designed to be acoustic barriers, increased reverberation time in rooms with high ceilings, bare floors and walls, and high ambient noise. Soundfield equalization is described as a classroom listening strategy that creates an environment where each child is at a favorable speaker-listener distance by routing the teacher's voice through small, wireless, high-fidelity public address systems self-contained in the classroom. The positive results that students have had in classrooms with soundfield equalization are highlighted. (CR)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *

CLASSROOM AMPLIFICATION: NOT JUST FOR THE HEARING IMPAIRED ANYMORE

PERMISSION TO REPRODUCE AND
DISSEMINATE THIS MATERIAL HAS
BEEN GRANTED BY

L. H. DAHLQUIST

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)

1

Lori Hubble Dahlquist
Children's Care Hospital and School
2501 W. 26th Street
Sioux Falls, SD 57105
Phone: (605) 226-1840
FAX: (605) 336-0277

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

This document has been reproduced as
received from the person or organization
originating it.
 Minor changes have been made to improve
reproduction quality.

• Points of view or opinions stated in this docu-
ment do not necessarily represent official
OERI position or policy

"Oh-oh, the teacher's starting to talk again. The other kids are going to get what she's saying but I'm not. I know I'm not going to be able to get it."

He may not say it, even to himself, but that is often how a child with auditory perceptual difficulties feels when he is asked to listen and learn in the classroom. He can probably hear sounds perfectly well, but he can't interpret their meaning. Although his peripheral hearing mechanism functions adequately, his brain does not accurately process auditory messages. Somewhere in the brain's pathways auditory information is garbled, delayed, or blocked. Because the incoming information is confused, the resulting interpretation is also confused.

Simply speaking, Central Auditory Processing is what we do with what we hear. Listening is one of the most important ways we learn. A child with an auditory processing disorder may have trouble learning to speak, read, spell or use language. Faulty auditory perception can cause emotional difficulties that further complicate the problem.

A child's response to these auditory difficulties may take many forms, including withdrawal or he may become hyperactive or distractible. These types of behaviors may be so misleading that the teacher does not suspect an auditory problem.

Classrooms are auditory-verbal environments with listening serving as the cornerstone of the educational system. It has been estimated that 75 percent of the school day is spent engaged in listening activities. Even all our new multimedia technology depends on the child's listening abilities for its successful implementation.

Because of the scarcity of information about auditory learning, few teachers have been trained to recognize auditory deficits. Typically, if a child passes a standard hearing sensitivity test it is assumed he has no auditory difficulty.

It is easy to conclude that in order to do well in school, a child must be able to receive all auditory signals. In the case of students with known hearing loss, we are quick to provide special devices to make the sound audible or to provide special assistance to transform the audible signal into a visual signal. However, we do not usually think about the ability of the average student in the typical classroom to hear the spoken messages. We assume that all the normally hearing students can hear. Unfortunately, we are wrong.

In addition to the children who suffer from Central Auditory Processing Disorders, many children suffer from transient episodes of middle ear infections that create a conductive hearing loss during the infection. It has been estimated that on any given day about 43 percent of primary level children fail a pure-tone screening at 15 dB and/or an immittance screening.

F-C 306536

A major problem in a typical classroom is that background noise levels tend to be similar throughout the room but the teacher's speech level at the student's ear gets weaker as the distance between the teacher and student increases. This problem is compounded with students who, in addition, have problems hearing and processing acoustic information even in perfect acoustic environments.

The acoustics of a classroom play a large role in a child's accessibility to instruction. Classroom acoustics are based on three factors: ambient noise level, reverberation time and S/N ratio.

Open windows or windows not designed to be acoustic barriers increase the ambient noise level of a classroom by letting noise from lawn mowers, street traffic or the playground enter the room. Interior ambient noise may include other children, computer equipment, heating system, music and faulty equipment.

Reverberation time (sound echoed off smooth surfaces such as walls or ceilings) increases in rooms with high ceilings, bare floors and walls and reduces a child's ability to hear clearly. Longer reverberation times also reduce the S/N ratio.

According to guidelines set by the American Speech-Language-Hearing Association (ASHA), ambient noise should be no louder than 30-35 dBA in an empty classroom. Reverberation time should not exceed .4 seconds, and S/N ratios should be no lower than +15 db.

However, research shows the average unoccupied noise levels in classrooms at 50 dBA, average reverberation times of .52 seconds, and S/N ratios worse than +4 dB.

Soundfield equalization is a classroom listening strategy that consists of creating an environment where each child is at a favorable speaker-listener distance by routing the teacher's voice through small, wireless, high-fidelity public address systems self-contained in the classroom.

A soundfield equalization system picks up the teacher's voice via a wireless microphone located very close to the teacher's mouth. At this location, the signal is stronger than any noise in the classroom. The signal is then sent to an amplifier that drives loudspeakers that are positioned around the room (usually three or four of them). The amplifier is set and the loudspeakers are positioned to create a positive SNR (approximately +15 dB) in all listening areas of the classroom. This means that the signal is always louder than the noise. In essence, the system puts every student in the front row (acoustically speaking). These systems are often referred to as "soundfield amplification" systems. In reality, the system is not so much an "amplifying" system as it is an "equalizing" system. The system serves to enhance and maintain a positive SNR throughout the classroom. Because "amplification" often implies exclusive use with individuals with hearing loss, and/or that the signal is somehow louder than "normal," the term "soundfield equalization" offers a more accurate description.

A variety of investigators have reported positive findings related to the use of soundfield equalization. Authors have studied various academic and pre-academic behaviors for both students with normal hearing and students with mild hearing losses. The various reports have indicated increases in positive behavior and/or achievement with the use of soundfield equalization systems.

In several reports, teachers have been asked to describe the impact on students and have indicated less distractibility, fewer direction repetitions needed, and more attentiveness.

Results from project MARRS (Mainstream Amplification Resource Room Study) indicated that students in classrooms with soundfield equalization showed significant improvements in Scholastic Reading Achievement scores. This improvement was greater than or at least equal to that experienced by students receiving resource room instruction. In addition, Zabel and Tabor found improved spelling test scores with the use of soundfield equalization.

Berg 1987

Flexer, Wray, & Ireland, 1989

"March Position Statement and Guidelines for Acoustics in Educational Settings," *Asha*, Vol. 37, (Suppl. 14) "An Update of Classroom Acoustics for Children with Hearing Impairment," *The Volta Review*, Vol. 96

Allen & Patton, 1990

Crandell & Bess, 1987

Flexer, Millin, & Brown, 1990

Flexer, Richards, & Buie, 1994

Jones, Berg, & Viehweg, 1989

Sarff, 1981; Sarff, Ray, & Bagwell, 1981

Zabel & Tabor, 1993

Mainstream Amplification Resource Room Study; Sarff, Ray, & Bagwell, 1981



U.S. Department of Education
Office of Educational Research and Improvement (OERI)
National Library of Education (NLE)
Educational Resources Information Center (ERIC)



EC 306536

REPRODUCTION RELEASE

(Specific Document)

I. DOCUMENT IDENTIFICATION:

Title: Classroom Amplification : Not Just for the Hearing Impaired Anymore	
Author(s): Lori Hubble Dahlquist	
Corporate Source:	Publication Date: 3-20-98

II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education* (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options and sign at the bottom of the page.

The sample sticker shown below will be affixed to all Level 1 documents

The sample sticker shown below will be affixed to all Level 2A documents

The sample sticker shown below will be affixed to all Level 2B documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

1

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2A

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2B

Level 1

Level 2A

Level 2B



Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) and paper copy.

Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only

Check here for Level 2B release, permitting reproduction and dissemination in microfiche only

Documents will be processed as indicated provided reproduction quality permits.
If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.

I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries.

Sign here, please →

Signature: <i>Lori Dahlquist</i>	Printed Name/Position/Title: Lori Dahlquist, speech/lwd	
Organization/Address: 2501 W 26th, Sioux Falls SD 57105	Telephone: 605 336 1840	FAX: 605 336 1840
	E-Mail Address: OCHST@dakota.net	Date: 7/29/98



(over)

III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

Publisher/Distributor:
Address:
Price:

IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:

If the right to grant this reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

Name:
Address:

V. WHERE TO SEND THIS FORM:

Send this form to the following ERIC Clearinghouse: ERIC Clearinghouse on Disabilities and Gifted Education The Council for Exceptional Children 1920 Association Drive Reston, VA 20191-1589	Toll-Free: 800/328-0272 FAX: 703/620-2521
---	--

However, if solicited by the ERIC Facility, or if making an unsolicited contribution to ERIC, return this form (and the document being contributed) to:

ERIC Processing and Reference Facility
1100 West Street, 2nd Floor
Laurel, Maryland 20707-3598

Telephone: 301-497-4080

Toll Free: 800-799-3742

FAX: 301-953-0263

e-mail: ericfac@inet.ed.gov

WWW: <http://ericfac.piccard.csc.com>

