

## DOCUMENT RESUME

ED 440 112

TM 030 715

AUTHOR Roberts, J. Kyle  
TITLE Nested ANOVA vs. Crossed ANOVA: When and How To Use Which.  
PUB DATE 2000-02-16  
NOTE 12p.  
PUB TYPE Reports - Descriptive (141)  
EDRS PRICE MF01/PC01 Plus Postage.  
DESCRIPTORS \*Analysis of Variance; \*Research Design; Research Methodology  
IDENTIFIERS \*Nested Data

## ABSTRACT

Analysis of variance (ANOVA) designs typically use what is referred to as crossed design to test for differences between means of groups. In a balanced, or crossed, one-way ANOVA, each student (unit of analysis) would have a score in each of the experimental conditions. In a two-way design, the analysis is considered crossed if each level from one way is contained in each level of the other way. In this design, every person (unit of analysis) has a score in every cell. Many experimental designs in the behavioral sciences do not qualify as a crossed design. Units of measurement are rather "nested" inside other factors. A crossed experimental design would neglect the hierarchical structure of the data and produce incorrect interpretations of results. Neglecting a nested design when one actually exists will make the researcher: (1) wrongly attribute a main effect to an interaction effect when, in fact, no interaction exists; (2) divide by the wrong degrees of freedom when determining the mean square and F-value (and the statistical significance of the F-value); and (3) assume that a main effect has a smaller effect size (eta-squared) because the sum of squares for that effect is being partly attributed to the interaction effect. (SLD)

Nested ANOVA vs. crossed ANOVA: When and how to use which

J. Kyle Roberts

Center for Educational Outreach

Baylor College of Medicine

1709 Dryden, Suite 545

Houston, TX 77030

Office – 713-798-7673

e-mail – jroberts@bcm.tmc.edu

BEST COPY AVAILABLE

U.S. DEPARTMENT OF EDUCATION  
Office of Educational Research and Improvement  
EDUCATIONAL RESOURCES INFORMATION  
CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality.

- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

PERMISSION TO REPRODUCE AND  
DISSEMINATE THIS MATERIAL HAS  
BEEN GRANTED BY

J. Kyle Roberts

TO THE EDUCATIONAL RESOURCES  
INFORMATION CENTER (ERIC)

Nested ANOVA vs. crossed ANOVA: When and how to use which

### “Crossed” One-Way ANOVA

ANOVA designs typically use what is referred to as a “crossed design” to test for differences between means of groups. In a crossed (or balanced) one-way ANOVA design, a researcher would expect each subject to have a score in each cell. For example, a teacher may want to test the differences in results obtained from three reading strategies. The teacher would record scores for each of his or her students in each of the experimental (reading strategies) conditions. The analysis would be a balanced, or crossed, one-way ANOVA design because each student would have a score in each of the experimental conditions.

### “Crossed” Two-Way ANOVA

In a two-way design, the analysis is considered crossed if each level from one way is contained in each level of the other way. In this design, every person (assuming persons are the unit of analysis) has a score in every cell. For example, suppose a researcher was interested in the effects of three different dosages of vitamins administered in two different forms (oral and injection) to children. In this example, the first way would have three levels (dosages) and the second way would contain two levels (oral or injection). This would yield a 3 X 2 ANOVA with six ( $3 * 2 = 6$ ) cells in the design. For this experiment, each child would have 6 scores, one in each cell. This type of design, illustrated by the crosstabulation in Table 1, is referred to as a crossed design because each person has a score in every cell.

---

Insert Table 1 about here

---

### Nested ANOVA Designs

Many experimental designs in the behavioral sciences do not qualify as a crossed design. Units of measurement are, rather, “nested” inside other factors. Consider the following examples of nested designs: students nested within classrooms; students nested within schools; and students nested within classrooms nested within schools. In each of the occasions listed above, a crossed experimental design would neglect the hierarchical structure of the data and would produce incorrect interpretations of results.

To illustrate the effects of neglecting nested structure, a hypothetical data set of student reading scores has been created. In this example, student scores are obtained in five teachers’ classrooms within each of four different schools. If the data from this experiment were not correctly treated as a nested design, the analysis would entail a crossed 4 X 5 ANOVA. Table 2 shows what the data structure would look like if this crossed analysis were performed. Table 3 illustrates the results of the crossed data ANOVA.

---

Insert Tables 2 and 3 about here

---

Although not previously stated, a nested structure is implicit in this design. It stands to reason that each of the five teachers does not teach in each of the four schools, but that they only teach in one school only. Recognizing this hierarchical structure, we treat each teacher as a unique factor within each school. Therefore, instead of a 4 X 5 ANOVA, we have a 4 X 20 ANOVA with four schools in the first way and twenty

teachers in the second way. Table 4 illustrates the revised structure of this data. It should be noted, before the ANOVA is run, that there is no interaction effect in this data set since each teacher is in one and only one school and each student is in one and only one classroom.

---

Insert Tables 4 and 5 about here

---

Table 5 shows the results from the 4 X 20 ANOVA of the data in Table 4. Notice that the sum of squares (SS) for the teacher main effect in Table 5 is exactly equal to the combined SS of the teacher main effect and school\*teacher interaction effect from Table 3. This illustrates how a researcher could fail to reject a null hypothesis simply because the data were incorrectly structured.

#### What Happens When I Use a Crossed Design and Should Have Used a Nested Design?

Although recognizing the structure of the data will help to yield accurate results, one price that is paid for performing a nested design is that of confounded results (Lindman, 1992). In this example, the teacher main effect and school\*teacher interaction effect are considered confounded. The issue of confounded effects plays a larger role in interpretation of results than in the actual statistical test (Lindman, 1992). In this example, the large eta squared for the schools main effect is likely to be interpreted as differences between factors that are independent of teachers (e.g., administration and ethnic make-up of students). This would lead the researcher to assume that the teacher main effect is testing the difference between the mean scores of students between classrooms, independent of schools. In a nested design, however, the teacher main effect

is somewhat dependant on the school main effect because not all teachers were randomly assigned to all schools. Thus, the results are confounded and the large eta squared for the teacher main effect could be due, in part, to the differences between children within schools.

For example, it could be that teacher 5 in school 1 (mean of 2.5) is actually a better teacher than teacher 6 in school 2 (mean of 4) and the difference in mean score is simply due to the type of school that the teachers are in. The teacher main effect would not detect this difference, but would test only for the differences between the means of the 2 students within each classroom unique to that level of the school way. In other words, the results from the ANOVA in Table 5 tells us that we should reject the null hypothesis that the means of the students' scores in teachers' classrooms within each level of the school way are equal. For a more detailed description of interpreting results from nested ANOVA designs see Hicks (1973) and Lindman (1992).

Summary of Findings: Neglecting a nested design when one exists will make the researcher . . .

1. . . . wrongly attribute a main effect to an interaction effect when in fact no interaction exists.
2. . . . divide by the wrong degrees of freedom when determining the mean square and F-value (also the statistical significance of the F-value).
3. . . . assume that a main effect has a smaller effect size (eta-squared) because the sum of squares for that effect (in this case the teacher main effect) is being partly attributed to the interaction effect (in this case the school\*teacher interaction effect).

## References

Hicks, C. R. (1973). Fundamental concepts in the design of experiments. New York: Holt, Rinehart and Winston.

Lindman, H. R. (1992). Analysis of variance in experimental design. New York: Springer-Verlag.

Table 1

Hypothetical crosstabulation of a completely crossed 3X2 design with 4 subjects

|           | Dosage 1        | Dosage 2        | Dosage 3        |
|-----------|-----------------|-----------------|-----------------|
| Oral      | Subject 1 score | Subject 1 score | Subject 1 score |
|           | Subject 2 score | Subject 2 score | Subject 2 score |
|           | Subject 3 score | Subject 3 score | Subject 3 score |
|           | Subject 4 score | Subject 4 score | Subject 4 score |
| Injection | Subject 1 score | Subject 1 score | Subject 1 score |
|           | Subject 2 score | Subject 2 score | Subject 2 score |
|           | Subject 3 score | Subject 3 score | Subject 3 score |
|           | Subject 4 score | Subject 4 score | Subject 4 score |

Table 2

Data for a crossed design of the reading data

| Teacher | School |   |    |    |
|---------|--------|---|----|----|
|         | 1      | 2 | 3  | 4  |
| 1       | 8      | 4 | 10 | 8  |
|         | 7      | 4 | 10 | 8  |
| 2       | 7      | 4 | 10 | 8  |
|         | 6      | 5 | 8  | 8  |
| 3       | 6      | 5 | 9  | 10 |
|         | 5      | 5 | 8  | 10 |
| 4       | 5      | 6 | 6  | 10 |
|         | 5      | 7 | 7  | 10 |
| 5       | 3      | 8 | 7  | 11 |
|         | 2      | 8 | 6  | 12 |

Table 3

ANOVA for crossed data

| Source         | SS      | df | MS     | F       | Sig. | Eta Squared |
|----------------|---------|----|--------|---------|------|-------------|
| School         | 118.900 | 3  | 39.633 | 113.238 | .000 | .558        |
| Teacher        | .850    | 4  | .212   | .607    | .662 | .004        |
| School*Teacher | 86.350  | 12 | 7.196  | 20.560  | .000 | .405        |
| Error          | 7.000   | 20 | .350   |         |      |             |
| Total          | 213.100 | 39 |        |         |      |             |

Table 4

Data for a nested design of the reading data

| Teacher | School |        |          |          |
|---------|--------|--------|----------|----------|
|         | 1      | 2      | 3        | 4        |
| 1       | 8<br>7 |        |          |          |
| 2       | 7<br>6 |        |          |          |
| 3       | 6<br>5 |        |          |          |
| 4       | 5<br>5 |        |          |          |
| 5       | 3<br>2 |        |          |          |
| 6       |        | 4<br>4 |          |          |
| 7       |        | 4<br>5 |          |          |
| 8       |        | 5<br>5 |          |          |
| 9       |        | 6<br>7 |          |          |
| 10      |        | 8<br>8 |          |          |
| 11      |        |        | 10<br>10 |          |
| 12      |        |        | 10<br>8  |          |
| 13      |        |        | 9<br>8   |          |
| 14      |        |        | 6<br>7   |          |
| 15      |        |        | 7<br>6   |          |
| 16      |        |        |          | 8<br>8   |
| 17      |        |        |          | 8<br>8   |
| 18      |        |        |          | 10<br>10 |
| 19      |        |        |          | 10<br>10 |
| 20      |        |        |          | 11<br>12 |

Table 5

ANOVA for nested data

| Source         | SS      | df | MS     | F       | Sig. | Eta Squared |
|----------------|---------|----|--------|---------|------|-------------|
| School         | 118.900 | 3  | 39.633 | 113.238 | .000 | .558        |
| Teacher        | 87.200  | 16 | 5.450  | 15.571  | .000 | .409        |
| School*Teacher |         |    |        |         |      |             |
| Error          | 7.000   | 20 | .350   |         |      |             |
| Total          | 213.100 | 39 |        |         |      |             |



**U.S. Department of Education**  
**Office of Educational Research and Improvement (OERI)**  
**National Library of Education (NLE)**  
**Educational Resources Information Center (ERIC)**



**TM030715**

**Reproduction Release**  
 (Specific Document)

**I. DOCUMENT IDENTIFICATION:**

|   |                                    |
|---|------------------------------------|
| Title: <b>Nested ANOVA vs. crossed ANOVA: When and how to use which</b> |                                    |
| Author(s): <b>J. Kyle Roberts</b>                                       |                                    |
| Corporate Source: <b>Baylor College of Medicine</b>                     | Publication Date: <b>2/16/2000</b> |

**II. REPRODUCTION RELEASE:**

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, Resources in Education (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options and sign in the indicated space following.

| The sample sticker shown below will be affixed to all Level 1 documents  | The sample sticker shown below will be affixed to all Level 2A documents  | The sample sticker shown below will be affixed to all Level 2B documents   |
|--|---|--|
| PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY<br><hr/> TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)  | PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA, FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY<br><hr/> TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC) | PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY<br><hr/> TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC) |
| Level 1<br><input checked="" type="checkbox"/>   | Level 2A<br><input type="checkbox"/>  | Level 2B<br><input type="checkbox"/>   |
| Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g. electronic) and paper copy.                                   | Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only  | Check here for Level 2B release, permitting reproduction and dissemination in microfiche only  |
| Documents will be processed as indicated provided reproduction quality permits.<br>If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1. |   |  |

*I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche, or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries.*

|   |  |                          |
|---|--|--------------------------|
| Signature:  | Printed Name/Position/Title:<br><b>J. Kyle Roberts</b> |                          |
| Organization/Address:<br>Center for Education Outreach<br>1709 Dryden, Suite 545<br>Houston, TX 77030 | Telephone: <b>713-798-7673</b>                         | Fax: <b>713-798-8201</b> |
|   | E-mail Address: <b>jroberts@bcm.tmc.edu</b>            | Date: <b>02/16/2000</b>  |

**III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):**

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

|                        |
|------------------------|
| Publisher/Distributor: |
| Address:               |
| Price:                 |

**IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:**

If the right to grant this reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

|          |
|----------|
| Name:    |
| Address: |

**V. WHERE TO SEND THIS FORM:**

|  |  |
|--|--|
| Send this form to the following ERIC Clearinghouse:  |  |
| <b>ERIC Clearinghouse on Assessment and Evaluation</b><br><b>1129 Shriver Laboratory (Bldg 075)</b><br><b>College Park, Maryland 20742</b> | <b>Telephone: 301-405-7449</b><br><b>Toll Free: 800-464-3742</b><br><b>Fax: 301-405-8134</b><br><b>ericac@ericae.net</b><br><b>http://ericae.net</b> |

EFF-088 (Rev. 9/97)