ED 446 421

AUTHOR TITLE	Butin, Dan Classrooms.
INSTITUTION	National Clearinghouse for Educational Facilities, Washington, DC.
SPONS AGENCY	Department of Education, Washington, DC.
PUB DATE	2000-07-00
NOTE	5p.
AVAILABLE FROM	National Center for Educational Facilities, 1090 Vermont Ave. NW, Suite 700, Washington, DC 20005. Tel: 202-289-7800; Tel: 888-552-0624 (Toll Free); e-mail: ncef@nibs.org. For full text: http://www.edfacilities.org/ir/irpubs.html.
PUB TYPE	Reports - Descriptive (141)
EDRS PRICE	MF01/PC01 Plus Postage.
DESCRIPTORS	*Classroom Design; Classroom Furniture; *Educational Facilities Improvement; Elementary Secondary Education; Lighting; Public Schools; *Space Utilization

#### ABSTRACT

This paper addresses classroom design trends and the key issues schools should consider for better classroom space flexibility and adaptability. Classroom space design issues when schools embrace technology are discussed, as are design considerations when rooms must accommodate different grade levels, the importance of lighting, furniture considerations, and classroom size ratios and partition arrangement. Final comments highlight classroom design principles that are considered important for all classrooms at all grade levels, such as outdoor accessibility, clustering, the fostering of creativity and student engagement, and classroom adaptability. (Contains 19 references.) (GR)



Classrooms

U.S. DEPARTMENT OF EDUCATION Office of Educational Research and Improvement EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC) This document has been reproduced as

received from the person or organization originating it.

Minor changes have been made to improve reproduction quality.

Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

National Clearinghouse: for Educational Facilities

#### Dan Butin

Thomas Jefferson Center for Educational Design University of Virginia July 2000

ow we design a classroom makes a powerful statement about how we view education. Whether a classroom has straight rows of desks or is filled with sofas and computer workstations tells us much about how teaching occurs, how learning takes place, and to what extent students are engaged in their studies. As educators come to view learning as an active process of engagement, classroom design is being reexamined.

## **Educational Trends**

Educational reformers have tinkered with classroom design throughout the history of public education. At the tum of the 20th century, educators devised the Lancastrian system, using bleacher-style seating and sloped floors to aid the teacher's supervision of the classroom. By the 1920s, however, today's standard, rectangular classrooms had become almost universal. They have remained so, with the exception of the open classrooms used in some schools in the 1970s (Tyack and Cuban 1995: chapter 1).

Now some educational theorists advocate a different approach. "Classrooms are out! Don't build them," argues Roger Schank of Northwestem University's Institute for Learning Sciences. "[W]e should spend about 1/3 of our day at the computer, 1/3 talking with others, and 1/3 making something" (Fielding 1999). Architects and educators have created multiple variations on this theme. Some have endorsed the personal workstation, rather than the classroom, as the basic educational unit, while others have reconfigured classrooms into Z shapes, L shapes, and off<sub>5</sub> centered shapes (Dyck 1997: 40). Classrooms have been placed in zoos, museums, and professional office buildings, and have even disappeared in the virtual, Internet-based school (Jilk 1999: 46–48).

These various alternatives are all based in research supporting the idea that children learn best when learning is active and student-centered rather than passive and teacher-centered. Architect Steven Bingler believes that one of the most important educational trends is replacing "the

Available at:

old factory model of education with a studio model in which students work independently or in small, problem-solving groups" (Bingler 1998: 16–17; see also Taylor and Vlastos 1975: chapter 1). Advocates of classroom teaching, while still making use of the lecture and didactic method, have come to view project-based and cooperative learning as integral components of education.

### **Key Issues of Classroom Spaces**

Classrooms accommodate a wide range of activities: individual study, one-on-one discussions (with a teacher or another student), small group work, large group work, and teacher-directed instruction or lecture. A classroom may be used by a single teacher, by several teachers throughout the day, or may be reconfigured through moving walls to allow for team-teaching or multiclass projects. The need to accommodate diverse options places a premium on the flexibility and adaptability of the classroom.

**Technology.** Schools have embraced technology to transform learning. By enhancing individualized instruction and providing access to enormous amounts of data, technology has altered how teachers teach and students learn. Schools now commonly use a wide range of technologies in the classroom, including laptop computers, the Internet, e-mail, video communication via tape or broadcast, networked printers, and library file servers. The availability of videos and cameras has also made distance learning feasible for many schools.

The expanded presence of technology in the classroom has also affected how classrooms are designed. The impact ranges from putting a greater load on HVAC systems to the security and maintenance of computers and peripherals. In general, the effects of technology on classroom design include

- providing additional space for computer workstations (15–20 sq. ft. per station), wall- or ceiling-mounted TV and VCR, and a video projection system.
- adding wiring for voice, video, and data capabilities.
  Wiring should be accessible to deal with upgrades, and electrical outlets and data drops should be ample
- for the classroom (Tenbusch and Vaughan 1998). Given the advances in technology and the rapid increase in wireless communication (NSF 1999),

#### National Clearinghouse for Educational Facilities

1090 Vermont Avenue, N.W., Suite 700, Washington, D.C. 20005-4905 (888) 552-0624 www.edfacilities.org

2



EF 005 864

http://www.edfacilities.org/ir/irpubs.html



much of the wiring in the classrooms may quickly become outdated. Consideration should therefore be given to both wireless and wired communication.

**Differences between grade levels.** Traditionally, elementary school classrooms have larger rooms and more differentiated spaces (e.g., quiet areas, wet areas) to accommodate young children's need for movement and exploration. The move towards more activity-based and individualized instruction throughout the upper grades, though, has made these features more common in middle school and high school classrooms.

Depending on the grade level and local policies and building codes, the size of the classroom can vary greatly, ranging from 750 to 1200 square feet (Minnesota Department of Children, Families, and Learning 1997; School Planning and Management 1997). In general, consider adding at least 15 percent more square feet per classroom for expanded technology needs, a highly project-centered curriculum, and inclusion of special needs students.

**Lighting.** Research has consistently shown that academic off-task behavior, absences, and depression all decrease with greater amounts of natural light. In North Carolina, for example, the state board of education recommends that the area allocated for windows in elementary school class-rooms be equivalent to at least eight percent of the total floor space. For middle schools and high schools the recommendation is between six and eight percent (North Carolina State Board of Education 1998).

It is also important to use a combination of indirect and task lighting or consider newer direct/indirect lighting systems to enhance illumination levels for reading and to reduce glare on computer monitors. Adjustable lighting controls provide greater options in lighting levels throughout the classroom. In addition, all windows and skylights should be equipped with blinds.

Consideration should also be given to energy efficiency. Energy-efficient light fixtures, motion detectors that tum on and off classroom lights based on movement, and electronic daylight sensors that decrease illumination levels when natural light increases can have a long-term impact on maintenance and energy costs (EPA 1999; McDaniel 1999).

#### Furniture.

 Student desk. The student's desk is often seen as the most important piece of fumiture in the classroom. Because students work individually at their desks or rearrange them to form small groups or distinct seating arrangements, consider procuring desks with portable drawers so students can easily move about with their belongings.

- Chair. Most classroom chairs are nonadjustable and research shows that individuals cannot sit still and concentrate for more than 50 minutes in noncushioned chairs (Bullock and Foster-Harrison 1997: 39).
   Ergonomically designed, padded, and adjustable chairs can accommodate individuals of varying sizes and provide comfort for a wide range of uses, which is particularly important as extended computer use increases. This dichotomy between practice and research is largely due to budgetary constraints.
- Table. Tables are excellent for small and large group meetings, using manipulatives (blocks and plastic tools children use to learn math principles), and project-centered work. Tables should be adjustable in height (between 23 and 31 inches); if this is not feasible, tables of different heights should be spread throughout the room.
- **Computer workstation(s).** As computers become more common in classrooms, clustering workstations in carrels (be they triangular, square, or hexagonal) often saves floor and furniture space. Surrounding the workstation with low partitions promotes privacy, reduces unwanted glare on the monitor, and dampens noise (Green et *al* 1996; Maxwell 1999).
- **Display and storage area(s).** Wall displays are an important personalizing feature of a classroom. Bulletin boards, white boards, and display cabinets add color and diversity while reducing acoustical reverberations. Storage space should be plentiful. While some permanent cabinetry is necessary, movable modular cabinetry is preferable. Movable and lockable storage spaces allow students and teachers greater flexibility in classroom activities.
- **Teacher desk.** Some designers contend the teacher's desk should be on the periphery of or outside the classroom altogether. In general, the teacher's desk should have ample, lockable storage space and allow for a computer and modem connection.

**Room as a whole.** The length-to-width ratio of a classroom should be no greater than three-to-two (3:2). Ceiling heights should be a minimum of nine feet, preferably ten or more. Classrooms must be able to accommodate seating arrangements as varied as rows, small group clusters, or U-shapes. Partitions and furniture should not block students' views. Although movable or retractable walls can facilitate opportunities for team teaching or large group sessions with neighboring classrooms, the walls must be acoustically treated to provide adequate noise separation between teaching areas.

Classrooms





Given the move to activity-based and project-centered work, learning centers have become popular beyond the elementary school level. Centers for reading, science, art, or reference materials are not uncommon. Comfortable furniture, distinct boundaries, and the ability for individualized modification are key features in designing these centers. Lofts, which may be used in the upper elementary and middle school level and above, can add more than 100 square feet of space and provide a unique touch to the classroom. Finally, consider using carpeting and acoustical ceilings to reduce classroom noise levels (Acoustical Society of America 1999).

### **Principles of Classroom Design**

Although the following key issues pertaining to classroom design are not comprehensive, classrooms at all grade levels should

- be accessible to the outdoors. Access to the outdoors allows nature to be incorporated into the curriculum and can serve as an alternative space for small and large group meetings. Visual access to the outdoors provides daylight, which enhances alertness and has psychological benefits such as relieving stress.
- **be clustered.** Classrooms can be clustered around a commons area, by grade level, by departmental area (for instance, a science wing), or near a facility such as the media center. Differentiated markings such as color coding, signage, or varied flooring materials (carpeting versus resilient flooring) can facilitate clustering. Clustering fosters a sense of community, unites a manageably sized group of teachers and students, and provides a sense of order and cohesiveness to the physical layout of the school.
- foster creativity and engagement. Research shows that students leam best in stimulating, safe, and resource-rich leaming environments (Lackney 1998). Classrooms should have complementary colors, textures, and pattems. The distinctive architectural and visual design of the room can be incorporated into the curriculum through projects that are based on the notion of "classroom as textbook." There may be places for group and individual leaming, including breakout spaces, alcoves, tables, and nooks and crannies. Resources areas should be within or as near to the classroom as possible. Finally, the classroom should allow students to create and modify their own personalized area. The perception of personal control lowers stress, enhances engagement, and

provides a safe "home base" from which the student can explore (Firlik 1997: 41).

• **be adaptable.** The more flexible the classroom design, the better. A classroom must be able to accommodate the changes in technology and teaching strategies for several decades to come. Movable fumiture and storage spaces, multiple electrical outlets, and adjustable lighting systems are just some of the factors that influence and expand how a classroom can be used.

It may be more useful to think of the classroom as a living room, interactive museum, or library—where knowledge is discussed and discovered—rather than a space where information is simply transferred from teacher to students. Educational designers have a duty to foster a creative and engaging learning environment. With the continued expansion of technology into the learning process, flexible and thoughtful classroom designs should be the rule rather than the exception.



# Classrooms

#### References

Acoustical Society of America. 1999. "Guidelines for Classroom Acoustics in New Construction." http://www.nonoise.org/quietnet/qc/workshop/ dec97shp/guide.htm.

Bingler, Steven. 1998. "Less is More: Collaborative Learning Environments for the Next Century." In *Learning by Design*. Alexandria, Va.: National School Boards Association.

Bullock, Ann Adams, and Elizabeth Foster-Harrison. 1997. "Making the Best Decisions: Designing for Excellence." Schools in the Middle (November/ December), pp. 37–39, 60–61.

Dyck, James. 1997. "Creating a Leamer-Friendly Classroom." *Principal* (March), pp. 40.

Environmental Protection Agency (EPA). 1999. "Green Lights Program." http://www.epa.gov/greenlights.html.

Fielding, Randall. 1999. "The Death of the Classroom, Learning Cycles and Roger Schank." DesignShare. http://www.designshare.com/Research/Schank/Schank1.html.

Firlik, Russ. 1997. "Designing New Schools: The Race for Space." *Principal* (March), pp. 38–41.

Green, Edward, Paul Cook, and Lorraine Bolt. 1996. "Fitting New Technologies into Traditional Classrooms: Two Case Studies in the Design of Improved Learning Facilities." Educational Technology (July-August), pp. 27–38.

Jilk, Bruce. 1999. "Schools in the New Millenium." American School & University 71(5), pp. 46–48.

Lackney, J. 1998. "12 Design Principles Based on Brain-Based Learning Research." DesignShare. http://www. designshare.com/Research/BrainBasedLearn98.htm.

Maxwell, Lorraine. 1999. "Children, Computers, and School Fumiture." *CEFPI's Educational Facility Planner* (June), pp. 5–7.

Minnesota Department of Children, Families, & Learning. 1997. http://cfl.state.mn.us/FACILIT/GDRECC.HTM.

McDaniel, Craig. 1999. "Budget-Minded Renovation Lights Up Students' Learning." School Planning and Management.http://www.spmmag.com/ articles/1999\_04\_April/article194.html.

National Science Foundation (NSF). 1999. "National Science Foundation Wireless Field Test for Education Project, Old Colorado City Communications." http://wireless.oldcolo.com. North Carolina State Board of Education. 1998. "North Carolina Public Schools: Facilities Guidelines." http://www.schoolclearinghouse.org/pubs/index.htm.

2. . . . . .

Con Charles

Server Barris

School Planning and Management. 1997. "Profile of New Schools Scheduled to Start in 1997." http://www.cefpi.com/cefpi/1997-cr/table5.html.

Taylor, Anne, and George Vlastos. 1975. School Zone: Learning Environments for Children. New York: Van Nostrand Reinhold Co.

Tenbusch, James P., and Harry Vaughan. 1998. "All Wired Up: A How-To Guide to Wiring Classrooms." *Electronic School. http://www.electronicschool.com/* 199809/0998f1.html.

Tyack, David, and Cuban, Larry. 1995. *Tinkering Towards Utopia*. Cambridge, Mass.: Harvard University Press.

#### Additional Information

See the NCEF annotated bibliography Classroom Design, online at http://www.edfacilities.org/ir/hottopics.cfm.

#### Reviewers

Edward Brzezowski, Lee Burch, Blane Dessy, Jim Dyck, Mary Filardo, Amie Glassberg, Matthew Gregory, Judy Marks, and Lorraine Maxwell.

#### Sponsorship

This publication was funded in part by the National Clearinghouse for Educational Facilities (NCEF), an affiliate clearinghouse of the Educational Resources Information Center (ERIC) of the U.S. Department of Education.

#### Availability

NCEF publications are available online at *http://www.edfacilities.org.* For information about printed copies, contact NCEF by phone at (202) 289-7800 or (888) 552-0624, by e-mail at ncef@nibs.org, or by mail at the National Clearinghouse for Educational Facilities, 1090 Vermont Avenue, NW, Suite 700, Washington, D.C. 20005-4905.





U.S. Department of Education Office of Educational Research and Improvement (OERI) National Library of Education (NLE) Educational Resources Information Center (ERIC)



# NOTICE

# **Reproduction Basis**

This document is covered by a signed "Reproduction Release (Blanket)" form (on file within the ERIC system), encompassing all or classes of documents from its source organization and, therefore, does not require a "Specific Document" Release form.

 $\mathbf{X}$ 

This document is Federally-funded, or carries its own permission to reproduce, or is otherwise in the public domain and, therefore, may be reproduced by ERIC without a signed Reproduction Release form (either "Specific Document" or "Blanket").

EFF-089 (3/2000)

