DOCUMENT RESUME

ED 453 640 EF 005 927

TITLE Indoor Air Quality Manual.

INSTITUTION Baldwin Union Free School District, NY.

PUB DATE 2000-00-00

NOTE 29p.; Developed by Baldwin Union Free School District's

Indoor Air Quality Committee.

AVAILABLE FROM For full text:

http://unix32.nysed.gov:921/facplantest/WhatsNew.htm.

PUB TYPE Guides - Non-Classroom (055)

EDRS PRICE MF01/PC02 Plus Postage.

DESCRIPTORS *Classroom Environment; Elementary Secondary Education;

*Prevention; Public Schools

IDENTIFIERS *Indoor Air Quality

ABSTRACT

This manual identifies ways to improve a school's indoor air quality (IAQ) and discusses practical actions that can be carried out by school staff in managing air quality. The manual includes discussions of the many sources contributing to school indoor air pollution and the preventive planning for each including renovation and repair work, painting, animals in the classroom, floor matting, vacuum cleaning, integrated pest management, chemical usage, and univent usage and maintenance. The Baldwin Union Free School District IAQ flow chart, and policies and procedures are included along with the IAQ Concern Report Form, the IAQ Interview Summary Form, and an IAQ Occupant Diary. (GR)



ED 453 640

INDOOR AIR QUALITY MANUAL

For Staff, Students, Parents, & Residents

U.S. DEPARTMENT OF EDUCATION Office of Educational Research and Improvement EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

- CENTER (ERIC)
 This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality.
- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.



PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

Michael Sheehan

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

EF 005 927

Full text available at:

http://unix32.nysed.gov:9210/facplantest/WhatsNew.htm

BALDWIN UNION FREE SCHOOL DISTRICT





BALDWIN UNION FREE SCHOOL DISTRIC

980 HASTINGS STREET BALDWIN, NY 11510-4798

(516) 377-9271 FAX: (516) 377-9421

Dr. Kathy Welse Superintendent of Schools

JAN 1 1 2001

Orenz is a marriage and

January 8, 2001

Mr. Robert Lavery **New York State Education Department** Office of Facilities, Plans Room 1060 **Education Building Annex** Albany, NY 12234

Dear Mr. Lavery:

On behalf of the Baldwin School District, I am pleased that the New York State Education Department has recognized the hard work of our Indoor Air Quality (IAQ) Committee in developing our Indoor Air Quality Manual.

It is our pleasure to grant permission to the State Education Department to put our Manual on its website as an example for other districts. We do require, however, that proper attribution be given to the Baldwin Union Free School District and the IAQ Committee Co-Chairpersons, Mr. Michael Sheehan and Mr. John McGrath, by the State Education Department and/or any school district using the Manual or any portion thereof.

Should you have any questions or need additional information, please do not hesitate to call me.

Sincerely.

Superintendent

athy Wein



This booklet was developed by the District's Indoor Air Quality Committee. The district will review and update the I.A.Q. practices on a yearly basis. The committee encourages your input and involvement.

Please direct all inquiries by telephone to Michael Sheehan, Director of School Facilities, Operations, Safety and Transportation at 516-377-9312 or John McGrath, Chemical Hygiene Officer at 516-377-9223 and in writing to:

Baldwin Union Free School District
Office of Facilities, Operations, Safety and Transportation
960 Hastings Street
Baldwin, New York 11510-4798

Thank you.

I.A.O. Committee Members

Michael Sheehan, Director Facilities, Safety and Transportation - co-chair John McGrath, Chemical Hygiene Officer - co-chair Dr. Cheryl Sulsky, Psychologist, Baldwin UFSD Karen Nasti, RN, St. Christopher's School Mary Hiller, Teacher Assistant, Baldwin UFSD Mary Clark, PTA Council, Baldwin UFSD

The committee members would like to extend their appreciation to:
Dr. Kathy Weiss, Superintendent of Schools
Dr. Lee Chapman, Deputy Superintendent for Administration
Peter LaDuca, Nassau County BOCES
Jean Feola, EPA
Baldwin UFSD Health and Safety Committee Members



INTRODUCTION

This booklet has been developed to encourage and assist the staff, students, parents and residents of our community in reviewing and improving the District's indoor air quality practices. It identifies ways to improve our school's air quality and discusses alternative methods for managing this all-important issue. This booklet was developed in conjunction with:

- The Environmental Protection Agency Tools for Schools Program,
- The Consumer Product Safety Commission booklet, A Guide to Indoor Air Quality,
- The SMACNA booklet, IAQ Guidelines for Occupied Buildings Under Construction,
- The Environmental Protection Agency Guide, Building Air Quality Program
- The New York State Association of School Superintendents of Buildings and Grounds Manual, Maintenance Procedures Manual



Table of Contents

- 1. Overview
- 2. Synopsis of the IAQ Manual
- 3. Sources and Prevention
- 7. Training of Staff
- 8. Personal Items in Use by Staff
- 9. Renovation and Repair
- 11. Painting Procedure
- 12. Animals in Classroom
- 13. Barrier Matting
- 14. Vacuum Cleaners
- 15. Integrated Pest Management
- 15. Chemical Hygiene Program
- 15. Right to Know
- 16. Univents
- 17. School Personnel to be Contacted
- 18. IAQ Flow Chart
- 19. IAQ Board Policy
- 20. Administrative Procedures
- 22. IAQ Report Form
- 24. IAQ Interview Summary Form
- 26. IAQ Occupant Diary



Overview

The goal of this program is to provide clear and easily applied guidance that will help prevent indoor air quality problems and resolve such problems if they do arise. It recommends practical actions that can be carried out by the school staff.

IAQ Coordinator

The district will appoint two IAQ coordinators who shall be responsible for implementing this program. The district's current IAQ coordinators are Michael Sheehan and John McGrath.

The Importance of IAQ

A healthy indoor environment is one in which the surroundings contribute to productivity, comfort, and a sense of health, and well being. The indoor air should be free from significant levels of odors, dust, and contaminants and circulated to prevent stuffiness without creating drafts. Temperature and humidity are appropriate to the season and to the clothing and activity of the building occupants. There should be enough light to illuminate work surfaces without creating glare and noise levels, which interfere with activities. Sanitation, drinking water, fire protection, and other factors affecting health and safety are well planned and properly managed.

Good air quality is an important component of a healthy indoor environment. For the purpose of this document, the definition of good indoor air quality includes:

- introduction and distribution of adequate air
- control of airborne contaminants
- maintenance of acceptable temperature

It is important to remember that while occupant complaints may be related to the time at . work, they may not necessarily be due to the quality of the air. Other factors such as noise, lighting, ergonomics, and job related psychosocial stressors could individually and in combination contribute to complaints.

Commitment

Provisions of good indoor air quality require a conscientious effort by all parties that occupy the building. The district will make the following commitments:

- establish a process that encourages an active exchange of information
- address all maintenance concerns affecting air quality
- · respond to every concern in a timely fashion



Synopsis of the IAQ Manual

Indoor air pollution is a major public health problem that threatens virtually everyone in New York State school buildings. Contaminated indoor air occurs when toxic substances combine with inadequate building ventilation, causing health problems.

In school buildings, poor air quality can be traced to many sources, including office equipment, classroom supplies, and construction materials. In addition, schools are often designed or renovated without attention to ventilation, resulting in sealed windows, blocked vents, and a general lack of fresh air.

The Baldwin School District is committed to providing the best possible environment for the students and staff in our schools. In order to accomplish this we must assure staff, children and parents that our buildings are healthy and safe. Once again Baldwin has stepped forward to deal with IAQ. This manual will deal with issues that help in creating a healthy environment for all that use our buildings.

In the last several years, it has been found that air in buildings can be more contaminated than outdoor air. Our children deserve the best possible learning environment we can give them. A committee of administrators, teachers, nurses, and parents has worked on this manual for the past twelve months. Attention was paid to: cleaning, construction, staff education, possible sources of pollution and how to prevent them, and regulations/standards dealing with Sick Building Syndrome. This was achieved by addressing such areas as the daily and long-term maintenance of buildings, the use of environmentally safe cleaning products, reviewing materials used during construction, and developing a reporting method when problems arise.

Some health effects from indoor air pollutants may be experienced soon after a single exposure or after repeated exposures. An immediate effect that may be experienced is irritation of the eyes, nose and throat, headaches, dizziness or fatigue. These are usually short term and treatable. In some instances it may involve leaving the area and getting fresh air. Many times these symptoms may be similar to a cold or other viral infections, making it difficult to distinguish if you have an IAQ problem. Therefore, it is important to pay close attention to when and where these symptoms occur. If the problem fades or goes away when you are away from the area and returns when you come back, it should be appropriately recorded. This will assist in determining if it is a building-related problem.

With diligence and common sense, on the part of each one of us, we can provide a safe and healthy school for all. You cannot expect this goal to be reached without everyone's involvement. This is not just the maintenance department's problem. Each school should designate a person with whom to discuss and report concerns. Concerns will take time to investigate as will time to find acceptable solutions. The district will look into each concern raised and investigate when necessary. The corrective action may be a simple solution such as changing a filter, or it may be a more involved response such as replacing a large Heating and Ventilation unit. We ask that you have patience and remember many problems are caused by our own actions, so a little thinking before acting goes a long way.

Please help us help you in providing a healthy and safe environment.



SOURCE

PREVENTION

Copy room - other office machines - odor from chemicals used in machine

Chemicals to be replaced must be handled carefully and done by a person who has been trained to do it properly. Keep room ventilated, as recommended

Dust mites - found in upholstered furniture & carpeting

Vacuum frequently using HEPA vacuum or remove from school

Cracks in hard surfaces - store germs and mold growth

Keep floors sealed and polished, this seals cracks and prevents areas of germ growth

Odor from painting

Attempt to schedule during evening hours

Getting rid of rodents

Capture & dispose of rather than spreading chemicals which cause rodents to die and decay within the walls

From Cleaning Process:

Dry mopping floors causes dust to fly more

Dampened lint-less cloths put on dry mops

to hold dust and collect it

Vacuuming exhaust causes dust to fly

everywhere

Use high efficiency HEPA vacuums and

clean filters often

Cleaning fluids have volatile odors

Use more natural cleaners with less volatile

compounds

Strong smells from custodial closets

Stored equipment should be clean and all chemicals should be tightly sealed. Area

should be ventilated

Bathroom odors

Clean daily with disinfectants and ventilate

Aerosol cans & fine mist sprayers of solutions place excessive amounts of product in the air

Use "straight shot" trigger containers or put

liquid cleaner on cloth and wipe

Odors associated with copier machines

Properly ventilate machine or copy room

Mold, fungus & germs in wastepaper baskets and garbage cans

Empty often and line containers with

plastic bags so cans stay clean



From Outside the Structure:

SOURCE

PREVENTION

Contaminated dirt comes into school on children's shoes

Barrier matting (dirt collecting door mats) inside each door to collect outside dirt before it gets tracked into school halls

Animal droppings around school grounds get on children's shoes and brought into school Same prevention as above

Heating oil spills - toxic odor

Immediate cleanup and close windows in affected area

Dirt & dust coming through open windows when lawns being cut

Teachers should keep windows closed at this time

Mice, rats or roaches in school

Keep all food in airtight containers – dispose of food garbage in closed plastic bags. Follow I.P.M. procedures

From Inside the Structure:

Mold spores in air from dirty air system

Keep all parts; air intakes, air distribution dampers, air filters, drain pans, heating & cooling coils, interior walls, fan motor & belts and air distribution pathways clean

Black mold in areas that get wet (from rain or interior leaks) like walls, ceiling tiles & cellulose surfaces

Leaks must be repaired - mold infested area cleaned, dried and refinished

Sewage back flows – severity of health threat depends on content of sewage and amount of area exposed Monitor restrooms – clean and sanitize spills immediately monitor check valves & traps – have proper plumbing

Growth of mites, fungus & molds on walls and furniture due to improper moisture levels in school – associated with allergic & non-allergic respiratory disease Humidity – air moisture levels must be monitored & areas of contamination must be cleaned and disinfected and thoroughly dried



From Occupants:

SOURCE

PREVENTION

Germs & viruses spread by sneezing, coughing and contact with infected
equipment; i.e., telephones, pencils, papers, etc.

Remind people to wash hands, use tissues, cover their mouths and have proper air ventilation to exhaust infected air

Sick person vomits - many germs exposed

Clean up properly, disinfect and ventilate area

Porous materials such as upholstered chairs & couches and rugs harbor germs, dust mites, viruses & dirt

If not vacuumed and cleaned often they should be removed

Books and papers that are wet will fester mold spores

Thoroughly dry - if mold develops, discard

Potted plants on window sills bring and attract insects, and harbor germs

Should be strictly limited

Lost & found area – clothes & lunch boxes thrown together in a corner – Who knows what could be growing there??

Must not be allowed to "pile up." Lunch boxes should be emptied and cleaned before being put in pile

Decaying foods in refrigerator or freezer – supporting the growth of mold

Foods should be checked and thrown out - refrigerators and freezers should be empty during summer

Cigarette smoking - tar and ash major pollutant

Eliminate smoking

Chalk dust and dust in reservoir and on erasers

Should be cleaned or vacuumed often

Odors from chemicals used for science experiments

Classroom should be well vented when using chemicals. Tightly seal containers when not being used. Follow Chemical Hygiene Plan

Odors from paints and materials used in art classes & technology classes

Same as above



SOURCE

PREVENTION

Body odor - especially from older students Go over good cleanliness habits

after gym

Food mold & microorganisms from rotting

food

All foods should be kept in air-tight containers and discarded before going bad

Perfume - too much Encourage staff/students to limit amount of

perfume/cologne

Volatile odor of some colored markers

Only use unscented markers



Training

Training of staff is an integral part of an effective Indoor Air Quality Program because the level of technical background that a staff member may possess and the degree of hazard to which he or she might be exposed vary dramatically. Generally, those involved with students in a classroom setting, teachers, teaching assistants, administrators, and others, constitute one large training segment. Those involved in the school from different perspectives, housekeeping and maintenance staff, cafeteria workers, and clerical or office staff, are a second large group.

All training will be part of the "Employee Right-To-Know" instruction. For Indoor Air Quality or Hazard Communication training, employees will be apprised of applicable laws; given an explanation of the information contained in Material Safety Data Sheets; made aware of the methods of detection of contaminants in the workplace; told the physical and health hazards of chemicals known to be in the work area; and notified as to the protective measures in place regarding any hazardous substances. Documentation of the content included in the training session(s) will be included in the written Hazard Communication binder. Training for administrators will include dealing with concerns raised by students, staff, and residents of the District



Personal Items in Use by Staff

Today schools are faced with new and mounting regulations. Compliance with these regulations issued by federal, state and local governmental agencies requires cooperation between employee groups and the administration. An example is the District's Integrated Pest Management Program. It forbids the application of any pesticide/insecticide by anyone other than a NYS licensed applicator, yet on occasion we have come across a can of insecticide an employee has brought in from home. Should this person actually use the product on school grounds they are committing a crime. This same person may appropriately use the identical product at home. While this may be an extreme example, it is important for all staff to understand the basic fundamentals of Indoor Air Quality when applied to bringing in materials, equipment, and furniture from home. Some areas of concern are as follows:

- Food: If any food is kept in a classroom, it should be in a sealed plastic or metal container
 and should be limited to immediate needs only. Food consumption in classrooms is not a
 desirable practice, but when permitted, necessary precautions should be taken to reduce longterm problems. These problems include the nutritional support of microbial, insect, and
 rodent populations, and the subsequent concern over unpleasant odors and diseases.
- Heaters, fans, beverage makers, etc.: Staff members are discouraged from bringing in any electrical equipment from home. Each employee must realize that all equipment used in our schools must meet federal and state requirements and be UL approved. It is the responsibility of the District to meet these requirements and when employees bring in items from home it is impossible to monitor compliance. In addition, some electrical devices may emit odors (e.g. the "hot plastic smell") that are unpleasant or irritating to building occupants. Malfunctioning devices may produce additional air contaminants that are potentially toxic or allergenic.
- Furniture, rugs: Staff members are discouraged from bringing in any furniture or carpets to be used in classrooms. Beside the potential health concerns, under no circumstances should the employee expect the District to clean, maintain, repair or replace any personal items.
- Chemicals: Staff must not bring in any type of cleaner, disinfectant, pesticide, insecticide, paint, (etc.) for use in school. These are highly regulated materials and any use of these chemicals may unknowingly jeopardize the health and safety of staff, students and residents. It should also be understood that disposal of these products is strictly regulated by federal, state, and local laws.

It is the recommendation of the IAQ Committee that:

- I. staff members be informed of the problems associated with bringing in personal items for use in school.
- II. consumption of food in classrooms, when permitted, be regulated and monitored by a building administrator.



14

BALDWIN UFSD

Renovation and Repair

When planning and conducting renovations in schools, it is important to remember the four potential causes of indoor air problems during the construction:

- Demolition that may release toxic materials
- Construction dust and fumes
- Designs that interfere with ventilation
- Off-gassing from building materials and new products

You can minimize these problems by making good indoor air quality a top priority during project planning.

General Activities

Do not disturb asbestos during renovation. All workers are to be informed of any asbestos that may be in areas they are working and also advised that they are not to disturb this material. All contractors shall review the district's asbestos management plan which is available in every building.

Avoid exposure to fungi and bacteria. If renovation is likely to produce or expose large areas of microbial growth such as mold and mildew, the safety officer of the district should be consulted to determine how to minimize these conditions.

Plan to isolate students and staff from any dust or fumes generated during construction work. Use the appropriate plastic sheeting, portable fans, and a mechanical ventilation system to prevent dust and fumes from reaching school occupants through hallways, doors, windows and the ventilation systems. Consider conducting renovation work during off-hours when the school is not occupied by students. All work shall be reviewed with building administration before and during the project. Job meetings shall be held as necessary with building level involvement.

Consider the effect of the renovation on ventilation systems in the building and beware of reducing or cutting off a room from its outdoor air supply.

Minimize the potential for off-gassing from new products. New products often contain volatile constituents, such as resins, solvents and binders, which off-gas volatile organic




compounds for a period of time. Whenever new products with the potential for offgassing are installed, allow adequate time for this off-gassing before reoccupying the area. Also increase ventilation with outdoor air until off-gassing odors and irritation occur no longer. Examples of products which may off-gas are:

- Wall paneling
- Draperies
- Composite wood furniture and cabinets
- Cubicle dividers
- Carpet and vinyl flooring
- Paints and finishes

Contractors

- The contractor shall be required to supply MSDS for each and every product used.

 In turn, the MSDS shall be filed in the school MSDS binder. The contractor shall advise all of his employees that under no circumstances shall any product be used unless a MSDS is on file with the School District.
- All contractors shall be required to wear District I.D. badges while on school property.
- The contractor shall insure all products left on school property are properly stored and contained.
- The contractor shall leave no vehicle running for more than two minutes.
- The contractor shall use no gas, propane or natural gas powered equipment in the building.
 - The contractor shall be responsible to provide adequate ventilation for all jobs. This shall include the proper exhaust of all dust, fumes and odors.
 - The contractor shall be required to sign in and out on a daily basis and review the districts asbestos management plan before any work begins.





Painting Procedure

The school plant is an important factor in the functioning of the total educational program. Proper maintenance of school buildings is necessary to provide a healthy and pleasant atmosphere. Based on past experience, certain steps must be taken by all concerned prior to the beginning of work to ensure minimum disruption occurs to the teaching process and maximum information is communicated between all involved parties. To this end the following procedures shall be followed:

- Use water low VOC latex-based paints as much as practical
- When it is necessary to use oil-based paints, use only on the evening before a
 weekend or holiday when school will not be occupied the next day
- Painting, when practical, shall take place during the evening hours or when school is not in session
- Never use lead or mercury-based paints
- A 48-hour notice shall be given to staff that painting will take place in a building via the building principal
- A copy of the Material Safety Data Sheet shall be kept on file in the MSDS binder for the school building

All staff members are to be advised that any and all concerns with painting should be directed to the building principal as soon as possible.



11. IAQ paint

Animals in the Classroom

Certain individuals, in particular those with asthma, may be sensitive to animal fur, dander, body fluids, feces and may experience reactions to these allergens. Furthermore, individuals can become sensitized (made allergic) by repeated exposure to allergens. Therefore the following is recommended before animals are kept in a school:

- Use alternatives to animals when possible
- Prior to having animals, consult the school nurse about student allergies or sensitivities
- Ask parents about potential allergies, prior to animal arriving
- Locate sensitive students away from animals and habitats
- Have teacher clean cages a minimum of once a week
- Locate cages away from ventilation system
- Use gloves when cleaning cage and immediately remove waste from the classroom
- Store animal food in tightly sealed containers
- Do not let animals roam freely
- Discourage visiting animals
- Secure permission from building administrator for animal to be in your room



12. Animals in the classroom

Barrier Matting

The proper application of floor matting at building entrances and other key building areas is the first step in creating a good Indoor Air Quality Program. An effective matting program can catch, trap, hold and hide dirt and moisture. The end result will be a cleaner and healthier school environment.

A survey was completed by the District's Director of School Facilities and the building Head Custodians in October of 1997. Recommendations were based on the type and amount of usage at each entrance. Matting purchased is a scrape and dry type as manufactured by Encore Inc. Entrance mats have been purchased and installed at every school as per the survey recommendations.

The following maintenance program will be implemented to assist in our Indoor Air Quality program:

- Daily vacuuming, sweeping and shaking clean
- Monthly cleaning with an approved cleaner
- Twice yearly deep clean using a carpet extractor

10/97

13. Matting



Vacuum Cleaners

A recent study conducted by Phil Lawless, Senior Research Physicist for the Research Triangle Institute located in North Carolina found that the penetration of particles through the vacuum cleaner bag and leaks from vacuum cleaner housings were found to be the major source of particles released from vacuuming. Using measured amounts of dust on bare floors and on carpets, the vacuum cleaner was monitored for particle release. Clean and dirty bags were used in these tests. The main finding was that the initial emission of particles is much larger than steady emissions from a vacuum cleaner. The peak emission rate is roughly proportional to the amount of dust on the floor. Although the initial emissions are of a short duration, the amount of dust is equivalent to running the vacuum cleaner for 1 to 2 hours.

Recommendation: use vacuum cleaners that are equipped with a hospital filter or a HEPA (high efficiency particulate air) filter. The study found that the startup emissions are less likely to be a problem when using the HEPA filter.

It is the recommendation of the IAQ committee that the district purchase only HEPA filter vacuum cleaners for use in all school buildings. The estimated cost is approximately 4% more to equip a vacuum cleaner with this improved type of filter.



Integrated Pest Management

Integrated Pest Management (IPM) is a coordinated approach to pest control to prevent unacceptable levels of pests, while causing the least possible hazard to people, property, and the environment and using the most cost-effective means. An effective IPM program will integrate pest management with preventative maintenance, housekeeping practices, landscaping, occupant education, and staff training.

The Baldwin UFSD has a comprehensive IPM program and this program is to be followed by all staff.

Chemical Hygiene Program

The Baldwin UFSD's Laboratory Chemical Hygiene Plan has been developed through extensive use of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.14500) which addresses occupational exposure to hazardous chemicals in laboratories. This standard in turn extracted much information from Prudent Practices for Handling Hazardous Chemicals in Laboratories, published by the National Research Council which is a well respected publication within the laboratory science community. The School District has developed a written Chemical Hygiene Plan in an attempt to afford protection from health hazards associated with chemicals in the laboratory and to keep exposure below specified limits.

Right to Know

The Right-to-Know Law will help workers learn of any job related health risks for themselves or their families and assist the employer in protecting their workers.

The Baldwin UFSD provides yearly right to know training to appropriate staff and to all new employees upon hire. Material Safety Data sheets are kept in the main office of each school and may be reviewed upon request.



BALDWIN UNION FREE SCHOOL DISTRICT

I. A. Q.

UNIVENTS

Univents:

The vast majority of classrooms have a univent. This is a system that has a heating coil, much like a car radiator, with blowers (fans) mounted underneath the coil. The blowers blow air through the coils to heat the room and to provide fresh air. Each univent has a damper that controls the amount of fresh air that comes into the room. The heat is controlled by the thermostat typically located by the classroom door.

The top of the univent should never be blocked or covered. Students' and teachers' desks should not be in the immediate area of the univent as return grilles at the bottom of the univent create a constant flow of air which should not be impeded.

Thermostats:

The amount of heat and fresh air is regulated by the thermostat. The thermostat, typically set at 68° - 70°, determines when the univent coil becomes hot. It is a pneumatic system that opens and closes a valve at the univent to allow the steam or hot water into the coil. Example: A room is set at 62° night stat. and at 68° day stat. At 6:00 a.m. the system goes on days -- now the univent is pumping heat to warm an empty room from 62° to 68°. At 9:00 a.m. the empty room, which is now 68°, becomes occupied by 25 people. The room now satisfies at 70° and begins the cooling process (fresh air and return air). The coil cools down, as the valve regulated by the thermostat either completely or partially closes to stop the steam/ hot water to the coil. The coil will not heat up until the thermostat reads approximately 67° at which time the valve will open and allow steam/ hot water back into the coil. The cool air is a mixture of fresh air and return air being blown into the room. This process helps in preventing a build up of gasses, germs, etc.

Univent Service:

Twice a year, all univent filters are changed using a synthetic filter. They have an American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE) rating of 30% efficiency and contain no fiberglass. These filters remove pollutants down to 5 microns. Along with filter replacement, the coils are cleaned and disinfected. The unit is completely vacuumed, the motors are lubricated, and an inspection is made for any problems. Steam traps are replaced once every six years.

Any and all problems with this system should be reported immediately to the building administrator. Please remember cool air blowing from the univent is part of the fresh-air process.



Univents

School Personnel to be Contacted


In the event of an IAQ concern, any student or staff member should immediately inform the person who directly supervises them. In the event that the cause of the IAQ concern cannot be determined or corrected at this level, the procedure progresses in one of two directions.

If the cause of the concern is determined, but a solution can not be reached, a maintenance request submitted through the building principal is the most probable course of action. If the cause cannot be determined the affected person should prepare an IAQ concern report form. Once this form is received, an interview will be arranged to gather further information. If additional data is needed, the individual may be asked to keep an "Occupant Diary" to aide in the investigation.

Once the investigation of the IAQ concern begins, the building principal and nurse will be informed as other staff and students may be experiencing similar effects. The IAQ coordinator or his designee will conduct the initial interview. The individual making the report is encouraged to advise their union officials who may be present during the interview. Upon resolution of their concern, the Deputy Superintendent for Administration will be informed so as to determine if the findings should become part of employee's personnel file. As an example, TSCA requires records be kept of alleged chemical exposures and/or alleged allergic reactions to exposure to chemicals.




BALDWIN UNION FREE SCHOOL DISTRICT



^{*}Student to teacher

^{*}Resident to Principal



INDOOR AIR QUALITY

The Board of Education recognizes the importance of providing safe and well maintained facilities for use by students, staff, and residents.

The district shall implement an Indoor Air Quality program to ensure a healthy work place for students and staff as recommended by the Environmental Protection Agency (EPA) in the Tools for Schools guidelines. The district shall educate students and staff on the Indoor Air Quality program.

Other policies adopted by the Board of Education which relate to safe and well maintained facilities include Policy 4132 (Smoking) which prohibits smoking of any kind in school and on school grounds and Policy 2330 (Integrated Pest Management) which provides regulations limiting the use of pesticides and insecticides.

The superintendent of schools shall establish administrative procedures to implement the Indoor Air Quality program.

Reference:

Environmental Protection Agency Tools for Schools guidelines Policy 2330 - Smoking Policy 4132 - Integrated Pest Management

Adopted Board of Education November 10, 1999

19. Board Policy



INDOOR AIR QUALITY

The superintendent of schools shall ensure that the Indoor Air Quality (IAQ) program is implemented utilizing the following methods:

- 1. Authorizing the creation of an Indoor Air Quality Committee that will annually review procedures and make recommendations;
- 2. Creating a handbook to be used as a resource guide by students, staff, and residents;
- 3. Providing training in IAQ as recommended by the Environmental Protection Agency (EPA) in the Tools for Schools guidelines;
- 4. Establishing air quality control procedure for use during renovation and remodeling projects;
- 5. Exploring alternative products and procedures to be used in the cleaning process and maintenance activities;
- 6. Seeking alternative materials for use in art instruction, technology instruction, science instruction, and office use;
- 7. Establishing a written maintenance program for the building heating, ventilation, and air conditioning (HVAC) systems which shall be proactive and preventative in scope;
- 8. Developing a reporting protocol for registering concerns of staff, students, and the community.

Procedures shall be consistent with the district's Chemical Hygiene Program, Right-to-Know Program, Integrated Pest Management Program, Personal Protection Program, and all other pertinent Board of Education policies.

Reference:

Environmental Protection Agency Tools for Schools guidelines November 10, 1999

20. Administrative Procedures



Baldwin UFSD

Indoor Air Quality Concern Report Form

To report an Indoor Air Quality concern, please complete this form in its entirety. Upon completion it should be turned in to your building administrator. Upon his/her review, follow up action will be taken. You should retain one copy for your records.

Name:		Title:
Building involved:		Exact location of concern:
Date of this report:	*	
		•
	,	
		•
List names of any other staff mem	bers that may be a	ffected:
By completion of this form you sh	ould be aware that	you may be interviewed by a school administrator to ped to correct this concern. An interview summary
Concern registered by:		day phone #
FOR APPLOP HAS ALL THE	Signature	
FOR OFFICE USE ONLY TH	IS LOWER SECT	ION TO BE COMPLETED BY SUPERVISOR
Date received:	by whom:	
Recommended action: resolved at Forward to IAO coordinator	building level	no further action recommended:



BALDWIN U.F.S.D. INDOOR AIR QUALITY INTERVIEW SUMMARY FORM Page 1 of 2

Building Name:	File Numb	ber:
Occupant Name:	Work Locati	on:
Completed by:	Title:	Date:
SYMPTOM PATTERNS		
• •	are you experiencing?	
Are you aware of other people with sir	milar symptoms or concerns? YesN	o
	ake you particularly susceptible to environmen	
contact lenses allergies	chronic cardiovascular diseasechronic respiratory diseasechronic neurological problems	undergoing chemotherapy or radiation therapy immune system suppressed by disease or other causes
TIMING PATTERNS		
When did your symptoms start?		
When are they generally worst?	446	
Do they go away? If so, when?		
Have you noticed any other events (su	ach as weather events, temperature or humidity your symptoms?	v changes, or activities in the building) that



Baldwin UFSD

I.A.Q. Occupant Diary

Occupant Name:	_Title:	Date:
School:	File #	

On the form below, please record each occasion when you experience a symptom of ill-health or discomfort that you feel may be associated with an environmental condition in your building.

It is important that you record the time, date and location within the building as accurately as possible. This will help to identify conditions that may be associated with your problem. Also, describe the severity of your symptoms and their duration. Any other observations that you feel will help in identifying the cause of the problem should be noted in the comments column. Feel free to attach additional pages or use more than one line for each event. Also, you should keep a record of any related occurrences that occur outside your workplace.

Time Pare	Propagoit In	KS 17 TO THE REAL PROPERTY.		
			-	
		'		
				A ANNUAL MANAGEMENT OF THE STATE OF THE STAT
· · · · · · · · · · · · · · · · · · ·				•
· -				1-20-dis-20-0-capa-2-dis-20-0-
, acc		· ;		
· · · · · · · · · · · · · · · · · · ·		<u> </u>		
		:		
*				
		·	A CONTRACTOR OF THE PARTY OF TH	
,		MAKEN A. S.		
•				
wine committee				
	**			



time/date | location |

symptom

severity / duration

comments

IAQ report form



U.S. Department of Education

Office of Educational Research and Improvement (OERI)
National Library of Education (NLE)
Educational Resources Information Center (ERIC)



REPRODUCTION RELEASE

(Specific Document)

Title: Indoor Air Quality M	anual for Staff, Students, Paren	ts and Residents
Author(s) Michael She	ehan and John McGrath	
Corporate Source:		Publication Date:
Baldwin Union Free School Di	strict	2000
II. REPRODUCTION RELEASE	!	
monthly abstract journal of the ERIC system, Re and electronic media, and sold through the ERI reproduction release is granted, one of the follow	e timely and significant materials of interest to the educisources in Education (RIE), are usually made available Document Reproduction Service (EDRS). Credit is ving notices is affixed to the document. Seminate the identified document, please CHECK ONE or the seminate the identified document.	le to users in microfiche, reproduced paper copy s given to the source of each document, and,
The sample sticker shown below will be affixed to all Level 1 documents	The sample sticker shown below will be affixed to all Level 2A documents	The sample sticker shown below will be affixed to all Level 2B documents
PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY
sample	Sample	Sample
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)
1	2A	28
Level 1	Level 2A	Level 2B
Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) <i>and</i> paper copy.	Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only	Check here for Level 2B release, permitting reproduction and dissemination in microfiche only
Docum If permission to re	ents will be processed as indicated provided reproduction quality perioduce is granted, but no box is checked, documents will be proc	ermits. essed at Level 1.

	as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agent to satisfy information needs of educators in response to discrete inquiries.		
Sign here,→	Signature: Affilia	Printed Name/Position/Title: MICHAEL Sheehan DIR.	
S'-ase	Organization/Address:	Telephone: 5/6377.93/2 FAY/6377.9703	
KĬC .	19400012) UFVA	E-Mail Address: Date: Date:	
rovided by ERIC	960 HASTINGS ST. 32000100000 11510	(over)	

III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

Publisher/Distributor:
Address:
Price:
IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:
If the right to grant this reproduction release is held by someone other than the addressee, please provide the appropriate name an address:
Name:
Address:

V. WHERE TO SEND THIS FORM:

Send this form to the following ERIC Clearinghouse:

National Clearinghouse for Educational Facilities
National Institute of Building Sciences
1090 Vermont Ave., N.W., Suite 700
Washington, DC 20005-4905

However, if solicited by the ERIC Facility, or if making an unsolicited contribution to ERIC, return this form (and the document being contributed) to:

ERIC Processing and Reference Facility 4483-A Forbes Boulevard Lanham, Maryland 20706

> Telephone: 301-552-4200 Toll Free: 800-799-3742 FAX: 301-552-4700

e-mail: ericfac@inet.ed.gov WWW: http://ericfac.piccard.csc.com

FRIC