

Journal of Applied Research on Children: Informing Policy for Children at Risk

Volume 8

Issue 1 *We Can Do More: Challenges and Opportunities for Teen Pregnancy Prevention*

Article 4

2017

Be Legendary – Using Intervention Mapping and Participatory Strategies to Develop a Multi-Component Teen Pregnancy Prevention Intervention for Older Teen Males of Color

Kimberly Johnson

University of Texas Health Science Center, kimberly.johnson@uth.tmc.edu

Christine Markham

Christine.Markham@uth.tmc.edu

Rianne Smith

UTHealth School of Public Health, rianne.l.smith@uth.tmc.edu

Susan R. Tortolero

University of Texas Health Science Center at Houston, susan.tortolero@uth.tmc.edu

Follow this and additional works at: <http://digitalcommons.library.tmc.edu/childrenatrisk>

Recommended Citation

Johnson, Kimberly; Markham, Christine; Smith, Rianne; and Tortolero, Susan R. (2017) "Be Legendary – Using Intervention Mapping and Participatory Strategies to Develop a Multi-Component Teen Pregnancy Prevention Intervention for Older Teen Males of Color," *Journal of Applied Research on Children: Informing Policy for Children at Risk*: Vol. 8 : Iss. 1 , Article 4.

Available at: <http://digitalcommons.library.tmc.edu/childrenatrisk/vol8/iss1/4>

The *Journal of Applied Research on Children* is brought to you for free and open access by CHILDREN AT RISK at DigitalCommons@The Texas Medical Center. It has a "cc by-nc-nd" Creative Commons license" (Attribution Non-Commercial No Derivatives) For more information, please contact digitalcommons@exch.library.tmc.edu



Background

Research on males and teen pregnancy indicates significant negative life outcomes and substantial racial/ethnic disparities. African-American and Hispanic teens are more likely to become teen parents¹ than white and Asian teens. For African-American male teens in particular, teen fatherhood is associated with negative outcomes (high school dropout, unemployment, criminal activity).²To date, no effective teen pregnancy prevention intervention has been developed specifically for older teen males from disadvantaged backgrounds. Although most pregnancy prevention efforts have not directly targeted adolescent males, there is an increasing recognition that they should be engaged in such efforts.³⁻⁴ Most men believe they share equal responsibility with their female partners for decisions about contraception.⁵ However, young men, especially blacks, do not have an adequate knowledge of female contraception methods, such as long-acting reversible methods, and emergency contraception methods.⁶⁻⁷

Contraception use is higher when male partners are involved in contraceptive decision-making than when they are excluded, and male involvement in contraception decision making increases the use of dual protection.⁸⁻¹¹ However, few interventions that have been shown to be effective in preventing teen pregnancy are designed specifically for young men. A systematic review identified 35 rigorously evaluated interventions found to have an impact on sexual risk behaviors, teen pregnancy, and/or sexually transmitted infections.¹² Most of these interventions included male and female participants; however, only one of these interventions was designed specifically for males.¹³ These interventions were typically designed as HIV/STI prevention interventions and focus primarily on condoms, with relatively little discussion of other contraception methods. Furthermore, these interventions typically lack a focus on the shared responsibility of contraceptive decision-making or on sexual and reproductive health services. Because of their scarcity, rigorous evaluations of interventions targeting male-specific risk and protective factors for teen pregnancy are missing from the peer-reviewed literature.¹⁴⁻¹⁷ Thus, federal agencies and professional groups are calling for more teen pregnancy prevention programs for males.¹⁸⁻²⁰

Our team sought to fill this gap through the development of Be Legendary (BL). BL is an innovative, culturally appropriate multi-component school-based teen pregnancy prevention intervention for African-American older male teens living in economically disadvantaged areas. BL was developed using Intervention Mapping,²¹ participatory methods and design

thinking strategies.²² This article outlines the methods we used in developing BL, key lessons learned and insights from working alongside African-American male teens.

Intervention Development Activities

Our team engaged in three major activities to develop BL. These included: completing the Intervention Mapping process, conducting participatory development strategies with the target population using design thinking tools and convening a stakeholder advisory group. We provide a description of each major activity here along with lessons learned.

Activity 1. Intervention Mapping

We used Intervention Mapping (IM), a systematic instructional design approach, to guide intervention development. IM is a stepped developmental process that incorporates evidence from empirical and theoretical research to inform each phase of intervention development in order to influence changes in health-related behavior²¹. IM involves five steps that include: (1) assessing needs and establishing community support, (2) developing planning matrices to assess necessary intervention elements, (3) selecting theory-based methods and strategies for intervention production, (4) developing program components and activities and (5) planning for program adoption, implementation and sustainability.

Steps 1 – 3: Needs assessment activities involved implementing school wide health behavior surveys in target high schools to examine the problem scope. We also facilitated listening sessions with male teens to understand their needs and desires for education related to teen pregnancy, relationships and post-secondary opportunities. After a thorough review of the literature to better understand the target population's needs, we selected multiple theories and empirically based frameworks that served as the foundation for intervention development. These include social cognitive theory, theory of planned behavior, critical race theory, trauma-informed strategies and healthy masculinity framework.²³⁻²⁷ BL targets the following health and behavioral outcomes: For health and quality of life related outcomes BL seeks to decrease unintended partner pregnancy, decrease STD/HIV, increase high school completion and increase post-secondary opportunities. To do this, BL proposes to target the following behaviors: correct and consistent condom use, partner use of effective contraception, partner communication, healthy intimate relationships, personal goal setting

and mentor support. At this step, we identified theory based change methods. Theoretical methods and strategies were operationalized into practical strategies (e.g., persuasive communication, modeling, chunking, stereotype inconsistent information, counter storytelling) to influence psychosocial determinants that will ultimately lead to behavioral change (See Fig. 1).

Steps 4-5: At this stage, we used participatory activities to develop intervention components, activities and materials (Step 4) and to plan for program adoption and piloting (Step 5). Our purpose was twofold. We first wanted to center the experience of African-American male teens in order to develop a culturally responsive program related to teen pregnancy prevention, a topic they are often not engaged in. We also wanted to assess the needs and wants of youth service providers who served African-American male teens to ensure that the intervention developed would be feasible for implementation. The next section will describe both participatory activities undertaken during intervention development.

Activity 2. Participatory Engagement with Target Group

Due to the lack of interventions on sexual and reproductive health for older teen males of color,¹² engagement with the target population was critical for BL development. Through the use of participatory research methods²⁸⁻²⁹ and design thinking strategies²² we (1) developed and refined intervention activities, (2) developed intervention scope and sequence, (3) refined initial behavioral outcomes from IM Step 3, and (4) gained further insight on intervention messaging, facilitator approach, and intervention delivery. Our project team became immersed into the lives, feelings, and realities of older male teens and the complexities they experience related to sexual health and overall well-being. This immersion experience transformed the Be Legendary concept into a comprehensive, multi-component intervention reflective of the target population's actual needs.

We engaged 13 male high school students ages 16-19 in weekly workshop sessions over a six month period. Students participated in design thinking strategies adapted from IDEO's Design Thinking for Educators Toolkit²² to refine BL program goals, activities and recruitment/retention strategies. During 1.5 hour-long sessions, our project staff facilitated intervention activities to get their feedback, reactions and insight. We also facilitated group discussions on each Be Legendary session topic to better understand their attitudes to the program concept and approach. During the final three meetings, we sought to better understand how they felt about the

program goals, their suggestions on how the program should look and feel and their attitudes toward the intervention as whole. Through the use of nominal group process techniques³⁰⁻³¹ we facilitated an activity to understand how students felt about each of the proposed behavioral objectives. During this particular activity, male interns also acknowledged that the proposed goals did not encompass all that they felt was important for a young man to “be legendary” and make healthy decisions. They stressed the importance of managing stress and giving back to their community as helping young men maintain healthy lifestyles. The students overwhelmingly agreed that giving back to their community included providing education to their peers about information they would learn in Be Legendary group sessions. They also acknowledged that community service, in general, is important. This influenced our decision to add two additional behavioral outcomes (practicing self-care and participating in service learning – See Fig. 1).

Through the use of storyboards, we allowed students to map out how the Be Legendary intervention should recruit and engage participants (See Fig. 2). Storyboards confirmed that group sessions should be engaging, include participants themselves leading discussions, and should include competitive games or debate-style learning techniques. Also, the majority of interns supported sharing the information with non-BL participants in effort to share knowledge and encourage peers to be healthy.

Activity 3. Community Advisory Group

We engaged an advisory group of school-based and community-based stakeholders who provide services to African-American male teens. This advisory group included stakeholders from a variety of sectors including school districts, social service agencies, clinical services, higher education, workforce education, and local health departments. Input from the community advisory board assisted our project team in determining the most feasible setting for implementation, criteria for program facilitators, insights on scope and sequence and strategies for male recruitment.

Intervention Components

From these three major activities, Be Legendary (BL) was developed into a multi-component intervention that includes innovative strategies for teen pregnancy prevention. Engagement with the target population to develop Be Legendary provided several key insights that program developers incorporated into each component. BL seeks to challenge the way both adults and youth view male roles in relationships and family planning by providing them with communication skills to support healthy decision

making and partner support. BL combines sex education, socio-emotional learning and youth development to improve sexual and reproductive health outcomes and build socio-emotional and leadership skills. To do this BL is comprised of three components that include group educational sessions, youth-initiated mentoring and service learning.

Component #1: Group Education Sessions

The Be Legendary (BL) curriculum is intended to provide male participants with the necessary education and skills to change their sexual health behavior and develop core social emotional skills³². The BL curriculum includes 12 sessions that focus on goal-setting, healthy relationships, consent, condom use, contraception-related communication, stress management and leadership (See Table 1). Session activities use theory-informed strategies such as interactive learning, chunking, counter-story telling, and games to keep participants engaged and facilitate learning and skill building. Group education sessions will focus on program goals that state males will 1) use condoms; 2) communicate with partners; 3) have healthy relationships; 4) select personal goals for post-secondary opportunities; 5) select mentors who support their decision-making; 6) practice stress management; and, 7) get involved, give back, and share with information others (service learning) (See Table 1).

In these group sessions BL challenges common perceptions of African-American males and their sexual behavior through counter-storytelling and message framing. Additionally, engagement with the target group provided us with critical discussion and facilitation points for the curriculum especially as it relates to contraception-related communication and healthy relationships. Mainly, male teens cited that gaining skills on how to communicate through disagreement with partners was important to them and would make it easier for them to have discussions regarding contraception. Group sessions also encourage male teens to accept healthy masculinity as a basis for their attitudes and behaviors around sex, relationships, well-being and community impact (See Table 2).

Component #2: Youth-Initiated Mentoring

Having a meaningful relationship with a non-parental adult is a protective factor for sexual health behavior.³³ Initially, Be Legendary sought to strengthen interpersonal relationships through mentoring. However, through our participatory engagement efforts we learned that males did not always trust mentors that they did not know. Specifically, they felt judged by outside adults and were apprehensive of that model. This led program developers to investigate youth-initiated mentoring (YIM) as an alternative

model. YIM was more acceptable to our target population than the traditional mentoring. YIM is a promising approach for working with vulnerable adolescents and is associated with improved educational and behavioral outcomes.³⁴ YIM is unlike traditional mentoring models in that youth are not matched with adults they do not know. Instead youth nominate non-parental adults in their existing social networks (e.g. teachers, coaches, extended family, pastors) whose role is to support them during and after an intervention period.³⁴ If given appropriate guidance, these natural mentors help reinforce positive norms regarding responsible sexual behavior.

For Be Legendary, YIM is proposed to help strengthen male participants' current social network by training youth-nominated mentors to support healthy decision making among mentees. In Be Legendary group sessions, males will nominate 2-3 people in their social network that they value and respect. A Be Legendary facilitator would contact those people and provide them with information on the BL program and tips to help support males in healthy decision-making through an abbreviated workshop/training. These "youth-identified" mentors will reinforce curriculum messages and help support healthy decision-making.

YIM is also a more feasible mentoring strategy for schools and partnering agencies than traditional mentoring. Because there is no length or time requirement in the YIM model as opposed to traditional mentoring, YIM has been shown to be more cost effective and sustainable.³⁵ In instances when a young person cannot identify a mentor on their own, a rare occurrence³⁵ program staff would identify mentors within the school to provide guidance when appropriate. This component supports the environmental intervention goal of providing messages in support of healthy decision-making without judgment and bias (See Fig. 1).

Component #3. Service Learning

Service learning/community service components are a frequent characteristic of effective sexual behavior change programs.³⁶ This also supports social and emotional learning approaches that emphasizes giving youth opportunities to participate in experiential learning and leadership.³² An additional Be Legendary environmental intervention goal includes providing opportunities for males to participate in meaningful community engagement and leadership activities (See Fig. 1). Be Legendary proposes to connect male participants to meaningful service learning within their school, neighborhood, and larger communities. This could include providing peer education to peers or participating in community-based initiatives (i.e. urban gardening, early-childhood literacy programs).

Conclusion

Working alongside males to develop BL helped to broaden our scope and transform BL into a comprehensive, multi-component intervention reflective of the target population's desires, needs and motivations. Be Legendary provides an innovative approach to engaging older male African-American teens at risk for early fatherhood and other negative sexual health outcomes by using an asset-based model that sees male participants as potential leaders in their community. Be Legendary seeks to challenge the way both adults and youth view male roles in relationships and family planning by providing them communication skills to support healthy decision making and partner support. Be Legendary takes a revolutionary stance by challenging common perceptions of African-American males and their sexual behavior through counter-storytelling and message framing. Be Legendary also challenges norms on toxic masculinity and provides participants with an alternative messages and skills considered healthy masculinity.

Given that school truancy and delinquency is a predictor of early teen pregnancy,³⁷ ecological approaches that are inclusive of school policies and practices impacting the well-being of male students are critical to assessing feasibility and sustainability. These policies include disciplinary approaches, service learning certification practices and school linkages to health services and post-secondary opportunities. In partnership with school administration and district level leadership, Be Legendary implementation could support comprehensive models to male student engagement, academic success and general well-being. For example, in our target high schools truancy and suspension rates are high especially among male African-American students. In lieu of suspension or other disciplinary actions (i.e. in-school suspension), school administration could refer students to participation in Be Legendary program activities to improve pro-social behavior. Other examples include providing Be Legendary program participants with service learning certification that could be useful for applications when applying for internships, colleges and career training programs. Be Legendary could also work in partnership with school nurses and area teen clinics to ensure male participants are connected to available services.

Our plans are to evaluative Be Legendary within schools situated in economically-distressed communities where issues of inequity regarding education, housing, and jobs are present as they impact sexual health outcomes of young people.³⁸ Overall, Be Legendary, developed in partnership with African-American male teens is a culturally responsive, theory-based promising approach in improving sexual health and important

social outcomes for older African-American male teens. Efforts to evaluate Be Legendary are encouraged.

References

1. Stykes, J. (2011). Fatherhood in the U.S.: Men's Age at First Birth, 1987-2010 (FP- 11-04). National Center for Family & Marriage Research
2. Fletcher, J. M., & Wolfe, B. L. (2012). The effects of teenage fatherhood on young adult outcomes. *Economic Inquiry*, 50(1), 182-201.
3. Marcell, A. V., Raine, T., Eyre, S. L. (2003). Where does reproductive health fit into the lives of adolescent males? *Perspectives on Sexual and Reproductive Health*, 35(4), 180-7.
4. Lohan, M., Cruise, S., O'Halloran, P., Alderdice, F., & Hyde A. (2010). Adolescent men's attitudes in relation to pregnancy and pregnancy outcomes: A systematic review of the literature from 1980-2009. *Journal of Adolescent Health*, 47(4), 327-45.
5. Grady, W. R., Tanfer, K., Billy, J. O., & Lincoln-Hanson J. (1996). Men's perceptions of their roles and responsibilities regarding sex, contraception and childrearing. *Family Planning Perspectives*, 28(5), 221-6.
6. Marcell, A. V., Jagers, R. J., Mayden, B., & Mobley, C. (2010). Exploring perceptions of health needs among young African American men. *American Journal of Men's Health*, 4(1), 16-21.
7. Marcell, A. V., Waks, A. B., Rutkow, L., McKenna, R., Rompalo, A., & Hogan, M. T. (2012). What do we know about males and emergency contraception? A synthesis of the literature. *Perspectives on Sexual and Reproductive Health*, 44(3), 184-93.
8. Kerns, J., Westhoff, C., Morroni, C., & Murphy, P. A. (2003). Partner influence on early discontinuation of the pill in a predominantly Hispanic population. *Perspectives on Sexual and Reproductive Health*, 35(6), 256-60.
9. Harper, C., Callegari, L., Raine, T., Blum, M., & Darney, P. (2004). Adolescent clinic visits for contraception: Support from mothers, male partners and friends. *Perspectives on Sexual and Reproductive Health*, 36(1), 20-6
10. Kraft, J. M., Harvey, S. M., Hatfield-Timajchy, K., Beckman, L., Farr, S. L., Jamieson, D. J., & Thorburn, S. (2010). Pregnancy motivations and contraceptive use: Hers, his, or theirs? *Women's Health Issues*, 20(4), 234-41
11. Cox, S., Posner, S. F., & Sangi-Haghpeykar, H. (2010). Who's responsible? Correlates of partner involvement in contraceptive decision making. *Women's Health Issues*, 20(4), 254-9.

12. Goesling, B, Colman, S, Trenholm, C, Terzian, M. (2013). Programs to Reduce Teen Pregnancy, Sexually Transmitted Infections, and Associated Sexual Risk Behaviors: A Systematic Review. Office of the Assistant Secretary for Planning and Evaluation. (ASPE) Brief.
13. Magura, S., Kang, S. Y., & Shapiro, J. L. (1994). Outcomes of intensive AIDS education for male adolescent drug users in jail. *Journal of Adolescent Health, 15*(6), 457-63.
14. Gottsegen, E., & Philliber, W. W. (2001). Impact of a sexual responsibility program on young males. *Adolescence, 36*(143), 427-33.
15. Ricardo, C., Nascimento, M., Fonseca, V., & Segundo, M. (2010). Program H and Program M: Engaging young men and empowering women to promote gender equality and health. Washington, D.C.: Pan American Health Organization/Best Practices in Gender and Health
16. Smith, P. B., Weinman, M. L., Buzi, R. S., & Benton, A. D. (2004). An evaluation of a school-based pregnancy prevention program aimed at young males: A one-year follow-up. *North American Journal of Psychology, 6*(2), 281-92.
17. Tello, J., Cervantes, R. C., Cordova, D., & Santos, S. M. (2010). Joven Noble: Evaluation of a culturally focused youth development program. *Journal of Community Psychology, 38*(6), 799-811
18. American Academy of Pediatrics. (2008) Promoting healthy sexual development and sexuality (Bright Future Theme 8). In: J. F. Hagan, Jr., J.
19. Gavin, L., Moskosky, S., Carter, M., et al.; Centers for Disease Control and Prevention (CDC). (2014). Providing quality family planning services: Recommendations of CDC and the U.S. Office of Population Affairs. *Morbidity and Mortality Weekly Report, 63*(RR-04), 1-54.
20. Marcell, A. V., & the Male Training Center for Family Planning and Reproductive Health. (2014). Preventive Male Sexual and Reproductive Health Care: Recommendations for Clinical Practice. Philadelphia, PA: Male Training Center for Family Planning and Reproductive Health and Rockville, MD: Office of Population Affairs.
21. Bartholomew, L. K., Parcel, G. S., Kok, G., Gottlieb, N. H., & Fernandez, M. E. (2011). Planning Health Promotion Programs:

- An Intervention Mapping Approach. San Francisco, CA: Jossey-Bass.
22. IDEO 2012. Design Thinking for Educators Toolkit. <http://designthinkingforeducators.com/>
 23. Bandura, A. (1991). Social cognitive theory of self-regulation. *Organizational Behavior and Human Decision Processes*, 50, 248-87.
 24. Fishbein, M., & Ajzen, I. (2010). Predicting and changing behavior: The reasoned action approach. New York: Psychology Press (Taylor & Francis).
 25. Ford, C. L., & Airhihenbuwa, C. O. (2010). Critical Race Theory, Race Equity, and Public Health: Toward Antiracism Praxis. *American Journal of Public Health*, 100(Suppl 1), S30–S35. <http://doi.org/10.2105/AJPH.2009.171058>
 26. Courtenay, W. H. (2000). Constructions of masculinity and their influence on men's well-being: A theory of gender and health. *Social Science & Medicine*, 50, 1385-401
 27. Substance Abuse and Mental Health Services Administration. Trauma-Informed Care in Behavior Health Services. Treatment Improvement Protocol (TIP) Series, No. 57. Report No.: (SMA) 14-4816. Rockville, MD: Center for Substance Abuse Treatment.
 28. Minkler M, Wallerstien N (Eds). Community-Based Participatory Research for Health: From Process to Outcomes. San Francisco, CA: John Wiley & Sons; 2008.
 29. Rodrigues and Brown 2008. From voice to agency: Guiding principles for participatory action research with youth. *New Directions for Student Leadership*.
 30. Delbecq, A. L., Van de Ven, Andrew H, & Gustafson, D. H. (1975). Group techniques for program planning: A guide to nominal group and Delphi processes. Glenview, IL: Scott, Foresman.
 31. Moon, R. H. (1999). Finding diamonds in the trenches with the nominal group process. *Family Practice Management*, 6(5), 49–50.
 32. SEL Practices (2016) Assessing SEL Curriculum Design. Preparing Youth To Thrive. David P. Weikart Center for Youth Program Quality at the Forum for Youth Investment Ypsilanti, MI
 33. DiClemente, Crittenden,; Rose, Sales, Wingood, Crosby and Salazar 2008. Psychosocial Predictors of HIV-Associated Sexual Behaviors and the Efficacy of Prevention Interventions in

Adolescents at-Risk for HIV Infection: What Works and What Doesn't Work? Psychosomatic Medicine. 70(5):598-605

34. Schwartz, S., Rhodes J., Spencer, R., and Grossman J. (2013). Youth Initiated Mentoring: Investigating a New Approach to Working with Vulnerable Adolescents. Am J Community Psychol

35. Rhodes, J. Zwiebach, L. and Schwartz, S. (2013) Youth Initiated Mentoring: A preliminary investigation. Dare Mighty Things. Brief Report.

36. Fish, H., Manlove, J., Moore, K.A., & Mass, E. (2014). What Works for Adolescent Sexual and Reproductive Health: Lessons from Experimental Evaluations of Programs and Interventions. Bethesda, MD: Child Trends

37. Helfrich, C., and I. McWey (2014) Substance Use and Delinquency. Journal of Family Issues vVol 35, Issue 10, pp. 1322 – 1338

38. Browning, Burrington, Leventhal, Brooks-Gunn (2008) Neighborhood Structural Inequality, Collective Efficacy, and Sexual Risk Behavior among Urban Youth. Journal of Health and Social Behavior. Volume: 49 issue: 3, page(s): 269-285 <https://doi.org/10.1177/002214650804900303>

Figure 1. Be Legendary Logic Model of Change




Figure 2. Be Legendary Storyboard Descriptions




Table 1. Be Legendary Scope and Sequence

#	Session Topic	Underlying Change Methods for Activities
1	Becoming Legendary: Your Profile	o Stereotype Inconsistent Information, Counter Storytelling, S Active Learning, Chunking, Persuasive Communication
2	Becoming Legendary: Selecting A Mentor	o Chunking, Persuasive Communication, Managing Emotions Mobilizing Social Support
3	Becoming Legendary: Healthy vs. Toxic Masculinity, Self-Preservation	o Active Learning, Stereotype Inconsistent Information, Coun
4	Becoming Legendary: Masculinity & Relationships & Managing Conflict	o Active Learning, Stereotype Inconsistent Information, Coun Modeling
5	Becoming Legendary: Consent Part 1	o Modeling, Active Learning, Persuasive Communication, Ch Storytelling, Managing Emotional Responses
6	Becoming Legendary: Consent Part 2 (Reject & Respect)	o Modeling, Active Learning, Persuasive Communication, Ch Storytelling, Managing Emotional Responses
7	Becoming Legendary: Condoms Commandments	o Active Learning, Chunking, Persuasive Communication
8	Becoming Legendary: Contraception & Communication (What to Know, Supporting Partners, Accessing Services)	o Verbal Persuasion, Modeling, Active Learning, Chunking, M Responses
9	Be Legendary: Are You Good? (Mental Health)	o Chunking, Persuasive Communication, Managing Emotions Mobilizing Social Support
10	Be Legendary: Making a Difference	o Active Learning, Stereotype Inconsistent Information, Coun Mobilizing Social Support
11	Be Legendary: Making a Difference	o Active Learning, Stereotype Inconsistent Information, Coun Mobilizing Social Support
12	Be Legendary: Your Legacy	o Environmental reevaluation, Chunking, Persuasive Commu Emotional Responses. Mobilizing Social Support

Table 2. Be Legendary: Healthy Vs. Toxic Masculinity Framework

Healthy Masculinity	Toxic Masculinity
Respect for self and the women in your lives	Misogyny/Objectifying the Women in Your Lives
Leadership	Avoiding Responsibility
Growing & Evolving Everyday	Using Violence, Control, Coercion, Pressure, Fo
Speaking Up Yourself & Others	Staying Silent When Someone is Being Hurt/Wr

Making a Positive Impact on Your Community	Believing They Hype/Stereotypes
Having Rules About the Type of Man You Will Be	Not Being Able to Separate the Real from The F