


---

**Prioritizing solutions for overcoming knowledge transfer barriers in software development using the fuzzy analytic hierarchy process**

---

**Wahyu Catur Wibowo**  
**Ika Sepfy Dayanti**  
**Achmad Nizar Hidayanto**  
**Imairi Eitiveni**  
Universitas Indonesia, Indonesia  
**Kongkiti Phusavat**  
Kasetsart University, Thailand



**Knowledge Management & E-Learning: An International Journal (KM&EL)**  
ISSN 2073-7904

**Recommended citation:**

Wibowo, W. C., Dayanti, I. S., Hidayanto, A. N., Eitiveni, I., & Phusavat, K. (2018). Prioritizing solutions for overcoming knowledge transfer barriers in software development using the fuzzy analytic hierarchy process. *Knowledge Management & E-Learning*, 10(2), 217–249.

---

## **Prioritizing solutions for overcoming knowledge transfer barriers in software development using the fuzzy analytic hierarchy process**

---

Wahyu Catur Wibowo

Faculty of Computer Science  
Universitas Indonesia, Indonesia  
E-mail: wibowo@cs.ui.ac.id

Ika Sepfy Dayanti

Faculty of Computer Science  
Universitas Indonesia, Indonesia  
E-mail: ika.sepfy@ui.ac.id

Achmad Nizar Hidayanto\*

Faculty of Computer Science  
Universitas Indonesia, Indonesia  
E-mail: nizar@cs.ui.ac.id

Imairi Eitiveni

Faculty of Computer Science  
Universitas Indonesia, Indonesia  
E-mail: imairi@cs.ui.ac.id

Kongkiti Phusavat

Center for Advanced Studies in Industrial Technology and Faculty of Engineering  
Kasetsart University, Thailand  
E-mail: fengkkp@ku.ac.th

\*Corresponding author

**Abstract:** An effective knowledge transfer (KT) process is a key factor in achieving the competitive advantage that is critical for software development companies seeking to maintain their existence and improve their performance. However, there do exist obstacles to the achievement of effective knowledge transfer. Companies often face difficulties in identifying those barriers that have the great impact on KT as well as the best solutions with which to address them. Through a systematic literature review and interviews conducted with 15 experts, we identified 21 KT barriers and 12 KT solutions. The barriers were classified into three categories: team, project, and technology. Then, using the fuzzy analytic hierarchy process, the identified KT barriers and solutions were ranked. The result of this research is a list of ranked KT barriers and solutions

relevant to software development. Poor communication and interpersonal skills, lack of management direction, and challenges to transactive memory systems topped the list of team-, project-, and technology-related barriers, respectively. It was further found that an additional weekly meeting is the best solution with which to overcome the barriers to KT.

**Keywords:** Knowledge transfer; Knowledge transfer barriers; Knowledge transfer solutions; Fuzzy; Analytic hierarchy process; AHP; Fuzzy AHP; Software development

**Biographical notes:** Wahyu Catur Wibowo is a lecturer at Faculty of Computer Science, University of Indonesia. He obtained his bachelor's degrees from ITB (Bandung, Indonesia), master's degree from Indiana University (Bloomington, IN, USA), and doctoral degree from RMIT University (Melbourne, Australia). His research interests are related to knowledge management and data mining.

Ika Sepfy Dayanti obtained her bachelor's degree in information systems from Universitas Indonesia. She is working as a product owner in an e-commerce start-up in Jakarta. Her research interests are related to information systems and knowledge management.

Achmad Nizar Hidayanto is the Vice Dean for Resources, Ventures, and General Administration, Faculty of Computer Science, Universitas Indonesia. He received his PhD in Computer Science from Universitas Indonesia. His research interests are related to information management, IT diffusion and adoption, e-commerce, e-government, information systems security, change management, knowledge management and information retrieval.

Imairi Eitiveni is a doctoral candidate in School of Computing and Information Systems, The University of Melbourne, Australia. Her research interest includes sustainable supply chain management, IT adoption, and E-Commerce. She is also a lecturer in Faculty of Computer Science, Universitas Indonesia.

Kongkiti Phusavat is a Professor at the Faculty of Engineering, Kasetsart University. He received his Doctoral degree from Virginia Tech's Department of Industrial and Systems Engineering, USA. His research areas include productivity and quality management, and acquisition logistics.

---

## 1. Introduction

Having recognized the significance of technology in relation to maintaining a competitive advantage and expanding business opportunities, today's organizations focus their investment on technology (Carmel & Abbott, 2007). Coupled with the rapid development of technology, this increased level of investment has propelled the growth of the software industry. Indeed, Gartner, Inc stated that the worldwide software market increased by 4.8% in 2013. This has led to a growing number of start-ups. Among the many emerging software start-ups, numerous enterprises have experienced failure prior to achieving success. Forbes stated that nine out of ten start-ups failed to survive in the business world (Patel, 2015). In Indonesia alone, only approximately 10-20% of start-ups survive for at least two years. This means that about 80-90% of start-ups are unable to remain in business. The principal reasons for this failure are a lack of market demand for their products, lack of funds, and poor competitive advantage (Cheng, Yeh, & Tu, 2008).

Furthermore, it has been stated that the rapid development of technology and pressure due to global competition have caused knowledge to become the key factor in business success (Cheng, Yeh, & Tu, 2008).

Zou, Kumaraswamy, Chung, and Wong (2014) as well as Argote, Beckman, & Epple (1990) reported that one of the critical success factors (CSF) in terms of the management of a company is the effective exchange of information or knowledge (i.e., knowledge transfer), so that information can flow properly, and a coherent understanding can be developed within the company. In particular, knowledge transfer (KT) in the field of software development is vital because software development is an activity that is both collaborative and knowledge-intensive, with the creation of ideas, know-hows, and the exchange of information being critical during the process of designing and building software (Ghobadi, 2015).

To facilitate effective KT, it is necessary to choose the right strategy for overcoming the barriers that result in ineffective KT (Vizcaino et al., 2013). In order to establish effective KT, companies must first identify the barriers that exist within the KT process. Hence, previous research studies have attempted to identify the barriers to creating an effective KT process (Kukko, 2013; Nidhra, Yanamadala, Afzal, & Torkar, 2013; Patil & Kant, 2014; Riege, 2005). After identifying the barriers, it is necessary to also identify the best solutions for overcoming them. Zhao, Zuo, and Deng (2015) and Osterloh and Frey (2000) identified solutions for overcoming barriers to KT in general, while other solutions can be found in the work of Lacity and Rottman (2009) and Patil and Kant (2014). However, relatively few studies have been able to identify a solution based on the actual problems faced by an organization, especially organizations specializing in software development, since the challenges obviously vary from one organization to another, both in terms of internal issues such as social and cultural issues (Chau & Maurer, 2004; Ghobadi, 2011), technical issues (Baleghi-Zadeh, Ayub, Mahmud, & Daud, 2017; Budiardjo et al., 2017; Fitriani et al., 2016; Hidayanto, Limupa, Junus, & Budi, 2015; Shihab, Anggoro, & Hidayanto, 2016), distributed locations (Chua & Pan, 2008), and issues related to communications with external stakeholders (Conboy, Coyle, Wang, & Pikkarainen, 2010; Pook, Chong, & Yuen, 2017).

Due to the critical impact of knowledge transfer barriers on the success of software development, this research study aimed to identify the barriers faced during software development and find solutions to overcome those barriers by using the fuzzy analytic hierarchy process (fuzzy AHP). The AHP is a well-known method for selecting alternatives based on certain criteria. Decision makers are asked to rate pairwise comparisons of criteria/alternatives using the Saaty scale (range: 1-9) (Saaty, 1977). However, their answers contain uncertainty, since in reality they might have a value somewhere in-between the scale boundaries. Therefore, a more advance technique is required that accommodates the fuzziness of decision-makers' answers using a technique known as fuzzy AHP. This study is intended to contribute to helping companies effectively manage knowledge transfer, which can in turn help them in improving their competitive advantage. In many prior studies, the fuzzy AHP method has proved to a very useful method, and it is widely used in decision making. For example, Patil and Kant (2014) used fuzzy AHP to rank solutions for overcoming the obstacles that arise during the implementation of knowledge management in a supply chain. In another study, Chen, Hsieh, and Do (2015) used fuzzy AHP as a method for assessing the performance of teaching in order to improve the quality of education. The fuzzy AHP method has also been used for risk assessment (Shafiee, 2015; Wang, Chan, Yee, & Diaz-Rainey, 2012).

## 2. Literature review

### 2.1. Knowledge transfer

Knowledge Management (KM) can be defined as the process of creating, capturing, codifying, and transferring knowledge between the people in an organization in order to achieve a competitive advantage (Becerra-Fernandez & Sabherwal, 2014). Becerra-Fernandez and Sabherwal (2014) stated that KM focuses on managing existing knowledge so that such knowledge is well organized and available when needed. Processes that are important in relation to KM include knowledge discovery, knowledge organization, knowledge transfer, knowledge reuse, knowledge creation, and knowledge acquisition (Lin & Lee, 2005). The most important process related to KM is knowledge transfer (Nidhra et al., 2013).

Knowledge transfer, which is sometimes referred to as knowledge sharing, is not only concerned with the exchange of knowledge between the parties, but also with ensuring that the transferred knowledge is only used if it is relevant and necessary. According to Duan, Nie, and Coakes (2010), KT can be defined as the exchange or transfer of knowledge within and between individuals, teams, group, or organizations. Meanwhile, according to Szulanski (1996), KT is a process that consists of two sub-processes namely sending and receiving knowledge. Other definitions of KT have been provided in the studies by Zhao et al. (2015) and Argote and Ingram (2000).

The KT process can be classified into a structured process and unstructured process. The structured process is the transfer or exchange of knowledge with a certain pattern that has been planned and standardized, for example, work progress meetings held on a monthly basis. Meanwhile, the unstructured process is the transfer or exchange of knowledge that is performed spontaneously and without any prior planning, for example, during unofficial daily conversations (Chen, Sun, & McQueen, 2010).

Within organizations, KT has a positive impact on team's performance (Argote & Ingram, 2000; Choi, Lee, & Yoo, 2010) whereas an individual's ability to absorb and apply knowledge acts as an important catalyst (Kanawattanachai & Yoo, 2007). Additionally, Nonaka and Takeuchi (1995) found that an organization's capacity to create, identify, transfer, and implement knowledge can directly affect its competitive advantage. Therefore, the success of KT can be measured through the changes in performance that occurs following the application of KT.

### 2.2. Knowledge transfer barriers and solutions in relation to software development

In the field of software development, knowledge and collaboration among members of the team are indispensable. Indeed, each member is key player in effective KT (Prencipe & Tell, 2001). Members need to exchange ideas and information as well as solve problems collectively in order to develop effective KT (Turban, Volonino, McLean, & Wetherbe, 2010). To ensure the efficacy of the KT process in relation to software development, it is necessary to overcome the barriers to KT that are inherent in software development.

The barriers to KT can be classified into several categories. For instance, Riege (2005) and Kukko (2013) grouped the barriers to the growth of an organization into three categories: individuals, organizations, and technology. Patil and Kant (2014) divided the barriers into five categories: strategy, organization, technology, culture, and people.

Further, Nidhra et al. (2013) classified the barriers to KT in relation to global software development into three categories: personnel, projects, and technology. This study applied the categories developed by Nidhra et al. (2013).

Table 1 and 2 present the lists of barriers and solutions, respectively, relevant to KT in the field of software development. The lists were validated by 15 experts, seven of whom came from a project management office (PMO), while eight were developers who worked for a software development company. These experts were asked to validate the list of barriers and solutions to knowledge transfer as well as to provide additional input regarding any missing barriers and/or solutions. During the interviews, an additional barrier to KT in software development arose based on the experts’ opinions that were not covered in the literature, namely work overload. Thus, we included it as a barrier in the team category. The experts also suggested including one additional solution that was not covered in the literature, namely conducting joint training for a new system.

**Table 1**  
List of barriers to KT

Code	Sub-categories	Description	Reference
Category: Team			
HT1	The difference in ethnic backgrounds	Differences in culture or ethnic background could become an obstacle to the effectiveness of the KT process due to causing differences in beliefs and norms. For example, in Indonesia, there are certain tribes that who speak in high tone, which is considered rude by other tribes who speak in a much lower tone.	Kukko, 2013; Nidhra et al., 2013; Riege, 2005.
HT2	Distance of the team members (it is difficult to access tacit knowledge)	Employees can work in different time zones and locations, which can cause a delay in transferring information.	Chua & Pan, 2008; Nidhra et al., 2013.
HT3	Low level of awareness about the benefits of the possessed knowledge	A low level of awareness of the importance of the possessed knowledge and the associated benefits can also limit the effectiveness of the KT process.	Kukko, 2013; Riege, 2005.
HT4	Differences in experience and educational background	Differences in educational background and experience can cause reluctance in relation to exchanging knowledge.	Kukko, 2013; Nidhra et al., 2013; Riege, 2005.
HT5	Lack of time to interact	A lack of time for team members to interact with each other represents a significant barrier, as disclosed by the experts.	Riege, 2005.
HT6	Poor communication and interpersonal skills	Communication and interpersonal skills have a significant influence on the KT process, since most of the existing knowledge is delivered in the form of daily conversation (tacit knowledge). If a person does not have good communication skills, then he/she would experience difficulty in receiving or communicating knowledge. This obstacle was recognized by all the experts.	Nidhra et al., 2013; Riege, 2005.
HT7	Age difference	The experts stated that an age difference between team members affects the effectiveness of the KT process.	Riege, 2005.
HT8	Lack of social networks	The experts validated that a lack of social interaction and networks can be the cause of poor KT performance.	Kukko, 2013; Riege, 2005.

HT9	Lack of trust among team members	A low level of trust among team members was identified as a crucial obstacle. Although the knowledge possessed had a high value, the KT process could not occur if the team members did not trust each other. The expert stated that trust was a significant factor in relation to the KT process.	Riege, 2005.
HT10	Individual Personality	A person's personality affected the KT process. If a person had a likeable personality, then he would be more active in receiving or giving knowledge to others.	Kukko, 2013; Nidhra et al., 2013; Riege, 2005.
HT11	Manager's tolerance of employees' mistakes	The tolerance level of managers influences the effectiveness of the KT process. Employees feel reluctant to communicate with their manager if the manager has a bad temper. Employees tend to keep their opinions to themselves because of feeling afraid of being ill-treated by the manager.	Riege, 2005.
HT12	Overloaded with tasks	If an employee is overloaded by the projects assigned to him/her, then he/she will not be able to effectively participate in the KT process.	The result of expert validation
Category: Project			
HP1	Lack of leadership and management guidance in project execution	The success of a project was determined by good leadership on the part of managers. All the experts agreed regarding this barrier.	Riege, 2005.
HP2	Lack of infrastructure or adequate facilities	The facilities provided by the company or project impact the KT process. Without adequate facilities, such as a place to relax or meet or internet facilities, it was more difficult for team members to conduct the KT process.	Nidhra et al., 2013; Penrose, 1959; Riege, 2005.
HP3	Vendor change (should adapt to the new features of KT from the new vendor)	During the implementation of projects, replacing a vendor, for example, changing the cloud computing service provider, can delay the KT process as the team members would have to adjust to the new system.	Alaranta & Jarvenpaa, 2010; Nidhra et al., 2013.
HP4	Pressure from project deadline	As the project deadline gets closer, the team members will be busy finishing their work, which means that there will be little time to exchange knowledge save for that related to the project at hand. However, one expert believed that the deadline was not always a barrier to the KT process, but could also serve as a motivating factor for KT.	Chua & Pan, 2008; Nidhra et al., 2013.
Category: Technology			
HTe1	Challenges to the transactive memory system (TMS)	A TMS is intended to simplify the KT process by allowing individuals to receive and provide knowledge at any time. Hence, difficulty in using the TMS can inhibit the KT process.	Nidhra et al., 2013; Riege, 2005.
HTe2	Difficulties in the codification of tacit knowledge	Tacit knowledge is often difficult to be codified or interpreted, since it exists with human minds, without any real documentation. This causes knowledge to disappear quickly and complicates its dissemination to other people.	Wagner & Buko, 2005.
HTe3	Reluctance to use the existing system because of feeling unfamiliar	Feeling unfamiliar with the existing systems could discourage team members from using that system, although the system was intended to assist with their work.	Riege, 2005.

---

**Table 2**  
Proposed solutions for overcoming barriers in KT

Code	Solution	Description	References
S1	Encouraging individual motivation	Encouraging individual motivation to engage in KT or knowledge sharing.	Nidhra et al., 2013.
S2	Fostering strong and reliable teamwork	Within a strong and trusting team, team members feel more open in sharing their knowledge.	Ahmad & Daghfous, 2010.
S3	Implementing a mentoring system	Senior or more experienced members are encouraged to teach the less experienced.	Lacity & Rottman, 2009; Nidhra et al., 2013.
S4	Proactive and peer-to-peer learning	A learning atmosphere in which team members are open to evaluating and being evaluated by each other	Chen, 2017; Chen, Sun, & McQueen, 2010; Nidhra et al., 2013.
S5	Educating IT professionals to enhance their ability	More knowledge possessed by professionals	Nidhra et al., 2013; Park, Im, & Kim, 2011.
S6	Building a community of practice (CoP)	A group of people with similar interests can exchange knowledge with each other.	de Vrij, Helms, & Voogd, 2006; Fitriyah et al., 2017; Griffith & Sawyer, 2006; Nidhra et al., 2013.
S7	Maintaining a rigid documentation culture	Maintaining documentation discipline from the beginning to the end of the project.	Nidhra et al., 2013; Reed & Knight, 2010; Taweel & Breerton, 2006.
S8	Scheduling additional weekly meetings	The additional meetings are aiming at filling the knowledge gap.	Nidhra et al., 2013; Taweel et al., 2009;
S9	Writing complete documentation	Producing detailed and clear report(s) so that there are no missing data or information.	Aurum, Daneshgar, & Ward, 2008; Beecham et al., 2011; Lacity & Rottman, 2009; Nidhra et al., 2013.
S10	Using a document management system	Using the integrated documentation system to ease collaboration in producing documentation.	Nidhra et al., 2013.
S11	Implementing a shared storage system or forming a virtual team	Building an integrated and accessible shared storage system	Nidhra et al., 2013; Riege, 2005.
S12	Conducting joint training for new systems	Collaboration in studying new systems makes it easier to deliver opinions.	The result of expert validation

2.3. Fuzzy sets

The presumptions of humans are often biased and difficult to represent using numbers, which makes it hard to estimate or compare the value of existing assumptions (Zadeh, 1965). Decision making is difficult in an environment with a high degree of uncertainty. To overcome this uncertainty, Zadeh (1965) proposed the fuzzy sets theory. A fuzzy set is designed to represent the uncertainty and imprecise nature of human thought in a mathematical form. Hence, fuzzy sets are widely applied in relation to managerial decisions that involve uncertainty or inaccurate information (Ordoobadi, 2009).

A fuzzy set is defined by the membership function, which maps the membership degrees of an element into an interval of [0, 1]. Zero (0) indicates that the element is not a member of interval (zero membership), while 1 indicates that the element has a full degree of membership in the interval. If the value is between 0 and 1, it means that the element has certain membership degrees within that interval.

A fuzzy set  $\tilde{A}$  of the non-empty set  $X$  is characterized by its membership function, with  $\mu_{\tilde{A}}(x) \in [0,1]$ , where  $\mu_{\tilde{A}}(x) = 1$  indicates that  $x$  is a complete member of  $\tilde{A}$ , while 0 indicates that  $x$  does not completely belong to  $\tilde{A}$ .

$$\tilde{A} = \{ (x, \mu_{\tilde{A}}(x)) | x \in X \} \tag{1}$$

where  $\mu_{\tilde{A}}(x)$  is interpreted as the degree of membership of element  $x$  in the fuzzy set  $\tilde{A}$  for each  $x \in X$ .

A triangular fuzzy number (TFN) is a fuzzy number represented by triangular shape, which involves three points  $(l, m, u)$ , where  $l, m, u$  are real numbers and  $l \leq m \leq u$ , and they are defined as follows:

$$\mu_{\tilde{A}}(x) = \begin{cases} \frac{x-l}{m-l}, & l \leq x \leq m \\ \frac{u-x}{u-m}, & m \leq x \leq u \\ 0, & otherwise \end{cases} \tag{2}$$

As can be seen in Fig. 1, in the triplet fuzzy or  $(l, m, u)$  where  $m$  (middle) is the main value,  $l$  and  $u$  are the lowest (lower) and the highest (upper) values, respectively. In the figure, the  $(l, m, u)$  value is  $(1, 2, 3)$  where 2 is the main fuzzy value. Further, the reciprocal value of  $(l, m, u)$  is  $(1/u, 1/m, 1/l)$ .




Fig. 1.  $\alpha$ -cut operation on a TFN

Adamo (1980) proposed the  $\alpha$ -cut method to rank fuzzy numbers, with  $\alpha$  representing the experts' confidence level regarding their judgments. The  $\alpha$ -cut of a fuzzy set  $\tilde{A}$  in the non-empty set  $X$  is defined as:

$$\tilde{A}_\alpha = \{x \in X | \mu_{\tilde{A}}(x) \geq \alpha\}, \text{ where } \alpha \in [0, 1] \tag{3}$$

For example, setting  $\alpha = 0.5$ , will yield a set  $\alpha_{0.5} = (1.5, 2, 2.5)$

Given two TFNs, namely  $\tilde{A}_1 = (l_1, m_1, u_1)$  and  $\tilde{A}_2 = (l_2, m_2, u_2)$ , we can define the two main operational laws on those TFNs as follows (Kaufmann & Gupta, 1991):

$$\tilde{A}_1 \oplus \tilde{A}_2 = (l_1 + l_2, m_1 + m_2, u_1 + u_2) \tag{4}$$

$$\tilde{A}_1 \otimes \tilde{A}_2 \approx (l_1 \times l_2, m_1 \times m_2, u_1 \times u_2), \text{ for } l_i, m_i, u_i > 0, i=1,2 \tag{5}$$

#### 2.4. Fuzzy AHP

The analytical hierarchy process (AHP) proposed by Saaty (1977) is multi-criteria decision-making method that assists a decision maker when he/she is facing a complex problem characterized by multiple conflicting and subjective criteria and alternatives. The AHP is a well-known method for solving unstructured problem by means of decomposing the problem into a hierarchical structure. Indeed, the AHP has been used in many contexts, for example, in prioritizing the critical success factors involved in project management (Kasayu, Hidayanto, & Sandhyaduhita, 2017) and evaluating software as a service (SaaS) quality factors (Suchahyo et al., 2017).

Although the AHP can be used to capture knowledge derived from the experts, the judgment provided by such experts can be uncertain and imprecise, which can affect the result of the calculation (Kahraman, Cebeci, & Ulukan, 2003). In order to overcome this weakness, an attempt was made to combine AHP with fuzzy logic, which has proven to be effective in addressing uncertainty, imprecision, and subjectivity in expert judgment. This combined process is known as fuzzy AHP.


In many studies, the fuzzy AHP method has been proven to be an effective and useful part of the decision-making process. Patil and Kant (2014) used fuzzy AHP to rank the solutions for overcoming the barriers that arise during the implementation of knowledge management within a supply chain. Chen, Hsieh, and Do (2015) used fuzzy AHP as a method for assessing teaching performance in order to improve its quality. The fuzzy AHP method has also been used for risk assessment (Shafiee, 2015; Wang et al., 2012). Other example of the implementation of fuzzy AHP can also be found in studies by Somsuk (2014) and Zhang and Zhao (2009).

The difference between fuzzy AHP and regular AHP is that fuzzy AHP uses fuzzy logic in conjunction with AHP. Fuzzy logic is applied to hierarchical problem with multiple criteria in order to better capture the actual reality. According to the AHP, the experts are asked to compare the intensity of importance of one variable to that of another variable using the AHP scale (range: 1–9) as a numeric representation of the linguistic variables that still contain uncertainty (see Table 3). When using fuzzy AHP, that uncertainty is accounted by using the fuzzy logic that informs the TFN scale. The fuzzy membership function for the linguistic variables is shown in Table 3. It can also be

represented as a function, which is shown in Fig. 2. Please note that the TFN (1, 1, 1) is used to represent “just equal” when comparing a variable with itself (the diagonal elements of the pairwise comparison matrix).

**Table 3**  
Triangular fuzzy numbers for the linguistic variables

Intensity of Importance	Fuzzy number	Linguistic variable	TFN
1	$\tilde{1}$	Just equal	(1, 1, 1)
		Equally important	(1, 1, 3)
3	$\tilde{3}$	Moderately important	(1, 3, 5)
5	$\tilde{5}$	Strongly important	(3, 5, 7)
7	$\tilde{7}$	Very strongly important	(5, 7, 9)
9	$\tilde{9}$	Extremely important	(7, 9, 11)



**Fig. 2.** Triplet fuzzy membership functions for the linguistic variables. Adapted from Patil and Kant (2014)

Although fuzzy AHP has many advantages when compared to traditional AHP, its implementation is rather complex. Hence, researchers have proposed different methods for reducing the complexity of fuzzy AHP computation. Of the proposed methods, Chang’s (1996) method has the lowest computation requirement and thus it has been widely adopted in fuzzy AHP implementation (Buyukozkam, Kahraman, & Ruan, 2004). Instead of using a standard number for the pairwise comparison, Chang’s (1996) method uses triangular fuzzy numbers as well as the extent analysis method to determine the synthetic extent values of the pairwise comparisons. This will be discussed further in subsection 3.2.

### 3. Methodology

#### 3.1. Research stages

In order to achieve our research objectives, this study was conducted in a number of stages, including problem formulation, fuzzy AHP framework development, and

solutions ranking. This study used both qualitative and quantitative methods by collecting data literature study, interviews, and questionnaires. This study involved the following stages:

a. Problem formulation

At this step, the problem was defined and formulated, as were the subjects and objects involved in this research.

b. Literature review

This study applied a systematic literature study to uncover the problems faced by software development companies regarding knowledge transfer as well as the strategies used or recommended to solve them. From 744 initially identified studies, some 48 studies were considered relevant to this research study. The outcomes of this stage were lists of the barriers and solutions to knowledge transfer in relation to software development.

c. Data collection 1: Expert validation of literature review findings

The outcomes of the previous step were then validated by 15 experts, seven of whom came from a project management office (PMO), while eight were developers who worked for start-up companies in the field of software development. The experts were asked to validate the lists of barriers and solutions to knowledge transfer in software development as well as to provide additional input concerning any missing barriers and/or solutions. The full lists of the identified barriers and solutions can be seen in Tables 1 and 2.

d. Fuzzy AHP framework development

The proposed framework adapted the fuzzy AHP framework developed by Patil and Kant (2014), which consists of four phases, namely the preparation phase, first phase, second phase, and third phase, which can be seen in Fig. 3.

The preparation phase involved the literature review and the interviews conducted with the experts in order to identify the barriers and solutions related to knowledge transfer in software development. Phase 1 consisted of developing the decision hierarchy, followed by calculating the knowledge transfer barriers' weight in software development. Phase 2 consisted of calculating the weight of the knowledge transfer solutions in software development. The final phase involved prioritizing the solutions as well as ranking the barriers to determine which ones may hamper software development.

e. Data collection 2: Fuzzy AHP framework application to rank the solutions to the identified barriers to software development

After the framework was developed, data collection 2 was conducted. During data collection 2, the lists of barriers and solutions related to knowledge transfer in software development, which resulted from the interviews conducted during data collection 1, were modified into a questionnaire. This questionnaire was then disseminated to the experts.

The questionnaire consisted of six empties pairwise comparison matrices. The first three matrices were pairwise comparison matrices for the barriers categories, namely the team category matrix, project category matrix, and technology category matrix. The other three matrices were the pairwise comparison matrix for the solutions to the identified team category, project category, and technology category barriers, respectively.




Fig. 3. Fuzzy AHP framework development

### 3.2. Proposed fuzzy AHP framework for ranking the solutions for overcoming the identified barriers to KT

We adapted the steps proposed by Chen, Hsieh, and Do (2015) for calculating fuzzy AHP, which can be summarized as follows:

#### *Preparation phase*

During this phase, we aimed to identify the barriers and solutions to knowledge transfer in relation to software development. The barriers and solutions were identified by conducting a systematic literature review, as was explained in the literature review subsection. Furthermore, we conducted interviews with experts in order to validate the identified barriers and solutions as well as to discover any additional barrier(s) and/or solution(s) that were not found in the literature. The full lists of the identified barriers and solutions can be seen in Tables 1 and 2.

#### *Phase 1.1: Creating a hierarchy of decisions*

In order to form a hierarchical structure of decisions, we first had to identify the problem and then decompose it into criteria (in our case we refer as categories) and alternatives. Furthermore, the hierarchy could be divided into four levels: primary goal in the first level, categories in the second level, sub-categories or attributes in the third level, and alternatives in the fourth level. Indeed, the proposed fuzzy AHP hierarchy of decisions in our case consisted of four levels:

- The first level concerned the objective of using fuzzy AHP, which was to rank the solutions to the barriers to KT in software development.
- The second level consisted of the barrier categories, namely the team, project, and technology categories.
- The third level contained the barriers' sub-categories, which consisted of the divisions to the barriers that were made according to the three categories found in the previous level.
- The final level featured the 12 KT solutions that had been validated by the experts.

This hierarchy is illustrated in Fig. 4.

#### *Phase 1.2: Developing pairwise comparison matrices for the barriers*

After the hierarchy of decisions had been established, the next step involved creating the matrices of the pairwise comparisons of the categories and the sub-categories. This was achieved by asking each expert to determine the scale of relative importance of each category/sub-category to other categories/sub-categories using the Saaty scale (fuzzy number), as illustrated in Table 3. The diagonal elements will be set to 1 as the diagonal elements reflect the comparison of a category with itself.

#### *Phase 1.3: Creating fuzzy assessment matrices for the barriers*

After the pairwise comparison matrices for the categories/sub-categories were created, the fuzzy assessment matrix  $\tilde{A}$  could be formed by changing the elements in each pairwise comparison matrix into a fuzzy AHP matrix using TFN (see Table 3). Equation (6) indicates the change in the matrix elements from the Saaty scale to the fuzzy or TFN triplet.




Fig. 4. Decision hierarchy for ranking solutions to the KT barriers

$$\tilde{A} = \begin{bmatrix} \tilde{a}_{11} & \tilde{a}_{12} & \dots & \tilde{a}_{1n} \\ \tilde{a}_{21} & \tilde{a}_{22} & \dots & \tilde{a}_{2n} \\ \dots & \dots & \dots & \dots \\ \tilde{a}_{n1} & \tilde{a}_{n2} & \dots & \tilde{a}_{nn} \end{bmatrix} \rightarrow \begin{bmatrix} (l_{11}, m_{11}, u_{11}) & (l_{12}, m_{12}, u_{12}) & \dots & (l_{1n}, m_{1n}, u_{1n}) \\ (l_{21}, m_{21}, u_{21}) & (l_{22}, m_{22}, u_{22}) & \dots & (l_{2n}, m_{2n}, u_{2n}) \\ \dots & \dots & \dots & \dots \\ (l_{n1}, m_{n1}, u_{n1}) & (l_{n2}, m_{n2}, u_{n2}) & \dots & (l_{nn}, m_{nn}, u_{nn}) \end{bmatrix} \tag{6}$$

The fuzzy number representation in the fuzzy matrix  $\tilde{A}$ , which was initially in the form of  $\tilde{a}_{ij}$  was changed into  $(l_{ij}, m_{ij}, u_{ij})$ , where  $l, m,$  and  $u$  are numbers in TFN triplet and  $n$  is the number of elements being compared.

*Phase 1.4: Combining the fuzzy assessment matrices into representative matrices for the barriers*

Each matrix formed by the experts represented each individual expert opinion. Therefore, it was necessary to aggregate all the individual matrices into a fuzzy matrix representing all the experts' opinion. This step is known as the aggregation of individual judgments (AIJ). Following the AIJ, the aggregate matrix is a new matrix containing the opinions of the group of experts (Chen, Hsieh, & Do, 2015). The individual matrix can be aggregated using a geometric mean operation, as in equation (7).

In a group of experts consisting of  $K$  people, each expert makes a pairwise comparison yielding  $K$  matrices  $\tilde{A}_k=(\tilde{a}_{ijk})$ , as in equation (6), where  $\tilde{a}_{ijk}=(l_{ijk}, m_{ijk}, u_{ijk})$  represents the relative importance of element  $i$  to  $j$  according to expert  $k$ . By using the geometric mean, the value of  $\tilde{a}_{ij}$  for representative matrix related to the categories can be calculated, thereby forming a fuzzy matrix that represents the opinion of  $K$  experts.

$$\begin{aligned}
 l_{ij} &= \min(l_{ijk}) \\
 m_{ij} &= \sqrt[k]{\prod_{k=1}^k m_{ijk}} \\
 u_{ij} &= \max(u_{ijk})
 \end{aligned}
 \tag{7}$$

*Phase 1.5: Checking the consistency of the representative matrices for the barriers*

The consistency ratio (CR) is used to calculate the consistency of the pairwise comparisons (Saaty, 1977). Prior to checking the consistency, the representative matrix of categories must first be converted into a crisp matrix. If this crisp matrix is consistent, then the fuzzy assessment matrix and the representative matrix are definitely consistent. The method used to change the representative matrix into a crisp matrix is known as defuzzification (Chang, 1996). By determining the confidence level of the expert opinion ( $\alpha$ ) and the tolerance of the risk ( $\lambda$ ), the TFN  $(l_{ij}, m_{ij}, u_{ij})$  can be changed into a crisp number (defuzzification) using equation (8):

$$(a_{ij}^\alpha)^\lambda = [\lambda \cdot l_{ij}^\alpha + (1 - \lambda)u_{ij}^\alpha] \quad 0 \leq \lambda \leq 1, \quad 0 \leq \alpha \leq 1 \tag{8}$$

where  $l_{ij}^\alpha = (m_{ij} - l_{ij}) \times \alpha + l_{ij}$  represents the left-end value of  $\alpha$ -cut for  $a_{ij}$ , while  $u_{ij}^\alpha = u_{ij} - (u_{ij} - m_{ij}) \times \alpha$  represents the right-end value of  $\alpha$ -cut for  $a_{ij}$  (see Fig. 1), and the value of  $\alpha$  and  $\lambda$  are between 0 and 1. When  $\alpha=0$ , the level of uncertainty is high and the conditions are unstable. When  $\alpha=1$ , the level of uncertainty is low and the conditions are highly stable. The level of risk tolerance ( $\lambda$ ) can be defined as the degree of optimism of an expert. When  $\lambda=0$ , the expert has a very pessimistic opinion, while conversely, when  $\lambda=1$ , the expert is very optimistic about his/her opinion.

After all the elements of the representative matrix are transformed into crisp numbers, the resultant matrix can be seen in equation (9).

$$(a_{ij}^\alpha)^\lambda = \begin{bmatrix} (a_{11}^\alpha)^\lambda & \dots & (a_{1n}^\alpha)^\lambda \\ \dots & \dots & \dots \\ (a_{m1}^\alpha)^\lambda & \dots & (a_{mn}^\alpha)^\lambda \end{bmatrix} \tag{9}$$

The consistency index (CI) and CR of this crisp matrix can be calculated using equations (10) and (11), respectively.

$$CI = \frac{\lambda_{max} - n}{n - 1} \tag{10}$$

$$CR = \frac{CI}{RI(n)} \tag{11}$$

where  $\lambda_{max}$  is the largest eigenvalue of the matrix,  $n$  is the size of the matrix, and  $RI(n)$  is a random index (RI) in accordance with the size of the matrix ( $n$ ). The RI values according to the size of the matrix can be seen in Table 4.

**Table 4**  
Random index (RI)

Size (n)	2	3	4	5	6	7	8	9	10	11	12
RI	0	0.58	0.9	1.12	1.24	1.32	1.41	1.45	1.49	1.51	1.48

If the consistency value is less than 0.1 ( $CR \leq 0.1$ ), then the consistency value is accepted. However, if the consistency value is higher than 0.1, it is necessary to revise the provision of the values in the pairwise comparisons.

*Phase 1.6: Calculating the barriers' weight*

Chang (1996) developed a method for calculating the categories' weight, which is known as the extent analysis of fuzzy AHP method. According to Chen, Hsieh, & Do (2015), this method does not require complex calculation. Therefore, Chang's (1996) method is now widely used.

Consider  $\tilde{A} = (\tilde{\alpha}_{ij})_{m \times n}$  as a fuzzy matrix of pairwise comparisons where  $\tilde{\alpha}_{ij} = (l_{ij}, m_{ij}, u_{ij})$ . The calculation of the fuzzy synthetic extent for each  $i$  is conducted as follows (see equation (12)):

$$S_i = \sum_{j=1}^m M_{ij} \otimes [\sum_{l=1}^n \sum_{j=1}^m M_{lj}]^{-1} \tag{12}$$

where


$$\sum_{j=1}^m M_{ij} = (\sum_{j=1}^m l_{ij}, \sum_{j=1}^m m_{ij}, \sum_{j=1}^m u_{ij}), \quad i = 1, 2, \dots, n \tag{13}$$

$$\sum_{l=1}^n \sum_{j=1}^m M_{lj} = (\sum_{l=1}^n \sum_{j=1}^m l_{lj}, \sum_{l=1}^n \sum_{j=1}^m m_{lj}, \sum_{l=1}^n \sum_{j=1}^m u_{lj}) \tag{14}$$

$$[\sum_{l=1}^n \sum_{j=1}^m M_{lj}]^{-1} = \left( \frac{1}{\sum_{l=1}^n \sum_{j=1}^m u_{lj}}, \frac{1}{\sum_{l=1}^n \sum_{j=1}^m m_{lj}}, \frac{1}{\sum_{l=1}^n \sum_{j=1}^m l_{lj}} \right) \tag{15}$$

$S_i$  is the *synthetic extent* value of the category  $i$ , or, in the matrix, row  $i$ . After the  $S_i$  value is determined, the values of each  $S_i$  are compared to each other and the degree of likelihood of  $S_j = (l_j, m_j, u_j) \geq S_i = (l_i, m_i, u_i)$  is computed using equation (17). For example, if there are  $S_1, S_2$ , and  $S_3$ , then we have to compare  $S_1$  and  $S_2$ ,  $S_1$  and  $S_3$ , and  $S_2$  and  $S_3$ .

$$V(S_j \geq S_i) = height(S_i \cap S_j) = \begin{cases} 1 & \text{if } m_i \geq m_j \\ 0 & \text{if } l_i \geq u_j \\ \frac{l_i - u_j}{(m_j - u_j) - (m_i - l_i)} & \text{others} \end{cases} \tag{16}$$



**Fig. 5.** The intersection between  $S_i$  and  $S_j$ . Adapted from Chen, Hsieh, and Do (2015)

Fig. 5 presents a representation of  $V(S_j \geq S_i)$  for a case  $m_j < l_i < u_j < m_i$ , where  $d$  is the value of the abscissa of the point of intersection between  $S_i$  and  $S_j$ . In order to obtain the value of  $d$  of the respective comparison results of  $S_i$  and  $S_j$ , it is necessary to obtain the values of  $V(S_j \geq S_i)$  and  $V(S_i \geq S_j)$ . The minimum value of  $d$  can be computed as follows.

$$V(S \geq S_1, S_2, S_3, \dots, S_k) = V[(S \geq S_1) \text{ and } (S \geq S_2) \text{ and } \dots (S \geq S_k)] = \min V(S \geq S_i) \tag{17}$$

So that  $d'(A_i) = \min V(S \geq S_i)$ , where  $i = 1, 2, 3, \dots, k$ . If there are  $S_1, S_2$ , and  $S_3$ , then:

$$\begin{aligned} d'(1) &= \min V(S_1 \geq S_2, S_3), \\ d'(2) &= \min V(S_2 \geq S_1, S_3), \text{ and} \\ d'(3) &= \min V(S_3 \geq S_1, S_2). \end{aligned}$$

Then the weight vector can be defined as in equation (18).

$$W' = (d'(A_1), d'(A_1), \dots, d'(A_n))^T \tag{18}$$

where  $A_i (i = 1, 2, 3, \dots, n)$  consists of  $n$  elements according to the number of categories.

Finally, the weight vector is normalized in order to obtain the relevant weight of each category (see equation (19)).

$$W = (W_1, W_2, \dots, W_n)^T \tag{19}$$

where  $W_1, W_2, \dots, W_n$  are *non-fuzzy* numbers.

*Phase 2.1: Developing pairwise comparison matrices for the solutions*

During the second phase, each expert was initially asked to rate the appropriateness of a given solution or alternative for overcoming the identified barriers on the Saaty scale that can be seen in Table 5. This phase resulted in the solutions matrices that were later completed by the experts.

*Phase 2.2: Developing fuzzy assessment matrices for the solutions*

The fuzzy assessment matrices for the solutions (matrix  $\tilde{S}$ ), as shown in equation (20), was formed from the solution matrices obtained during phase 1.2. The assessment of the solutions in relation to the categories can be described as  $\tilde{x}_{ij}(l_{ij}, m_{ij}, u_{ij})$ , where:

$$S = \begin{bmatrix} \tilde{x}_{11} & \tilde{x}_{12} & \dots & \tilde{x}_{1n} \\ \tilde{x}_{21} & \tilde{x}_{22} & \dots & \tilde{x}_{2n} \\ \dots & \dots & \dots & \dots \\ \tilde{x}_{m1} & \tilde{x}_{m2} & \dots & \tilde{x}_{mn} \end{bmatrix} \quad (20)$$

**Table 5**  
Linguistic variables for the solutions

Linguistic Variable	Fuzzy Number	TFN
Very bad	$\tilde{1}$	(1, 1, 3)
Bad	$\tilde{3}$	(1, 3, 5)
Average	$\tilde{5}$	(3, 5, 7)
Good	$\tilde{7}$	(5, 7, 9)
Very good	$\tilde{9}$	(7, 9, 11)

*Phase 2.3: Combining the fuzzy assessment matrices into representative solution matrices*

Using the same process as that used for combining the fuzzy matrices of the barriers, the fuzzy matrices of the solutions were also combined into a matrix that represents all the experts' opinions. The process of merging the solution matrices also used the fuzzy geometric mean, as in equation (7). In the same way, the representative matrix of solutions was processed further.

*Phase 2.4: Checking the consistency of the representative matrix of solutions*

The representative matrix of solutions also had to be checked for consistency. The steps involved were the same as those used to check the consistency of the representative matrix of categories.

*Phase 2.5: Calculating the solutions' weight*

The calculation of the solutions' weight was performed in the same way as the calculation of the categories' weight by using the fuzzy extent analysis. The calculation also used equation (12) to determine the synthetic value ( $S_i$ ) for each row  $i$  of the matrix. The value of each row was then compared with that of each other row by using equation (17) to produce the value of  $d$ . Thus, the value  $d(A_i)$  became the weight of the solution vector. The solution vector was then normalized to obtain the relative weight of each solution.

*Phase 3: Ranking the barriers and the solutions*

After the weights of all the barriers and solutions were determined, the barriers and solutions were ranked based on their weights. This represented the end product of the fuzzy AHP method. The greater the weight of a solution, the higher its priority will be.

**4. Application of the framework**

In the following subsections, we demonstrate the use of the proposed framework for prioritizing the solutions to the identified KT barriers related to software development. We hence explain the step-by-step operation of our proposed framework.

#### 4.1. Phase 1.1: Developing the decision hierarchy

The first phase involved formulating the decision hierarchy in order to reflect our aim of prioritizing the solutions for overcoming the identified KT barriers related to software development. The decision hierarchy was defined in Fig. 4.

#### 4.2. Phase 1.2: Developing pairwise comparison matrices for the barriers

Each expert was asked to complete a total of three pairwise comparison matrices: concerning the team category barriers, project category barriers, and technology category barriers. Table 6 is an example of a completed pairwise comparison matrix for the team category barriers.

#### 4.3. Phase 1.3: Developing fuzzy assessment matrices for the barriers

The pairwise comparison matrices constructed during the previous step were then converted into a fuzzy scale by using the TFN. The result of the transformation of the pairwise comparison matrices into the fuzzy scale can be seen in Table 7.

#### 4.4. Phase 1.4: Developing representative matrices for the barriers

Due to the number of experts involved, 15 different pairwise comparison matrices were constructed. These 15 pairwise comparison matrices still represented the opinions of individual experts and hence had to be combined into matrices that represented the pairwise comparisons conducted by all the experts. By using the geometric mean, the representative matrices shown in Table 8 to 10 were constructed.

#### 4.5. Phase 1.5: Checking the consistency of the barrier matrices

In order to prevent a loss of consistency in the pairwise comparisons, the consistency was checked by calculating consistency ratio of each representative matrix. If the consistency value was less than 0.1, then the comparative matrix of the representative matrix was declared valid. To check for matrix consistency, the representative matrix was first converted into a crisp matrix. The preference value ( $\alpha$ ) and risk tolerance ( $\lambda$ ) were each set to 0.5 in order to produce a crisp matrix. The crisp matrices for all the barriers can be seen in Tables 11 to 13.

Next, the consistency of each matrix had to be computed. The consistency value for the team category's barrier matrix was 0.03, while project category's barrier matrix value was 0.02, and the technology category's barrier matrix value was 0.04. As the the consistency values of all the matrices were less than 0.1, then the matrices were consistent and could hence be processed in the next step.

#### 4.6. Phase 1.6: Barriers' weight calculation

The calculation of the categories' weight was conducted using the fuzzy synthetic analysis process. By following the fuzzy synthetic analysis process, the  $S_i$  value for each representative matrix was calculated. The process for calculating the fuzzy synthetic analysis of the technology category barriers is shown below.

$$S_i = (1.23, 2.6, 17) \otimes (0.27, 0.1, 0.02) = (0.33, 0.25, 0.31)$$

$$S_2 = (1.23, 2.39, 15) \otimes (0.27, 0.1, 0.02) = (0.33, 0.23, 0.27)$$

$$S_3 = (1.25, 5.27, 23) \otimes (0.27, 0.1, 0.02) = (0.34, 0.51, 0.42)$$

The values of  $S_1$ ,  $S_2$ , and  $S_3$  were then compared to each other and the degree of possibility of  $S_i \geq S_j$  was determined. The value of  $S_i \geq S_j$  comparison can be seen in Table 14. The  $d$  value of each  $S_i$  can be determined by using  $S_i \geq S_j$ .

$$d'(1) = \min V(S_1 \geq S_2, S_3) = 0.18$$

$$d'(2) = \min V(S_2 \geq S_1, S_3) = 0.07$$

$$d'(3) = \min V(S_3 \geq S_1, S_2) = 1$$

Then, the weight vector can be determined as:  $W' = (0.18, 0.07, 1)^T$

After normalization, the relative weight vector of the technology category barriers was found, and it was then used in the determination of priority.

$$W = (0.278, 0.165, 0.558)^T.$$

Following the same procedure, the relative weight vector for each category was obtained. Here, are the relative weight vectors for the team category barriers and the project category barriers, respectively, were.

$$W = (0.005, 0.034, 0.102, 0.047, 0.142, 0.386, 0.032, 0.09, 0.01, 0.033, 0.023, 0.096)^T.$$

$$W = (0.278, 0.112, 0.131, 0.142, 0.157, 0.18)^T$$

Further, the relative weight vector for the general barriers can be obtained by normalizing the combined relative weight vectors (Patil & Kant, 2014).

$$W = (W(\text{Team}), W(\text{Project}), W(\text{Technology}))$$

$$W' = (0.005, 0.034, 0.102, 0.047, 0.142, 0.386, 0.032, 0.09, 0.01, 0.033, 0.023, 0.096, 0.28, 0.11, 0.13, 0.14, 0.16, 0.18, 0.14, 0.06, 0.8)$$

Thus, the relative weight vector of the barriers in general can be obtained.

$$W = (0.0007, 0.0046, 0.0137, 0.0063, 0.0191, 0.0519, 0.0043, 0.0121, 0.0014, 0.0044, 0.003, 0.0129, 0.0374, 0.015, 0.0177, 0.0191, 0.0211, 0.0242, 0.0191, 0.0078, 0.1076)^T$$

**Table 6**  
Example of pairwise comparison matrix for the team category barriers

	HT1	HT2	HT3	HT4	HT5	HT6	HT7	HT8	HT9	HT10	HT11	HT12
HT1	1	3	1/9	1/5	1/7	1/9	1/5	1/7	1/7	1/9	1/3	1/9
HT2	1/3	1	1/9	1/3	1/3	1/9	3	1/5	1/7	1/5	3	1/9
HT3	9	9	1	3	7	1/3	7	5	5	5	9	3
HT4	5	3	1/3	1	1/3	1/7	3	3	3	3	5	1/7
HT5	7	3	1/7	3	1	9	5	3	3	5	7	1/9
HT6	9	9	3	7	1/9	1	7	5	5	7	9	3
HT7	5	1/3	1/7	1/3	1/5	1/7	1	1/3	1/7	1/3	3	1/9
HT8	7	5	1/5	1/3	1/3	1/5	3	1	3	3	5	1/7
HT9	7	7	1/5	1/3	1/3	1/5	7	1/3	1	5	7	1/5
HT10	9	5	1/5	1/3	1/5	1/7	3	1/3	1/5	1	5	1/7
HT11	3	1/3	1/9	1/5	1/7	1/9	1/3	1/5	1/7	1/5	1	1/9
HT12	9	9	1/3	7	9	1/3	9	7	5	7	9	1

**Table 7**  
Fuzzy assessment matrix for the team category barriers

	HT1			HT2			...	HT12		
HT1	1.00	1.00	1.00	1.00	3.00	5.00	...	0.09	0.11	0.14
HT2	0.20	0.33	1.00	1.00	1.00	1.00	...	0.09	0.11	0.14
HT3	7.00	9.00	11.00	7.00	9.00	11.00	...	1.00	3.00	5.00
HT4	3.00	5.00	7.00	1.00	3.00	5.00	...	0.11	0.14	0.20
HT5	5.00	7.00	9.00	1.00	3.00	5.00	...	0.09	0.11	0.14
HT6	7.00	9.00	11.00	7.00	9.00	11.00	...	1.00	3.00	5.00
HT7	3.00	5.00	7.00	0.20	0.33	1.00	...	0.09	0.11	0.14
HT8	5.00	7.00	9.00	3.00	5.00	7.00	...	0.11	0.14	0.20
HT9	5.00	7.00	9.00	5.00	7.00	9.00	...	0.14	0.20	0.33
HT10	7.00	9.00	11.00	3.00	5.00	7.00	...	0.11	0.14	0.20
HT11	1.00	3.00	5.00	0.20	0.33	1.00	...	0.09	0.11	0.14
HT12	7.00	9.00	11.00	7.00	9.00	11.00	...	1.00	1.00	1.00

**Table 8**  
Representative matrix for the team category barriers

	HT1			HT2			...	HT12		
HT1	1.00	1.00	1.00	0.09	0.69	7.00	...	0.09	0.23	5.00
HT2	0.14	1.43	11.00	1.00	1.00	1.00	...	0.09	0.21	1.00
HT3	0.14	3.60	11.00	0.20	1.84	11.00	...	0.09	0.62	7.00
HT4	0.09	2.17	9.00	0.11	0.87	7.00	...	0.09	0.36	7.00
HT5	0.14	4.85	11.00	0.11	2.26	11.00	...	0.09	0.77	11.00
HT6	0.09	4.30	11.00	0.14	3.32	11.00	...	0.09	0.83	9.00
HT7	0.20	2.26	9.00	0.14	0.87	7.00	...	0.09	0.18	5.00
HT8	0.20	3.17	9.00	0.20	1.23	7.00	...	0.09	0.62	7.00
HT9	0.20	5.01	11.00	0.20	4.55	11.00	...	0.09	1.34	9.00
HT10	0.20	3.91	11.00	0.20	3.38	11.00	...	0.11	0.73	7.00
HT11	0.20	2.92	11.00	0.20	0.83	7.00	...	0.09	0.30	5.00
HT12	0.20	4.30	11.00	1.00	4.85	11.00	...	1.00	1.00	1.00

**Table 9**  
Representative matrix for the project category barriers

	HP1			HP2			...	HP6		
HP1	1.00	1.00	1.00	0.33	3.89	11.00	...	0.14	1.66	11.00
HP2	0.09	0.30	7.00	1.00	1.00	1.00	...	0.09	0.84	7.00
HP3	0.09	0.25	5.00	0.09	1.01	7.00	...	0.11	0.35	5.00
HP4	0.09	0.35	7.00	0.09	1.74	9.00	...	0.11	0.85	9.00
HP5	0.09	0.80	9.00	0.09	1.57	9.00	...	0.09	0.68	9.00
HP6	0.09	0.69	7.00	0.14	1.22	11.00	...	1.00	1.00	1.00

**Table 10**

Representative matrix for the technology category barriers

	HTe1			HTe2			HTe3		
HTe1	1.00	1.00	1.00	0.14	1.20	7.00	0.09	0.39	9.00
HTe2	0.14	0.83	7.00	1.00	1.00	1.00	0.09	0.56	7.00
HTe3	0.11	2.50	11.00	0.14	1.77	11.00	1.00	1.00	1.00

**Table 11**

Crisp matrix for the team category barriers

	HT1	HT2	HT3	HT4	HT5	HT6	HT7	HT8	HT9	HT10	HT11	HT12
HT1	1.00	2.12	1.92	2.78	1.88	2.89	1.50	1.40	1.37	1.40	1.45	1.39
HT2	3.50	1.00	1.54	2.29	2.49	1.92	2.36	1.69	1.38	1.41	1.88	0.38
HT3	4.58	3.72	1.00	2.28	2.75	1.99	3.28	2.61	2.07	2.33	3.74	2.08
HT4	3.36	2.21	2.64	0.50	2.49	2.44	2.61	2.79	1.97	1.53	2.26	1.95
HT5	5.21	3.91	3.29	2.78	1.00	3.08	4.80	3.34	3.12	2.13	3.00	3.16
HT6	4.92	4.44	3.94	2.78	3.56	1.00	4.53	4.66	2.76	3.42	4.93	2.69
HT7	3.43	2.22	2.03	1.79	1.90	1.42	1.00	1.44	1.37	1.42	2.00	1.36
HT8	3.89	2.41	2.09	1.78	2.01	1.92	3.87	1.00	1.54	2.07	2.36	2.08
HT9	5.31	5.08	3.62	2.79	3.52	2.97	5.21	3.74	1.00	3.10	4.45	2.94
HT10	4.75	4.49	3.23	2.80	3.50	2.52	4.51	3.60	2.58	1.00	2.41	2.14
HT11	4.26	2.21	1.97	2.29	3.12	1.39	3.62	2.22	1.92	3.17	1.00	1.42
HT12	4.95	5.43	3.59	2.79	3.42	2.76	5.45	3.59	3.13	2.96	4.45	1.00

**Table 12**

Crisp matrix for the project category barriers

	HP1	HP2	HP3	HP4	HP5	HP6
HP1	1.00	4.78	4.38	3.93	3.61	3.61
HP2	1.92	1.00	3.31	3.06	3.09	2.19
HP3	1.40	2.28	1.00	3.37	1.99	1.45
HP4	1.95	3.14	2.69	1.00	3.35	2.70
HP5	2.67	3.06	3.93	2.70	1.00	2.61
HP6	2.12	3.40	3.73	2.85	3.50	1.00

**Table 13**

Crisp matrix for the technology category barriers

	HTe1	HTe2	HTe3
HTe1	1.00	2.39	2.47
HTe2	2.20	1.00	2.05
HTe3	4.03	3.67	1.00

**Table 14**  
Value of  $S_i > S_j$  for technology category barriers

$S_1 \geq S_j$	Value	$S_2 \geq S_j$	Value	$S_3 \geq S_j$	Value
$S_1 \geq S_2$	1	$S_2 \geq S_1$	0.18	$S_3 \geq S_1$	1
$S_1 \geq S_3$	0.18	$S_2 \geq S_3$	0.07	$S_3 \geq S_2$	1

4.7. Phase 2.1: Developing pairwise comparison matrices for the solutions validated by the experts

Each expert was asked to complete a total of three pairwise comparison matrices, namely the solutions to the team category barriers matrix, solutions to the project category barriers matrix, and solutions to the technology category barriers matrix. Each expert rated the importance of each solution to each barrier. Table 15 provides an example of a completed pairwise comparison matrix for the solution to the team category barriers.

4.8. Phase 2.2: Developing fuzzy assessment matrices for the solutions

The pairwise comparison matrices constructed during the previous step were then converted into a fuzzy scale by using the triangular fuzzy number. The results of the transformation of the pairwise comparison matrix to the fuzzy scale can be seen in Table 16.

4.9. Phase 2.3: Developing representative matrices for the solutions

In accordance with the number of experts, there are 15 different pairwise comparison matrices. The combined representative matrices of all the solutions were calculated as described previously using the geometric mean, and the results can be seen in Tables 17 to 19.

4.10. Phase 2.4: Checking the consistency of the solution matrices

The representative matrices were then converted into crisp matrices. The resultant crisp matrices can be seen in Tables 20 to 22. After being converted into crisp matrices, the consistency value of the representative matrices could be obtained. The values were 0.06, 0.08, and 0.09 for the solutions to the team category barriers, project category barriers, and technology category barriers, respectively. As all the values were less than 0.01, the matrices were considered consistent, and they could then be processed further.

4.11. Phase 2.5: Calculating the solutions' weight

The  $S_i$  value for each of the representative solution matrices could be calculated as follows.

$$\begin{aligned}
 S_1 &= (3, 10.66, 31) \otimes (0.03, 0.01, 0.003) = (0.08, 0.07, 0.08) \\
 S_2 &= (3, 9.4, 27) \otimes (0.03, 0.01, 0.003) = (0.08, 0.07, 0.07) \\
 S_3 &= (3, 12.13, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.08, 0.09) \\
 S_4 &= (3, 12.48, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.09, 0.09)
 \end{aligned}$$

$$\begin{aligned}
 S_5 &= (3, 15.81, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.11, 0.09) \\
 S_6 &= (3, 15.81, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.1, 0.09) \\
 S_7 &= (3, 12.24, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.09, 0.09) \\
 S_8 &= (3, 11.22, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.08, 0.09) \\
 S_9 &= (3, 11.28, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.08, 0.09) \\
 S_{10} &= (3, 10.49, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.07, 0.09) \\
 S_{11} &= (3, 10.03, 31) \otimes (0.03, 0.01, 0.003) = (0.08, 0.07, 0.08) \\
 S_{12} &= (3, 14.42, 33) \otimes (0.03, 0.01, 0.003) = (0.08, 0.1, 0.09)
 \end{aligned}$$

Then the  $d$  values could be calculated:

$$\begin{aligned}
 d(1) &= 0.08 \\
 d(2) &= 0.12 \\
 d(3) &= 0.27 \\
 d(4) &= 0.95 \\
 d(5) &= 1.00 \\
 d(6) &= 0.93 \\
 d(7) &= 0.29 \\
 d(8) &= 1.00 \\
 d(9) &= 0.03 \\
 d(10) &= 0.03 \\
 d(11) &= 0.05 \\
 d(12) &= 0.09
 \end{aligned}$$

Hence the vector values of the solutions' weight could be determined by using equation (18) and (19) as follows:

$$\begin{aligned}
 W' &= (0.08, 0.12, 0.27, 0.95, 0.10, 0.93, 0.29, 1, 0.03, 0.03, 0.05, 0.09) \\
 W^T &= (0.025, 0.019, 0.030, 0.087, 0.013, 0.085, 0.029, 0.091, 0.008, 0.009, 0.012, 0.011)^T
 \end{aligned}$$

**Table 15**

Example of a completed pairwise comparison matrix for the solutions to the team category barriers

	HT1	HT2	HT3	HT4	HT5	HT6	HT7	HT8	HT9	HT10	HT11	HT12
S1	1	1	3	3	1	3	1	3	3	3	1	5
S2	1	3	1	5	3	3	3	3	5	3	3	5
S3	3	3	5	5	5	5	5	3	7	7	3	3
S4	3	3	3	5	5	5	5	3	1	9	3	1
S5	1	1	3	3	1	1	1	1	1	3	1	5
S6	5	1	5	3	3	5	3	7	1	7	1	3
S7	5	1	1	1	1	1	1	1	1	1	1	3
S8	7	5	3	3	5	3	3	3	1	3	1	5
S9	5	1	1	1	1	1	1	1	1	1	1	5
S10	1	1	1	1	1	1	1	1	1	1	1	3
S11	1	3	1	1	1	3	1	1	1	1	1	3
S12	5	3	3	3	3	3	3	5	1	3	3	5

**Table 16**

Fuzzy matrix for the solutions to the team category barriers

	HT1			HT2			...	HT12		
S1	1.00	1.00	3.00	1.00	1.00	3.00	...	3.00	5.00	7.00
S2	1.00	1.00	3.00	1.00	3.00	5.00	...	3.00	5.00	7.00
S3	1.00	3.00	5.00	1.00	3.00	5.00	...	1.00	3.00	5.00
S4	1.00	3.00	5.00	1.00	3.00	5.00	...	1.00	1.00	3.00
S5	1.00	1.00	3.00	1.00	1.00	3.00	...	3.00	5.00	7.00
S6	3.00	5.00	7.00	1.00	1.00	3.00	...	1.00	3.00	5.00
S7	3.00	5.00	7.00	1.00	1.00	3.00	...	1.00	3.00	5.00
S8	5.00	7.00	9.00	3.00	5.00	7.00	...	3.00	5.00	7.00
S9	3.00	5.00	7.00	1.00	1.00	3.00	...	3.00	5.00	7.00
S10	1.00	1.00	3.00	1.00	1.00	3.00	...	1.00	3.00	5.00
S11	1.00	1.00	3.00	1.00	3.00	5.00	...	1.00	3.00	5.00
S12	3.00	5.00	7.00	1.00	3.00	5.00	...	3.00	5.00	7.00

**Table 17**

Representative matrix for the solutions to the team category barriers

	HT1			HT2			...	HT12		
S1	1.00	2.43	9.00	1.00	1.00	3.27	...	1.00	5.10	11.00
S2	1.00	4.88	11.00	1.00	1.00	3.32	...	1.00	5.87	11.00
S3	1.00	4.49	11.00	1.00	1.00	2.27	...	3.00	6.73	11.00
S4	1.00	2.90	9.00	1.00	1.00	2.76	...	1.00	4.46	11.00
S5	1.00	1.93	9.00	1.00	1.00	2.73	...	1.00	3.11	9.00
S6	1.00	2.76	11.00	1.00	1.00	1.70	...	1.00	5.53	11.00
S7	1.00	1.72	7.00	1.00	1.00	2.15	...	1.00	3.70	11.00
S8	1.00	2.95	9.00	1.00	1.00	2.43	...	1.00	4.56	9.00
S9	1.00	1.91	7.00	1.00	1.00	1.93	...	1.00	3.04	11.00
S10	1.00	1.54	7.00	1.00	1.00	2.04	...	1.00	3.06	11.00
S11	1.00	1.97	9.00	1.00	1.00	2.07	...	1.00	3.42	11.00
S12	1.00	2.19	11.00	1.00	1.00	1.97	...	1.00	3.14	11.00

**Table 18**

Representative matrix for the solutions to the project category barriers

	HP1			HP2			...	HP6		
S1	1.00	3.18	9.00	1.00	1.89	9.00	...	1.00	3.27	11.00
S2	1.00	4.03	11.00	1.00	1.73	11.00	...	1.00	4.72	11.00
S3	1.00	4.43	11.00	1.00	1.91	7.00	...	1.00	5.94	11.00
S4	1.00	3.90	9.00	1.00	1.29	7.00	...	1.00	4.12	11.00
S5	1.00	3.34	11.00	1.00	2.58	9.00	...	1.00	3.02	11.00
S6	1.00	3.89	11.00	1.00	1.80	9.00	...	1.00	4.77	11.00

S7	1.00	3.48	9.00	1.00	2.06	7.00	...	1.00	3.33	9.00
S8	1.00	5.88	11.00	1.00	2.02	9.00	...	1.00	5.74	11.00
S9	1.00	2.87	11.00	1.00	1.76	9.00	...	1.00	3.81	11.00
S10	1.00	2.78	11.00	1.00	2.40	9.00	...	1.00	3.44	9.00
S11	1.00	2.62	9.00	1.00	2.71	11.00	...	1.00	3.02	11.00
S12	1.00	3.20	11.00	1.00	2.07	11.00	...	1.00	3.02	11.00

**Table 19**

Representative matrix for the solutions to the technology category barriers

	HP1			HP2			HP3		
S1	1.00	2.71	11.00	1.00	2.24	9.00	1.00	5.71	11.00
S2	1.00	2.54	11.00	1.00	3.60	9.00	1.00	3.27	7.00
S3	1.00	3.85	11.00	1.00	5.34	11.00	1.00	2.94	11.00
S4	1.00	3.20	11.00	1.00	6.11	11.00	1.00	3.18	11.00
S5	1.00	5.28	11.00	1.00	5.05	11.00	1.00	5.49	11.00
S6	1.00	4.48	11.00	1.00	4.69	11.00	1.00	4.63	11.00
S7	1.00	4.28	11.00	1.00	4.61	11.00	1.00	3.34	11.00
S8	1.00	3.25	11.00	1.00	3.98	11.00	1.00	3.98	11.00
S9	1.00	4.38	11.00	1.00	4.46	11.00	1.00	2.44	11.00
S10	1.00	3.98	11.00	1.00	3.96	11.00	1.00	2.55	11.00
S11	1.00	3.04	11.00	1.00	4.26	9.00	1.00	2.73	11.00
S12	1.00	5.07	11.00	1.00	3.44	11.00	1.00	5.91	11.00

**Table 20**

Crisp matrix for the solutions to the team category barriers

	HT1	HT2	HT3	HT4	...	HT9	HT10	HT11	HT12
S1	3.71	4.16	6.07	4.01	...	4.80	5.81	4.13	4.08
S2	5.44	5.51	3.79	4.48	...	7.26	5.15	4.66	6.04
S3	5.24	5.02	4.92	5.55	...	5.03	5.07	3.63	6.39
S4	3.95	4.89	5.13	4.76	...	4.81	5.07	3.38	5.25
S5	3.47	4.30	4.30	4.86	...	3.41	4.69	3.86	5.06
S6	4.38	4.64	4.93	5.00	...	4.39	4.17	3.35	4.98
S7	2.86	5.00	3.83	3.67	...	2.96	3.46	3.58	6.07
S8	3.98	5.64	5.20	4.48	...	5.24	3.86	3.71	6.52
S9	2.96	5.24	2.96	3.63	...	2.80	3.58	3.47	5.44
S10	2.77	4.96	3.10	2.96	...	2.89	2.92	3.52	5.18
S11	3.48	5.95	3.20	3.90	...	3.58	3.38	3.54	6.25
S12	4.09	3.94	4.76	5.97	...	3.70	3.68	3.48	5.86

**Table 21**

Crisp matrix for the solutions to the project category barriers

	HP1	HP2	HP3	HP4	HP5	HP6
S1	4.09	3.45	3.76	5.15	5.11	4.63
S2	5.01	3.86	2.77	5.52	5.84	5.36
S3	5.22	2.96	4.17	4.27	4.49	5.97
S4	4.45	2.64	4.56	4.33	3.90	5.06
S5	4.67	3.79	4.61	4.84	5.02	4.51
S6	4.95	3.40	5.40	5.08	4.94	5.39
S7	4.24	3.03	5.64	4.74	4.83	4.16
S8	5.94	3.51	4.97	5.04	5.23	5.87
S9	4.44	3.38	5.00	3.81	3.86	4.90
S10	4.39	3.70	5.72	4.51	4.63	4.22
S11	3.81	4.36	4.27	4.69	4.57	4.51
S12	4.60	4.03	6.22	3.15	3.15	4.51

**Table 22**

Crisp matrix for the solutions to the technology category barriers

	HTe1	HTe2	HTe3
S1	4.36	3.87	5.85
S2	4.27	4.55	3.64
S3	4.93	5.92	4.47
S4	4.60	6.31	4.59
S5	5.64	5.77	5.75
S6	5.24	5.60	5.32
S7	5.14	5.56	4.67
S8	4.63	5.24	4.99
S9	5.19	5.48	4.22
S10	4.99	5.23	4.28
S11	4.52	4.88	4.36
S12	5.54	4.97	5.95

*4.12. Phase 3: Ranking the barriers and the solutions*

The final phase involved ranking the barriers and the solutions using the relative weights that had been computed previously ( $W^T$ ). The ranking of the solutions can be seen in Table 23, while the ranking of the barriers in the team, project, and technology categories can be seen in Tables 24, 25, and 26, respectively.

**Table 23**

Ranking of the solutions

<i>i</i>	$W^T$	Solution	Ranking
1	0.025	Encouraging individual motivation	6
2	0.019	Fostering strong and reliable teamwork	7
3	0.030	Implementing a mentoring system	4
4	0.087	Proactive and peer-to-peer learning	2
5	0.013	Educating IT professionals to enhance their ability	8
6	0.085	Building a community of practice	3
7	0.029	Maintaining a rigid documentation culture	5
8	0.091	Scheduling additional weekly meetings	1
9	0.008	Producing complete documentation	12
10	0.009	Using a document management system	11
11	0.012	Implementing a shared storage system or forming a virtual team	9
12	0.011	Conducting joint training for new systems	10

**Table 24**

Ranking of the team category barriers

<i>i</i>	$W^T$	Team category barriers	Priority
HT1	0.005	Difference in ethnic backgrounds	12
HT2	0.034	Distance of team members	7
HT3	0.102	Low level of awareness about the benefits of the possessed knowledge	3
HT4	0.047	Differences in experience and educational background	6
HT5	0.142	Lack of time to interact	2
HT6	0.386	Poor communication and interpersonal skills	1
HT7	0.032	Age difference	9
HT8	0.090	Lack of social networks	5
HT9	0.010	Lack of trust among team members	11
HT10	0.033	Individual personality	8
HT11	0.023	Manager's tolerance of employee's mistakes	10
HT12	0.096	Overloaded with tasks	4

**Table 25**

Ranking of the project category barriers

<i>i</i>	$W^T$	Project category barriers	Priority
HP1	0.28	Lack of leadership and management guidance	1
HP2	0.18	Lack of infrastructure or adequate facilities	2
HP3	0.16	Vendor substitution	3
HP4	0.14	Pursuing a project deadline	4
HP5	0.13	Number of projects undertaken at a time	5
HP6	0.11	The absence of KT monitoring within projects	6

**Table 26**  
Ranking of the technology category barriers

<i>i</i>	$W^T$	Technology category barriers	Priority
HTe1	0.35	Challenges to the TMS or other integrated IT systems	1
HTe2	0.30	Difficulties in the codification of tacit knowledge	2
HTe3	0.35	Reluctance to use the existing system due to a lack of familiarity or experience	1

## 5. Discussions and implications

### 5.1. Discussions

Based on the application of the fuzzy AHP method in order to rank both the barriers to KT in relation to software development and their solutions, it was found that the highest ranked team category barrier to KT was poor communication and interpersonal skills. If an individual is not able to demonstrate good communication skills, then it would likely be difficult for that individual to receive or provide knowledge. In terms of the project category, the most influential obstacle was a lack of leadership and direction in relation to the implementation of project management. This meant that if a project was well managed, then the associated flow of knowledge also tended to be better, since the KT process effectively influenced the success of the project. In the technology category, the highest-ranking barrier was a reluctance to use existing systems due to feeling unfamiliar with such systems. The existing technology is only useful if individual users are able to use it effectively. If a system is difficult to use, then the technology will hinder the effectiveness of the KT process.

In addition, the highest-ranking solution to the barriers to KT in relation to software development, according to the results of this study, is the scheduling of additional weekly meetings, followed by proactive and peer-to-peer learning. Patil and Kant (2014) did not mention scheduling additional meetings as a solution in their research. Further, they allocated medium priority to proactive learning rather than top priority.

### 5.2. Implications

It is widely recognized that organizations face multiple barriers when seeking to implement an effective KT process. The barriers to KT in the field of software development as well as the associated solutions proposed in this study are expected to help software development companies to identify both the factors that render KT processes ineffective and the solutions capable of addressing those factors. It is recommended that companies schedule additional meetings to avoid gaps in understanding developing among team members. Companies are also expected to implement proactive and peer-to-peer learning, wherein the companies encourage their employees to be more active in terms of KT as well as to mutually evaluate each other, so that the knowledge gained is more diverse. In the future, this research is expected to

encourage other studies related to KT and hence the development of more approaches to fostering effective KT within companies.

## 6. Conclusions

This study aimed to identify solutions for overcoming the barriers to knowledge transfer that exist within software development organizations as well as how to prioritize those solutions. By means of a literature review and interviews with the experts, this study identified 21 barriers and 12 solutions to knowledge transfer in relation to software development. The respective weights of the barriers to knowledge transfer and their solutions were calculated using the fuzzy AHP method. Thus, the results of this study are lists of ranked barriers to knowledge transfer and their associated solutions.

Twelve solutions to the identified knowledge transfer barriers were derived from the literature study, which were then validated by the experts. A lack of communication and interpersonal skills was ranked the highest out of the team category barriers, while a lack of leadership and direction on the part of management was the top priority concerning the project category barriers, and challenges on the TMS represented the top priority among the technology category barriers.

In terms of the solutions to the knowledge transfer barriers, scheduling additional weekly meetings so as to fill the knowledge gap among members was ranked as the highest priority of 12 identified solutions, while producing a complete report emerged as the lowest ranked solution. It can be concluded that in order to create an effective knowledge transfer process within a software development environment, additional weekly meetings represent the recommended solution for overcoming the identified barriers to KT to reducing the knowledge gap among team members, which can, in the long run, hamper the performance of a software development project.

## Acknowledgements

The authors would like to thank the Faculty of Computer Science and the Directorate of Research and Community Engagement of Universitas Indonesia for the support they provided for this project through PITTA grant No. 1864/UN2.R3.1/HKP.05.00/2018.

## References

- Adamo, J. M. (1980). Fuzzy decision trees. *Fuzzy sets and systems*, 4(3), 207–219.
- Ahmad, N., & Daghfous, A. (2010). Knowledge sharing through inter-organizational knowledge networks: Challenges and opportunities in the United Arab Emirates. *European Business Review*, 22(2), 153–174.
- Alaranta, M., & Jarvenpaa, S. L. (2010). Changing IT providers in public sector outsourcing: Managing the loss of experiential knowledge. In *Proceedings of the 43rd Hawaii International Conference on System Sciences (HICSS)*.
- Argote, L., Beckman, S. L., & Epple, D. (1990). The persistence and transfer of learning in industrial settings. *Management Science*, 36(2), 140–154.
- Argote, L., & Ingram, P. (2000). Knowledge transfer: A basis for competitive advantage in firms. *Organizational Behavior and Human Decision Processes*, 82(1), 150–169.
- Aurum, A., Daneshgar, F., & Ward, J. (2008). Investigating knowledge management practices in software development organisations—An Australian experience.

- Information and Software Technology*, 50(6), 511–533.
- Baleghi-Zadeh, S., Ayub, A. F. M., Mahmud, R., & Daud, S. M. (2017). The influence of system interactivity and technical support on learning management system utilization. *Knowledge Management & E-Learning*, 9(1), 50–68.
- Becerra-Fernandez, I., & Sabherwal, R. (2014). *Knowledge management: Systems and processes*. New York, NY: Routledge.
- Beecham, S., Noll, J., Richardson, I., & Dhungana, D. (2011). A decision support system for global software development. In *Proceedings of the Sixth IEEE International Conference on Global Software Engineering Workshop (ICGSEW)*.
- Budiardjo, E. K., Pamenan, G., Hidayanto, A. N., Meyliana, & Cofriyanti, E. (2017). The impact of knowledge management system quality on the usage continuity and recommendation intention. *Knowledge Management & E-Learning*, 9(2), 200–224.
- Buyukozkam, G., Kahraman, C., & Ruan, D. (2004). A fuzzy multi-criteria decision approach for software development strategy selection. *International Journal of General Systems*, 33(2/3), 259–280.
- Carmel, E., & Abbott, P. (2007). Why ‘Nearshore’ means that distance matters. *Communication of ACM*, 50(10), 40–46.
- Chang, D.-Y. (1996). Applications of the extent analysis method on fuzzy AHP. *European Journal of Operational Research*, 95(3), 649–655.
- Chau, T., & Maurer, F. (2004). Knowledge sharing in agile software teams. In L. Wolfgang (Ed.), *Logic Versus Approximation* (pp. 173–183). Berlin: Springer.
- Chen, J.-F., Hsieh, H.-F., & Do, Q. H. (2015). Evaluating teaching performance based on fuzzy AHP and comprehensive evaluation approach. *Applied Soft Computing*, 28, 100–108.
- Chen, J., Sun, P. Y. T., & McQueen, R. J. (2010). The impact of national cultures on structured knowledge transfer. *Journal of Knowledge Management*, 14(2), 228–242.
- Chen, W. (2017). Knowledge convergence among pre-service mathematics teachers through online reciprocal peer feedback. *Knowledge Management & E-Learning*, 9(1), 1–18.
- Cheng, J.-H., Yeh, C.-H., & Tu, C.-W. (2008). Trust and knowledge sharing in green supply chains. *Supply Chain Management: An International Journal*, 13(4), 283–295.
- Choi, S. Y., Lee, H., & Yoo, Y. (2010). The impact of information technology and transactive memory systems on knowledge sharing, application, and team performance: A field study. *MIS Quarterly*, 34(4), 855–870.
- Chua, A. L., & Pan, S. L. (2008). Knowledge transfer and organizational learning in IS offshore sourcing. *Omega*, 36(2), 267–281.
- Conboy, K., Coyle, S., Wang, X., & Pikkarainen, M. (2010). People over process: key people challenges in agile development. *IEEE Software*, 28(4), 48–57.
- de Vrij, N., Helms, R., & Voogd, P. (2006). Application of a community of practice to improve knowledge sharing in offshoring relations. In *Proceedings of the 17th International Workshop on Database and Expert Systems Applications*.
- Duan, Y., Nie, W., & Coakes, E. (2010). Identifying key factors affecting transnational knowledge transfer. *Information & Management*, 47(7/8), 356–363.
- Fitriah, D., Harahap, S. R., Hidayanto, A. N., Chahyati, D., & Phusavat, K. (2017). Impact of employees' participation in communities of practice on individual, community, and organisational performance: A case study at PT PLN (Persero) Distribusi Jakarta Raya and Tangerang. *International Journal of Business Information Systems*, 25(1), 71–87.
- Fitriani, H., Hidayanto, A. N., Budiardjo, E. K., Meyliana, & Phusavat, K. (2016). Factors influencing the intention to share knowledge in citizen media with stimulus-organismic-response framework. *International Journal of Web Based Communities*,

- 12(4), 419–438.
- Ghobadi, S. (2011). Challenges of cross-functional software development teams: A conceptual study. *Journal of Information Technology Management*, 22(3), 26–35.
- Ghobadi, S. (2015). What drives knowledge sharing in software development teams: A literature review and classification framework. *Information & Management*, 52(1), 82–97.
- Griffith, T. L., & Sawyer, J. E. (2006). Supporting technologies and organizational practices for the transfer of knowledge in virtual environment. *Group decision and negotiation*, 15(4), 407–423.
- Hidayanto, A. N., Limupa, A., Junus, K. M., & Budi, N. F. A. (2015). Investigating knowledge sharing behaviour on virtual community members: Integration of technological, individual and contextual factors. *International Journal of Business Information Systems*, 19(2), 180–204.
- Kahraman, C., Cebeci, U., & Ulukan, Z. (2003). Multi-criteria supplier selection using fuzzy AHP. *Logistics Information Management*, 16(6), 382–394.
- Kanawattanachai, P., & Yoo, Y. (2007). The impact of knowledge coordination on virtual team performance over time. *MIS Quarterly*, 31(4), 783–808.
- Kasayu, R. N., Hidayanto, A. N., & Sandhyaduhita, P. I. (2017). Critical success factors of software development projects using analytic hierarchy process: A case of Indonesia. *International Journal of Innovation and Learning*, 22(1), 1–22.
- Kaufmann, A., & Gupta, M. M. (1991). *Introduction to fuzzy arithmetic: Theory and applications*. New York, NY: Van Nostrand Reinhold.
- Kukko, M. (2013). Knowledge sharing barriers in organic growth: A case study from a software company. *The Journal of High Technology Management Research*, 24(1), 18–29.
- Lacity, M. C., & Rottman, J. W. (2009). Effects of offshore outsourcing of information technology work on client project management. *Strategic Outsourcing*, 2(1), 4–26.
- Lin, H.-F., & Lee, G.-G. (2005). Impact of organizational learning and knowledge management factors on e-business adoption. *Management Decision*, 43(2), 171–188.
- Nidhra, S., Yanamadala, M., Afzal, W., & Torkar, R. (2013). Knowledge transfer challenges and mitigation strategies in global software development—A systematic literature review and industrial validation. *International Journal of Information Management*, 33(2), 333–355.
- Nonaka, I., & Takeuchi, H. (1995). *The knowledge-creating company: How Japanese companies create the dynamics of innovation*. Oxford, UK: Oxford University Press.
- Ordoobadi, S. M. (2009). Development of a supplier selection model using fuzzy logic. *Supply Chain Management: An International Journal*, 14(4), 314–327.
- Osterloh, M., & Frey, B. S. (2000). Motivation, knowledge transfer, and organizational forms. *Organization Science*, 11(5), 538–550.
- Park, J. Y., Im, K. S., & Kim, J. S. (2011). The role of IT human capability in the knowledge transfer process in IT outsourcing context. *Information & Management*, 48(1), 53–61.
- Patel, N. (2015). *90% of startups fail: Here's what you need to know about the 10%*. Retrieved from <https://www.forbes.com/sites/neilpatel/2015/01/16/90-of-startups-will-fail-heres-what-you-need-to-know-about-the-10/#4b1469066792>
- Patil, S. K., & Kant, R. (2014). A fuzzy AHP-TOPSIS framework for ranking the solutions of knowledge management adoption in supply chain to overcome its barriers. *Expert Systems with Applications*, 41(2), 679–693.
- Penrose, E. T. (1959). *The theory of the growth of the firm*. Oxford University Press.
- Pook, A. S. Y., Chong, C. W., & Yuen, Y. Y. (2017). Effectiveness of cross-border knowledge transfer in Malaysian MSC status corporations. *Knowledge Management & E-Learning*, 9(1), 90–110.

- Prencipe, A., & Tell, F. (2001). Inter-project learning: Processes and outcomes of knowledge codification in project-based firms. *Research Policy*, 30(9), 1373–1394.
- Reed, A. H., & Knight, L. V. (2010). Effect of a virtual project team environment on communication-related project risk. *International Journal of Project Management*, 28(5), 422–427.
- Riege, A. (2005). Three-dozen knowledge-sharing barriers managers must consider. *Journal of Knowledge Management*, 9(3), 18–35.
- Saaty, T. L. (1977). A scaling method for priorities in hierarchical structures. *Journal of Mathematical Psychology*, 15(3), 234–281.
- Shafiee, M. (2015). A fuzzy analytic network process model to mitigate the risks associated with offshore wind farms. *Expert Systems with Applications*, 42(4), 2143–2152.
- Shihab, M. R., Anggoro, W. B., & Hidayanto, A. N. (2016). Factors affecting knowledge sharing and knowledge utilization behavior in an Indonesian airline company. In *Proceedings of the International Conference on Informatics and Computing (ICIC)*.
- Somsuk, N. (2014). Prioritizing drivers of sustainable competitive advantages in green supply chain management based on fuzzy AHP. *Journal of Medical and Bioengineering*, 3(4), 259–266.
- Sucahyo, Y. G., Rotinsulu, Y. Y., Hidayanto, A. N., Fitriah, D., & Phusavat, K. (2017). Software as a service quality factors evaluation using analytic hierarchy process. *International Journal of Business Information Systems*, 24(1), 51–68.
- Szulanski, G. (1996). Exploring internal stickiness: Impediments to the transfer of best practice within the firm. *Strategic Management Journal*, 17(S2), 27–43.
- Taweel, A., & Brereton, P. (2006). Modelling software development across time zones. *Information and Software Technology*, 48(1), 1–11.
- Taweel, A., Delaney, B., Arvanitis, T. N., & Zhao, L. (2009). Communication, knowledge and co-ordination management in globally distributed software development: Informed by a scientific software engineering case study. In *Proceedings of the Fourth IEEE International Conference on Global Software Engineering*.
- Turban, E., Volonino, L., McLean, E., & Wetherbe, J. (2010). *Information technology for management: Transforming organisations in the digital economy*. John Wiley & Sons.
- Vizcaino, A., García, F., Villar, J. C., Piattini, M., & Portillo, J. (2013). Applying Q-methodology to analyse the success factors in GSD. *Information and Software Technology*, 55(7), 1200–1211.
- Wagner, S. M., & Buko, C. (2005). An empirical investigation of knowledge-sharing in networks. *Journal of Supply Chain Management*, 41(4), 17–31.
- Wang, X., Chan, H. K., Yee, R. W. Y., & Diaz-Rainey, I. (2012). A two-stage fuzzy-AHP model for risk assessment of implementing green initiatives in the fashion supply chain. *International Journal of Production Economics*, 135(2), 595–606.
- Zadeh, L. A. (1965). Fuzzy sets. *Information and Control*, 8(3), 338–353.
- Zhang, X., & Zhao, Z. (2009). Study of green supply chain and its performance based on fuzzy AHP and measurement system. In *Proceedings of the International Conference on E-Business and Information System Security*.
- Zhao, D., Zuo, M., & Deng, X. N. (2015). Examining the factors influencing cross-project knowledge transfer: An empirical study of IT services firms in China. *International Journal of Project Management*, 33(2), 325–340.
- Zou, W., Kumaraswamy, M., Chung, J., & Wong, J. (2014). Identifying the critical success factors for relationship management in PPP projects. *International Journal of Project Management*, 32(2), 265–274.