#### DOCUMENT RESUME

ED 241 650

UD 023 413

TITLE

Supplement for Curriculum Guide for Mathematics: Spanish-Speaking Students, Grades 7-8 = Supplemento de la guia didactica de matematicas para los estudiantes de habla hispana, septimo y octavo

grados. Field Test.

INSTITUTION

Chicago Board of Education, Ill.

PUB DATE

81

NOTE PUB TYPE 65p.; For related documents, see UD 023 411-412.

Guides - Classroom Use - Guides (For Teachers) (052)

-- Multilingual/Bilingual Materials (171)

LANGUAGE

English; Spanish

EDRS PRICE DESCRIPTORS

MF01/PC03 Plus Postage.
Bilingual Instructional Materials; \*Cultural

Differences; Curriculum Guides; \*Elementary School Mathematics; Grade 7; Grade 8; Junior High Schools;

Learning Activities; \*Mathematics Curriculum; \*Spanish Speaking; \*Teaching Methods

#### **ABSTRACT**

This supplementary math curriculum guide for use with Spanish-speaking students in Chicago public schools' seventh and eighth grade classes employs a contrastive analysis approach. Lessons are presented for objectives for which the instructional strategies used in the United States differ from those in Spanish-speaking countries. (Objectives for which the methodology is the same are taught from the standard math curriculum.) Every lesson has four parts: (1) an explanation of the differences in the instructional strategies used in Spanish-speaking countries and the U.S.; (2) a student activity, in Spanish, to reinforce students' skills in using their native language and methodologies; (3) suggestions for facilitating students' transition from their native methodology to the U.S. methodology; and (4) a transitional activity which provides students with practice in solving problems using both methodologies and languages. Major topics covered are sets, place value, rational numbers, and real numbers. An English-Spanish vocabulary list is provided. (CMG)

\* Reproductions supplied by EDRS are the best that can be made from the original document.



SUPPLEMENT FOR CURRICULUM GUIDE FOR MATHEMATICS:

SPANISH-SPEAKING STUDENTS

GRADES 7-8

FIELD TEST

SUPLEMENTO DE LA GUIA DIDACTICA DE MATEMATICAS PARA LOS ESTUDIANTES DE HABLA HISPANA

SEPTIMO Y OCTAVO GRADOS

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

G.J. Heing, Asst. Supt

Chicago Bd. of Ed.

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."

U.S. DEPARTMENT OF EDUCATION
NATIONAL INSTITUTE OF EDUCATION
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
   Minor changes have been made to improve
  - Minor changes have been made to impro reproduction quality.
- Points of view or opinions stated in this document do not necessarily represent official NIS position or policy.

RUTH B. LOVE

General Superintendent of Schools

BOARD OF EDUCATION

CITY OF CHICAGO

102

Copyright © 1981 Board of Education of the City of Chicago Chicago, Illinois

### CONTENTS

Preface v

Acknowledgment vii

Introduction ix

Grade 7 (Level U) 1

Place Value 2

Rational Numbers 13

Grade 8 (Level V) 31

Sets 32

Rational Numbers 36

Real Numbers 50

English/Spanish Vocabulary 55
Teacher Evaluation Form 59



#### PREFACE

A contrastive analysis approach to curriculum development is used in the Supplement for Curriculum Guide for Mathematics: Spanish-Speaking Students to enlighten both the bilingual teacher and the English-speaking classroom teacher regarding differences in the teaching methodology of the United States and Spanish-speaking countries.

Lessons have been developed for the objectives for which the instructional strategies used in the United States differ from those used in Spanish-speaking countries. Teachers are requested to use the <u>Curriculum Guide for Mathematics</u> to teach those objectives for which the same methodology is used in the United States and Spanish-speaking countries. It is important to note that instruction in every objective taught in the school system is provided for the Spanish-speaking student.

### Every lesson has four parts:

an explanation for the teachers to acquaint them with the differences in the instructional strategies used in Spanish-speaking countries and in the United States

an activity for the students to reinforce their skills in using the language and methodology of their native countries

suggestions for the teachers to facilitate the students' transition from the methodology used in Spanish-speaking countries to the methodology used in the United States

a transitional activity designed to prepare students to use the standard algorithm of the Chicago public schools curriculum by providing practice in solving problems using the methodology and language of Spanish-speaking countries and the United States.

The sequence of objectives in the mathematics program of the Spanish-speaking countries may vary from that of the Chicago curriculum. Where there is variation in the order of the objectives, the sequence of the Chicago public schools curriculum is used.



5

#### ACKNOWLEDGMENT

OFFICE OF EDUCATION SERVICES

Alice C. Blair Deputy Superintendent

DEPARTMENT OF CURRICULUM

Gerard J. Heing Assistant Superintendent

BUREAU OF MATHEMATICS

Dorothy S. Strong Director

BUREAU OF MANAGEMENT, PRODUCTION, AND DISTRIBUTION

B. Barton Gallegos Director

COMMITTEE ON THE SUPPLEMENT FOR CURRICULUM GUIDE FOR MATHEMATICS: SPANISH-SPEAKING STUDENTS\*

Aurelio Acevedo, Resource Teacher, Whittier Elementary School Angel Adorno, Resource Teacher, Tuley Middle School Donald C. Anderson, Teacher, Burns Elementary School Augustine Beloz, Teacher, Sullivan Elementary School César S. Blanco, Resource Teacher, Gale Elementary School Carlos Collazo, Teacher, Tilden High School Ernest González, Teacher, Yates Elementary School Zonia V. Grace, Teacher, Wells High School Marie D. Jernigan, Coordinator, Bureau of Mathematics, Department of Curriculum Ascención V. Juárez, Teacher, Wells High School

Joseph Martinez, Teacher, Cooper Upper Grade Center
Dario Mojica, Teacher, Arai Middle School
Julian Paniagua-Vazquez, Teacher, Gary Elementary School
Alicia Rogawski, Teacher, Burns Elementary School
Maria Guadalupe Tousek, Teacher, Department of Curriculum

It is the policy of the Board of Education of the City of Chicago not to discriminate on the basis of race, color, creed, national origin, religion, age, handicap unrelated to ability, or sex in its educational program or employment policies or practices.



Titles listed indicate positions held at the time of the preparation of this publication.

#### INTRODUCTION

STRAND	YEAR 7 (Level t		YEAR 8 (Level V)		
	Objective	Pages	Objective	Pages	
Sets	New Age		1-V-9 32-39		
Place Value	2-U-3 2-U-4	2- 7 8-12			
Rational Numbers	4-U-3 4-U-6 4-U-11 4-U-16	13-16 17-20 21-24 25-29	4-V-2 4-V-4 4-V-5	36-40 41-44 45-49	
Real Numbers		_	8-V-2	50-53	

The major topics included for grades 7 and 8 are sets, place value, rational numbers, and real numbers.

The standard page format provides basic information for each objective. Information includes the following: STRAND, OBJECTIVE, OBJECTIVE CODE, and SUGGESTED ACTIVITIES.



ix 7

#### GRADE 7

#### Place Value

- 2-U-3 Read and write base ten numerals in exponential form.
- 2-U-4 Read and write base ten numerals in scientific notation.

### Rational Numbers

- 4-U-3 Given two mixed numerals with like or unlike denominators, subtract the numerals.
- 4-U-6 Given two fractional numbers, divide the numbers.
- 4-U-ll Given two decimal fractions, subtract the fractions.
- 4-U-16 Given decimal fractions, divide the fractions.

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



OBJECTIVE CODE 2-U-3

STRAND PLACE VALUE

OBJECTIVE Read and write base ten numerals in exponential form.

### SUGGESTED ACTIVITIES

The place value system and the methods used to read and write numbers in some Spanish-speaking countries differ from the system and method used in the United States.

### PART I

Spanish-Speaking United States
Countries Method Method

3,826,171,382,467.0 3,826,171,382,467.0

0R

3.826.171.382.467.0

0R

32826,171,382,467.0

Tres billones, ochocientos veintiseis mil, ciento setenta y un millones, trescientos ochenta y dos mil, cuatrocientos sesenta y siete

Three trillion, eight hundred twenty-six billion, one hundred seventy-one million, three hundred eighty-two thousand, four hundred sixty-seven

$$(3x10^{12})+(8x10^{11})+(2x10^{10})+(6x10^{9})+(1x10^{8})+(7x10^{7})+$$

$$(1x10^{6})+(3x10^{5})+(8x10^{4})+(2x10^{3})+$$

$$(4x10^{2})+(6x10^{1})+(7x10^{0})$$

### PART I (continued)

<u>د – ت – 2</u>

In some Spanish-speaking countries, such as Spain, numbers are written with points in place of commas for period division, and with a comma in place of a point for decimal division:

3.826.171.382.467,0 ---- 3,826,171,382,467.0

In some Spanish-speaking countries, such as Peru, indexes 1,2,3,...are used to indicate millions, billions, trillions ... respectively.

32,826,171,382,467.0 ---- 3,826,171,382,467.0

In Spanish-speaking countries, the thousands are read and written as singular  $(2,000 = \underline{\text{dos mil}})$  but hundreds, millions, hundred millions...are plural  $(100 = \underline{\text{doscientos}}; 3,000,000 = \underline{\text{tres millones}})$ .

In Spanish-speaking countries, such as Mexico, each six digits is named a period and each three digits, a class. This contrasts with the United States method of naming each three digits a period. In the Spanish-speaking method,  $10^6$  is named one million,  $10^9$  is named one thousand million, and  $10^{12}$  is one billion. In the United States  $10^9$  is one billion.

				VALOR	RELA	TIVO						
3,	8	2	6,	1	7	1.	3	8	2,	4	6	7
unidades de billón	centenas de utilar de millôn	decenas de millar de millon	unidades de millar de millon	centenas de millón	decenas de milión	unidades de millón	centenas de millar	decenas de millar	unidades de millar	centenas	decenss	unidades simples
13 orden	12 orden	11 orden	10 orden	9 orden	8 orden	7 orden	6 orden	5 orden	4 orden	3 orden	2 orden	l orden
Billones Quinta clase	m111	ares d on ta cla		Millones Tercera clase			Millares Segunda Clase		Unidades Primera clase			
Tercer Período	Tercer					P	rimer	perfod	o			

Copyright 1981 - Board of Education of the City of Chicago - Chicago. Illinois



Escribe los números en cifras en notación desarrollada.

Números Letras

Números en Cifras

Notación Desarrollada

1)
Cuatro billones, novecientos
treinta y cinco mil
ochocientos ochenta
y dos millones,
doscientos veintiseis mil,
quinientos ochenta y tres

Nueve billones, doscientos cuarenta y un mil quinientos setenta y dos millones, ciento doce mil, setecientos sesenta y cuatro enteros y un décimo

Un billon, cuatrocientos once mil, trescientos treinta y tres millones, doscientos cincuenta y nueve mil, ochocientos tres

Escribe en cifras:

- 1)  $(5x10^{12})+(9x10^{11})+(4x10^{10})+(2x10^{9})+(4x10^{8})+(3x10^{7})+(2x10^{6})+$   $(9x10^{5})+(7x10^{4})+(5x10^{3})+(3x10^{2})+(3x10^{1})+(2x10^{0})+$   $(4x10^{-1})+(3x10^{-2}) = \underline{\hspace{1cm}}$
- 2)  $(6x10^{12})+(9x10^{11})+(7x10^{9})+(4x10^{8})+(3x10^{6})+(1x10^{3})+$   $(1x10^{0})+(2x10^{-1}) = \frac{}{\text{Copyright 1981 Board of Education of the City of Chicago, Illinois}} \mathbf{11}$

#### PART III

2-U-3

Review how numbers are written in the Spanish-speaking countries and then teach the United States method.

Review: (a) 3.678.979.143.985.0

(b) 3<sup>2</sup>,678,979<sup>1</sup>,143,985.0

Teach: 3,678,979,143,985.0

Review the Spanish-speaking countries method for reading numbers and then teach the United States method-

dos millones ----- two thousand

Review the place value system of Spanish-speaking countries and then teach the place value system of the United States--

unidades units
decenas tens
centenas hundreds
unidades de
millar thousands
unidades de
millón millions

millares de millon billions

billones trillions

3,678,979,143,985

Tropoirod

II poirod

II

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



PART IV 2-U-3

Write the digits for each number; then write each number in expanded notation. Use both methods.

Escribe los números en cifras y luego escribelos en notación desarrollada, usa ambos métodos.

Number in Words Digits Expanded Notation Números Letras Números en Cifras Notación Desarrollada

Siete billones, seiscientos veinte y dos mil novecientos cuarenta y tres millones, quinientos cincuenta y un mil, doce.

Five trillion, six hundred forty-two billion, two hundred thirty-seven million, five hundred sixty-four thousand, two hundred thirty-one.

Ocho billones, cuarenta mil, quinientos ochomillones, setecientos cuarenta y dos mil, ciento treinta y cuatro enteros y un décimo.

One trillion, nine hundred fifty-two billion, two hundred seventy-six million, four hundred thirty-eight thousand, nine hundred twenty-seven and two hundred fifty-four thousandths.

### PART\_IV (continued)

2-0-3

Write the numbers in expanded notation.

Escribe los números en no ación desarrollada.

- 1) 5,649,213,515,946.0
- 2) 6<sup>2</sup>,514,410<sup>1</sup>,252,603.0
- 3) 2.004.611.298.752,21
- 4) 3,423,935,209,011.218

STRAND PLACE VALUE

OBJECTIVE CODE 2-U-4

OBJECTIVE Read and write base ten numerals in scientific notation.

### SUGGESTED ACTIVITIES

In Spanish-speaking countries each numerical period has six places; in the United States each numerical period has three places. In Spanish-speaking countries the third numerical period is called billions. (See 2-U-3.)

The separation of periods varies among countries; some use the comma and others use the point.

### PART\_I

# Spanish-Speaking Countries Method

The indexes  $\frac{1}{s}$  and  $\frac{2}{s}$  indicate a period of  $\frac{1}{s}$  ix and twelve places respectively:

3<sup>2</sup>490.000<sup>1</sup> 000.000

3,49  $\times$  10<sup>12</sup> (A comma is used in some countries.)

3<sup>2</sup> 490,000<sup>1</sup>000,000

3.49  $\times$  10<sup>12</sup> (A point is used in some countries.)

In writing a number in scientific notation, the students in some Spanish-speaking countries use the decimal comma and multiply the number in the greatest place value position by 10 to the <a href="mailto:nth">nth</a> power.
<a href="mailto:nth">N</a> is indicated by the number of places to the right.

### United States Method

In the United States, indexes are not used to designate numerical periods.

3,490,000,000,000

 $3.49 \times 10^{12}$  (A decimal is used.)

તુ દ



PART 1 (continued)

2-U-4

Spanish-Speaking Countries Method

United States Method

 $3.820.000.000 = 3.82 \times 10^{12}$ 

The example above is read by Spanish-speaking students as--

three billions, 820 thousand millions. tres billones, 820 mil millones.

The indexes  $\underline{1}$  and  $\underline{2}$  indicate the sixplace periods of millions and billions respectively.

PART II

2-U-4

Escribe los siguientes números usando notación científica. Escribe como se lee cada número.

Ejemplos:

 $3^{2}.194.000^{1}.000.000 = 3.194 \times 10^{12}$ 

Se lee 3 billones 194 mil millones.

 $538^{2}000,000^{1}000,000 = 5.38 \times 10^{14}$ 

Se lee 538 billones.

 $3.8 \times 10^{15} = 3,800,000,000,000,000$ 

Se lee tres mil ochocientos billones.

1) 350,000,000 =

2) 78 000,000,000,000 =

 $^{3}$ ) 4.95 x 10 =

 $4)7 \times 10 =$ 

 $5)1 \times 10 =$ 

6)  $3.5 \times 10 =$ 

7) 1,979 =

 $\epsilon$ ) 15,000 =

9) 12,000,000 =

10) 120,000 =

PART III 2-U-4

3

Explain the difference between the Spanish-speaking countries method and the United States method of reading periods. Point out the use of commas to separate the periods in the United States.

Spanish-Speaking Countries Method

 $8.5 \times 10^{12} = 8^2500,000^1000,000$ 

Read: ocho billones, quinientos mil millones.

 $1 \times 10^{15} = 1,000,000,000,000,000$ 

Read: mil billones.

 $1 \times 10^{18} =$ 

1,000,000,000,000,000,000

Read: un trillon.

United States Method

 $8.5 \times 10^{12} = 8.500,000,000,000$ 

Read: eight trillion, five hundred billion.

 $1 \times 10^{15} = 1,000,000,000,000,000$ 

Read: one quadrillion.

 $1 \times 10^{18} =$ 

1,000,000,000,000,000,000

Read: one quintillion.

### PART IV

2-0-4

Read the amounts by using both methods.

Lee las cantidades utilizando ambos métodos.

Spanish-Sp	eaking
Countries	Method

United States Method

1)  $9.5 \times 10^{10} =$ 

2)  $9.5 \times 10^{10} =$ 

3) 1.000 MILES =

4) 1.000 MILES =

5) 10.000 km =

- 6) 10.000 km =
- 7) 150,000,000,000 =
- 8) 150,000,000,000 =

- 9) 5,920,000,000 =
- 10) 5,920,000,000 =

STRAND RATIONAL NUMBERS

OBJECTIVE CODE

4-U-3

OBJECTIVE Given two mixed numerals with like or unlike denominators, subtract the numerals.

## SUGGESTED ACTIVITIES

In Spanish-speaking countries the students convert a mixed numeral directly to an improper fraction and then find the common denominator.

### PART I

Spanish-Speaking Countries Method	United Stat	tes —
$4\frac{1}{4} - 2\frac{3}{6} =$	$4 \frac{1}{4} = 4 \frac{3}{12} =$	3 <u>15</u> 12
$\frac{17}{4} - \frac{15}{6} =$	$-2\frac{3}{6} = 2\frac{6}{12} =$	2 6/12
$\frac{51 - 30}{12} =$		$1 \frac{9}{12} = 1 \frac{3}{4}$
$\frac{21}{12} =$		
$1\frac{9}{12} = 1 \frac{3}{4}$		

- Step 1. Convert each mixed fraction to an improper fraction.
- Step 2. Find a common denominator.
- Step 3. Convert each fraction to an equivalent fraction using
- the new common denominator.
  Step 4. Perform the operation indicated.

Copyright 1981 - Board of Education of the City of Chicago - Chicago Illinois PART II

4-U-3

Resuelve los siguientes problemas:

1) 
$$6\frac{1}{2} - 2\frac{1}{3} =$$

$$^{2)}$$
  $^{16}\frac{3}{8}$   $^{-8}\frac{5}{8}$  =

3) 
$$15\frac{2}{5} - \frac{1}{4} =$$

$$\frac{1}{2} - 25 \frac{1}{2} =$$

5) 
$$17 \frac{7}{9} - 9 \frac{2}{3} =$$

$$46\frac{3}{4} - 17\frac{4}{5} =$$

$$^{7)}$$
  $\frac{27}{4} - \frac{1}{3} =$ 

$$\frac{125\frac{3}{15}}{15} - \frac{83\frac{6}{14}}{14} =$$

PART III

4-U-3

Write and compare both methods. Show the students the conversions that occur in each problem and point out the similarities and differences in the methods.

Spanish-Speaking Countries Method

Example:

$$3\frac{1}{2} - 2\frac{2}{3} =$$

Each mixed numeral is converted to an improper fraction.

$$\frac{7}{2} - \frac{8}{3} =$$

The common denominator is found. The numerators are subtracted. The difference is a proper fraction.

$$\frac{21 - 16}{6} = \frac{5}{6}$$

United States Method

Example:

$$3\frac{1}{2} = 3\frac{3}{6} = 2\frac{9}{6}$$

$$\frac{2\frac{2}{3} = 2\frac{4}{6}}{\frac{5}{6}} = 2\frac{4}{6}$$

Each mixed numeral is rewritten with a common denominator.

The difference is found by subtracting a fraction from a fraction and a whole number from a whole number, after checking that the subtraction of the fractional part is possible. If subtraction is not possible, one unit from the whole number should be converted to the fraction  $\frac{5}{6}$  and added to the fraction  $\frac{3}{6}$  to make  $\frac{9}{6}$ .

Copyright 1981 - Board of Education of the City of Chicago - Chicago. Illinois

Solve these problems by using both methods:

Resuelve estos problemas usando ambos métodos:

Spanish-Speaking Countries Method

1) 
$$16\frac{3}{4} - 11\frac{1}{2} \approx$$

United States Method

$$16 \frac{3}{4} = -11 \frac{1}{2} = -$$

2) 
$$22\frac{2}{3} - 18\frac{3}{4} =$$

$$22 \frac{2}{3} = -18 \frac{3}{4} =$$

3) 
$$41\frac{5}{6} - 27\frac{2}{3} =$$

$$41 \frac{5}{6} =$$

$$-27 \frac{2}{3} =$$

### STRAND RATIONAL NUMBERS

OBJECTIVE CODE 4-U-6

OBJECTIVE Given two fractional numbers, divide the numbers.

# SUGGESTED ACTIVITIES

The method for dividing fractions in Spanish-speaking countries differs from the United States method. The symbol used for division is also different.

### PART I

Spanish-Speaking Countries Method

$$\frac{2}{3} \div \frac{12}{80} =$$

The fractions are multiplied in crisscross fashion.

$$\frac{2}{3} = \frac{12}{80}$$

$$= 4 \frac{4}{0}$$

Note: The meaning of these division symbols is the same:

United States Method

$$\frac{2}{3} \div \frac{12}{80} =$$

The reciprocal of the divisor is used.

$$\frac{2}{3}$$
 X  $\frac{80}{12}$  =

The fraction is reduced to lowest terms.

$$\frac{1}{2}$$
  $\times$   $\frac{40}{3}$   $\times$   $\frac{40}{12}$   $=$   $\frac{40}{9}$ 

The improper fraction is converted to a mixed numeral.

$$\frac{40}{9} = 4\frac{4}{9}$$

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois

PART II

4-U-6

Resuelve los siguientes problemas:

1) 
$$\frac{8}{9} \div \frac{2}{3} =$$

$$(\frac{5}{8} : \frac{6}{7} =$$

$$\frac{8}{10}:\frac{4}{9}=$$

$$\frac{6}{7} \cdot \frac{9}{10} =$$

$$\frac{2}{7}:\frac{1}{4}=$$

6) 
$$\frac{8}{9} \div \frac{1}{3} =$$

$$\frac{4}{6} \div \frac{2}{9} =$$

$$\frac{1}{6} \div \frac{4}{7} =$$

<u>PART III</u> <u>4-U-6</u>

Explain the Spanish-speaking countries method by demonstrating that fractions are divided by cross multiplying the numerator of the dividend by the denominator of the divisor to find the numerator of the quotient, and the numerator of the divisor by the denominator of the dividend to find the denominator of the quotient.

Example:

$$\frac{2}{3}$$
  $\frac{1}{2}$   $\frac{4}{3}$  =  $1\frac{1}{3}$ 

Explain that in the United States fractions are divided by multiplying by the reciprocal of the divisor.

Example:

$$\frac{2}{3} \div \frac{4}{2}$$

$$\frac{12}{3} \times \frac{1}{\cancel{4}} = \frac{1}{3}$$



Copyright 1981 - Board of Education of the City of Chicago - Chicago. Illinois

PART IV

20

Solve the following problems:

Resuelve los siguientes problemas:

Multiplica en forma de cruz.

Divide,

1) 
$$6\frac{1}{2}:\frac{2}{3}=$$

2) 
$$\frac{1}{5} \div \frac{1}{6} =$$

$$5 \frac{1}{4} \div \frac{1}{9} =$$

4) 
$$4\frac{1}{7} \div \frac{1}{4} =$$

$$_{15} \frac{1}{10} : \frac{1}{5} =$$

$$3\frac{1}{3} \div \frac{4}{6} =$$

$$^{7)} \quad 8 \, \frac{5}{9} \div 2 \, \frac{7}{9} =$$

$$6 \frac{8}{9} \div \frac{1}{4} =$$

9) 
$$9\frac{8}{9}:1\frac{1}{5}=$$

$$\frac{9}{10} \div \frac{4}{5} =$$

STRAND RATIONAL NUMBERS

OBJECTIVE CODE 4-U-11

OBJECTIVE Given two decimal fractions, subtract the fractions.

### SUGGESTED ACTIVITIES

The subtraction process in the Spanish-speaking countries is done by modifying the subtrahend. Instead of reducing the minuend, the subtrahend is increased.

### Part I

Spanish-Speaking	
Countries Method	
6.7 <sup>1</sup> 5	

 $\frac{5.416}{1.29}$ 

One tenth is borrowed from 7 tenths and converted to 10 hundredths. Ten hundredths is added to 5 hundredths to make 15 hundredths.

Six hundredths from 15 hundredths is 9 hundredths. The 9 is written under the 6. The 1 tenth that was borrowed is written next to the 4 tenths in the subtrahend.

The 4 tenths in the subtrahend is renamed mentally to form 5 tenths. Five tenths from 7 tenths is 2 tenths. The 2 is written under the line; the decimal point is brought down.

Five from 6 is 1. The  $\underline{1}$  is written under the line.

United	States
Method	

6 5**.7**15 5**.**4 6

1.2 9

Seven tenths is renamed to form 6 tenths and ten hundredths. One tenth plus 5 hundredths makes 15 hundredths.

Six hundredths from 15 hundredths is 9 hundredths. The  $\underline{9}$  is written in hundredths place.

Four tenths from 6 tenths is 2 tenths. The 2 is written in tenths place; the decimal point is brought down.

Five from 6 is 1. The <u>l</u> is written in units place.

Copyright 1981 - Board of Education of the City of Chicago - Chicago. Illinois



PART II

<u>4-U-11</u>

Resta los siguientes números:

PART III 4-U-11

Review the subtraction process for decimal fractions used in Spanish-speaking countries. Then introduce the United States method.

Spanish-Speaking Countries Method	United States Method
$7 \frac{1}{6}$	6 1 1 6
$-5_1^{*}$ , $3_1^{*}$ 7	<u>- 5. 3 7</u>
1. 8 9	1.89

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois

PART IV

4-U-11

Subtract the following numbers by using both methods shown in the example.

Resta los siguientes números usando los dos métodos de acuerdo con los ejemplos.

Spanish-Speaking Countries Method

$$4 \cdot {}^{1}3^{1}2$$

$$- 1_{1} \cdot 6_{1}3$$

$$2 \cdot 6 \cdot 9$$

United States Method

$$7.88$$
  $-5.76$ 

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois

STRAND RATIONAL NUMBERS

OBJECTIVE CODE 4-U-16

OBJECTIVE Given decimal fractions, divide the fractions.

# SUGGESTED ACTIVITIES

In some Spanish-speaking countries the method and symbol used in the division process differ from the method and symbol used in the United States.

### PART I

Spanish-Speaking Countries Method	United States Method
Dividendo Divisor	Divisor 32 Quotient
74 .10, 12.30	2,30, 74.10, Dividend
5 <b>10 32</b> Cociente	<u>69 0</u>
<b>50</b>	5 10
Residuo	4 60
	50 Remainder

In Spanish-speaking countries --

The dividend is written to the left of the symbol.

The divisor is written to the right of the symbol.

The subtraction is done mentally. Only the remainders are shown below the digits that were divided.

> Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



PART II

4-U-16

Divide las siguientes fracciones decimales:

1) 839.2 3.1

2) 28.75 2.5

3) 93.00 ÷ 3.1

4) 389.7 ÷ 1.4

5) 2.4 78.9

6) 3.2 675.3

7) 2.4 657.3

8) 5.1 367.2

PART III

4-U-16

Spanish-Speaking Countries Method

United States Method

Divide

Divide:

49.26 by 2.4

49,26 by 2.4

Explain that the division of decimal numbers by decimal numbers is accomplished by multiplying the dividend and divisor by 10, 100, or 1,000 according to the places in the divisor. Then the division algorithm is performed.

Multiply dividend and divisor by 10.

24 goes into 49 two times. Write the 2 under the quotient line below the 4. Multiply mentally: 2 x 4 = 8. Subtract mentally: 9 - 8 = 1. Write 1 under the 9.

$$\begin{array}{cccc}
1 & 2 & 0 \\
\hline
1 & 2 & 0 \\
\hline
0 & 0 & 6
\end{array}$$

Multiply mentally:  $2 \times 2 = 4$ . Subtract mentally: 4 - 4 = 0. Write 0 under the 4.

Bring the 2 down from the dividend to form 12. Think: 24 does not go into 12. In the quotient, write 0 next to the 2 to form 20.

Copyright 1981 - Board of Education of the City of Chicago - Chicago. Illinois

PART III

4-U-16

Move the decimal point to the quotient to form a 20.

4 9 2. 6 | 2 4 0 1 2 6 | 20.5

Bring the 6 down from the dividend to form 126. Think: 24 goes into 126 five times. In the quotient, write 5 after the decimal point.

4 9 2. 6 20.5 0 1 2 6 20.5

Multiply mentally:  $4 \times 5 = 20$ . Subtract mentally: 26 - 20 = 6. Write <u>6</u> under the 6.

4 9 2. 6 2 4 0 1 2 6 20.5

Carry over the 2 tens.

4 9 2. 6 2 4 0 1 2 6 20.5 0 6

Multiply mentally:  $2 \times 5 = 10$ . Add the product  $\underline{10}$  to the  $\underline{2}$  that was "carried over." Subtract mentally: 12 - 12 = 0. Write  $\underline{0}$  under the 12.

35

PART IV

4-U-16

Divide the following decimal fractions:

Divide las siguientes fracciones decimales:

1) 32.1 2.1

2) 2.1 32.1

3) 19.8 <u>1.8</u>

4) 1.8 19.8

5) 24.48 3.14

6) 3.14 24.48

7) 532.12 2.15

8) 2.15 532.12

#### GRADE 8

#### <u>Sets</u>

1-V-9 Given an English phrase or sentence, write a mathematical phrase or sentence.

## Rational Numbers

- 4-V-2 Given two positive rational numbers with like and unlike denominators, determine their sum or difference.
- 4-V-4 Given two decimals, determine their sum or difference.
- 4-V-5 Given two decimals, determine product or quotient.

## Real Numbers

8-V-2 Given a square number, designate its two sets of like factors (positive and negative) and identify the positive factor as the principal square root.

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



STRAND SETS

OBJECTIVE CODE 1-V-9

OBJECTIVE

Given an English phrase or sentence, write a mathematical phrase or sentence.

## SUGGESTED ACTIVITIES

## PART I

Spanish-Speaking Countries Method

United States Method

Following are examples of mathematics phrases in Spanish and in English.

Ejemplos:

Examples:

Divide 25 entre 2.

Divide 25 by 2.

el producto de 7 por A

the product of 7 and A

4 más que x

four more than x

### PART II

1-V-9

Expresa en forma de ecuación algebráica las siguientes oraciones o frases matemáticas:

- 1) tres más que m
- 2) ocho menos nueve
- 3) Seis es mayor que b.
- 4) Nueve es menor que trece.
- 5) tres menos cinco
- 6) Divide n entre 10.
- 7) 25 es mayor que X.
- 8) 25 más que X
- 9) 25 menos que X

PART III

Teach students that the word  $\max$  in Spanish is translated as  $\max$  and as  $\max$ . Help students to realize that --

2 mas que X 2 more than X X + 2

2 mas X 2 plus X 2 + X

Provide students with opportunities to interpret Spanish and English phrases. Use flash cards, charts, or other examples.



## PART IV

1-7-9

Match the following phrases in column one with those in column two.

Parea las siguientes frases de la columna #1 con las de la columna #2.

	Spanish-Speaking Countries Method		United States Method
1)	La suma de x más 4	a)	The product of 7 and A
2)	El producto de 7 por A	b)	4 times the number of dimes (D)
3)	3 menos que N	c)	One-half of the product of the base (B) and the height (H)
4)	Nueve menos que algun número N	d)	The difference between P and 7
5)	La diferencia entre P y 7	e)	The sum of x and 4
6)	25 más que un número (B)	f)	3 less than N
7)	El cuadrado del radio R	g)	S multiplied by 7
8)	S multiplicado por 7	h)	Nine less some number N
9)	La mitad del producto de la base por la altura (H)	i)	25 more than a number (B)
10)	4 veces el número de monedas de diez centavos	j)	The square of the radius R



### STRAND RATIONAL NUMBERS

OBJECTIVE CODE 4-V-2

## **OBJECTIVE**

Given two positive rational numbers with like and unlike denominators, determine their sum or difference.

# SUGGESTED ACTIVITIES

In the Spanish-speaking countries the process and format used in operations with rational numbers differ from the process and format used in the United States.

### PART I

## Spanish-Speaking Countries Method

Addition and subtraction follow the same initial steps. Mixed numerals are converted to improper fractions. The lowest common denominator is used.

$$3\frac{3}{4}+6\frac{3}{5}=$$

$$\frac{15}{4} + \frac{33}{5} =$$

$$\frac{75 + 132}{20} =$$

$$\frac{207}{20} = 10\frac{7}{20}$$

$$3\frac{3}{4} = 3\frac{15}{20}$$

$$+6\frac{3}{5} = 6\frac{12}{20}$$

$$9 \frac{27}{20} = 10 \frac{7}{20}$$



The process for subtracting rational numbers is as follows:

Example:

$$16\frac{2}{5} - 12\frac{5}{8} =$$

$$\frac{82}{5} - \frac{101}{8} =$$

$$\frac{656}{40} - \frac{505}{40} = \frac{151}{40}$$

The fractions are placed next to each other in a horizontal arrangement, as illustrated at the left.

The mixed numerals are converted to improper fractions. The whole number is multiplied by the respective denominator. The number in the numerator is added to this product.

A common denominator is found by multiplying 5 X 8.

The common denominator is written under the line. The products of 82 times 8 and 101 times 5 are placed in the numerator above the line. The numbers in the numerator are subtracted.

$$\frac{656 - 505}{40} = \frac{151}{40}$$

The fraction  $\frac{151}{40}$  is written to the right of the equal sign.

$$\frac{151}{40} = 3\frac{31}{40}$$

A mixed numeral is found by dividing the denominator into the numerator. Fractions are reduced to lowest terms.

In the process for adding 16 2/5 and 12 5/8, the numbers in the numerator above the line are added as follows:

$$\frac{656 + 505}{40} = \frac{1161}{40} = 29\frac{1}{40}$$

Copyright 1981 - Board of Education of the City of Chicago - Chicago Illinois



PART II

4-7-2

Suma fracciones a y b. Resta la fracción menor de la mayor.

_a	<u>b</u>	SUMA	DIFERENCIA
$\frac{1}{6\frac{1}{2}}$	$\frac{(+5)^2}{7}$	$\frac{91 + 38}{14} = \frac{129}{14}$	$\frac{91 - 38}{14} = \frac{53}{14}$
$\zeta_{\rm x}$	$C_{x}\mathcal{I}$	14 14	14 14
		_ 9 3	_ 311
<u>13</u>	<u>19</u>	= 14	$-\frac{14}{14}$
	- <del></del> 7		

1) 
$$22\frac{1}{3}$$
  $2\frac{9}{10}$  \_\_\_\_\_\_

$$9\frac{2}{9}$$
  $9\frac{7}{8}$  \_\_\_\_\_\_


$$7\frac{1}{6}$$
  $1\frac{5}{12}$  \_\_\_\_\_\_

4) 
$$7\frac{4}{5}$$
  $5\frac{2}{3}$ .



PART III

Assist the students in making the transition from one form of subtraction to the other. Allow the students to use the horizontal notation until the renaming of the whole number and the fraction has been mastered. Follow these steps:



Find a common denominator for 8 and 7.

$$\frac{70}{56} - \frac{48}{56} = \frac{22}{56}$$

$$13 - 6 = \frac{7}{7 \cdot \frac{22}{56}} = \frac{7 \cdot \frac{11}{28}}{7 \cdot \frac{11}{28}}$$

Find a common denominator for 8 and 7.

Subtract the common fractions; then subtract the whole numbers.

Add the two components (7 and  $\frac{22}{56}$ ) to make  $7\frac{22}{56}$ .

Reduce  $\frac{22}{56}$  to lowest

terms.

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



PART IV

4-V-2

Find the sum or difference of the following fractions:

Encuentra la suma o la diferencia de las siguientes fracciones:

Spanish-Speaking Countries Method

Formato horizontal convirtiendo a fracción impropia.

Ejemplos:

$$6\frac{1}{3} + 3\frac{4}{5} =$$

$$\frac{19}{3} + \frac{19}{5} =$$

$$\frac{95 + 57}{15} = \frac{152}{15} = 10\frac{2}{15}$$
 (Suma)

United States Method

The vertical form is used without converting to improper fractions.

Examples:

$$6\frac{1}{3} \longrightarrow 6\frac{5}{15}$$

$$+ 3\frac{4}{5} \longrightarrow 3\frac{12}{15}$$

$$9\frac{17}{15} = 10\frac{2}{15}$$
 (sum)

$$6\frac{1}{3} - 3\frac{4}{5} =$$

$$\frac{19}{3} - \frac{19}{5} =$$

$$\frac{95 - 57}{15} = \frac{38}{15} = 2\frac{8}{15}$$
 (Diferencia)

$$6\frac{1}{3} \rightarrow 6\frac{5}{15} \rightarrow 5\frac{20}{15}$$

$$\frac{3\frac{4}{5} \rightarrow 3\frac{12}{15} \rightarrow 3\frac{12}{15}}{2\frac{5}{18}}$$

(Difference)

1) 
$$12\frac{3}{4} + 8\frac{1}{7}$$

2) 
$$8\frac{1}{8} - 7\frac{2}{3}$$

3) 
$$7\frac{5}{12} + 6\frac{5}{6}$$

4) 
$$10\frac{2}{9} - 1\frac{3}{4}$$

5) 
$$10\frac{0}{1} + 2\frac{10}{11}$$



OBJECTIVE CODE 4-V-4

STRAND RATIONAL NUMBERS

OBJECTIVE Given two decimals, determine their sum or difference.

## SUGGESTED ACTIVITIES

In the Spanish-speaking countries, the method for determining the sum of two decimals is the same as the United States method except that in some countries a comma is used instead of a decimal point. The Spanish-speaking countries method for finding the difference between two decimals differs from the United States method.

### PART I

Spanish-Speaking Countries Method	United States Method
,4 <sup>1</sup> 7 .4 <sup>1</sup> / <sub>1</sub> 7	.∦ ¹7
$2_{1} 92_{1} 9$	.2 9
,1 8 ,1 8	.1 8

The process for subtracting decimal fractions is explained in Objective 4-U-11.

The comma is used to separate the whole number from the decimal in several of the Spanish-speaking countries.

The decimal point is used to separate the whole number from the decimal fraction.

PART II

4-V-4

Halla la suma o la diferencia de los siguientes números:

Ejemplos:

PART III

4-V-4

Review the method used in Spanish-speaking countries for finding the difference between two given decimals. Explain the United States method.

Spanish-Speaking Countries Method

The subtrahend is renamed mentally by adding the one borrowed from the minuend.

.3 / 17 .11 / 9 1 / 8

Say: 17 - 9 = 8.
Write 8 under the line
 below the 9.
Add one tenth to the
 subtrahend by returning
 the 1 tenth borrowed.
Say: 3 - 2 = 1.
Write 1 under the line
 below the 1 tenth.

United States Method

The minuend is modified by taking one from the place to the left, thereby reducing that place by one. The one taken is renamed and added to the place at the right.

 $\frac{1}{3}$  17 .1 9 .1 8

Rename the 3 tenths as 2 tenths and 10 hundredths.

Say: 9 from 17 is 8.

Write 8 in the hundredths place.

Subtract 1 from 2.

Write 1 in the tenths place.

Subtract by using both methods. Resta usando ambos métodos.

Ejemplo:

$$\begin{array}{r}
.6^{1}6 \\
-.3_{1}7 \\
\hline
-.29
\end{array}$$

Example:

1) 8,41 -3,17

25.72

9.43

<sup>3)</sup> 4 .6 3 ~ 2 .4 5

1 4 .8 4 6 .8 6

<sup>5)</sup> 13.58 2.99 6) 10.35

- 4 .1 7

7) 25,37 -<u>14,88</u> 8) 35,41

8 5, 8\_

STRAND RATIONAL NUMBERS

OBJECTIVE COOE 4-V-5

OBJECTIVE

Given two decimals, determine product or quotient.

## SUGGESTED ACTIVITIES

The method and symbol used for division of decimals in Spanishspeaking countries differ from the method and symbol used in the United States. In some Spanish-speaking countries a comma is used instead of a decimal point. (See Objective 4-U-16 for the division algorithm process.)

### PART I

Spanish-Speaking Countries Method


Dividendo

United States Method

Divisor.		2	1.	_
4,12		5 4		Quotient Dividend
	0	1 1	4	
•	_		2	Remainder

The cast-out-nines method algorithm.

The inverse operation is used to is used to check the division check if the division algorithm is correct.



Prueba del nueve

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



PART I (continued)

4-V-5

Spanish-Speaking Countries Method

United States Method

The algorithm used for multiplying decimal numbers in Spanishspeaking countries follows the same process as the one used in the United States.

In some Spanish-speaking countries the comma is used to separate the whole number from the decimal fraction.

8 6, 5 4 Multiplicando

X 4, 1 2 Multiplicador


8 6. 5 4 Multiplicand X 4. 1 2 Multiplier

1 7 3 0 8 8 6 5 4 3 4 6 1 6 Product

173 08 865 4 34616

The commutative property is used to check the multiplication.

Producto



Prueba del nueve



PART II

4-7-5

Encuentra los productos y los cocientes de los siguientes números según se indica:

1)  $3.4 \times 5 =$ 

2)  $12 \times 37.5 =$ 

3)  $4.25 \times 3.4 =$ 

4)  $517 \times .84 =$ 

5)  $128.86 \div 8 =$ 

6)  $42.6 \div 18.2 =$ 

7)  $312 \div 1.05 =$ 

8) 7.5 4 ÷ .3 2 =

9)  $363.04 \times 25.003 = 10$ 

10)  $363.04 \div 25.003 =$ 

PART III

4-V-5

Explain that the division of decimal numbers requires that the dividend and the divisor be increased by a power of 10 when there is a decimal divisor.

Spanish-Speaking Countries Method

United States Method

324 goes into 688 two times. Write the 2 under the quotient line below the 2.

Multiply mentally: 4 x 2 = 8.

Subtract mentally: 8 - 8 = 0.

Write 0 under the 8.

Multiply mentally: 2 x 2 = 4.

Subtract mentally: 8 - 4 = 4.

Write 4 under the 3.

Multiply mentally: 3 x 2 = 6.

Subtract mentally: 6 - 6 = 0.

Write 0 under the 6.

Bring the 6 down from the dividend to form 406. 324 goes into 406 one time. Write 1 under the quotient line to form 21. Multiply mentally each digit in the divisor by 1. Subtract mentally each product obtained.

PART IV

**4-**V-5

Solve the following problems by using both methods:
Resuelve los siguientes problemas usando ambos métodos:

- 1) .48 8.92
- 2) .2 4 8.9 2

- 3) 18.3 75.4
- 4) .3 1 6 3.1
- 5) 18593.1 4.75

STRAND REAL NUMBERS

OBJECTIVE CODE 8-V-2

**OBJECTIVE** 

Given a square number, designate its two sets of like factors (positive and negative) and identify the positive factor as the principal square root.

## SUGGESTED ACTIVITIES

In most of the Spanish-speaking countries, the negative symbol is written in the upper left corner of the numeral (77); in some countries the negative symbol is placed above the numeral. In the United States the negative symbol is usually written in front of the numeral (-7).

### PART I

	Spanish-Speaking Countries Method	United States Method		
49	$= (7^2) = 7.7$	$49 = (7)^2 = 7 \times 7$		
49	$= (-7)^2 = (-7)(-7)$	$49 = (-7)^2 = (-7)(-7)$		
49	$= (7)^2 = 7.7$			

The principal square root of 49 is 7.

PART II

8-V-2

Escribe la raíz cuadrada de estos números. Usa factores positivos.

- 1) 9
- 2) 36
- 3) 144
- 4) 81

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois

PART III 8-V-2

Write examples of negative numbers as they are written in the United States and in Spanish-speaking countries. Compare the examples.

Spanish-Speaking Countries Method

United States Method

Use the following procedure to help the student to see how easy it is to move the negative symbol from the position above the number to the position at the left of the number.

7, 4, 6, 7, 4, 6

-7, -4, -6



Part IV

8-V-2

Find the square roots of the numbers given below. Use sets of positive and negative factors. Indicate the principal root.

Encuentra las raíces cuadradas de estos números. Usando conjuntos de factores positivos y negativos. Indica la raíz principal.

	Spanish-Speaking Countries Method		United States Method
1)	6 4	2)	100
3)	2 5	4)	900
5)	2 2 5	6)	6 2 5
7)	100	8)	1600

Copyright 1981 - Board of Education of the City of Chicago - Chicago Illinois

#### ENGLISH/SPANISH VOCABULARY

The equivalent or the most nearly accurate equivalent Spanish terms have been listed for the English terms used in the mathematical context.

English	Spanish
addend adjacent associative property average	sumando adyacente propiedad asociativa promedio
block, cube border boundary braces, brackets	cubo, hexaedro orilla, borde, margen límite, linde, lindero llaves
cardinality of a set carry Cartesian product cent, penny chalk classify clock face clock hands compound interest corner, vertex	cardinalidad del conjunto llevar productos cartesianos centavo, céntimo, centésimo gis, tiza clasifica(r) carátula manecillas interest compuesto vértice
dates digit domain	datos, fechas cifra, dígito dominio
edge eight, eighth empty or null set encircle end points equal; same even number expanded notation exponential notation	arista ocho, octavo conjunto vacio o nulo encerrar en un círculo puntos extremos en toda línea igual; lo mismo, el mismo número par notación desarrollada notación exponencial
finite set first five; fifth five hundred foot, feet four; fourth fraction	conjunto finito primero, primera cinco; quinto, quinta quinientos pie, pies cuatro; cuarto, cuarta, cuadrante fracción, fraccionado, quebrado

Copyright 1981 - Board of Education of the City of Chicago - Chicago Illinois



English

geoboard graph greater than, more than mayor que; más que

greatest common factor (GCF)

half; halves height hundred: hundredth hundreds place

inch income tax installment buying integers investments

least common multiple (LCM) left-hand side less than

mean value measure measurement median mode

multiplication facts

nine; ninth

October 12, 1981 10/12/1981 odd number one; ones place one hundredth one tenth one thousandth ordered pairs ordinal numbers outcome

percent, percentage pint (nonexistent in Spanish)

Spanish

tablero geométrico graficar, grafica greatest common divisor maximo común divisor (MCD)

maximo común divisor (MCD)

medio, mitad; medios, mitades altura, alto cien, ciento; centésimo centenas

pulgada impuesto sobre el sueldo compras a plazos números enteros inversiones

minimo común múltiplo (MCM)

a la izquierda menor que, menos que

valor medio, medio medir, medida medida centrado, en el medio modo, serie de valores observados con frequencia tablas de multiplicar

angosto nueve; noveno, novena

12 de octubre de 1981 12/10/1981 número non, impar uno, una; unidades un centésimo un décimo un milésimo números ordenados (1, 74) números ordinales resultado

par, emparejar, formar pares porciento, porcentaje equivale a dos tazas

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois

61



### English

place value property tax protractor

quantity quart quarter quarterly quotient

range
rate
ratio
rational number
regroup
remainder
rename

right-hand side round, rounding

same
sandpaper
scientific notation
score
semiannually
sequence
sets
seven, seventh
sides of a right
triangle
six, sixth
skewed curve
square

square root statistics straight straightedge straight line stylus subset subtrahend

subtraction

square number

### Spanish

valor relativo de los números impuesto sobre la renta transportador

cantidad un cuarto de galón un cuarto de dólar, cuarta parte trimestralmente cociente

extensión
tasar, valorar, razón
razón
número racional
reagrupar
residuo
convertir números de un valor a
otro (ej. décimos a milésimos)
a la derecha
redondear, redondeando

el mismo, lo mismo papel de lija notación científica puntuación dos veces por año orden, secuencia conjunto siete, séptimo catetos

seis, sexto

curva oblicua
cuadrado
el producto de dos factores
iguales, el cuadrado de un
número
raíz cuadrada
estadística
derecho
escuadra
línea recta
punta metálica del compás
subconjunto
substraendo, sustraendo
resta, substracción, sustracción

Copyright 1981 - Board of Education of the City of Chicago - Chicago. Illinois



### English

tactual tag board

take away
tax
ten thousands place
ten thousandths place
third, one-third
thirty-nine
times
thousand
thousands place
three times three
twenty-five

unit whole

vertex

weigh weight(s) width

yard

zero

#### Spanish

tactil (tocando con las manos)
boletín, cantón para hacer
etiquetas
restar, quitar, sacar
impuesto
decenas de millar
décimo de millar, diez milésimos
tercero, un tercio
treinta y nueve
tiempos, veces, por
mil
unidades de millar
tres por tres, 3 veces 3
veinticinco

entero, unidad

vertice

pesar
peso, pesa(s)
ancho

yarda

cero (0)

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



### SUPPLEMENT FOR CURRICULUM GUIDE FOR MATHEMATICS: SPANISH-SPEAKING STUDENTS TEACHER EVALUATION FORM

Use this form to evaluate the supplement. Put a number from 1 to 4 in each box according to the scale below:

4	excellent	<u>3</u> good	$\frac{2}{2}$ fair	<u>1</u>	poor	
	the complete ent of Curri				Mathematics, Room 838,	
School		Dist	ict	Date	Teacher	

	Evaluation
Part of Lesson	cjonitife ade ate of of the ade ate of the ade at t
I II IV	
I II III	
	III III III III III III III III III II

Copyright 1981 - Board of Education of the City of Chicago - Chicago, Illinois



		Evaluation
Objective	Part of Lesson	Signification of tion of the state of the st
1-V-9	I III IV	
4-V-2	I II III	
4-V-4	I II III IV	
4-V-5	I III IV	
8-V-2	I II IV	

