

DOCUMENT RESUME

ED 424 510

CG 028 796

AUTHOR Klaus, Hanna
TITLE The International Teen STAR Program.
INSTITUTION Teen STAR Program, Bethesda, MD.
PUB DATE 1998-00-00
NOTE 10p.
AVAILABLE FROM Teen STAR Program, 8514 Bradmoor Dr., Bethesda, MD
20817-3810; Tel: 301-897-9323; Fax: 301-571-5267.
PUB TYPE Reports - Descriptive (141)
EDRS PRICE MF01/PC01 Plus Postage.
DESCRIPTORS Adolescents; College Students; Foreign Countries; Higher
Education; *Individual Development; Interpersonal
Relationship; Mate Selection; Secondary Education; *Sex
Education; *Sexuality; Values; Young Adults
IDENTIFIERS *Abstinence; Developmentally Appropriate Programs

ABSTRACT

The program "Teen STAR (Sexuality Teaching in the context of Adult Responsibility)" begins by helping young people understand the woman's cyclic and the man's constant fertility in order to encourage pre-marital abstinence in adolescents. Students then discover the values of fertility and begin to derive the norms that govern possessing it. Developmentally appropriate curricula are available for junior high, senior high, teen parents, and university level students. Results from the program are presented for the United States, Canada, Chili, and Poland. When the power to procreate is given a high value rather than a negative value, different behavioral outcomes are encountered among sexually active females. It was found that teaching teenage women and, later, men to understand and value their body's fertility within a comprehensive program of sexuality education facilitated maturation. (EMK)

* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *

The International Teen STAR Program

No one contests the fact that pre-marital abstinence is the most effective and least expensive way of obviating all the problems which arise from pre-marital sexual activity. Yet there is widespread skepticism that abstinent behavior among adolescents is achievable. With the appropriation of Title V monies for abstinence education, the term has gained either notoriety or respectability depending on one's point of view. Yet the educational approaches to maintain virginity until marriage most often fall into one end of the ideological spectrum. Some advocates emphasize character formation, others provide activities for young people which keep them well and pleasantly occupied so that they have less time for the one-on-one liaisons which so often culminate in sexual activity. Somewhere in the plethora of programs, the notion of utilizing the emerging consciousness of one's biological capacity for becoming a mother or a father which becomes present at puberty has met with anxiety and distress on the part of well-intentioned persons, some of whom equate knowledge of one's fertility with an irresistible invitation to sexual activity. Yet, just such a program — Teen STAR (Sexuality Teaching in the context of Adult Responsibility) has used the understanding of the woman's cyclic and the man's constant fertility as the pivot for imparting education in human sexuality since 1980.^{1 2}

The program begins by helping young people to discover their fertility through the understanding of cyclic physiology which is employed in the Billings Ovulation Method of Natural Family Planning. The youths then discover the values of fertility and begin to derive the norms which govern possessing it.

BEST COPY AVAILABLE

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

H. Klaus

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."

Developmentally appropriate curricula are designed for junior high, senior high, teen parents, and university level students (Holistic Sexuality). Junior and senior high curricula require weekly meetings for two semesters, while the other curricula can span one semester. When minors are taught, parental permission is required as well as an acceptance of teacher-client confidentiality. Surprisingly, in widely disparate cultures, relatively few cultural accommodations were necessary for successful delivery of the program. Teen STAR documented its effectiveness not only in the United States, but also in Canada, Chile, and Poland. Other markers of program acceptability: recruitment of additional teachers and ongoing program support in France, Switzerland, Austria, Romania, Croatia, Cameroon, Slovakia, Hungary, Lithuania, Zimbabwe and South Africa.

Results

Behavioral outcomes from U.S. and Canada (Table 1), Chile (Table 2), and Poland (Table 3) all show undergirding of virginity and a significant return to abstinent behavior. Attitudinal changes which support the goals of the program are available from the Canadian site (Table 4). Table 5 shows the age of first intercourse among U.S. females in 1995, Table 6 the level of current sexual activity among U.S. high school students.

**Table 1: Sexual Activity - Teen STAR 1996-1997
U.S. and Canada**

School	N Partici- pants	Sexually Active Before	Discon- tinued Sexual Activity	Sexual Activity last 3 mos.	Began Sexual Activity
High School Freshmen - FEMALES					
Totals	293	35 (11.9%)	15 (5.1%)*	23 (7.8%)	3 (1%) *
High School Freshmen - MALES					
Totals	456	99 (21.7%)	34 (7.4%)*	67 (14.6%)	2 * (0.4%)
8th Grade - FEMALES					
Totals	23	0	0	0	0
8th Grade - MALES					
Totals	18	0	0	0	0
* In sum, 42% of previously sexually active females and 34% of previously sexually active males discontinued previously begun sexual activity.					

Table 2: CHILE		
Transition Rates - Virgin to Non-Virgin Status		
	No. = 432	15-17 year olds
	Males	Females
Program	8.8%	3.4%
Comparison Group	17.6%	8.8%
Discontinuation Rates		
Program Group	N.S.	50%
Comparison Group	0	0

Table 3: Poland Pilot Program 1995-96 13-15 year old group - no sexual activity N - 200 16-18 year old group - N - 275	
Sexual Activity at Entry	Sexual Activity at Exit
26 (9.4%)	15 (3.6%)
Note: Results were not separated by sex. Average age of sexarche in Poland: male 15.8 years, female 16.5 years	

Table 4: Selected Attitudinal Changes of 327 Teen STAR freshmen at the end of their second semester (1996-1997), London, Ontario, Canada		
Attitude	Males (%)	Females (%)
Determined not to have sex before marriage	57%	74%
Greater control over emotions	57%	69%
Greater understanding and empathy for others' feelings	75%	81%
Program helpful	65%	90%
Source: Evaluation of Teen STAR Program, Whitehead, P.C., Wood, K.A. [Department of Sociology, University of Western Ontario, Canada.] in preparation.		

U.S. POPULATION - 1995

Table 5: National Survey of Family Growth 1995 Females Aged 15-19 who have ever had sexual intercourse after menarche for and never-married women, by age at interview and by age and race and Hispanic origin for teenagers United States, 1995	
Age	%
15	21.4
16	38.0
17	49.6
18	62.7
19	72.4
combined	48.1
Source: Series 23, No. 19, p. 30, NCHS Vital & Health Statistics, US Dept. of HHS, CDC, May 1997.	

Table 6: Youth Risk Behavior Survey (1995) courtesy, John Santelli, Center for Disease Control, USPHS Atlanta, GA		
Grade	Currently Active	
	Female (%)	Male (%)
9	22.3	24.2
10	35.4	32.1
11	48.1	36.8
12	51.9	47.9
overall	40.4 (77% of ever active)	35.5 (66% of ever active)

Discussion

Our society is by no means uniform. Unfortunately, the vast majority of health care professionals have accepted premarital and extra marital sexual behavior as a given, and perhaps a

norm, and restrict their interventions to trying to prevent undesired pregnancy and sexually transmitted disease. Some have gone a step further and equate consistent use of contraceptives by adolescents with ego maturity.

Speier et al's paper: "Predicting Contraceptive Vigilance in Adolescent Females: A Projective Method for Assessing Ego Development,"³ considers regular use of contraception as a sign of ego maturity, hence believe that ego maturity may be used to predict "contraceptive vigilance." While their indices are competently related to contraceptive practice, it is important to ask whether dependable contraceptive practice truly leads to maturity, or whether it reflects dependency on the health care providers who constrict the range of choices to "effective" family planning methods while accepting premarital sex. Contraception may prevent premature pregnancy and STD's, but it may also inhibit the ego integration which would lead to true adult self-directedness.

Identity foreclosure and maturational arrest,⁴ is frequent when teens plunge into (adult) activities before they are mature enough. For example, marital unions which began with premarital sex have been shown to be three times more likely to end in divorce than when sex was begun after marriage.⁵

In dichotomizing sex and procreation, contraception necessarily devalues fertility, thus interfering with teens' acceptance of their body and its power, including not only gender, but the potential for becoming a parent - an important aspect of the personality integration task of adolescence. Despite writing in terms of ego psychology, the paper does not take note of Helene

Deutsch's classic teaching from the *The Psychology of Women*: "For the normal healthy woman, coitus psychologically represents the first act of motherhood."⁶ If this were not true, why are 58% of abortions said to be due to "failed contraception"?⁷ Conventional wisdom to the contrary, for a woman, sex and procreation are not so easily separated.

Jemmott randomized high risk teens into either 2 or 4 hour "abstinence" or "safe sex" interventions, paid them for their attendance for the introductory, and 3, 6, and 12 month follow-ups and compared the results.⁸ The "abstinence intervention" was promising at 3 months, but lost credibility subsequently. Sarah Brown, Executive Director of the President's Task Force for the Prevention of Teen Pregnancy had already concluded and stated in an address to the American College of Obstetricians and Gynecologists, May 1997 in Las Vegas, that the public health approach to sex education had failed and that a values-based approach was necessary. One cannot randomize young people, or anyone else for that matter, in such value-laden areas and expect any meaningful results. In this study, major methodological errors were committed:

- 1) randomization into one or the other mode
- 2) randomization of teachers without apparently ascertaining what they thought appropriate for teens in terms of sexual behavior
- 3) failure to describe adequately the abstinence intervention
- 4) bribing attendees with considerable sums of money
- 5) failure to recognize that achievement of discontinuation of already initiated sexual activity requires a quite different approach from undergirding primary virginity.

It is very difficult to move an entrenched bureaucracy which has an enormous financial stake in maintaining its own systems. However, those of us who are physicians and who do truly understand not only the physical risks of adolescent sex, but also the psychological ones which have not been touched on in these papers, would do well to keep an open mind.

Engaging in an adult behavior while one is not yet adult does not move the participant toward maturity, but rather fixes the participant in emotional immaturity. The evidence to this is all around us in impulsive and sometimes violent behaviors which are reported daily. Any research which will be useful must avoid the mechanistic approach of Jemmott et al., even though it is elegantly analyzed statistically.

When the power to procreate is given a “high value” rather than a negative value, different behavioral outcomes are encountered among sexually active females or those at risk for initiating intercourse. We found that teaching teenage women and, later, males to understand and value their body’s fertility within a comprehensive program of sexuality education facilitated maturation: they broke away from peer pressure and either remained abstinent or returned to abstinence.⁹

ENDNOTES¹⁰

1. Klaus H, Kardatzke D. Teen Sexual Involvement: Primary and Secondary Prevention, in Queenan JT et al. Eds. *Natural Family Planning: Current Knowledge and New Strategies for the 1990's*. Proceedings of a Conference, Part II, Georgetown University, Washington, D.C., December 1990, 35-38. Abstract: *J Adol Health*, 1992; 13:1:46 January.
2. Klaus H, Martin JL. Recognition of ovulatory/anovulatory cycle pattern in adolescents by mucus self-detection *J Adol Health* 1989; 10:93-96.
3. Speier et al. "Predicting Contraceptive Vigilance in Adolescent Females: A Projective Method for Assessing Ego Development," *Journal of Adolescent Health* 1997; 20[1]:14-19.
4. Erikson, Erik H. *Childhood and Society*, second edition, N.Y.: Norton & Company, 1963. Pp. 262-263.
5. Teachman, J.D., Thomas J, and Paasch K. Legal Status and the Stability of Coresidential Unions, *Demography* 1991; 28[4]:571-582, November.
6. Deutsch, H., M.D. *The Psychology of Women: A Psychoanalytic Interpretation* Vol. 2: Motherhood. N.Y., Grune & Stratton, 1945, pg. 107.
7. Henshaw, SK and Kost K. "Abortion Patients in 1994-1995: Characteristics and Contraceptive Use," *Family Planning Perspectives* 28[4] July/August 1996, 140-147; 158.
8. Jemmott JB, Jemmott LS, and Fong ST, "Abstinence and Safer Sex: HIV Risk Reduction Interventions for African American Adolescents," *JAMA*, May 20, 1998, 279:19; 1529-1536.
9. Abstract. Klaus H and Weed SE. Impact of the Teen STAR Program on Teen Sexual Behavior. *J Adol Health* 1996; 81[2]:133, February.

Hanna Klaus, MD. Executive Director, Teen STAR Program, 8514 Bradmoor Drive, Bethesda, MD, 20817-3810. Tel: 301-897-9323; Fax: 301-571-5267; email: hklaus@dgsys.com



U.S. Department of Education
Office of Educational Research and Improvement (OERI)
National Library of Education (NLE)
Educational Resources Information Center (ERIC)



REPRODUCTION RELEASE

(Specific Document)

I. DOCUMENT IDENTIFICATION:

Title: "The International Teen STAR Program"	
Author(s): Hanna Klaus, M.D.	
Corporate Source: Teen STAR Program	Publication Date:

II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education* (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options and sign at the bottom of the page.

The sample sticker shown below will be affixed to all Level 1 documents

The sample sticker shown below will be affixed to all Level 2A documents

The sample sticker shown below will be affixed to all Level 2B documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

1

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2A

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2B

Level 1

↑

Level 2A

↑

Level 2B

↑

Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) and paper copy.

Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only

Check here for Level 2B release, permitting reproduction and dissemination in microfiche only

Documents will be processed as indicated provided reproduction quality permits.
If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.

I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries.

Sign here, → please

Signature: Hanna Klaus	Printed Name/Position/Title: Hanna Klaus, M.D., Ex.Dir	
Organization/Address: Teen STAR Program 8514 Bradmoor Drive, Bethesda, MD	Telephone: 301-897-9323	FAX: 301-571-5267
	E-Mail Address: hklaus@dgsys.com	Date: 10/26/98



PRIOR '98

(over)