

2011

**Montana
Youth Risk Behavior
Survey**

**Nonpublic Accredited
Schools**

☞ 2011 Frequency Distributions
☞ 1999-2011 Trend Data

Montana Office of Public Instruction
Health Enhancement and Safety Division
June 2011



opi.mt.gov

Montana
Office of Public Instruction
Denise Juneau, State Superintendent

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 349 high school students in Nonpublic Region during February of 2011. Frequency distributions may not total 349 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u>Count</u>	<u>Percent</u>
a. 12 years old or younger	0	0.0%
b. 13 years old	0	0.0%
c. 14 years old	28	8.1%
d. 15 years old	82	23.7%
e. 16 years old	83	24.0%
f. 17 years old	94	27.2%
g. 18 years old or older	59	17.1%
Total	346	100.0%

<i>Q-2. What is your sex?</i>	<u>Count</u>	<u>Percent</u>
a. Female	152	43.8%
b. Male	195	56.2%
Total	347	100.0%

<i>Q-3. In what grade are you?</i>	<u>Count</u>	<u>Percent</u>
a. 9th grade	78	22.7%
b. 10th grade	90	26.2%
c. 11th grade	82	23.9%
d. 12th grade	91	26.5%
e. Ungraded or other grade	2	0.6%
Total	343	100.0%

<i>Q-4. Are you Hispanic or Latino?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	11	3.2%
b. No	336	96.8%
Total	347	100.0%

<i>Q-5. What is your race?</i>	<u>Count</u>	<u>Percent</u>
a. American Indian or Alaskan Native	55	15.8%
b. Asian	19	5.4%
c. Black or African American	3	0.9%
d. Native Hawaiian or Other Pacific Islander	5	1.4%
e. White	267	76.5%
(More than one response allowed) Total	349	100.0%

<i>Q-6. How tall are you without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 4 ft	0	0.0%
b. 4ft to 4 ft, 6 in	0	0.0%
c. 4ft, 7in to 5 ft	9	2.6%
d. 5ft, 1in to 5ft, 6in	111	32.4%
e. Over 5ft, 6in	223	65.0%
Total	343	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. How much do you weigh without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 90 lbs	4	1.2%
b. 90-99 lbs	6	1.8%
c. 100-109 lbs	10	2.9%
d. 110-119lbs	34	9.9%
e. 120-129 lbs	35	10.2%
f. 130-139 lbs	45	13.2%
g. 140 lbs +	208	60.8%
Total	342	100.0%

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u>Count</u>	<u>Percent</u>
a. I did not ride a bicycle during the past 12 months	112	32.4%
b. Never wore a helmet	139	40.2%
c. Rarely wore a helmet	37	10.7%
d. Sometimes wore a helmet	22	6.4%
e. Most of the time wore a helmet	14	4.0%
f. Always wore a helmet	22	6.4%
Total	346	100.0%

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u>Count</u>	<u>Percent</u>
a. Never	8	2.3%
b. Rarely	23	6.7%
c. Sometimes	40	11.7%
d. Most of the time	98	28.6%
e. Always	174	50.7%
Total	343	100.0%

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u>Count</u>	<u>Percent</u>
a. Never	18	5.3%
b. Rarely	18	5.3%
c. Sometimes	31	9.1%
d. Most of the time	42	12.3%
e. Always	233	68.1%
Total	342	100.0%

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	258	75.0%
b. 1 time	35	10.2%
c. 2 or 3 times	29	8.4%
d. 4 or 5 times	8	2.3%
e. 6 or more times	14	4.1%
Total	344	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	306	89.5%
b. 1 time	15	4.4%
c. 2 or 3 times	11	3.2%
d. 4 or 5 times	3	0.9%
e. 6 or more times	7	2.0%
Total	342	100.0%

<i>Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	146	42.2%
b. 1 or 2 days	33	9.5%
c. 3 to 5 days	36	10.4%
d. 6 to 9 days	14	4.0%
e. 10 to 19 days	33	9.5%
f. 20 to 29 days	24	6.9%
g. All 30 days	60	17.3%
Total	346	100.0%

<i>Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	134	38.8%
b. 1 or 2 days	44	12.8%
c. 3 to 5 days	34	9.9%
d. 6 to 9 days	33	9.6%
e. 10 to 19 days	40	11.6%
f. 20 to 29 days	30	8.7%
g. All 30 days	30	8.7%
Total	345	100.0%

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	294	84.5%
b. 1 day	15	4.3%
c. 2 or 3 days	10	2.9%
d. 4 or 5 days	5	1.4%
e. 6 or more days	24	6.9%
Total	348	100.0%

<i>Q-16. During the past 30 days, on how many days did you carry a gun?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	328	95.6%
b. 1 day	7	2.0%
c. 2 or 3 days	3	0.9%
d. 4 or 5 days	2	0.6%
e. 6 or more days	3	0.9%
Total	343	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	326	93.7%
b. 1 day	4	1.1%
c. 2 or 3 days	3	0.9%
d. 4 or 5 days	3	0.9%
e. 6 or more days	12	3.4%
Total	348	100.0%

<i>Q-18. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	338	96.8%
b. 1 day	6	1.7%
c. 2 or 3 days	1	0.3%
d. 4 or 5 days	1	0.3%
e. 6 or more days	3	0.9%
Total	349	100.0%

<i>Q-19. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	262	76.4%
b. 1 time	40	11.7%
c. 2 or 3 times	23	6.7%
d. 4 or 5 times	9	2.6%
e. 6 or 7 times	4	1.2%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	2	0.6%
h. 12 or more times	3	0.9%
Total	343	100.0%

<i>Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	332	95.4%
b. 1 time	8	2.3%
c. 2 or 3 times	2	0.6%
d. 4 or 5 times	2	0.6%
e. 6 or 7 times	0	0.0%
f. 8 or 9 times	1	0.3%
g. 10 or 11 times	0	0.0%
h. 12 or more times	3	0.9%
Total	348	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-21. During the past 12 months, how many times were you in a physical fight?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	271	78.1%
b. 1 time	34	9.8%
c. 2 or 3 times	24	6.9%
d. 4 or 5 times	9	2.6%
e. 6 or 7 times	5	1.4%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	2	0.6%
h. 12 or more times	2	0.6%
Total	347	100.0%

<i>Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	331	95.7%
b. 1 time	11	3.2%
c. 2 or 3 times	3	0.9%
d. 4 or 5 times	1	0.3%
e. 6 or more times	0	0.0%
Total	346	100.0%

<i>Q-23. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	322	93.1%
b. 1 time	14	4.0%
c. 2 or 3 times	6	1.7%
d. 4 or 5 times	1	0.3%
e. 6 or 7 times	2	0.6%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	0	0.0%
h. 12 or more times	1	0.3%
Total	346	100.0%

<i>Q-24. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	42	12.1%
b. No	304	87.9%
Total	346	100.0%

<i>Q-25. Have you ever been physically forced to have sexual intercourse when you did not want to?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	29	8.4%
b. No	315	91.6%
Total	344	100.0%

<i>Q-26. During the past 12 months, have you ever been bullied on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	77	22.3%
b. No	268	77.7%
Total	345	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-27. <i>During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, Web sites, or texting.)</i>	<u>Count</u>	<u>Percent</u>
a. Yes	73	21.2%
b. No	272	78.8%
	Total	345
		100.0%
Q-28. <i>During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	72	21.2%
b. No	268	78.8%
	Total	340
		100.0%
Q-29. <i>During the past 12 months, did you ever seriously consider attempting suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	44	12.7%
b. No	302	87.3%
	Total	346
		100.0%
Q-30. <i>During the past 12 months, did you make a plan about how you would attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	45	12.9%
b. No	303	87.1%
	Total	348
		100.0%
Q-31. <i>During the past 12 months, how many times did you actually attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	286	84.1%
b. 1 time	45	13.2%
c. 2 or 3 times	3	0.9%
d. 4 or 5 times	4	1.2%
e. 6 or more times	2	0.6%
	Total	340
		100.0%
Q-32. <i>If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide	304	87.4%
b. Yes	23	6.6%
c. No	21	6.0%
	Total	348
		100.0%
Q-33. <i>Have you ever tried cigarette smoking, even one or two puffs?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	133	38.3%
b. No	214	61.7%
	Total	347
		100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-34. How old were you when you smoked a whole cigarette for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	244	70.5%
b. 8 years old or younger	13	3.8%
c. 9 or 10 years old	12	3.5%
d. 11 or 12 years old	8	2.3%
e. 13 or 14 years old	25	7.2%
f. 15 or 16 years old	30	8.7%
g. 17 years old or older	14	4.0%
Total	346	100.0%

<i>Q-35. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	291	83.9%
b. 1 or 2 days	12	3.5%
c. 3 to 5 days	7	2.0%
d. 6 to 9 days	5	1.4%
e. 10 to 19 days	10	2.9%
f. 20 to 29 days	7	2.0%
g. All 30 days	15	4.3%
Total	347	100.0%

<i>Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	290	83.6%
b. Less than 1 cigarette per day	15	4.3%
c. 1 cigarette per day	8	2.3%
d. 2 to 5 cigarettes per day	26	7.5%
e. 6 to 10 cigarettes per day	5	1.4%
f. 11 to 20 cigarettes per day	2	0.6%
g. More than 20 cigarettes per day	1	0.3%
Total	347	100.0%

<i>Q-37. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	292	83.9%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	17	4.9%
c. I bought them from a vending machine	1	0.3%
d. I gave someone else money to buy them for me	13	3.7%
e. I borrowed (or bummed) them from someone else	13	3.7%
f. A person 18 years old or older gave them to me	3	0.9%
g. I took them from a store or family member	1	0.3%
h. I got them some other way	8	2.3%
Total	348	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-38. During the past 30 days, on how many days did you smoke cigarettes on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	332	95.7%
b. 1 or 2 days	6	1.7%
c. 3 to 5 days	6	1.7%
d. 6 to 9 days	2	0.6%
e. 10 to 19 days	0	0.0%
f. 20 to 29 days	0	0.0%
g. All 30 days	1	0.3%
Total	347	100.0%

<i>Q-39. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	53	15.5%
b. No	290	84.5%
Total	343	100.0%

<i>Q-40. During the past 12 months, did you ever try to quit smoking cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke during the past 12 months	270	78.5%
b. Yes	40	11.6%
c. No	34	9.9%
Total	344	100.0%

<i>Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	290	86.3%
b. 1 or 2 days	16	4.8%
c. 3 to 5 days	4	1.2%
d. 6 to 9 days	1	0.3%
e. 10 to 19 days	7	2.1%
f. 20 to 29 days	9	2.7%
g. All 30 days	9	2.7%
Total	336	100.0%

<i>Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	308	91.1%
b. 1 or 2 days	8	2.4%
c. 3 to 5 days	3	0.9%
d. 6 to 9 days	10	3.0%
e. 10 to 19 days	5	1.5%
f. 20 to 29 days	3	0.9%
g. All 30 days	1	0.3%
Total	338	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	283	83.2%
b. 1 or 2 days	31	9.1%
c. 3 to 5 days	13	3.8%
d. 6 to 9 days	6	1.8%
e. 10 to 19 days	3	0.9%
f. 20 to 29 days	2	0.6%
g. All 30 days	2	0.6%
Total	340	100.0%

<i>Q-44. During your life, on how many days have you had at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	102	29.9%
b. 1 or 2 days	43	12.6%
c. 3 to 9 days	64	18.8%
d. 10 to 19 days	41	12.0%
e. 20 to 39 days	32	9.4%
f. 40 to 99 days	29	8.5%
g. 100 or more days	30	8.8%
Total	341	100.0%

<i>Q-45. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had a drink of alcohol other than a few sips	120	34.9%
b. 8 years old or younger	13	3.8%
c. 9 or 10 years old	17	4.9%
d. 11 or 12 years old	23	6.7%
e. 13 or 14 years old	80	23.3%
f. 15 or 16 years old	80	23.3%
g. 17 years old or older	11	3.2%
Total	344	100.0%

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	210	60.7%
b. 1 or 2 days	63	18.2%
c. 3 to 5 days	39	11.3%
d. 6 to 9 days	13	3.8%
e. 10 to 19 days	14	4.0%
f. 20 to 29 days	5	1.4%
g. All 30 days	2	0.6%
Total	346	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-47. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	250	72.3%
b. 1 day	25	7.2%
c. 2 days	20	5.8%
d. 3 to 5 days	24	6.9%
e. 6 to 9 days	17	4.9%
f. 10 to 19 days	9	2.6%
g. 20 or more days	1	0.3%
Total	346	100.0%

<i>Q-48. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink alcohol during the past 30 days	216	62.6%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	6	1.7%
c. I bought it at a restaurant, bar, or club	3	0.9%
d. I bought it at a public event such as a concert or sporting event	3	0.9%
e. I gave someone else money to buy it for me	47	13.6%
f. Someone gave it to me	37	10.7%
g. I took it from a store or family member	13	3.8%
h. I got it some other way	20	5.8%
Total	345	100.0%

<i>Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	323	93.1%
b. 1 or 2 days	11	3.2%
c. 3 to 5 days	6	1.7%
d. 6 to 9 days	4	1.2%
e. 10 to 19 days	2	0.6%
f. 20 to 29 days	0	0.0%
g. All 30 days	1	0.3%
Total	347	100.0%

<i>Q-50. During your life, how many times have you used marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	216	61.9%
b. 1 or 2 times	20	5.7%
c. 3 to 9 times	31	8.9%
d. 10 to 19 times	9	2.6%
e. 20 to 39 times	20	5.7%
f. 40 to 99 times	7	2.0%
g. 100 or more times	46	13.2%
Total	349	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-51. How old were you when you tried marijuana for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never tried marijuana	215	61.8%
b. 8 years old or younger	12	3.4%
c. 9 or 10 years old	5	1.4%
d. 11 or 12 years old	17	4.9%
e. 13 or 14 years old	41	11.8%
f. 15 or 16 years old	45	12.9%
g. 17 years old or older	13	3.7%
Total	348	100.0%

<i>Q-52. During the past 30 days, how many times did you use marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	263	76.2%
b. 1 or 2 times	23	6.7%
c. 3 to 9 times	18	5.2%
d. 10 to 19 times	17	4.9%
e. 20 to 39 times	3	0.9%
f. 40 or more times	21	6.1%
Total	345	100.0%

<i>Q-53. During the past 30 days, how many times did you use marijuana on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	322	92.3%
b. 1 or 2 times	14	4.0%
c. 3 to 9 times	5	1.4%
d. 10 to 19 times	3	0.9%
e. 20 to 39 times	2	0.6%
f. 40 or more times	3	0.9%
Total	349	100.0%

<i>Q-54. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	322	92.5%
b. 1 or 2 times	14	4.0%
c. 3 to 9 times	4	1.1%
d. 10 to 19 times	3	0.9%
e. 20 to 39 times	4	1.1%
f. 40 or more times	1	0.3%
Total	348	100.0%

<i>Q-55. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	330	95.1%
b. 1 or 2 times	8	2.3%
c. 3 to 9 times	5	1.4%
d. 10 to 19 times	1	0.3%
e. 20 to 39 times	1	0.3%
f. 40 or more times	2	0.6%
Total	347	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	318	91.4%
b. 1 or 2 times	18	5.2%
c. 3 to 9 times	6	1.7%
d. 10 to 19 times	3	0.9%
e. 20 to 39 times	2	0.6%
f. 40 or more times	1	0.3%
Total	348	100.0%

<i>Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	334	97.7%
b. 1 or 2 times	5	1.5%
c. 3 to 9 times	1	0.3%
d. 10 to 19 times	1	0.3%
e. 20 to 39 times	0	0.0%
f. 40 or more times	1	0.3%
Total	342	100.0%

<i>Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	333	97.1%
b. 1 or 2 times	4	1.2%
c. 3 to 9 times	3	0.9%
d. 10 to 19 times	3	0.9%
e. 20 to 39 times	0	0.0%
f. 40 or more times	0	0.0%
Total	343	100.0%

<i>Q-59. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	313	89.9%
b. 1 or 2 times	19	5.5%
c. 3 to 9 times	7	2.0%
d. 10 to 19 times	5	1.4%
e. 20 to 39 times	1	0.3%
f. 40 or more times	3	0.9%
Total	348	100.0%

<i>Q-60. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	338	97.1%
b. 1 or 2 times	4	1.1%
c. 3 to 9 times	3	0.9%
d. 10 to 19 times	3	0.9%
e. 20 to 39 times	0	0.0%
f. 40 or more times	0	0.0%
Total	348	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-61. <i>During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	283	82.3%
b. 1 or 2 times	21	6.1%
c. 3 to 9 times	16	4.7%
d. 10 to 19 times	8	2.3%
e. 20 to 39 times	7	2.0%
f. 40 or more times	9	2.6%
	Total	344
		100.0%
Q-62. <i>During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	337	97.4%
b. 1 time	5	1.4%
c. 2 or more times	4	1.2%
	Total	346
		100.0%
Q-63. <i>During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	90	26.3%
b. No	252	73.7%
	Total	342
		100.0%
Q-64. <i>Have you ever had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	130	38.1%
b. No	211	61.9%
	Total	341
		100.0%
Q-65. <i>How old were you when you had sexual intercourse for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	221	64.2%
b. 11 years old or younger	14	4.1%
c. 12 years old	11	3.2%
d. 13 years old	16	4.7%
e. 14 years old	13	3.8%
f. 15 years old	35	10.2%
g. 16 years old	24	7.0%
h. 17 years old or older	10	2.9%
	Total	344
		100.0%
Q-66. <i>During your life, with how many people have you had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	221	64.2%
b. 1 person	32	9.3%
c. 2 people	25	7.3%
d. 3 people	11	3.2%
e. 4 people	20	5.8%
f. 5 people	7	2.0%
g. 6 or more people	28	8.1%
	Total	344
		100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-67. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	225	64.5%
b. I have had sexual intercourse, but not during the past 3 months	32	9.2%
c. 1 person	65	18.6%
d. 2 people	14	4.0%
e. 3 people	4	1.1%
f. 4 people	2	0.6%
g. 5 people	1	0.3%
h. 6 or more people	6	1.7%
Total	349	100.0%

<i>Q-68. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	216	62.8%
b. Yes	39	11.3%
c. No	89	25.9%
Total	344	100.0%

<i>Q-69. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	216	63.0%
b. Yes	85	24.8%
c. No	42	12.2%
Total	343	100.0%

<i>Q-70. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	220	64.3%
b. No method was used to prevent pregnancy	18	5.3%
c. Birth control pills	11	3.2%
d. Condoms	68	19.9%
e. Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	8	2.3%
f. Withdrawal	11	3.2%
g. Some other method	1	0.3%
h. Not sure	5	1.5%
Total	342	100.0%

<i>Q-71. How do you describe your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Very underweight	11	3.3%
b. Slightly underweight	35	10.6%
c. About the right weight	194	59.0%
d. Slightly overweight	77	23.4%
e. Very overweight	12	3.6%
Total	329	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-72. Which of the following are you trying to do about your weight?	<u>Count</u>	<u>Percent</u>
a. Lose weight	137	40.7%
b. Gain weight	61	18.1%
c. Stay the same weight	70	20.8%
d. I am not trying to do anything about my weight	69	20.5%
Total	337	100.0%
Q-73. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	38	11.1%
b. No	303	88.9%
Total	341	100.0%
Q-74. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)	<u>Count</u>	<u>Percent</u>
a. Yes	19	5.5%
b. No	327	94.5%
Total	346	100.0%
Q-75. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	17	5.0%
b. No	324	95.0%
Total	341	100.0%
Q-76. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	56	16.8%
b. 1 to 3 times during the past 7 days	123	36.9%
c. 4 to 6 times during the past 7 days	72	21.6%
d. 1 time per day	27	8.1%
e. 2 times per day	36	10.8%
f. 3 times per day	10	3.0%
g. 4 or more times per day	9	2.7%
Total	333	100.0%
Q-77. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	28	8.0%
b. 1 to 3 times during the past 7 days	89	25.6%
c. 4 to 6 times during the past 7 days	80	23.0%
d. 1 time per day	67	19.3%
e. 2 times per day	56	16.1%
f. 3 times per day	15	4.3%
g. 4 or more times per day	13	3.7%
Total	348	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-78. *During the past 7 days, how many times did you eat green salad?*

	<u>Count</u>	<u>Percent</u>
a. I did not eat green salad during the past 7 days	84	24.2%
b. 1 to 3 times during the past 7 days	142	40.9%
c. 4 to 6 times during the past 7 days	73	21.0%
d. 1 time per day	30	8.6%
e. 2 times per day	12	3.5%
f. 3 times per day	2	0.6%
g. 4 or more times per day	4	1.2%
Total	347	100.0%

Q-79. *During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)*

	<u>Count</u>	<u>Percent</u>
a. I did not eat potatoes during the past 7 days	84	24.3%
b. 1 to 3 times during the past 7 days	194	56.2%
c. 4 to 6 times during the past 7 days	43	12.5%
d. 1 time per day	16	4.6%
e. 2 times per day	5	1.4%
f. 3 times per day	2	0.6%
g. 4 or more times per day	1	0.3%
Total	345	100.0%

Q-80. *During the past 7 days, how many times did you eat carrots?*

	<u>Count</u>	<u>Percent</u>
a. I did not eat carrots during the past 7 days	123	35.5%
b. 1 to 3 times during the past 7 days	150	43.4%
c. 4 to 6 times during the past 7 days	37	10.7%
d. 1 time per day	19	5.5%
e. 2 times per day	10	2.9%
f. 3 times per day	1	0.3%
g. 4 or more times per day	6	1.7%
Total	346	100.0%

Q-81. *During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)*

	<u>Count</u>	<u>Percent</u>
a. I did not eat other vegetables during the past 7 days	44	12.7%
b. 1 to 3 times during the past 7 days	145	41.8%
c. 4 to 6 times during the past 7 days	87	25.1%
d. 1 time per day	44	12.7%
e. 2 times per day	17	4.9%
f. 3 times per day	4	1.2%
g. 4 or more times per day	6	1.7%
Total	347	100.0%

Q-82. *During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)*

	<u>Count</u>	<u>Percent</u>
a. I did not drink soda or pop during the past 7 days	88	25.7%
b. 1 to 3 times during the past 7 days	120	35.1%
c. 4 to 6 times during the past 7 days	66	19.3%
d. 1 time per day	24	7.0%
e. 2 times per day	22	6.4%
f. 3 times per day	13	3.8%
g. 4 or more times per day	9	2.6%
Total	342	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-83. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet energy drinks or sports drinks such as Gatorade or PowerAde).</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink energy drinks during the past 7 days	248	72.1%
b. 1 to 3 times during the past 7 days	69	20.1%
c. 4 to 6 times during the past 7 days	8	2.3%
d. 1 time per day	8	2.3%
e. 2 times per day	4	1.2%
f. 3 times per day	4	1.2%
g. 4 or more times per day	3	0.9%
Total	344	100.0%

<i>Q-84. During the past 7 days, on how many days did you eat breakfast?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	47	13.7%
b. 1 day	28	8.2%
c. 2 days	29	8.5%
d. 3 days	25	7.3%
e. 4 days	24	7.0%
f. 5 days	24	7.0%
g. 6 days	27	7.9%
h. 7 days	139	40.5%
Total	343	100.0%

<i>Q-85. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	33	9.7%
b. 1 day	15	4.4%
c. 2 days	33	9.7%
d. 3 days	34	10.0%
e. 4 days	36	10.6%
f. 5 days	43	12.7%
g. 6 days	33	9.7%
h. 7 days	112	33.0%
Total	339	100.0%

<i>Q-86. On an average school day, how many hours do you watch TV?</i>	<u>Count</u>	<u>Percent</u>
a. I do not watch TV on an average school day	45	13.2%
b. Less than 1 hour per day	75	22.0%
c. 1 hour per day	66	19.4%
d. 2 hours per day	75	22.0%
e. 3 hours per day	47	13.8%
f. 4 hours per day	19	5.6%
g. 5 or more hours per day	14	4.1%
Total	341	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-87. <i>On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Xbox, PlayStation, Nintendo DS, iPod touch, Facebook, and the Internet.)</i>	<u>Count</u>	<u>Percent</u>
a. I do not play video or computer games or use a computer for something that is not school work	52	15.3%
b. Less than 1 hour per day	110	32.4%
c. 1 hour per day	71	20.9%
d. 2 hours per day	60	17.6%
e. 3 hours per day	24	7.1%
f. 4 hours per day	11	3.2%
g. 5 or more hours per day	12	3.5%
Total	340	100.0%
Q-88. <i>In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	136	40.4%
b. 1 day	7	2.1%
c. 2 days	31	9.2%
d. 3 days	125	37.1%
e. 4 days	25	7.4%
f. 5 days	13	3.9%
Total	337	100.0%
Q-89. <i>During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)</i>	<u>Count</u>	<u>Percent</u>
a. 0 teams	75	22.2%
b. 1 team	77	22.8%
c. 2 teams	92	27.2%
d. 3 or more teams	94	27.8%
Total	338	100.0%
Q-90. <i>Have you ever been taught about AIDS or HIV infection in school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	246	72.6%
b. No	71	20.9%
c. Not sure	22	6.5%
Total	339	100.0%
Q-91. <i>Has a doctor or nurse ever told you that you have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	80	23.5%
b. No	248	72.7%
c. Not sure	13	3.8%
Total	341	100.0%
Q-92. <i>Do you still have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had asthma	209	60.8%
b. a. Yes	51	14.8%
c. b. No	59	17.2%
d. c. Not sure	25	7.3%
Total	344	100.0%

2011 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-93. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	34	10.1%
b. No	301	89.9%
	<i>Total</i>	<i>335</i>
		<i>100.0%</i>

Nonpublic Accredited Schools

<i>Injury and Violence</i>							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Rode a bicycle and never or rarely wore a bicycle helmet during the past 12 months				64.1	72.7	75.5	75.2
Never or rarely wore a seat belt when riding in a car driven by someone else				7.5	9.6	6.8	9.0
Never or rarely wore a seat belt when driving a car				9.7	13.5	9.1	10.5
Rode in a car driven by someone who had been drinking alcohol during the past 30 days				31.2	26.1	20.6	25.0
Drove a car when they had been drinking alcohol during the past 30 days				17.0	15.2	7.2	10.5
Texted or e-mailed while driving a car during the past 30 days							57.8
Talked on a cell phone while driving a car during the past 30 days							61.2
Carried a weapon such as a gun, knife, or club during the past 30 days				14.6	17.7	11.1	15.5
Carried a gun during the past 30 days				6.2	8.3	3.1	4.4
Carried a weapon on school property during the past 30 days				4.0	6.0	1.9	6.3
Did not go to school because they felt unsafe at school or on their way to or from school during the past 30 days				3.7	2.7	3.1	3.2
Had property such as their car, clothing, or books stolen or deliberately damaged on school property during the past 12 months				30.4	23.8	-	23.6
Had been threatened or injured with a weapon on school property during the past 12 months				6.5	5.8	2.2	4.6
Were in a physical fight during the past 12 months				32.8	28.4	25.6	21.9
Were injured in a physical fight that required medical treatment during the past 12 months				5.6	2.9	1.3	4.3
Were in a physical fight on school property during the past 12 months				10.5	9.9	6.0	6.9
Were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months				11.9	9.9	7.6	12.1
Have ever been physically forced to have sexual intercourse when they did not want to				8.6	7.7	6.9	8.4
Had been bullied on school property during the past 12 months						21.3	22.3
Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months						22.4	21.2

Nonpublic Accredited Schools

<i>Injury and Violence</i>							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months				28.4	22.8	19.0	21.2
Seriously considered attempting suicide during the past 12 months				17.4	11.9	12.6	12.7
Made a plan about how they would attempt suicide during the past 12 months				13.7	11.8	9.5	12.9
Actually attempted suicide during the past 12 months				10.8	11.7	10.9	15.9
Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during the past 12 months				2.8	3.7	0.9	6.6

<i>Tobacco Use</i>							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Ever tried cigarette smoking				50.2	40.6	32.9	38.3
Smoked a cigarette before age 13				14.6	13.9	3.5	9.6
Smoked a cigarette on one or more of the past 30 days ("current")				25.2	17.6	8.8	16.1
Smoked cigarettes on 20 or more of the past 30 days ("frequent")				5.6	7.5	1.5	6.3
Among current smokers, smoked more than 10 cigarettes per day on the days they smoked during the past 30 days				1.2	2.1	0.0	5.2
Usually got their cigarettes by buying them in a store or gas station during the past 30 days				39.2	28.6	32.1	30.4
Smoked cigarettes on school property during the past 30 days				7.8	5.6	0.6	4.3
Ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days ("regular")				15.5	15.4	5.6	15.5
Among current smokers, tried to quit smoking during the past 12 months				64.7	67.0	44.4	54.1
Used chewing tobacco, snuff, or dip during the past 30 days				14.9	9.9	7.9	13.7
Used chewing tobacco, snuff, or dip on school property during the past 30 days				10.2	5.6	4.7	8.9
Smoked cigars, cigarillos, or little cigars during the past 30 days				13.9	14.2	12.5	16.8

Nonpublic Accredited Schools

Alcohol and Other Drug Use							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Had at least one drink of alcohol during their life				79.7	65.5	66.1	70.1
Had first drink of alcohol before age 13				21.6	19.5	13.5	15.4
Had at least one drink of alcohol during the past 30 days ("current")				45.8	36.0	30.3	39.3
Had five or more drinks of alcohol in a row during the past 30 days ("binge drink")				33.4	26.1	18.2	27.7
Among current users of alcohol, usually got the alcohol they drank from someone who gave it to them during the past 30 days					30.8	38.9	28.7
Had at least one drink of alcohol on school property during the past 30 days				7.1	5.1	1.6	6.9
Used marijuana during their life				41.6	32.7	24.3	38.9
Tried marijuana before age 13				9.9	11.3	1.6	9.7
Used marijuana during the past 30 days ("current")				25.5	18.1	10.7	23.8
Used marijuana on school property during the past 30 days				5.3	4.2	1.6	7.7
Used any form of cocaine during their life				7.8	5.2	2.8	7.5
Used any form of cocaine during the past 30 days ("current")				3.1	1.5	1.3	4.9
Used inhalants during their life				14.4	13.2	9.7	8.6

Nonpublic Accredited Schools

<i>Alcohol and Other Drug Use - continued</i>							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Used heroin during their life				0.9	1.3	0.9	2.3
Used methamphetamines during their life				7.2	4.5	0.9	2.9
Used ecstasy during their life				3.4	5.1	2.5	10.1
Took steroid pills or shots without a doctor's prescription during their life				3.7	2.0	0.6	2.9
Have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription							17.7
Used a needle to inject any illegal drug into their body during their life				1.5	1.0	0.9	2.6
Were offered, sold, or given an illegal drug on school property during the past 12 months				22.3	16.2	16.5	26.3

<i>Sexual Behaviors</i>							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Ever had sexual intercourse				39.6	32.1	31.5	38.1
Had sexual intercourse before age 13				3.8	7.0	1.9	7.3
Had sexual intercourse with four or more people during their life				1.5	11.5	6.9	15.9
Had sexual intercourse during the past three months ("current")				26.8	21.1	19.4	26.3
Drank alcohol or used drugs before last sexual intercourse				35.2	39.7	19.0	32.2
Currently sexually active and used a condom during last sexual intercourse				56.6	78.4	76.6	66.9
Currently sexually active and used birth control pills to prevent pregnancy before last sexual intercourse				15.7	11.9	17.5	9.0
Had ever been taught about AIDS or HIV infection				86.5	81.8	74.4	72.6

Weight Management and Dietary Behaviors	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Described themselves as slightly or very overweight				36.4	27.0	24.2	27.0
Were trying to lose weight				48.9	39.1	42.5	40.7
Went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days				9.0	8.8	9.5	11.1
Took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days				3.7	5.0	3.2	5.5
Vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days				6.0	4.5	6.1	5.0
Drank 100% fruit juices during the past seven days				86.6	87.1	83.8	83.2
Ate fruit during the past seven days				91.9	93.2	96.2	92.0
Ate green salad during the past seven days				83.2	77.7	76.3	75.8
Ate potatoes during the past seven days				73.4	78.4	75.0	75.7
Ate carrots during the past seven days				62.5	63.2	61.6	64.5
Ate other vegetables during the past seven days				88.0	86.1	87.7	87.3
Drank at least one can, bottle, or glass of soda or pop daily during the past seven days					22.0	19.2	19.8
Drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt (not sports drinks such as Gatorade or PowerAde), during the past seven days							27.9
Ate breakfast daily during the past seven days							40.5

Nonpublic Accredited Schools

Physical Activity							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Were physically active for a total of at least 60 minutes per day on five or more of the past seven days				37.8	49.0	57.2	55.4
Watched three or more hours per day of TV on an average school day				21.7	18.6	18.3	23.5
On an average school day, played 3 or more hours of video or computer games or used a computer for something not school-related					12.7	12.1	13.8
Attended physical education (PE) classes on one or more days in an average week when they were in school				61.2	58.1	57.4	59.6
Attended physical education (PE) classes daily in an average week when they were in school				14.9	19.9	11.3	3.9
Played on one or more sports teams during the past 12 months				82.5	75.4	82.2	77.8

Other							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Had ever been told by a doctor or nurse that they had asthma				23.6	21.9	23.9	23.5
Had been told by a doctor or nurse that they have had asthma and who still have asthma					12.9	14.4	14.8