

7-2011

Revealing Student Thinking about Experimental Design and the Roles of Control Experiments

Jia Shi

University of Colorado, jia.shi@colorado.edu

Joy M. Power

University of Colorado, Joy.power@colorado.edu

Michael W. Klymkowsky

University of Colorado, michael.klymkowsky@Colorado.edu

Recommended Citation

Shi, Jia; Power, Joy M.; and Klymkowsky, Michael W. (2011) "Revealing Student Thinking about Experimental Design and the Roles of Control Experiments," *International Journal for the Scholarship of Teaching and Learning*: Vol. 5: No. 2, Article 8.

Available at: <https://doi.org/10.20429/ijstl.2011.050208>

Revealing Student Thinking about Experimental Design and the Roles of Control Experiments

Abstract

Well-designed “controls” distinguish experimental from non-experimental studies. Surprisingly, we found that a high percentage of students had difficulty identifying control experiments even after completing three university-level laboratory courses. To address this issue, we designed and ran a revised cell biology lab course in which students participated in weekly “experimental control exercises.” To measure student understanding of control experiments, we developed a set of assessment questions; these were given to students prior to and following completion of either a standard cell biology lab course or the revised cell biology lab course. Not unexpectedly, the results indicate that the revised course led to greater improvements in students’ ability to identify and explain the purpose of control experiments. Based on these observations, we recommend that explicit and detailed discussions designed to identify the design and purpose behind control experiments become a standard component of all laboratory courses.

Keywords

Undergraduate, Collaborative groups, Experimental controls, Pre- and post-responses, science process skills

Revealing Student Thinking about Experimental Design and the Roles of Control Experiments

Jia Shi University of
Colorado Boulder,
Colorado, USA
jia.shi@colorado.edu

Joy M. Power University
of Colorado Boulder,
Colorado, USA
Joy.power@colorado.edu

Michael W. Klymkowsky Boulder,
Colorado, USA
michael.klymkowsky@Colorado.edu

Abstract

Well-designed “controls” distinguish experimental from non-experimental studies. Surprisingly, we found that a high percentage of students had difficulty identifying control experiments even after completing three university-level laboratory courses. To address this issue, we designed and ran a revised cell biology lab course in which students participated in weekly “experimental control exercises.” To measure student understanding of control experiments, we developed a set of assessment questions; these were given to students prior to and following completion of either a standard cell biology lab course or the revised cell biology lab course. Not unexpectedly, the results indicate that the revised course led to greater improvements in students’ ability to identify and explain the purpose of control experiments. Based on these observations, we recommend that explicit and detailed discussions designed to identify the design and purpose behind control experiments become a standard component of all laboratory courses.

Keywords: undergraduate, collaborative groups, experimental controls, pre- and post-responses, science process skills

Introduction

A major effort in current science curricular reform involves helping students learn how to make informed decisions regarding the significance of scientific observations and hypotheses throughout their lives. It is often assumed that “scientific literacy” will be useful in this regard and that the acquisition of science process skills, such as those presumed to be provided by laboratory courses, is essential to getting students to achieve this goal (American Association for the Advancement of Science, 1993; Council of Ministers of Education, 1997; Miller, Osborne, & Nott, 1998). A key, and perhaps defining feature of the scientific strategy, particularly within the biological sciences, is the role of control experiments in both the design and interpretation of experimental observations. Control experiments, both positive and negative, are served to explicitly test the experimenter’s assumptions, so as to validate the conclusions that can be drawn from experimental results.

Much published science education research has been focused on improving high school student science process skills, that is, the development of testable hypotheses, robust

experimental design, the critical interpretation of data and subsequent the revision and extension of studies (Germann, 1998; Tamir, & Amir, 1987). As part of this work, there has been an effort to develop assessments to evaluate such skills at both high school (Burns, Okey, & Wise, 1985) and college levels (Brickman, Gormally, Armstrong, & Hallar, 2009). Some studies have suggested that the inquiry approach produces greater achievement in science process skills than the traditional approach (e.g., Gabel, Rubba, & Franz, 1977; Tobin & Capie, 1982; Brickman, Gormally, Armstrong, & Hallar, 2009). Based on these studies the authors conclude that basic science process skills can be taught, and that when learned, such skills could be readily transferred to new situations. However, there continues to be an active debate concerning just what the ability to design, carry out and interpret authentic scientific inquiry encompasses, as well as, how to differentiate it from the simple inquiry commonly found in high school science classrooms (Chinn & Malhotra, 2002). In addition, it is difficult to determine if inquiry-based learning has had a lasting effect (Abrams, Southerland, & Silver, 2008; Chinn & Malhotra, 2002). It is arguable that the entire peer-review system is based on the fact that rigorous experimental design and data interpretation are by no means trivial skills; they must be constantly reinforced. Therefore more studies are needed to improve and evaluate students' science process skills at the college level.

Since experimental design and controls are an essential and difficult part of scientific process, we hoped to reveal student thinking about control experiments through Ed's tools – a web-based program to facilitate the collection, coding, and analysis of text-based student data (Klymkowsky & Garvin-Doxas, 2008). In response to the question "*It is common to hear talk about 'controls' in scientific experiments, what are 'controls' and why are they essential part of rigorous experiments?*", we find that the use the terms of "positive" or "negative" control are rare in student language. The responses below are representative of most student responses:

"Controls are variables that you can make changes to them. They are very important to the experiments because they allow you to form a conclusion that could either support or reject your hypothesis".

"Controls are what set the boundaries and allow for the results to be accurate and to reduce the change of giving false information or inaccurate results".

"Controls are ways of double-checking your method. You can check to see if there might be another explanation for anything in your test. Each control is one opportunity to test something."

It was in this light that we undertook the present study to learn what students majoring in Molecular, Cellular, and Developmental Biology (MCDB) at the University of Colorado know about experimental design and controls, and to determine the effect of introducing collaborative learning projects on this topic into a one-semester Cell Biology Lab Course (CBLC). Collaborative learning has been shown to promote students' conceptual gains, (Mazur, 1997; Johnson & Johnson, 1999; Springer, Donovan, & Stanne, 1999 and many others), enhance problem solving skills (Cooper, Cox, Nammouz, Case, & Stevens, 2008) and boost performance on a wide variety of tasks (Woolley, Chabris, Pentland, , Hashmi, & Malone, 2010).

In this study, we found that students (predominantly sophomores) had difficulty identifying and explaining experimental controls after a standard one-semester CBLC, a course commonly preceded by two other laboratory courses. These students served as the control cohort. Students in this group often confused positive control experiments with experiments or negative control experiments. Positive control experiments were often not

recognized as necessary. To address these issues, we designed and incorporated a set of control exercises into the spring 2010 CBLC; students taking this course served as the experimental cohort. For most control exercises, students first worked independently and then in collaborative groups to explicitly identify experimental, positive and negative control experiments necessary within experiment scenarios, and to explain the purpose of each control experiment. As another type of control exercise, students designed experimental scenarios based on proposed questions. We present a comparison between these two cohorts with regard to assessment gains measured by pre- and post-responses, student reasoning on experimental controls and student attitudes.

Methods

CBLC Characteristics

The CBLC is a required 2-credit course taken by MCDB majors. It is also the last lab course required of majors; typically these students have already taken two one-credit laboratory courses (associated with the Introduction to Cell and Molecular Biology and the Introductory Genetics lecture courses). Each section contains between 16 -20 students working in groups of 2-4 for 4 hours weekly (one section in spring 2010 contained only 9 students). The first half of the semester emphasizes techniques (e.g., microscopy and electrophoretic analyses), while the second half focuses on groups of students designing, conducting, analyzing, and reporting on their self-designed experiments. Teaching Assistants (TAs) work in pairs and each TA is responsible for two sections per week. The instructor meets with the TAs weekly to prepare them for the upcoming labs. In spring 2010, the instructor (J.P.) and J.S. both met with the TAs to go over the course materials including the control exercises.

Study Participants

Sophomore or junior students who have completed at least 3 of the 4 MCDB core courses and 2 previous lab courses participated in this study. Students (n = 101) who completed the standard CBLC without the control intervention at the end of fall semester in 2009 served as the control cohort. Students (n = 40) who took the spring 2010 CBLC with the control intervention served as the experimental cohort. Sixty-five percent and 63% of study participants in the control and experimental cohorts respectively took the Molecular Biology course concurrently or prior to the CBLC.

Assessment Questions

We developed two sets of questions to probe student thinking on experimental design and controls (see Appendix 1: Pre/Post Assessment). The first set of questions evaluates student understanding of a "negatively controlled experiment" and basic mathematical reasoning skills within the context of experimental data (adapted from Stanovich, 2009). The second question set represents a typical experimental scenario and evaluates student understanding of both the positive and negative control experiments. Within the second question set, students took the first four questions (2.1 – 2.4) in the pre-assessment and four additional questions (2.5 – 2.8) in the post-assessment. Students were given 15 and 30 minutes to complete the pre- and post-assessment respectively. Since students were not aware that these were assessment questions, some students discussed the questions with neighbors in both the pre- and post-assessments. Students first identified the experimental conditions in the format of multiple-choice responses [e.g. positive control (P), negative control (N), experiment (E) or unnecessary (U)] and then explained the purpose for each identified control.

Control Exercises

Our intervention included one online control tutorial, which students completed outside of class, and seven in-class control exercises. Six of these seven exercises involved identification of positive and negative control experiments and experimental groups within an experimental scenario and the generation of conclusions based on these controls (see Appendix 2: Example of a Control Exercise). For the seventh exercise, students designed an experimental scenario based on provided questions and results. For each in-class control exercise, students first worked individually and then in collaborative groups made of 3-4 students. It took about 20 minutes to complete each exercise. Each exercise was worth 5 or 10 points upon completion. TAs read through student responses, shared the discovered incorrect explanations with one another at the next TA meeting and discussed a set of common incorrect explanations with students in the next lab period.

Data Collection and Analyses

We collected post-assessment data in the fall 2009 standard CBLC (no intervention), and both pre- and post-intervention results in the spring 2010 CBLC. We compared student performance in the spring 2010 CBLC by the measure of pre- and post-multiple choice selections and pre- and post-written responses to explain the controls. We used ANOVA to analyze results for the multiple-choice assessment when three groups were compared. When two groups were compared, data were analyzed using both the effect size and independent samples t-tests. Effect size was used as a measure of standardized differences between two means (M_1 and M_2) and was calculated as $d = (M_1 - M_2)/s$, where s is standard deviation. An effect size of < 0.4 is generally considered to indicate a small effect, $0.4 - 0.8$ a medium effect, and > 0.8 , a large effect (Cohen, 1988). Two biologists who were not involved in the study coded the student written responses for cohesiveness.

Student Attitudes

Two attitude survey questions (see Results below) were given to students during the last week of the 2010 CBLC. Permission to use student survey data and the pre- and post-intervention results (exempt status: Protocol no. 0108.9) was obtained from the University of Colorado Institutional Review Board.

Results

Response to the First Set of Assessment Questions

The first set of questions presents a common drug trial scenario followed by a series of questions (see Question 1 in Appendix 1). The first question (A) provided four categories with either a drug treatment or a placebo; students were asked to indicate whether each represented an experimental or a control group. The second question (B) asked, "If there is a control, what did it control for?" Virtually all students answered these two questions correctly on both the pre- and post-assessments. The third question (C) asked: "Is there a positive control in this experiment?" Twenty-three percent of students thought that the placebo was the positive control on the pre-assessment. However, all students thought the placebo was a negative control on the post-assessment, indicating that students had learned to recognize a negative control and distinguish it from a positive control. In response to the fourth question (D) about whether the drug was effective, 35% of students thought the drug was effective on both the pre- and post-intervention assessments. Since it requires a mathematical calculation to answer this question and we did not address the math issue in this class, we did not expect any change in answering this question between the pre- and post-intervention results. Nevertheless, the result indicates that a significant

proportion of students relied on impressions rather than calculations to draw conclusions about experimental results.

Response to the Second Set of Assessment Questions

The second set of questions presents a hypothesis and an experimental scenario (see Question 2 in Appendix 1). Figure 1 shows that most students failed to identify the positive control experiment on the spring 2010 CBLC pre-assessment. Students also had difficulty in identifying the two negative controls, and to a lesser degree, the experimental group on the pre-assessment. Students who did not do the control exercises in fall 2009 (i.e., control cohort: without intervention) had a mean post-assessment score similar to the mean pre-assessment score of spring 2010 CBLC students (t-test; $p > 0.05$ and effect size; $d = 0.4$ - medium). However, the mean post-assessment score for students who completed the control exercises (experiment cohort) was significantly higher than the mean pre-assessment score for the experimental cohorts and the mean post-assessment score for the control cohort [(ANOVA; $p < 0.001$; effect size $d = 0.2$ - small (i.e., measures the effect size between the mean post-assessment scores for the control and experimental cohorts)].





Figure 1. Comparison of students' pre- and post-assessment performance in spring 2010 CBLC. The mean post-assessment score is significantly higher than the mean pre-assessment for the spring 2010 CBLC students (experimental cohort) and the mean score for the students at the end of fall, 2009 CBLC (control cohort; ANOVA; $p < 0.001$). Control cohort (con) = 101 (without intervention). Experimental cohort = 40 (with intervention).

One significant caveat to this conclusion (as well as all multiple-choice type instruments) is that an analysis of students' written responses revealed that not all students who correctly identified the controls via multiple-choice response had coherent or correct explanations in the short response section. Figure 2A shows the distribution of student pre-assessment choice and explanation for the positive control (Question 2.1). Forty students took both the pre- and post-assessments. Seventeen percent of students identified the positive control. Of these 17% of students, only 5% provided a correct and coherent explanation, while 10% did not provide any explanation and 2% provided non-coherent explanation. The remaining 83% of students misidentified the positive control as either unnecessary ($P = U$; 40%), an

experimental condition ($P = E$; 35%), or as a negative control ($P = N$; 8%). The post-response for this question (Figure 2B) revealed that not only more students (40%) identified the positive control, but all these students also provided correct coherent explanations. Moreover, no student mistook the positive control for a negative control ($P = N$; 0%). A higher percentage of students mistook the positive control for an experimental group ($P = E$; 45%). Interestingly, of these 45% of students, 13% of them provided an explanation implying that they understood the concept of a positive control but were just confusing the terms, not the concept. For example, many students stated that the purpose of including this condition in this experiment is the “*need to verify the NK cells are actually expressing the protein after the viral infection*”. Fewer students thought that the positive control was unnecessary ($P = U$; 15%); of these 15% of students, 5% of them provided an incorrect rationale. An example of these incorrect explanations is: “*if a gene is placed inside of cells, the protein of interest should be present inside of the cells*”. This suggests that some students failed to answer this question correctly based on a lack of content knowledge.

A.



B.





Figure 2. Pre- and post-responses to assessment Question 2.1 – the positive control. (A) Pre-responses; (B) Post-responses

Figure 3A shows the distribution of student pre-responses to the first negative control question (Question 2.2). Twenty two percent of students correctly identified the negative control (there were a total of 40 students). Of these 22% of students, 7.5% provided correct coherent explanations, 12.5% did not provide any explanations, and one student (2.5%) provided non-coherent explanation. The remaining 77.5% students mistook the negative control for either a positive control ($N = P$; 47.5%), unnecessary ($N = U$; 17.5%) or experiment ($N = E$; 12.5%). The post-response for this question revealed that more

students (52.5%) were able to identify the negative control, and most of them (81%) also provided correct coherent explanations (Figure 3B). While encouraging, we note that this represents barely a majority of the students who can actually provide a coherent explanation of a negative control. Figure 4 shows the distribution of pre- and post-responses for the second negative control question (Question 2.3). Although a similar number of students identified this as a negative control on both the pre- and post-assessments (57.5% and 62.5%), more students provided post explanations (42.5% versus 18% for the post- and pre-responses respectively). A significantly higher percentage of students (40% versus 7.5%) provided correct coherent explanations on the post-assessment. In summary, analysis of student thinking through their written responses revealed that the most prominent confusion centered on the difference between a positive control and an experiment. Some students also confused a negative with a positive control for this experimental scenario.

A.



B.





Figure 3. Pre- and post-responses to assessment Question 2.2 – the first negative control. (A) Pre-responses; (B) Post-responses

A.






Figure 4. Pre- and post-responses to assessment Question 2.3 – the second negative control. (A) Pre-responses; (B) Post-responses

In addition to the four questions that students answered before and after the control exercises, four additional questions were given only as a post-assessment in order to further probe student thinking (Figure 5). Many students had trouble identifying the two unnecessary experiment conditions, although most students did recognize the third one as unnecessary condition. For the first unnecessary condition, a majority of students mistook it as a positive control ($U = P$; >90%). For the second unnecessary condition, a majority of students mistook it as a negative control ($U = N$; >90%). The reason that these two conditions were unnecessary is because they refer to a different cell type, and students simply ignored this fact (see Question 2 in Appendix 1 for detail). Of the 60% students who recognized the additional negative control for this experiment, all of them provided correct coherent explanations. This result is consistent with the finding that about 60% students at the end of the 2010 spring CBLC course identified the negative controls (Figure 1).




Figure 5. Post-responses to the additional four assessment questions (2.5 - 2.8).

We asked if students who took the Molecular Biology lecture course were more prepared to correctly answer the control assessment questions than students who had not taken the course. We found that there was no statistical difference in student pre-test performance between the students who had and had not taken the Molecular Biology course for both the fall 2009 control (66 vs. 35 students; t-test; $p > 0.05$) and the spring 2010 experimental cohorts (24 vs. 16 students; t-test; $p > 0.05$).

Survey results

We asked whether students thought that the various control exercises helped their own research projects. Seventy percent of students thought they helped in designing their research projects (Figure 6). Sample student quotes are listed below.

Quotes from "moderate help":

"The controls are an essential part of biology experiment. Without the control exercises, I had no experience identifying these types of things, and I think experience is absolutely necessary in order to improve".

"Control exercises provide practice for planning our experiment".

Quotes from "little help":

"The controls for our research project were simple whereas the ones given throughout the semester were complex, and at times, difficult to understand".




Figure 6. Student attitudes on how much the control exercises help their class research projects. Most students think that control activities help their class research projects.

Students had a mixed response to the second survey question, e.g., "rate the difficulty level for the various control exercises". They seemed to indicate that it depended on the individual control exercise; some were easy, others were difficult.

Discussion

Our control exercises were designed to help make students aware that both positive and negative controls are necessary when designing an interpretable biological experiment. Here we run into some real world complexities; in particular, it is not always possible to have both types of controls; positive control experiments can often be quite difficult to construct. For example, consider the situation in testing a new drug for a disease. If the drug is a small molecule, we can determine the purity and homogeneity of the sample to be used in the study, but if the molecule exists in multiple forms (like a protein might) and has no easily assayable activity, it can be more difficult to devise a way to standardized

experiments (for example, to test the efficacy of a vaccine in a particular group). In this light, herbal extracts can be difficult to test if we do not know the concentration of the “active ingredient” (assuming that such an active ingredient has been identified). Different batches of the “same” substance make a dramatic difference in “potency”. Often we are left to conclude only that the substance tested and no significantly different effect than the negative control. It becomes a skill to even recognize when a positive control is not possible. Alternatively, sometimes multiple positive and or negative controls are needed to produce meaningful results or to judge the reproducibility of the observed behavior (a topic not explicitly considered in this study). How many controls and what types are needed within a particular experimental scenario depends on what questions are to be asked and what we already know about the particular biological system to be used.

Based on the poor ability of students to explain positive and negative control experiments, even after two introductory level laboratory courses (as well as multiple science courses, which one would presume would address these issues explicitly), we developed an intervention to help students better analyze experimental design. Our results indicate that, after completing eight control exercises in a one-semester cell biology lab course, many students improved their the ability to both correctly identify control experiments and to offer coherent and correct explanations of the purpose for these controls. In addition, more students were able to differentiate a positive control from an experiment or a negative control. That said, we are under no illusions that this particular intervention cannot be dramatically improved; we only point to the fact that explicitly and repeatedly raising the issue of positive and negative control experiments does seem to help. Better interventions and more intense and rewarding experiences for students are likely to produce even more robust scientific “habits of mind.” In this light, it is worth remembering that the improvements observed were specific to the context of our intervention. While students showed overall improvement on the post-assessment, they failed to show improvement on the drug effectiveness for Question 1, which requires mathematical and analytical reasoning. Notably, the post-performance of the control cohort (fall 2009 CBLC students) was similar to the pre-performance of the spring 2010 CBLC students, and the post-performance of the spring 2010 students was significantly better than either of these groups (Figure 1).

Our data show that more students recognized the second negative control than the first negative control on the pre-assessment. There are two possible explanations. First, we investigated whether students who had taken a molecular biology course concurrently or prior to the CBLC (65% and 62% of the 2009 fall and 2010 spring CBLC students respectively) had an advantage answering the assessment questions though we intended to make the assessment questions content-independent. We found no statistical difference between the two groups. Second, during the one-semester interaction with students and specifically from student pre-assessment written response, we discovered that many students thought a negative control was simply adding “nothing” to an experimental system. This thinking explains why more students (58%) recognized that infecting cells with an “empty” vector was a negative control (the second negative control) than the first negative control (22%) on the pre-assessment.

Student written responses provided insight into student thinking. While some students provided coherent explanations when choosing the correct answers this was by no means universal; a number of students choose the correct response and provided an incorrect justification. This was demonstrated in the response to the second negative control condition where a similar number of students identified the negative control on both the

pre- and post-assessments, but a significantly higher number of students provided coherent explanations on the post-assessment than the pre-assessment. We conclude that we need to look at both the multiple choice and especially the written responses to reveal true student understanding [an insight we are not the first to have – see (Nehm & Reilly, 2007)]. However, not all students provided written responses. There are two possible reasons for this. First, since both the pre- and post-assessments were not graded, some students may not have made the effort to provide what they thought were unnecessary written responses. Second, it is possible that students were more confident and therefore more enthusiastic about providing written responses on the post-assessment than on the pre-assessment. (e.g., for Question 2.1, 7% and 40% of students provided pre- and post-written responses respectively; for Question 2.2, 10% and 45% of students provided pre- and post-written responses respectively, and for Question 2.3, 20% and 42.5% of students provided pre- and post-written responses respectively).

It would be informative to measure students' ability to transfer what they learned about experimental design through the control exercises to their final research projects. Since each student group research project was evaluated based on the overall oral presentations by the group members, it was difficult to make correlation of the experimental design and the post-control performance for each student. Nevertheless, all research groups except one (a group composed of a single student requested to work on his own) included and discussed controls in their experimental design. We will evaluate these students as they progress to senior year using a capstone or exit assessment that includes questions targeting experimental design (in development).

Teaching students to think experimentally is both important and non-trivial; it is necessary for them to objectively and skeptically evaluate the various claims made by many experts. Thinking like a scientist should allow them to understand the reach and limitations of scientific conclusions. In this study we provided students the opportunity to think explicitly about experimental design and why various types of controls are essential in order that rigorous conclusions can be drawn. It is clear from our data that knowing how to design an experiment, and being familiar with the different roles of controls requires continued practice. Our results show a first, albeit modest, successful step towards achieving this goal.

How do we use the results from studies of student thinking to improve our courses and curricula? Clearly, the first step is to disseminate our observations as widely as possible, starting with our own department. We found that our faculty believe designing control experiments is an essential skill, similar to those in other science departments (Coil, Wenderoth, Cunningham, & Dirks, 2010). However, these same instructors do not, by their own admission, explicitly teach or reinforce such a skill in their courses. Because even advanced students struggle with these ideas, we suggest that instruction about controlled experiments be explicitly incorporated into every science course. We recommend that for every experiment mentioned in lecture, instructors take time to promote student discussion of the way measurements were carried out and which experimental controls were required to produce rigorous conclusions. This would provide students the opportunities to learn about both the various types of controls and their significance in the context of critical past studies. Students can then practice such a skill of designing control experiments in every lab course. As students learn more about the design, implications, and limitations of biological experiments during their undergraduate education we can, at the very least, expect to train them in the dispassionate analysis of research results. In this same light, a more rigorous introduction into the application of statistical analyses, including effect size,

is likely to be helpful in interpreting experimental results.

Acknowledgements

We are grateful to Carl Wieman, Bill Wood and Jennifer Knight for helpful discussions in preparation for this manuscript. We thank the teaching assistants for their advice on ways to improve the control exercises and the control assessment questions. This study was supported by the Science Education Initiative at University of Colorado.

References

- Abrams, E., Southerland, S. A. and Silver, P. C. (2008). *Inquiry in the classroom: realities and opportunities*: Charlotte, NC: IAP.
- American Association for the Advancement of Science, W., DC. (1993). *Benchmarks for Science Literacy*. District of Columbia: Oxford University Press, 198 Madison Avenue, New York, NY 10016-4314.
- Brickman, P., Gormally, C., Armstrong, N. and Hallar, B. (2009). Effects of inquiry-based learning on students' science literacy and confidence. *Int. J. Schol. Teach. Learn.* 3 (2), 1-22.
- Burns, J. C., Okey, J. R. and Wise, K. C. (1985). Development of an integrated process skill test: TIPS II. *J. Res. Sci. Teach.* 22 (2), 169-177.
- Chinn, C. A. and Malhotra, B. A. (2002). Epistemologically authentic inquiry in schools: a theoretical framework for evaluating inquiry tasks. *Sci. Educ.* 86 (2), 175-218.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences*. Hillsdale, NJ: Lawrence Earlbaum Associates.
- Coil, D., Wenderoth, M. P., Cunningham, M. and Dirks, C. (2010). Teaching the process of science: faculty perceptions and an effective methodology. *CBE Life. Sci. Educ.* 9, 524-535.
- Cooper, M. M., Cox, C. T., Nammouz, M., Case, E. and Stevens, R. (2008). An assessment of the effects of collaborative groups on students' problem solving strategies and abilities. *J. Chem. Educ.* 85 (2), 866-872.
- Council of Ministers of Education, C. (1997). *Common framework of science learning outcomes K-12: Pan-Canadian protocol for collaboration on school curriculum for use by curriculum developers*.
- Gabel, D. L., Rubba, P. A. and Franz, J. R. (1977). The effect of early teaching and training experiences on physics achievement, attitudes towards science and science teaching, and process skill proficiency. *Sci. Educ.* 61 (4), 503-511.
- Germann, P. J. (1998). Directed-inquiry approach to learning science process skills: treatment effects and aptitude-treatment interactions. *J. Res. Sci. Teach.* 26 (3), 237-250.

- Johnson, D. W. and Johnson, R. T. (1999). Making Cooperative Learning Work. *Theory into practice* 38 (2), 67-73.
- Klymkowsky, M. W. and Garvin-Doxas, K. (2008). Recognizing student misconceptions through Ed' tools and the Biology Concept Inventory. *PLoS Biol.* 6, e3.
- Mazur, E. (1997). Peer Instruction: A User's Manual. Prentice Hall, Saddle River, NJ.
- Miller, R., Osborne, J. and Nott, M. (1998). Science education for the future. *Sch. Sci. Rev.* 80 (291), 19-24.
- Nehm, R. H. and Reilly, L. (2007). Biology majors' knowledge and misconceptions of natural selection. *Bioscience* 57 (3), 263-272.
- Springer, L., Donovan, S. S. and Stanne, M. E. (1999). Effects of small-group learning on undergraduates in science, mathematics, engineering, and technology: a meta-analysis. *Rev. Educ. Res.* 69 (1), 21-51.
- Stanovich, K. E. (2009). What intelligence tests miss: the psychology of rational thought: Yale University Press.
- Tamir, P. and Amir, R. (1987). Inter-relationship among laboratory process skills in biology. *J. Res. Sci. Teach.* 24 (2), 137-143.
- Tobin, K. G. and Capie, W. (1982). Relationship between formal reasoning ability, locus of control, academic engagement and integrated process skill achievement. *J. Res. Sci. Teach.* 19 (2), 113-121.
- Woolley, A. W., Chabris, C., F, Pentland, A., Hashmi, N. and Malone, T., W. (2010). Evidence for a collective intelligence factor in the performance of human groups. *Science* 1193147.

Appendices

Appendix 1: Pre/Post Assessment

1. 340 patients with Alzheimer' s disease are enrolled in a study of a new drug. The results from the study are:

Experimental	Control	Category
<input type="checkbox"/>	<input type="checkbox"/>	200 were given the drug and their symptoms improved
<input type="checkbox"/>	<input type="checkbox"/>	75 were given the drug and their symptoms did not improve
<input type="checkbox"/>	<input type="checkbox"/>	50 were given a placebo and their symptoms improved
<input type="checkbox"/>	<input type="checkbox"/>	15 were given a placebo and their symptoms did not improve

(A) For each of the four categories above indicate whether it represents an experimental or a control group.

(B) If it is a control group, what did it control for?

(C) Is there a positive control group in this experiment? If so, what does it control for.

(D) Based on these data, was the drug effective? (justify your answer).

2. To test the hypothesis that high levels of a viral protein (LMP-1) inhibit cell division in NK cells, the researchers have:

1. constructed viral vectors that express either LMP-1 and Green Fluorescent Protein (GFP) together or GFP alone in NK cells.
2. developed an antibody that recognizes LMP-1 protein.
3. devised a method to efficiently infect NK cells.
4. devised a method to identify those NK cells that have divided during the experimental period.

For each experimental choice, indicate whether this is a positive control (P), a negative control (N), experimental (E), or unnecessary (U).

For control experiments, explain what they control for.

- 2.1 P N E U Determine whether the LMP-1 protein is present in LMP-1/GFP infected NK cells.
- 2.2 P N E U Infect NK cells with the GFP vector and count the number of GFP-expressing cells that divided during the experimental period.
- 2.3 P N E U Infect NK cells with an "empty" vector (e.g., expresses neither LMP-1 nor GFP), and count the number of virally infected cells that divided during the experimental period.
- 2.4 P N E U Infect NK cells with the LMP-1/GFP vector and count the number of infected cells that divided during the experimental period.
- 2.5 P N E U Examine a cell type known to express LMP-1.
- 2.6 P N E U Examine a cell type known not to express LMP-1.
- 2.7 P N E U Determine where LMP-1 protein is located in LMP-1/GFP infected NK cells
- 2.8 P N E U Examine NK cells for the expression of LMP-1 before viral infection.


If the NK cells divided, what are the possible explanations?

If the NK cells did not divide, what are the possible explanations?

Appendix 2: Example of a Control Exercise

Introduction

The DeDecker lab in MCDB studies the function of a previously undescribed *Drosophila* gene, unglued glia (*ugg*). *Ugg* mutants are embryonic lethal. *Ugg* is thought to be a seven transmembrane receptor protein. In order to determine what is wrong in homozygous *ugg* mutant embryos, stage 16 embryos were fixed and stained for HRP (which is expressed specifically in neurons at this stage) and Repo (which is expressed specifically in glial cells). This was the result:



Additional information

A) Positive control experiments are designed to ensure that reagents work and procedures were carried out correctly.

B) Negative control experiments are designed to check whether experimental outcomes are due only to the specific variable being tested.

C) We have access to a previously characterized mutant, glial cell missing (*gcm*), which does not develop detectable glial cells and death with nerves (*dwn*), in which homozygous embryos die during development at the same time as homozygous *ugg* embryos.

1. Were positive control(s) included in this experiment?

Yes. The following were positive control(s) and they controlled for

No. What should the experimenters have done?

2. Were negative control(s) included in this experiment?

Yes. What is it and what is it controlled for?

No. What could be used as a negative control?

3. Given the control(s) that were included, what can you conclude from this experiment?