DOCUMENT RESUME

ED 355 203   SP 034 331

TITLE   Portland Public Schools Alcohol and Other Drugs
                 Curriculum Implementation Planning Guide. Grades
                 Pre-K - 8.
INSTITUTION   Portland Public Schools, Oreg.
PUB DATE   Oct 91
NOTE   86p.; For the grades 9-12 guide, see SP 034 332.
PUB TYPE   Guides - Classroom Use - Teaching Guides (For
                 Teacher) (052)

EDRS PRICE   MF01/PC04 Plus Postage.
DESCRIPTORS   *Alcohol Education; Curriculum Guides; *Drug
                 Education; *Educational Objectives; Elementary
                 Education; Health Education; *Health Promotion;
                 Preschool Education; Special Education; Teaching
                 Methods
IDENTIFIERS   Portland School District OR

ABSTRACT
              This guide was developed by the Portland (Oregon)
Public Schools to assist district pre-kindergarten through
grade-eight administrators and teachers in complying with federal and
state mandates to develop and implement a plan for alcohol and other
drug prevention instruction. The guide is based on the
district-adopted curriculum, "Here's Looking at You, 2000," which
includes instruction in three domains: cognitive/information,
affective/bonding, and behavioral/skills. Included in the guide is a
topic summary, with content areas (physical education, social
studies, science, and health) for each topic identified.
Instructional minimums, presented as learner outcomes, for each grade
level (Pre-K, K, grades 1 through 8, and middle school) are outlined
for the cognitive/information and behavioral/skills domains. Separate
sections detailing instructional minimums for special education are
also given for each grade level. The appendices include: the Oregon
Administrative Rule which mandates implementation of alcohol and
other drug use prevention instruction, a section listing Oregon law
related education resources, and a list of selected materials on
prevention. (IAH)

ED355203

PORTLAND PUBLIC SCHOOLS

ALCOHOL AND OTHER DRUGS

CURRICULUM IMPLEMENTATION

PLANNING GUIDE

GRADES Pre-K - 8

BEST COPY AVAILABLE

OCTOBER 1991

SP034331

2

TABLE OF CONTENTS

INTRODUCTION

Scope and Purpose of this Guide

State and federal laws mandate the development and implementation of a plan for alcohol and other drug (AOD) prevention instruction. This plan was developed primarily by the Curriculum Department to assist district administrators and teachers in assuring that the mandates are met for Pre-Kindergarten through Grade 8. A companion guide is being developed to address issues at the high school level.

Jill Gomery	Assistant Director of Curriculum
Steve Carlson	Science Specialist
Eleanor Hardt	Social Studies Specialist
John Hinds	Physical Education Specialist
Deane Larsell	Health Specialist
Zandra O'Neal	Special Education Curriculum Specialist
Rebecca Severeide	Early Childhood Specialist
Ann Shelton	Health Specialist
Mary Ellen Marmaduke	Project Coordinator
Marjorie Kucinski	Layout/Design/Production

October 1991

AOD CURRICULUM PROJECT MEMBERS

Phase I:
Original AOD
Curriculum
Project

During the first workshop in June 1990, teachers received training on prevention education, reviewed and critiqued the district-adopted prevention curriculum, *Here's Looking at You, 2000*, and developed general guidelines for utilizing that material in the classroom. They started with the Scope and Sequence of the *Here's Looking at You, 2000* curriculum, edited and supplemented it, to reflect their experiences in the classroom and compliance with state and federal mandates for prevention education. The original project members were:

K-8 Teachers

		Member	*School*
Grades K-2	Coordinator:	Karen Douglas	Laurelhurst
	Kindergarten:	Sharon Surratt	Lewis
	First Grade:	Theresa Martin	Lee
		Charles Monroe	Creston
	Second Grade:	Joan Helm	Ainsworth
Grades 4-5	Coordinator:	Betsy Deines	Alameda
	Third Grade:	Patti Denny	Chapman
		Debbie Reddy	Astor
	Fourth Grade:	Katholeen McGinty	Applegate
		Tom Meyers	Hayhurst
	Fifth Grade:	Martha Flores	Vernon
Grades 6-8	Coordinator:	Steve Miller	Binnsmead
		Judy Hayward	Sellwood
		Karlene Fitzwater	Sellwood
		Ann LaGrande	Gregory Heights
		Robyn Larkin	Tubman
		Fawn Nguyen	George
		Mavis Randklev	Beaumont
		Chris Schur	Beaumont
		Bill Scott	·Hosford

Grades Pre-K   Rebecca Severeide, Early Childhood Curriculum Specialist

Phase II: Special Education AOD Curriculum Project

During the school year 1990-1991, Special Education middle school teachers who had been previously trained in AOD prevention developed minimum guidelines for implementation. In June 1991 seven elementary Special Education teachers were trained in AOD prevention education, reviewed materials, and made recommendations for minimum implementation of effective curriculum. These teachers were:

Primary Grades	Member	School
SLC-A	Glenna Ashley	Creston
	Carol Davis	Glencoe
SLC-B	Lee Kamery	Chapman
	Bill LeMaster	Bridger
Life Skills	Dawn Soderquist	Scott

Intermediate Grades

SLC-A	Glenna Ashley	Creston
	Carol Davis	Glencoe
SLC-B	Kathy Rush	Sunnyside
	Laura Bullock	Lee
Life Skills	Dawn Soderquist	Scott

Middle School Grades 6-8

SLC-A	Marci Hope	Portsmouth
	Nancy Feller	George
SLC-B	Mary Enterman	Tubman
	Martha Landowne	George
	Marge Parker	Program Chairperson, CSC
Life Skills	Bruce Teborek	Fernwood

Special Education Curriculum Specialist

Zandra O'Neal

6

OVERVIEW OF STATE AND FEDERAL LEGISLATION

Oregon law now requires each school district to develop a plan for drug and alcohol prevention instruction as an integral part of the district's health education program.

The Oregon Administrative Rule (OAR) provides that this instruction must emphasize prevention, it must be reviewed and updated annually to reflect current research, and it must be consistent with State Board adopted Health Education Common Curriculum Goals. The rule lists various types of basic information which must be provided, including promotion of health and wellness, the health and legal implications of drug use, and the availability of school and community resources.

In addition, the OAR provides that the instructional program must include activities which will assist students in developing and reinforcing skills to understand and manage peer pressure, understand the consequences of consuming alcohol and other drugs, and to make informed and responsible decisions. The program must include activities which will motivate students to adopt positive attitudes toward health and wellness.

In 1989, the Congress revised the Drug Free Schools and Communities Act. Under that Act, regulations were established which, though cast in somewhat different terms, cover essentially the same points as the Oregon rule. Minor differences include the federal regulations' specific mention of anabolic steroids as included within the coverage of the regulations and the federal requirement of biennial, rather than annual, review of the plans.

RECOMMENDATIONS OF THE COMMITTEE

Early Prevention Efforts

As teachers reviewed the literature, they became aware that the field of alcohol and other drug prevention education has made great strides since the "sixties," when illicit drug use by many groups, including minors, increased dramatically. Early prevention education was not research-based and it was not effective in reducing drug use. These well-intentioned efforts often utilized scare tactics including the use of recovering addicts as speakers. Inaccurate information about drugs was often presented. In too many instances these efforts had the paradoxical effect of increasing interest in, and subsequent use of, alcohol and other drugs. Later approaches addressed student attitudes about themselves and external pressures from peers and the media. Again, drug use was not reduced.

Current Prevention Research

Recent work by David Hawkins and colleagues on risk factors for adolescent substance abuse provides a research base for prevention curriculum. In the District-adopted program *Here's Looking at You, 2000*, one or more of these risk factors is addressed in each lesson. This curriculum recognizes that an important risk factor is family chemical dependency. Increased understanding of the disease concept of chemical dependency, its genetic aspect, and the psychosocial effects on the family give students sensitivity to these issues in general, and, in the case of children living in chemically affected families, a perspective that is useful to them in addressing family issues.

The current literature shows that information alone does not reduce drug use and that information in conjunction with affective learning does not have significant impact unless it is combined with social skills training. These skills address the strong peer influences which impact drug use by adolescent and pre-adolescent children. Instruction in friendship and resistance/refusal skills provide students with understanding and strategies to implement a variety of healthy choices.

3

Effective Curriculum: Content

Effective curriculum includes straightforward, up-to-date information on alcohol and other drugs, with emphasis on the gateway drugs: tobacco, alcohol and marijuana. Recently the U.S. Office of Substance Abuse Prevention declared crack a gateway drug in inner cities. Whether this applies to Portland youth is not clear, but in some schools it would be wise to include this topic in late elementary school, without slighting alcohol, tobacco, and marijuana.

Many teachers are including lessons on self esteem, self awareness, stress management, and friendship development in comprehensive health education instruction. These lessons are also important in prevention of later alcohol and other drug use. In late elementary school, lessons on goal setting are an important part of prevention education.

Effective Curriculum: Teaching Strategies

Teaching methods are found to be as important as content in prevention education. Appropriate strategies to involve students, cause them to reflect on their own attitudes, and to interact with others in ways in which the needed skills can be practiced. Open-ended discussions improve listening skills and expose children to various points of view in a non-judgmental setting. Cooperative learning strategies, including role play, simulation, and other shared learning activities are especially effective. Selection of appropriate content and strategies is essential if the desired behavior change is to take place.

Summary

In summary, effective prevention education not only meets the letter of the law, but also meets the needs of students. The curriculum should:

1) address the three domains of learning:

- cognitive - information
- affective/attitude - bonding
- behavioral - skills

2) utilize appropriate, effective teaching strategies;

3) include a clear "no use" message;

4) allocate sufficient time for optimum results.

IMPLEMENTATION

K-8 Health Overview

The district-adopted program, *Here's Looking at You, 2000,* meets all the criteria for effective prevention curricula stated on the previous page. It includes instruction in the three domains: cognitive/information, affective/bonding, and behavioral/skills domains. The message is a clear "no use"; teaching incorporates age-appropriate prevention strategies; and sufficient depth to provide for effective prevention. The scope and sequence for *Here's Looking at You, 2000* has been enhanced to comply with state and federal law.

Use of Other Materials

Teachers in Kindergarten-Grade 8 are strongly urged to use the *Here's Looking at You, 2000* curriculum. Should other materials be used, they should incorporate compatible content and strategies with those utilized in the *Here's Looking at You, 2000* materials. In some instances, reference is made to supplemental materials recommended by the teachers. These are described in the "Supplemental Teaching Materials" section of Appendix B.

Sequence of Lessons

In general it is advisable to teach the skills lessons early in the year and to review them during the year, with re-emphasis during an alcohol and other drug unit. Information lessons should be taught in the sequence provided in the teacher guide for *Here's Looking at You, 2000.* Bonding lessons can be taught at any time throughout the year.

Affective/ Attitude Learner Outcomes

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

AOD Topic Summary: Pre K - Grade 8

All topics listed are covered in the district-adopted Pre-K - 8 health curriculum. Notations are made where other content areas address the same topics, thereby providing opportunities for infusion of AOD content and skills to occur across the curriculum.

PE = Physical Education; SS = Social Studies; S = Science; H = Health

	AOD RELATED INFORMATION	PK	K	1	2	3	4	5	6	7	8
I.01	Health and Wellness	H	H	H	H	H/PE	H/PE	H/PE	H/PE	H/PE	H/PE
I.02	Definition of a drug	H	H	H	H	H	H	H	H/S	H	H
I.03	Drugs and their effects	H	H	H	H	H/S	H/S	H/S	H/S	H/S	H/S
I.04	Dangers of unknown substances	H	H	H	H						
I.05	Chemical dependency: individual/family		H	H	H	H	H	H	H	H	H
I.06	Alcohol		H	H	H	H	H	H	H	H	H
I.07	Tobacco/secondhand smoke	H	H	H	H	H	H	H	H	H	H
I.08	Marijuana				H	H	H	H	H	H	H
I.09	Cocaine					H	H	H	H	H	H
I.10	Other drugs					H	H	H	H	H	H
I.11	Look alike stimulants									H	H
I.12	Factors which influence effects AOD							H	H	H	H
I.13	AOD affected children							H	H	H	H
I.14	Relationship AOD use and disease									H	H
I.15	AOD abuser hurting others									H	H
I.16	Driving and AOD									H	H
I.17	AOD-related emergencies/911	H	H	H	H	H	H	H	H	H	H
I.18	Reasons why people use/don't use AOD					H	H	H	H	H	H
I.19	Risk factors and ways to reduce them						H	H	H	H	h
I.20	Ident./evaluation of information: AOD						H	H	H	H	H
I.21	AOD advertisements				H	H	H	H	H	H	H
I.22	AOD causing problems: future and present						H	H	H	H	H
I.23	Non-stereotypical description AOD users					H	H	H	H	H	H
I.24	Sexuality and AOD										H
I.25	Early warnings of AOD abuse					see high school					

	AOD RELATED INFORMATION	PK	K	1	2	3	4	5	6	7	8
I.26	Action on AOD related issues					see high school					
I.27	Norms/values: family, cultural, societal					see high school					
I.28	Healthy alternatives to AOD use					H	H	H	H	H	H
I.29	Selection of friends, groups						H	H PE	H PE	H PE	H PE
I.30	Rules, laws relating to AOD use							H SS	H	H SS	H SS
I.31	AOD resources: school/district/community	H	H	H	H	H	H	H SS	H SS	H SS	H SS
	AOD RELATED SKILLS	PK	K	1	2	3	4	5	6	7	8
	Communication Skills										
S.01	Assertiveness:←Asking for things	H	H	H	H	H					
S.02	Resistance/refusal skills	H	H	H	H	H	H	H	H	H	H
S.03	Friendship skills							H PE	H PE	H PE	H PE
S.04	Listening skills/open ended discussion	H	H	H	H	H	H	H	H	H	H
	Decision Making/Problem Solving Skills										
S.05	Decision Making	H	H	H	H	H S	H/S PE	H/S PE	H/S PE	H PE	H PE
S.06	Sources of pressure/influence			H	H	H	H	H	H	H	H
S.07	Goal setting							H	H PE	H PE	H PE
S.08	Healthy choices	H	H	H	H	H	H	H	H	H	H
	Self Awareness Skills										
S.09	Self control (Keeping out of trouble)					H PE					
	SPECIAL AOD SKILLS				These skills supported by middle school Student Services Team							
S.10	Prevention of enabling behaviors									•	•
S.11	Needs of others for referral									•	•
S.12	Referral procedures								•	•	•

	AOD RELATED ATTITUDES/BONDING	
	• Self-Awareness	These topics are an essential component of effective prevention education and are covered in the comprehensive health education curriculum. They are also supported by the elementary and middle school Student Services Team.
	• Self-Esteem	
	• Stress Management	
	• Friendship Development	

Grade Level
Recommendations

The following pages address instructional minimums for each grade level, Pre-K - Grade 8. Two domains are covered: cognitive (Information) and behavioral (Skills). Lessons involving the affective/attitude domain are important to AOD prevention education, but because they are an integral part of health classes, they are not listed in this document.

Each Learner Outcome is matched with one or more lessons from the district-adopted curriculum, *Here's Looking at You, 2000* where possible. In some cases, materials can be drawn from the general health curriculum.

Pre-Kindergarten AOD Instructional Minimums

The most effective Alcohol and Other Drugs prevention education begins as early as possible in a child's school experience. Portland Public Schools Pre-Kindergarten program does this by encouraging positive attitudes towards learning and developing social skills. This Pre-K program provides an age appropriate setting for AOD prevention education.

Because much of this content will be part of the fabric of the classroom experience of following rules, putting away toys, and respecting personal space, the content is addressed informally. In most instances, formal lessons are not necessary if the content is addressed as part of overall classroom activities at this grade level.

Learner Outcomes: The student will be observed:

INFORMATION

		LESSON/SOURCE
I.01	maintaining healthful routines for his/her body	All Health Lessons
I.02	differentiating between medicine and illegal drugs	*Hospitals* lessons
I.03	recognizing the effects of drugs	*Hospitals* lessons
I.04	sorting safe/unsafe substances	*Hospitals* lessons and *Educating Young Children About HIV/AIDS* HLAY2000 K-1, lesson 3 *Drug Look-Alikes*
I.07	recognizing no smoking signs	*Hospitals* lessons
I.17	recognizing AOD-related emergencies and describing the use of 911	*Hospitals* lessons; *Fire Safety; Fire, Fire 911;* and *Pathways:* Chapter 3: pp.72-73
I.31	identifying adults as school, district, and community AOD resources	Ask the Child Development Specialist to help with this information.

SKILLS

Communication/Social Skills

S.01	asking for what he/she wants/needs	*Pathways:* Chapter 3: p.84
S.02	using resistance skills (not formal refusal skills)	*Pathways:* Chapter 3: pp.52-55 and *Educating Young Children About HIV/AIDS*
S.04	building and abiding by rules in open-ended discussion	*Pathways:* Chapter 3: p.68

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills	*Pathways:* Chapter 6 activities and *Educating Young Children About HIV/AIDS*
S.08	making healthy decisions activities	*Pathways:* Chapter 6 activities

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

MATERIALS/RESOURCES

Burton and Woltag, *PATHWAYS: Guidance Activities for Young Children,* Addison-Wesley, 1986.

Derman-Sparks, Louise and A.B.C. Task Force, *Anti-Bias Curriculum,* Tools for Empowering Young Children, National Association for Education of Young Children, Washington, D.C., 1990. Note: Teachers are encouraged to use this material with children as they feel appropriate. The lessons and background information in this publication are helpful in planning an effective educational program.

Severeide, Tupper, Emery, Sartar and Griffis. *Fire Safety* (realia kit); Educational Media/Curriculum, Portland Public Schools, 1989. (K02634)

Severeide, Tupper, Emery, Sartar and Griffis. *Fire, Fire, 911* (prototype kit); Educational Media/Curriculum, Portland Public Schools, 1989. PPS publication.

Tong, Severeide and Tupper. *Educating Young Children About HIV/AIDS,* PPS publication, 1990.

Tupper, Holaman, etc., *HOSPITALS: The Inside Story,* (realia kit), Educational Media/Curriculum, Portland Public Schools, 1990. (K02668)

Tupper, Holaman, etc., *HOSPITALS: Kids in Operation,* (proto-type kit), Educational Media/Curriculum, Portland Public Schools, 1990, (K02669).

Kindergarten AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION

I.01 identifying ways to maintain health and wellness
I.02 defining a drug
I.03 identifying drugs and their effects
I.04 describing the dangers of unknown substances

I.05 identifying chemical dependency: effects on individual and family
I.06 describing the effects of alcohol
I.07 describing the effects of tobacco/secondhand smoke

I.17 describing use of 911
I.31 identifying school, district, and community resources

HLAY2000 LESSON/OTHER

Health Curriculum Strands: All four strands
#2   *What is a Drug?*
#2   *What is a Drug?*
#3   *Drug Look-Alikes*
#4   *Be Safe From Poisons*
#8   *Mickey Moose's Story* [1]

#8   *Mickey Moose's Story*
#2   *What is a Drug?*

Hospitals lessons; *Fire, Fire, 911*; and *Fire Safety*
The Child Development Specialist can assist with this information.

SKILLS

S.01 asking for what he/she wants
S.02 using resistance skills (not formal refusal skills)

S.04 abiding by rules of open-ended discussion
S.05 making decisions
S.08 making healthy choices

#11-13 *Asking For It* [2]

Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
#1   *Frog Tells His Story*
Health Curriculum Strand: *Safe Living*
Health Curriculum Strands: All four strands

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

17

Teacher Notes:

[1]   This topic is important. The new video, *Tippy's New Collar*, is more effective than *Mickey Moose's Story*, the video in the older kits.

[2]   Teachers may be teaching informal resistance and friendship skills, but formal models of these skills are taught later in elementary school. The *Asking for It* skill provides a basis in assertiveness for the later formal skills training.

Note: The K-1 kit is used for both Kindergarten and Grade 1.

MATERIALS/RESOURCES

Derman-Sparks, Louise and A.B.C. Task Force, *Anti-Bias Curriculum*, Tools for Empowering Young Children, National Association for Education of Young Children, Washington, D.C., 1990. Note: Teachers are encouraged to use this material with children as they feel appropriate.   The lessons and background information in this publication are helpful in planning an effective educational program.

Severeide, Tupper, Emery, Sartar and Griffis. *Fire Safety* (realia kit); Educational Media/Curriculum, Portland Public Schools, 1989. (K02634)

Severeide, Tupper, Emery, Sartar and Griffis. *Fire, Fire, 911* (prototype kit); Educational Media/Curriculum, Portland Public Schools, 1989. PPS publication.

Tong, Severeide and Tupper. *Educating Young Children About HIV/AIDS*, PPS publication, 1990.

Tupper, Holaman, etc., *HOSPITALS: The Inside Story*, (realia kit), Educational Media/Curriculum, Portland Public Schools, 1990. (K02668)

Tupper, Holaman, etc., *HOSPITALS: Kids in Operation*, (proto-type kit), Educational Media/Curriculum, Portland Public Schools, 1990, (K02669).

Grade 1 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION

		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	Health Curriculum Strands: All four strands
I.02	defining a drug	#2 *What is a Drug?* (review K)
I.03	identifying drugs and their effects	#2 *What is a Drug?* (review K)
I.04	describing the dangers of unknown substances	#3 *Drug Look-Alikes* (review K) Review Lesson #4 (K)
I.05	identifying chemical dependency:effects on individual and family	#8 *Mickey Moose's Story* [1]
I.06	describing the effects of alcohol	#8 *Mickey Moose's Story*
I.07	describing the effects of tobacco/secondhand smoke	*Smokefree Class of 2000* materials [2]
I.17	describing use of 911	*Hospitals* lessons; *Fire, Fire, 911*; and *Fire Safety*
I.31	identifying school, district, and community resources	The Child Development Specialist can assist with this information.

SKILLS

S.01	asking for what he/she wants	#11-13 *How to Ask for Things* [3]
S.02	using resistance skills (not formal refusal skills)	Health Curriculum Strands: *Safe Living, Stressor/Risk Management*
S.04	abiding by rules of open-ended discussion	Review K: #1 *Frog Tells His Story* or other
S.05	decision-making skills	#9 *Dragon in the House*
S.06	sources of pressure/influence	Health Curriculum Strand: *Safe Living*
S.08	making healthy decisions	Health Curriculum Strands: All four strands

Affective/Attitude Learner Outcomes

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

19

(continued other side)

Teacher Notes:

[1] This topic is important. The new video, *Tippy's New Collar*, is more effective than *Mickey Moose's Story*, the video in the older kits.

[2] *Smokefree Class of 2000* materials available from Deanne Larsell, K-8 Health Specialist, Child Services Center, 280-5840 ext. 462.

[3] Teachers may be teaching informal resistance and friendship skills, but formal models of these skills are taught later in elementary school. The *Asking for It* skill provides a basis in assertiveness for the later formal skills training.

Note: The K-1 kit is used for both Kindergarten and Grade 1.

MATERIALS/RESOURCES

Derman-Sparks, Louise and A.B.C. Task Force, *Anti-Bias Curriculum*, Tools for Empowering Young Children, National Association for Education of Young Children, Washington, D.C., 1990. Note: Teachers are encouraged to use this material with children as they feel appropriate. The lessons and background information in this publication are helpful in planning an effective educational program.

Severeide, Tupper, Emery, Sartar and Griffis. *Fire Safety* (realia kit); Educational Media/Curriculum, Portland Public Schools, 1989. (K02634)

Severeide, Tupper, Emery, Sartar and Griffis. *Fire, Fire, 911* (prototype kit); Educational Media/Curriculum, Portland Public Schools, 1989. PPS publication.

Tong, Severeide and Tupper. *Educating Young Children About HIV/AIDS*, PPS publication, 1990

Tupper, Holaman, etc., *HOSPITALS: The Inside Story*, (realia kit), Educational Media/Curriculum, Portland Public Schools, 1990. (K02668)

Tupper, Holaman, etc., *HOSPITALS: Kids in Operation*, (proto-type kit), Educational Media/Curriculum, Portland Public Schools, 1990, (K02669).

2ↄ

Grade 2 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION

I.01	identifying ways to maintain health and wellness	
I.02	defining a drug	
I.03	identifying drugs and their effects	
I.04	describing the dangers of unknown substances	
I.05	identifying chemical dependency:effects on individual and family	
I.06	describing the effects of alcohol	
I.07	describing the effects of tobacco including secondhand smoke	
I.08	describing the effects of marijuana	
I.09	describing the effects of cocaine (as appropriate)	
I.17	describing the use of 911	
I.21	analyzing AOD advertisements	
I.31	identifying school, district, and community AOD resources	

HLAY2000 LESSON/OTHER

Health Curriculum Strands: All four strands

Review of Grade 1

#3, #4 *What Drugs Do*

#5 *Poisons Make Us Sick*
#6 *Home Safety Check*

#8 *Mr. Moose Has an Illness* [1]

#3, #4 *What Drugs Do*

#3, #4 *What Drugs Do* and *Smokefree Class of 2000* materials [2]

Health Curriculum Strand: *Safe Living*

Health Curriculum Strand: *Safe Living*

Health Curriculum Strands: *Safe Living, Stressor/Risk Management*

Health Curriculum Strand: *Safe Living*

The Child Development Specialist can assist with this information.

SKILLS

S.01	asking for what he/she wants/needs	
S.02	using resistance skills (not formal refusal skills)	
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	
S.05	utilizing decision-making skills	
S.06	identifying sources of pressure/influence	
S.08	making healthy choices	

#14 *Asking for What You Want*
#15 *Ask Your Friends*

Health Curriculum Strand: *Safe Living*

#1 *Miranda* or other lessons could be used

#9 *Amos and Boris* and *Educating Young Children About HIV/AIDS* [3]

Health Curriculum Strand: *Safe Living*

Health Curriculum Strands: All four strands

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1]   The teachers recommended the new video, *Tippy's New Collar*, from the more recent kits.

[2]   *Smokefree Class of 2000* materials available from Deanne Larsell, K-8 Health Specialist, Child Services Center, 280-5840 ext. 462.

[3]   PPS publication available using a textbook order form.

22

Grade 3 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION

HLAY2000 LESSON/OTHER

I.01	identifying ways to maintain health and wellness	Health Curriculum Strands: All four strands
I.02	defining a drug	#2 *Learning About Drugs*
I.03	identifying drugs and their effects	#2 *Learning About Drugs*
I.05	identifying chemical dependency:effects on individual and family	#5 *John Has A Disease* #4 *Too Much of Anything is No Good*
I.06	describing the effects of alcohol	#2 *Learning About Drugs* #4 *Too Much of Anything is No Good*
I.07	describing the effects of tobacco including secondhand smoke	#2 *Learning About Drugs* and *Smokefree Class of 2000* materials [1] #3 *A Drug That is Not a Medicine*
I.08	describing the effects of marijuana	#2 *Learning About Drugs*
I.09	describing the effects of cocaine	#2 *Learning About Drugs*
I.10	describing the effects of other drugs	#2 *Learning About Drugs*
I.17	describing the use of 911	Health Curriculum Strand: *Safe Living*
I.18	defining reasons why people use/don't use AOD	#4 *Too Much of Anything is No Good*
I.21	analyzing AOD advertisements	Health Curriculum Strand: *Safe Living*
I.23	describing AOD users in non-stereotypical ways	Health Curriculum Strand: *Safe Living*
I.28	describing healthy ways to have fun/alternatives to AOD use	#10 *Lets Have Fun* #14 *Step Right Up to Health*
I.31	identifying school, district, and community AOD resources	The Child Development Specialist can assist with this information.

SKILLS

Communication/Social Skills

S.01	asking for what he/she wants/needs	Review of Gr 2: *#14 Asking for Things* [2]
S.02	using resistance skills (not formal Refusal Skills)	Health Curriculum Strand: *Safe Living*
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	#1 *Foxy Learns*

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills	#4 *Too Much of Anything is No Good*
S.06	identifying sources of pressure influence	#6 *I Am Unique*
S.08	making healthy choices	#14 *Step Right Up to Health*

Self Awareness Skill
S.09 keeping out of trouble (self-control)   #11-13 *Foxy Stop*

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1] *Smokefree Class of 2000* materials available from Deanne Larsell, K-8 Health Specialist, Child Services Center, 280-5840 ext. 462.

[2] Teachers may be teaching informal resistance and friendship skills, but formal models of these skills are taught later in elementary school. The *Asking for It* skill provides a basis in assertiveness for the later formal skills.

Grade 4 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION

		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	Health Curriculum Strands: All four strands
		#1 *Taking Care of Ourselves*
I.02	defining a drug	#6 *Bottle of Questions*
I.03	identifying drugs and their effects	#4 *Reasons and Risks*
I.05	identifying chemical dependency:effects on individual and family	#9 *The Roller Coaster* [1]
		#10-11 *Lots of Kids* [2]
I.06	describing the effects of alcohol	#6 *Bottle of Questions*
I.07	describing the effects of tobacco including secondhand smoke	#4 *Reasons and Risks* and *Smokefree Class of 2000* materials [3]
		#7 *Smoke Gets In*
		#8 *Tobacco, Chew, and You*
I.08	describing the effects of marijuana	#4 *Reasons and Risks*
I.09	describing the effects of cocaine	#4 *Reasons and Risks*
I.10	describing the effects of other drugs	#4 *Reasons and Risks*
I.17	describing use of 911	Health Curriculum Strand: *Safe Living*
I.18	defining reasons why people use/don't use AOD	#1 *Taking Care of Ourselves*
		#4 *Reasons and Risks*
I.19	describing the risk factors AOD use/abuse and ways to reduce them	#5 *Lowering Your Risks*
I.20	identifying and evaluating information about AOD	#4 *Reasons and Risks*
I.21	analyzing AOD advertisements	
I.22	identifying ways AOD causes problems now and in the future	Health Curriculum Strand: *Stressor/Risk Management* #14 *Consequences*
I.23	describing AOD users in non-stereotypical ways	Health Curriculum Strand: *Safe Living*
I.28	describing healthy ways to have fun/alternatives to AOD use	#2 *Lots To Do That's Fun*
I.29	describing the process of selecting friends, groups	Health Curriculum Strand: *Stressor/Risk Management*
I.31	identifying school, district, and community AOD resources	The Child Development Specialist may assist with this information.

SKILLS

Communication/Social Skills

S.02	demonstrating resistance (Refusal) skills	#15-18 *Saying No and Keeping Your Friends*
S.04	demonstrating listening skills and abiding by rules in open-ended discussion.	#1 *Taking Care of Ourselves*

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills	#12 *What Would You Do with $1,000?* #14 *Consequenres* #15-18 *Saying No and Keeping Your Friends*
S.06	identifying sources of pressure influence	#13 *I Know Myself* #12 *What Would You Do with $1,000?*
S.08	making healthy decisions	Health Curriculum Strands: All four strands

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1] The Child Development Specialist may have additional resources on this topic.

[2] Portland Public Schools AV catalogue lists this film: B05680.

[3] *Smokefree Class of 2000* materials available from Deanne Larsell, K-8 Health Specialist, Child Services Center, 280-5840 ext. 462.

Grade 5 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION	HLAY2000 LESSON/OTHER
I.01 identifying ways to maintain health and wellness	Health Curriculum Strands: All four strands
I.02 defining a drug	#2 *The Internal Organs*
I.03 identifying drugs and their effects	#2 *The Internal Organs* #3 *The Boy and the Hat* #4 *The Problems Add Up*
I.05 identifying chemical dependency: effects on individual and family	#4 *The Problems Add Up* [1]
I.06 describing the effects of alcohol	#2 *The Internal Organs* #12 *Share The Information*
I.07 describing the effects of tobacco including secondhand smoke	#12 *Share The Information*
I.08 describing the effects of marijuana	#3 *The Boy and the Hat* #12 *Share the Information*
I.09 describing the effects of cocaine	Health Curriculum Strand: *Safe Living*
I.10 describing the effects of other drugs	#15 *Wizard of No*
I.12 describing ways AOD causes problems	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.13 describing AOD affected children	Health Curriculum Strand: *Safe Living*
I.17 describing use of 911	Health Curriculum Strand: *Safe Living*
I.18 defining reasons why people use/don't use AOD	Health Curriculum Strand: *Stressor/Risk Management*
I.19 describing the risk factors AOD use/abuse and ways to reduce them	Health Curriculum Strand: *Safe Living; Stressor/Risk Management*
I.20 identifying and evaluating information about AOD	Health Curriculum Strand: *Safe Living*
I.21 analyzing AOD advertisements	Health Curriculum Strand: *Stressor/Risk Management*
I.22 identifying ways AOD causes problems now and in the future	*Healthy Babies* [2]
I.23 describing AOD users in non-stereotypical ways	Health Curriculum Strand: *Safe Living*
I.28 describing healthy alternatives to AOD use	#16-20 *Say No and Keep Your Friends*
I.29 describing the process of selection of friends, groups	#16-20 *Say No and Keep Your Friends*
I.30 describing the rules, laws, and consequences of AOD use	Resources to be supplied by Oregon Law Related Education Project (see Appendix B)
I.31 identifying school, district, and community AOD resources	The Child Development Specialist can assist with this information.

SKILLS

Communication/Social Skills

S.02	demonstrating refusal skills	#16-20 *Saying No and Keeping Your Friends*
S.03	demonstrating friendship skills	Friendship skills tape from A&D Office, 280-5840 x281
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	#1 *Coat of Arms*

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills	#14 *Deciding*
S.06	identifying sources of pressure influence	#16-20 *Saying No and Keeping Your Friends*
S.07	defining goals	#1 *Coat of Arms*
S.08	making healthy decisions	Health Curriculum Strands: All four strands

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1] The Child Development Specialist can assist with additional resources.

[2] *Healthy Babies* available in every school.

23

Grade 6 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	Health Curriculum Strands: All four strands
I.02	defining drugs	Health Curriculum Strand: *Safe Living*
I.03	identifying drugs and their effects	#1 *Coat of Arms*
I.05	identifying chemical dependency: effects on individual and family	#13 *The Roller Coaster*
I.06	describing the effects of alcohol	#2 *Drugs and Their Effects* #5 *The Great Alcohol Debate*
I.07	describing the effects of tobacco including secondhand smoke	#3 *The Smoking Machine* #4 *The Chew Story*
I.08	describing the effects of marijuana	#2 *Drugs and Their Effects* #7&8 *Understanding Marijuana*
I.09	describing the effects of cocaine	#2 *Drugs and Their Effects*
I.10	describing other drugs	Health Curriculum Strand: *Safe Living*
I.12	describing factors that influence effect of AOD	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.13	describing AOD affected children	Health Curriculum Strand: *Safe Living*
I.17	describing uses of 911	Health Curriculum Strand: *Safe Living*
I.18	defining reasons why people use/don't use AOD	#10 *Now and Later*
I.19	describing risk factors and how to reduce them	Health Curriculum Strand: *Stressor/Risk Management*
I.20	identifying and evaluating sources of AOD information	Health Curriculum Strand: *Safe Living*
I.21	analyzing AOD advertisements	#6 *Truth in Advertising*
I.22	identifying ways AOD causes problems now and in the future	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.23	describing AOD users in non-stereotypical ways	Health Curriculum Strand: *Safe Living*
I.28	describing healthy alternatives to AOD use	Review Grade 5 Refusal skills
I.29	describing the process of selection of friends, groups	#17 *Part of the Group*
I.30	describing the rules, laws, and consequences of AOD use	#9 *Drugs, The Law, and You* #20 *Rules and Laws*
I.31	identifying school, district, and community AOD resources	#1 *Coat Of Arms* The Student Management Specialist can assist with this.

SKILLS

Communication/Social Skills

S.02	demonstrating refusal skills	#11&12 *Say No and Keep Your Friends*
S.03	demonstrating friendship skills	#18-20 *Making Friends*
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	#1 *Coat of Arms*

Decision Making/Problem Solving Skills

S.05	utilizing decision making	Health Curriculum Strands: All four strands
S.06	identifying sources of influence	#2 *Messages about Drugs*
		#11-12 *Say No and Keep Your Friends*
		#11-12 *Say No and Keep Your Friends*
S.07	defining goals	#1 *Coat of Arms*
S.08	making healthy decisions	Health Curriculum Strands: All four strands

Special AOD Skills

S.12	referral procedures	Supported by the Middle School Student Services team

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Grade 7 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION

		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	Health Curriculum Strands: All four strands
I.02	defining a drug	Health Curriculum Strand: *Safe Living*
I.03	identifying drugs and their effects	#1 *The Independent Project*
I.05	identifying chemical dependency: effects on individual and family	Review of Grade 6
I.06	describing the effects of alcohol	Review of Grade 6
I.07	describing the effects of tobacco including secondhand smoke	Health Curriculum Strand: *Safe Living*
I.08	describing the effects of marijuana	#11, 12 *In the Wrong Mood*
I.09	describing the effects of cocaine	Health Curriculum Strand: *Safe Living*
I.10	describing other drugs	Health Curriculum Strand: *Safe Living*
I.11	describing look-alike stimulants	Health Curriculum Strand: *Safe Living*
I.12	describing factors which influence AOD effects	Health Curriculum Strand: *Safe Living*
I.13	describing AOD affected children	#15 *The Innocent Victims*
I.14	describing effects of AOD on disease	Health Curriculum Strand: *Safe Living*
I.15	describing how the AOD user/abuser hurts others	#15 *The Innocent Victims*
I.16	describing the effects of AOD and driving	#15 *The Innocent Victims*
I.17	describing use of 911	Health Curriculum Strand: *Safe Living*
I.18	defining reasons why people use/don't use AOD	#11-12 *In the Wrong Mood*
I.19	describing risk factors and how to reduce them	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.20	identifying and evaluating information about AOD	#6 *Not the Same for Everyone*
I.21	analyzing AOD advertisements	#22 *Spoofing the Ads*
I.22	describing how AOD can cause problems now and in future	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.23	describing AOD users in non-stereotypical terms	#1 *The Independent Project*
I.28	describing healthy alternatives to AOD use	#14 *Plan a Party*
I.30	describing the rules, laws, and consequences of AOD use	Resources provided by Oregon Law Related Education Project (see Appendix B)
I.31	identifying school, district, and community AOD resources	The Student Management Specialist can assist with this information.

3⸱

SKILLS

Communication/Social Skills

S.02	demonstrating refusal skills	#23-25 *Say No and Keep Your Friends*
S.03	demonstrating friendship skills	#3-5 *Making Friends*
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	#1 *The Independent Project*

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills	Health Curriculum Strands: All four strands
S.06	identifying sources of pressure influence	Health Curriculum Strand: *Stressor/Risk Management*
S.07	defining goals	Health Curriculum Strands: All four strands
S.08	making healthy decisions	#21 *Making Good Decisions*

Special AOD Skills

S.10	recognizing and avoiding enabling behaviors	Supported by the Middle School Student Services team
S.11	needs of others for referral	Supported by the Middle School Student Services team
S.12	referral procedures	Supported by the Middle School Student Services team

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Grade 8 AOD Instructional Minimums

In determining the instructional minimums, the teachers on the Project Committee were aware of the many demands on teacher instructional time and the need for effective prevention education. These minimums were developed with that in mind.

Learner Outcomes: The student will be observed:

INFORMATION		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	Health Curriculum Strands: All four strands
I.02	defining a drug	Health Curriculum Strand: *Safe Living*
I.03	identifying drugs and their effects	#1 *The Independent Project*
I.05	identifying chemical dependency: effects on individual and family	#16 *Taking Care of Yourself*
I.06	describing the effects of alcohol	#7&8 *You Be the Teacher*
I.07	describing the effects of tobacco including secondhand smoke	#9 *Smoke*
I.08	describing the effects of marijuana	Health Curriculum Strand: *Safe Living*
I.09	describing the effects of cocaine	Health Curriculum Strand: *Safe Living*
I.10	describing the effects of other drugs	#13 *Speaking of Other Drugs*
I.11	describing the effects of look-alike drugs	#13 *Speaking of Other Drugs*
I.12	describing the factors which influence AOD effects	#6 *Not the Same for Everyone*
I.13	describing AOD affected children	*Preventing Drug Affected Babies*[1]
I.14	describing the relationship AOD and disease	#7&8 *You Be the Teacher* #9 *Smoke* #10 *The Drug You Chew*
I.15	describing how the AOD user/abuser hurts others	#9 *Smoke*
I.16	describing the effects of AOD and driving	Health Curriculum Strand: *Safe Living*
I.17	describing use of 911	Health Curriculum Strand: *Safe Living*
I.18	defining reasons why people use/don't use AOD	#9 *Smoke*
I.19	defining the risk factors and how to reduce them	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.20	identifying and evaluating information about AOD	#28 *Presenting the Projects*
I.21	analyzing AOD advertisements	#22 *Spoofing the Ads*
I.22	describing how AOD can cause problems now and in future	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.23	describing AOD users in non-stereotypical terms	Health Curriculum Strand: *Safe Living*

October 1991

(continued other side)

I.24	describing the effects of AOD on sexuality	Health Curriculum Strands: *Safe Living; Stressor/Risk Management*
I.28	healthy alternatives to AOD use	#14 *Plan a Party* #27 *Healthy Pursuits*
I.30	describing the rules, laws, and consequences of AOD use	#20 *Rules and Laws*; resources also provided by Oregon Law Related Education Project (see Appendix B)
I.31	identifying school, district, and community AOD resources	The Student Management Specialist can assist with this information.

SKILLS

Communication/Social Skills
S.02	demonstrating refusal skills	#23-25 *Say No and Keep Your Friends*
S.03	demonstrating friendship skills	#3-5 *Making Friends*
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	#1 *The Independent Project*

Decision Making/Problem Solving Skills
S.05	utilizing decision-making skills	#21 Making Good Decisions
S.06	identifying sources of pressure influence	Health Curriculum Strand: *Stressor/Risk Management*
S.07	defining goals	#1 *Coat of Arms*
S.08	making healthy decisions	#21 *Making Good Decisions*

Special AOD Skills
S.10	recognizing and avoiding enabling behaviors	Supported by the Middle School Student Services team
S.11	needs of others for referral	Supported by the Middle School Student Services team
S.12	referral procedures	Supported by the Middle School Student Services team

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1] *Preventing Drug Affected Babies* available in every school.

Social Studies Curriculum: Grades 5, 7, 8

For Social Studies teachers in Grades 7 and 8, there are some excellent materials appropriate for inclusion in AOD prevention efforts. Several Social Studies teachers in Portland middle schools have been trained in its use by the Law Related Education staff. The material, *Drugs in the Schools,* utilizes effective prevention content and strategies.

> *Drugs in the Schools,* Center for Civic Education, 1990. Exercises in Participation series for grades 6-9 helps students develop a sense of responsibility for solving school drug problems by developing a plan to confront the drug problem in a fictitious school.
>
> $100 set of 30, with teacher's guide
> $3.50 additional student copy

Teachers wishing to use these materials should call the Law Related Education office at Terwilliger School (245-8707) and ask about training and purchase.

35

Implementation in the Special Education Classroom

Learner outcomes from the PPS Health Curriculum Framework appropriate to AOD curriculum instruction have been selected for each grade level. For each grade level represented in the SLC-A, SLC-B, and Life Skills, refer to those learner outcomes as a guide for instruction.

Some students have unique needs relating to issues of alcohol and other drugs; for these students IEP goals and objectives should reflect these needs. Not all students will need IEP goals addressing Alcohol and Other Drugs. All Special Education students, however, are required to receive instruction utilizing effective AOD prevention strategies.

Teachers who provide services to Special Education students from programs such as Columbia Regional, Contract Programs, and Home and Hospital Instruction should select AOD materials from this document based on the student's level of functioning.

Note: Refer to the PPS IEP Goals and Objectives Bank in the Health and Social/Emotional domains to select annual goals and objectives.

Using the Guidelines

In some instances, lessons at two or more grade levels are cited. Each teacher will be able to make a decision for the classroom use, depending on the cognitive level of the students.

Sequence of Lessons

In general, it is advisable to teach the skills lessons as early as possible in the year relating to other topics. Information lessons should be taught when a level of trust has been built in the classroom. Attitude/bonding lessons can be taught throughout the year.

Affective/ attitude Learner Outcomes

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

SPECIAL EDUCATION - SLC-A/SLC-C: K-2
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION

HLAY2000 KITS: K-1,2

I.01	identifying ways to maintain health and wellness	All Health Lessons
I.02	defining a drug	K-1: #2 *What is a Drug?*
I.03	identifying drugs and their effects	K-1: #2 *What is a Drug?*
I.04	describing the dangers of unknown substances	K-1: #3 *Drug Look Alikes* Gr2: #5 *Poisons Make Us Sick*
I.05	identifying chemical dependency: individual/family	Gr2: #8 *Mr. Moose Has an Illness*
I.06	describing the effects of alcohol	Gr2: #3,4: *What Drugs Do*
I.07	describing the effects of tobacco/secondhand smoke	K-1: #2 *What is a Drug?* K-1: #8 *Mr. Moose Has an Illness* Gr2: #3,4: *What Drugs Do*
I.31	identifying school, district, and community AOD resources	The Child Development Specialist can assist.

SKILLS

Communication/Social Skills

S.01	asking for what he/she wants/needs	K-1: #11-13 *How to Ask for Things* Gr2: #14 *Asking for What You Want* (Review of K-1) K-1: #9 *Dragon in the House* Gr2: #9 *Amos and Boris*

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

SPECIAL EDUCATION - SLC-B: K-3
AOD Instructional Minimums

Note: Lessons have been included from three levels. Grade 3 lessons may need changes in worksheets because of reading level.

Learner Outcomes: The student will be observed:

INFORMATION		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	All Health Lessons
I.02	defining a drug	K-1: #2 *What is a Drug?*
		Gr3: #2 *Learning About Drugs*
I.03	identifying drugs and their effects	K-1: #2 *What is a Drug?*
		Gr2: #3,4 *What Drugs Do*
		Gr3: #2 *Learning About Drugs*
I.04	describing the dangers of unknown substances	K-1: #3 *Drug Look-Alikes*
		K-1: #4 *Be Safe From Poisons*
I.05	identifying chemical dependency: individual/family	K-1: #8 *Tippy's Story*
		Gr2: #8 *Mr. Moose Has an Illness*
		Gr3: #4 *Too Much of Anything is No Good*
		Gr3: #5 *John Has a Disease*
I.06	describing the effects of alcohol	K-1: #8 *Tippy's Story*
		Gr2: #3,4 *What Drugs Do*
		Gr3: #2 *Learning about Drugs*
I.07	describing the effects of tobacco/secondhand smoke	K-1: #2 *What is a Drug?*
		Gr2: #3 *Drug Look-Alikes*
		Gr2: #4 *Too Much of Anything is No Good*
		Gr3: #2 *Learning About Drugs*
		Gr3: #3 *A Drug That's Not a Medicine*
I.18	defining reasons why people use/don't use AOD	Gr3: #4 *Too Much of Anything is No Good*
I.28	describing healthy alternatives to AOD use	Gr3: #10 *Let's Have Fun*
		Gr3: #14 *Step Right Up to Health*
I.31	identifying school, district, and community AOD resources	The Child Development Specialist or Social Worker can assist with this information.

SKILLS

Communication/Social Skills

S.01	asking for what he/she wants/needs	K-1: #11-13 *How to Ask for Things*
		Gr2: #14 *Asking for What You Want*
		Gr2: #15 *Ask Your Friends*
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	K-1: #1 *Frog Tells His Story*
		Gr2: #1 *Miranda*
		Gr3: #1 *Foxy Learns*

Decision Making/Problem Solving Skills

S.05   utilizing decision-making skills   K-1: #1 *Frog Tells His Story*
                                                        K-1: #9 *Dragon in the House*
                                                        Gr2: #9 *Amos and Boris*
                                                        Gr3: #4 *Be Safe From Poisons*
S.06   identifying sources of pressure influence   Gr3: #6 *John Has a Disease*
S.08   making healthy decisions   Gr3: #11-13 *Foxy Stop!*

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

SPECIAL EDUCATION - LIFE SKILLS:
K-2 and Developmental Kindergarten
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION

LESSON/SOURCE [1]

I.01	maintaining healthful routines for his/her body	All Health Lessons
I.02	differentiating between medicine and illegal drugs	*Hospitals* lessons
I.03	recognizing the effects of drugs	*Hospitals* lessons
I.04	sorting safe/unsafe substances	*Hospitals* lessons HLAY2000 K-1 *Picture Frame* [2]
I.07	recognizing no smoking signs	*Hospitals* lessons
I.31	identifying adults as school/district/community AOD resources	Ask the Child Development Specialist to help with this information.

SKILLS

Communication/Social Skills

S.01	asking for what he/she wants/needs	*Pathways* Chapter 3: p.84
S.04	building and abiding by rules in open-ended discussion	*Pathways* Chapter 3: p.68

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills	*Pathways* Chapter 6 activities
S.08	making healthy decisions	*Pathways* Chapter 6 activities

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1]   These materials are currently in use in Pre-K classes, but are appropriate for Life Skills Kindergarten - Grade 2.

Burton and Woltag, *Pathways: Guidance Activities for Young Children,* Addison-Wesley, 1986.

Tupper, Holaman, etc., *HOSPITALS: The Inside Story,* (realia kit), Educational Media/Curriculum, Portland Public Schools, 1990. (K02668)

Tupper, Holaman, etc., *HOSPITALS: Kids in Operation,* (proto-type kit) Educational Media/Curriculum, Portland Public Schools, 1990, (K02669).

[2]   Although th s kit is primarily for use in Kindergarten and Grade 1, this "picture frame" provides an excellent .lustration of the need to consult trusted adults about safe/unsafe substances.

4.

SPECIAL EDUCATION - SLC-A/SLC-C: 3-5
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION	HLAY2000 LESSON/OTHER
I.01 identifying ways to maintain health and wellness	All Health Lessons
I.02 defining a drug	Gr3: #2 *Learning about Drugs* Gr4: #2 *Internal Organs*
I.03 identifying drugs and their effects	Gr3: #2 *Learning about Drugs* Gr4: #4 *Reasons and Risks* Gr5: #3 *Boy and the Hat* Gr5: #4 *Problems 'ad Up*
I.05 identifying chemical dependency: individual/ family	Gr3: #5 *John Has a Disease* Gr4: #4 *Reasons and Risks* Gr5: #3 *Boy and the Hat* Gr5: #10-11 *Lots of Kids* Gr5: #5 *The Problems Add Up*
I.06 describing the effects of alcohol	Gr3: #2 *Learning about Drugs* Gr3: #4 *Too Much of Anything* Gr4: #6 *Bottle of Questions* Gr5: #2 *Internal Organs* Gr5: #12 *Share the Information*
I.07 describing the effects of tobacco/secondhand smoke	Gr3: #2 *Learning about Drugs* Gr3: #3 *A Drug that is Not a Medicine* Gr4: #4 *Reasons and Risks* Gr4: #7 *Smoke Gets In* Gr4: #8 *Tobacco, Chew* Gr5: #12 *Share the Information*
I.08 describing the effects of marijuana	Gr4: #4 *Reasons and Risks* Gr5: #3 *Boy and the Hat*
I.09 describing the effects of cocaine	Gr4: #4 *Reasons and Risks*
I.10 describing the effects of other drugs	Gr5: #4 *Reasons and Risks* Gr5: #15 *Wizard of No*
I.18 describing the reasons people use AOD	Gr3: #4 *Too Much of A Good Thing* Gr4: #1 *Taking Care of Ourselves* Gr4: #4 *Reasons and Risks*
I.28 describing healthy alternatives to AOD use	Gr3: #10 *Letter Home from* Gr4: #2 *Lots to Do* Gr4: #16-20 *Say No and Keep Your Friends* (Refusal Skills)
I.31 identifying school, district, and community AOD resources	The Child Development Specialist or Social Worker can assist with this information.

SKILLS

Communication/Social Skills

S.01   asking for what he/she wants/needs   Review of Gr2: #14 *Asking for Things*

S.02   demonstrating refusal skills   Gr4: #16-20 *Say No and Keep Your Friends*

S.04   demonstrating listening skills and abiding by   Gr3: #1 *Foxy Learns*
        rules in open-ended discussion   Gr4: #1 *Taking Care of Yourself*

Decision Making/Problem Solving Skills

S.05   utilizing decision-making skills   Gr3: #2 *Learning About Drugs*
                                                             Gr4: #4 *Reasons and Risks*

S.08   making healthy decisions

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

4ⁱ

SPECIAL EDUCATION - SLC-B: 4-5
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	All Health Lessons
I.02	defining a drug	Gr3: #2 *Learning About Drugs* Gr4: #1 *Taking Care of Ourselves* Gr5: #2 *Internal Organs*
I.03	identifying drugs and their effects	Gr4: #4 *Reasons and Risks*
I.05	identifying chemical dependency: individual/ family	Gr3: #5 *John Has a Disease* Gr4: #9 *Roller Coaster* Gr4: #6 *Bottle of Questions* Gr5: #5 *Boy and the Hat*
I.06	describing the effects of alcohol	See lessons for I.05
I.07	describing the effects of tobacco including secondhand smoke	Gr3: #3 *A Drug That is Not a Medicine* Gr4: #7 *Smoke Gets In* Gr4: #8 *Tobacco, Chew and You* Gr5: #15 *Wizard of No*
I.08	describing the effects of marijuana	See lessons for I.07
I.09	describing the effects of cocaine	See lessons for I.08
I.10	describing the effects of other drugs	See lessons for I.09
I.13	describing AOD affected children	*Healthy Babies*[1]
I.18	defining reasons why people use/don't use AOD	Gr3: #4 *Too Much of Anything is No Good*
I.19	describing risk factors AOD use/abuse & ways to reduce them	Gr4: #5 *Lowering Your Risks*
I.22	defining problems caused by AOD use: present and future	*Healthy Babies*[1] Gr4: #14 *Consequences*
I.28	describing healthy alternatives to AOD use	Gr3: #10 *Let's Have Fun* Gr3: #14 *Step Right Up to Health* Gr4: #2 *Lots to do That's Fun* Gr5: #16-20 *Say No and Keep Your Friends*
I.29	describing the process of selection of friends, groups	See Lessons from I.28
I.30	describing the rules, laws, and consequences of AOD use	State Department of Education materials—to be supplied later
I.31	identifying school, district, and community AOD resources	The Child Development Specialist or Social Worker can assist with this.

SKILLS

Communication/Social Skills

S.01   asking for what he/she wants/needs   Can be addressed by open-ended discussion

S.02   demonstrating refusal skills   Gr4: #15-18 *Say No and Keep Your Friends*

                                                       Gr5: #16-20 *Say No and Keep Your Friends*

S.03   demonstrating friendship skills   Friendship skills tape from A&D Office, 280-5840 x281

S.04   demonstrating listening skills and abiding by Gr3: #1 *Foxy Learns*

        rules in open-ended discussion   Gr4: #1 *Taking Care of Ourselves*

                                                       Gr5: #1 *Coat of Arms*

Decision Making/Problem Solving Skills

S.05   utilizing decision-making skills   Gr3: #4 *Taking Care of Ourselves*

                                                       Gr4: #12 *What Would You Do with $1000?*

                                                       Gr4: #14 *Consequences*

                                                       Gr5: #14 *Deciding*

                                                       Gr4: #15-18 *Say No and Keep Your Friends*

S.06   identifying sources of pressure influence   Gr3: #6 *I Am Unique*

                                                       Gr4: #13 *I Know Myself*

                                                       Gr4: #12 *What Would You Do with $1000?*

                                                       Gr5: #16-20 *Say No and Keep Your Friends*

S.07   defining goals   Gr5: #1 *Coat of Arms*

S.08   making healthy decisions   Gr3: #14 *Step Right Up to Health*

Self Awareness

S.09   keeping out of trouble (self-control)   Gr3: #13 *Foxy Stop!*

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

-------- --

Teacher Notes:

[1]   *Healthy Babies* available in every school.

SPECIAL EDUCATION - LIFE SKILLS: 3-5
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION	HLAY2000 LESSON/OTHER
I.01 identifying ways to maintain health and wellness	All Health Lessons
I.02 defining a drug	K-1: #2 *What is a Drug?*
I.03 identifying drugs and their effects	K-1: #2 *What is a Drug?*
I.05 identifying chemical dependency: effects on individual/family	Gr4: #9 *The Roller Coaster*
I.07 describing the effects of tobacco including secondhand smoke	K-1: #2 *What is a Drug?*
I.18 defining reasons why people use/don't use AOD	Gr3: #4 *Too Much of Anything is No Good*
I.28 describing healthy alternatives to AOD use	Gr3: #10 *Let's Have Fun* Gr4: #2 *Lots to Do That's Fun!*

SKILLS

Communication/Social Skills

S.01 asking for what he/she wants/needs	K-1: #11-13 *How to Ask for Things*
S.02 demonstrating refusal skills	Gr4: #15-20 *Say No and Keep Your Friends* [1]
S.03 demonstrating friendship skills	Gr6: #18-20 *Making Friends* [2]
S.04 demonstrating listening skills and abiding by rules in open-ended discussion	Gr3: #11-13 *Foxy Stop!*

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1] This may be too difficult for some students.

[2] The tape for this lesson is also available from the Alcohol and Drug Office, 280-5840 X 281.

MIDDLE SCHOOL SPECIAL EDUCATION - SLC-A
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION	GRADE 5 HLAY2000 LESSON/OTHER
I.01 identifying ways to maintain health and wellness	All Health Lessons
I.02 defining a drug	#2 *The Internal Organs*
I.03 identifying drugs and their effects	#2 *The Internal Organs*
	#3 *The Boy and the Hat*
	#4 *The Problems Add Up*
I.05 identifying chemical dependency: effects on individual and family	#4 *The Problems Add Up* [1]
	#5 *Drugs and My Plans*
I.06 describing the effects of alcohol	#2 *The Internal Organs*
	#12 *Share The Information*
I.07 describing the effects of tobacco including secondhand smoke	#12 *Share The Information*
I.08 describing the effects of marijuana	#3 *The Boy and the Hat*
	#12 *Share the Information*
I.12 describing the effects of other drugs	#15 *Wizard of No*
I.13 describing AOD affected children	*Healthy Babies* [2]
I.18 defining reasons people use/don't use AOD	#6 *Fishing for Answers* (optional)
I.19 describing the risk factors AOD use/abuse and ways to reduce	#6 *Fishing for Answers* (optional)
I.20 identifying and evaluating information about AOD	#15 *Wizard of No*
I.21 analyzing AOD advertisements	Gr6 kit: Lesson 6: *Truth In Advertising*
I.29 describing the process of selection of friends, ngroups	#16-20 *Say No and Keep Your Friends*
I.30. describing the rules, laws, and consequences of AOD use	State Department of Education materials—to be supplied later
I.31 identifying school, district, and community AOD resources	The A&D specialist in the building can assist.

SKILLS

Communication/Social Skills

S.02 demonstrating refusal skills	#16-20 *Saying No and Keeping Your Friends*
S.03 demonstrating friendship skills	Friendship skills tape from A&D Office, 280-5840 x281
S.04 demonstrating listening skills and abiding by rules in open-ended discussion	#1 *Coat of Arms*

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills	#14 *Deciding*
S.06	identifying sources of pressure, influence	#16-20 *Saying No and Keeping Your Friends*
S.07	defining goals	#1 *Coat of Arms*
S.08	making healthy decisions	All lessons

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1]   The building alcohol and drug specialist can assist with this information.

[2]   *Healthy Babies* available in every school.

4ℂ

MIDDLE SCHOOL SPECIAL EDUCATION - SLC-B
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION		HLAY2000 GR 6	HLAY2000 GR 7-9
I.01	identifying ways to maintain health and wellness	All Health	All Health
I.02	defining a drug	Lessons #1,2 Lesson #2	Lesson #2 Lesson #6
I.03	identifying drugs and their effects	Lesson #2	Lesson #6
I.05	identifying chemical dependency: individual/family	Lesson #13	Lesson #16
I.06	describing the effects of alcohol	Lessons #2,5	Lessons #7,8
I.07	describing the effects of tobacco including secondhand smoke	Lesson #3	Lesson #9
I.08	describing the effects of marijuana	Lessons #7,8	Lessons #11, 12
I.09	describing the effects of cocaine	Lesson #2	Lesson #13
I.11	describing the effects of look-alike stimulants	Lessons #6,10	Lesson #13
I.28	describing healthy alternatives to AOD use	Lessons #11,12	Lesson #14
I.29	describing the process of selection of friends, groups	Lessons #11,17	Lessons #3,4,5
I.30	describing the rules, laws, and consequences of AOD use	Lesson #9	Lesson #20
I.31	identifying school, district, and community AOD resources	Lesson #1	Lesson #1

SKILLS

Communication/Social Skills

S.02	demonstrating refusal skills	Lessons #11,12	Lesson #26
S.03	demonstrating friendship skills	Lessons #18-20	Lessons #3,4,5,17,18
S.04	demonstrating listening skills and abiding by rules in open-ended discussion	Lesson #1	Lesson #22

Decision Making/Problem Solving Skills

S.05	utilizing decision-making skills		Lessons #21,26
S.06	identifying sources of pressure influence	Lesson #2 Lessons #11,12 Lessons #11,12	Lesson #26 Lesson #2 Lesson #2
S.07	defining goals	Lesson #1	Lesson #27
S.08	making healthy decisions	All Health Lessons	Lesson #27

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

MIDDLE SCHOOL SPECIAL EDUCATION - LIFE SKILLS
AOD Instructional Minimums

Learner Outcomes: The student will be observed:

INFORMATION		HLAY2000 LESSON/OTHER
I.01	identifying ways to maintain health and wellness	All Health Lessons
I.02	defining a drug	Gr3: #2 *Learning About Drugs*
		Gr5: #2 *Internal Organs*
I.03	identifying drugs and their effects	Gr3: #2 *Learning About Drugs*
		Gr4: #4 *Reasons and Risks*
		Gr5: #2 *Internal Organs*
		Also *Growing Free: an Alcohol and Drug Life Skills Program* (PPS, 1986)
I.04	describing the dangers of unknown substances	GrK-1: #3 *Drug Look Alikes*
I.05	identifying chemical dependency: individual/ family	Gr3: #5 *John Has a Disease*
		Gr5: #6 *Fishing for Answers*
I.06	describing the effects of alcohol	Gr3: #2 *Learning About Drugs*
		Gr5: #2 *Internal Organs*
		Gr4: #6 *Bottle of Questions*
I.07	describing the effects of tobacco including secondhand smoke	Gr3: #3 *A Drug that is not a Medicine*
		Gr4: #4 *Reasons and Risks* (Fact Sheet)
		Gr4: #8 *Tobacco, Chew*
		Gr5: #4 *The Problems Add Up*
I.08	describing the effects of marijuana	Gr4: #4 *Reasons and Risks*
		Gr5: #4 *The Problems Add Up*
I.09	describing the effects of cocaine	Gr4: #4 *Reasons and Risks*
I.10	describing the effects of other drugs	Gr4: #4 *Reasons and Risks* (Fact Sheet)
I.12	describing the factors which influence AOD effects	Gr4: #4 *Reasons and Risks* (Fact Sheet)
I.13	describing AOD affected children	See newly developed materials, A&D counselor
I.14	describing the relationship AOD and disease	See Fact Sheets on Alcohol, Nicotine, Marijuana
I.19	describing the risk factors AOD use/abuse and ways to reduce them	Gr4: #5 *Lowering Your Risks*
		Gr5: #6 *Fishing for Answers*
I.27	describing family, cultural, and societal norms, including AOD use	See Teacher Notes
I.28	describing healthy alternatives to AOD use	Gr4: #2 *Lots to Do That's Fun*
		Gr5: #7 *Less Stress*
		Gr5: #8 *Visitor from Planet Drugless*
I.29	describing the process of selection of friends, groups	*Circles I* [1]
I.30	describing the rules, laws, and consequences of AOD use	Review District Student Handbook
I.31	identifying school, district, and community AOD resources	Contact D&A Counselor

SKILLS

Communication/Social Skills
S.01   asking for what he/she wants/needs   Ask school counselor, speech pathologist
S.02   demonstrating refusal skills   *Circles I*
                                                             Gr5: #16-20 *Say No and Keep Your Friends*
S.03   demonstrating friendship skills   Gr5: #16-20 *Say No and Keep Your Friends*
S.04   demonstrating listening skills and abiding by   *Circles I*, speech pathologist
       rules in open-ended discussion

Decision Making/Problem Solving Skills
S.05   utilizing decision-making skills   Gr4: #12 *What Would You Do with $1,000?*
                                                             Gr5: #14 *Deciding*
                                                             Circles I
S.06   identifying sources of pressure influence   *Circles I*
                                                             Gr5: #16-20 *Say No and Keep Your Friends*
                                                             Gr5: #1 *Coat of Arms*
S.08   making healthy decisions   All lessons

AFFECTIVE/ATTITUDE LEARNER OUTCOMES

Because affective/attitude learner outcomes are addressed in Pre-K - 8 Health Education, no minimums are indicated as part of the AOD prevention instruction. Teachers are urged to include lessons on the topics of self-concept, self-esteem, stress management, and friendship development from district adopted health materials, their own resources, as well as the *Here's Looking at You, 2000* materials.

Teacher Notes:

[1] *Circles I* may be ordered from the AV catalog.

September 1991

APPENDICES

65th OREGON LEGISLATIVE ASSEMBLY-1989 Regular Session

B-Engrossed
Senate Bill 584

Ordered by the House May 30
Including Senate Amendments dated May 10 and House Amendments
dated May 30

Printed pursuant to Senate Interim Rule 213.28 by order of the President of the Senate in conformance with pre-
session filing rules, indicating neither advocacy nor opposition on the part of the President (at the request
of Governor Goldschmidt)

SUMMARY

The following summary is not prepared by the sponsors of the measure and is not a part of the body thereof subject
to consideration by the Legislative Assembly. It is an editor's brief statement of the essential features of the
measure.

Requires school districts and state institutions of higher education to establish and implement
alcohol and drug abuse policy and plan. Requires Office of Alcohol and Drug Abuse Programs to
develop public information program and contact advocacy groups to facilitate outreach and dissem-
inate prevention information. Requires State Boards of Education and Higher Education, in con-
sultation with office, to adopt by rule minimum descriptions of content. Requires departments and
office to report to regular sessions of Legislative Assembly and to Governor on progress and effec-
tiveness of policy and plan.

1   A BILL FOR AN ACT
2   Relating to alcohol and drug policies for educational institutions.
3   Be It Enacted by the People of the State of Oregon:
4   SECTION 1. In accordance with rules adopted by the State Board of Education in consultation
5   with the office of Alcohol and Drug Abuse Programs, each district school board shall adopt a com-
6   prehensive alcohol and drug abuse policy and implementation plan, including but not limited to:
7   (1) Alcohol and drug abuse prevention curriculum and public information programs addressing
8   students, parents, teachers, administrators and school board members;
9   (2) The nature and extent of the district's expectation of intervention with students who appear
10   to have drug or alcohol abuse problems;
11   (3) The extent of the district's alcohol and other drug prevention and intervention programs, and
12   (4) The district's strategy to gain access to federal funds available for drug abuse prevention
13   programs.
14   SECTION 2. To assist school districts to formulate the programs described in subsection (1) of
15   section 1 of this Act, the office of Alcohol and Drug Abuse Programs shall:
16   (1) Devise a public information program directed toward students, parents, teachers, adminis-
17   trators and school board members at the school district level; and,
18   (2) Contact advocacy associations of the target groups described in subsection (1) of this section
19   to facilitate outreach programs and disseminate alcohol and drug abuse prevention information
20   SECTION 3. In consultation with the office of Alcohol and Drug Abuse Programs, each state
21   institution of higher education shall adopt a comprehensive alcohol and drug abuse policy and im-
22   plementation plan.
23   SECTION 4. In order to carry out the duties described in sections 1 and 2 of this Act, the State
24   Board of Education, in consultation with the office of Alcohol and Drug Abuse Programs, shall adopt

NOTE: Matter in bold face in an amended section is new; matter [italic and bracketed] is existing law to be omitted.

B-Eng. SB 584

1 by rule, as a minimum, descriptions of the content of what shall be included in the policy and plan
2 described in sections 1 and 2 of this Act. ,
3   SECTION 5. In order to carry out the duties described in section 3 of this Act, the State Board
4 of Higher Education, in consultation with the office of Alcohol and Drug Abuse Programs, shall
5 adopt by rule, as a minimum, descriptions of the content of what shall be included in the policy and
6 plan described in section 3 of this Act.
7   SECTION 6. The Department of Education, the State System of Higher Education and the office
8 of Alcohol and Drug Abuse Programs shall report to regular sessions of the Legislative Assembly
9 and to the Governor on the progress and effectiveness of the policies and plans described in sections
10 1 to 3 of this Act by submitting a copy of the report to the offices of the President of the Senate,
11 the Speaker of the House of Representatives and to the Governor.
12

_____

55

1   <u>Oregon Administrative Rule 581-22-413</u>
2   <u>Prevention Education Programs i r Drugs and Alcohol</u>
3
4   <u>Statutory Authority</u>: 326.010
5   SBE
6   OAR
7
8   581-22-413
9   Prevention Education Programs in Drugs and Alcohol
10
11 The statutory authority for this rule is ORS 326.011, 336.222, 336.227, 336.235, and
12 336.245.
13 (1)   Each school district shall develop a plan for a drug and alcohol prevention
14   program which shall include:
15   (a) Drug and alcohol prevention instruction as an integral part of the
16   district's comprehensive health education program. In addition, at least
17   annually, all senior high school students shall receive age-appropriate
18   instruction about drug and alcohol prevention.
19   (A) The age-appropriate curriculum for this instruction shall:
20   (i) emphasize prevention,
21   (ii) be reviewed and updated annually to reflect current research,
22   and
23   (iii) be consistent with State Board adopted Health Education
24   Common Curriculum Goals.
25   (B) Basic information shall include:
26   (i) the effects of alcohol, tobacco, and other drug use,
27   (ii) all laws relating to the use, especially by minors, of alcohol and
28   other illegal drugs, and
29   (iii) the availability of school and community resources.
30   (C) The instructional program shall include activities which will assist
31   students in developing and reinforcing skills to:
32   (i) understand and manage peer pressure,
33   (ii) understand the consequences of consuming alcohol and other
34   drugs,
35   (iii) make informed and responsible decisions, and
36   (iv) motivate students to adopt positive attitudes towards health and
37   wellness.
38   (b) A public information program for students, parents, and district staff; and
39   (c) Policies, rules, and procedures which:
40   (A) include a philosophy statement relating to drug-free schools,
41   (B) define the nature and extent of the district's program, including a
42   plan to access and use federal funds,
43   (C) state that alcohol, tobacco, and other drug use by students is illegal
44   and harmful,

1   (D) in accordance with OAR 581-21-050 and OAR 581-21-055, indicate
2   the consequences for using and/or selling alcohol and other drugs,
3   including the specific role of the school as it relates to law
4   enforcement agencies,
5   (E) describe the district's intervention and referral procedures, including
6   those for drug-related medical emergencies,
7   (F) indicate clearly that the school district's jurisdiction includes all
8   school sponsored events including student activities, and
9   (G) are reviewed and updated annually beginning with the 1990-91 school
10   year.
11

12 (2) The district's drug and alcohol prevention and intervention program shall be
13   approved by the school district board after consultation from parents,
14   teachers, school administrators, local community agencies, and persons from
15   the health or alcohol and drug service community who are knowledgeable of
16   the latest research information.
17

18 (3) Staff development in the district shall:
19   (a) Inform all staff of the district plan and their responsibilities within that
20   plan; and
21   (b) Provide drug and alcohol prevention education to all staff.
22

23

24

25 dc OAR20
26 3/12/90

OREGON ADMINISTRATIVE RULE 581-22-413
Prevention Education Programs in
Drug and Alcohol
Questions and Answers

1. **How did this administrative rule originate?**

   OAR 581-22-413 is based on ORS 336.222 which is the result of Senate Bill 584. The OAR was drafted by the Oregon Department of Education in consultation with the Oregon Office of Alcohol and Substance Abuse.

2. **What must the district do to comply with OAR 581-22-413?**

   The district must:

   a. develop a written plan for a drug and alcohol prevention program to include. 1) drug and alcohol prevention instruction; 2) a public information program; 3) policy, rules, and procedures. OAR Sec. (1)
   b. have the plan for a drug and alcohol prevention program approved by the school board after consulting with the community. OAR Sec. (2)
   c. provide a staff development program for all staff in the areas of drug and alcohol information, prevention, and their responsibility. OAR Sec. (3)

3. **When must implementation of the drug and alcohol prevention program begin?**

   A drug and alcohol prevention plan and instructional program must be ready for implementation in September 1990.

4. **What is meant by a drug and alcohol prevention program?**

   A drug and alcohol prevention program may be defined as a variety of activities, information, and materials aimed toward all students. The goal of prevention programs is to prevent the onset of substance use through educational awareness and skill development. The process of developing a model prevention program includes five major components: a) district policy; b) information to parents, students, staff, and community; c) social skill development for students; d) promotion of alternatives to the use of drugs, alcohol, and tobacco; e) staff development and inservice for all staff.

5. **What does it mean to make drug and alcohol prevention instruction "an integral part of the district's comprehensive health education program?"**

   A comprehensive health education program includes:

   a. Curriculum and instruction. The minimum expected would be the components listed in this OAR infused into a health education curriculum. In keeping with sound educational practice, the Department of Education also recommends integrating drug/alcohol instruction in other content areas.

b. Student services. This could includr. health services; support services such as student support groups, workshops, and conferences; and extra curricular activities such as clubs, athletics, dances, and assemblies.

c. School climate. This includes not only the social and educational component of the school, but also the school's physical environment such as student supervision, lockers, clothing, bulletin boards, posters, drug free workplace, etc.

6. **How does the OAR address senior high school?**

The OAR requires that drug and alcohol prevention education become an integral part of the high school health requirement for the equivalent of one full year of instruction or one credit. In addition, a district is required to have drug and alcohol prevention instruction annually in those years where health education is not required.

The manner and form of the instruction is left to the discretion of the district. In developing the plan for annual instruction, it is important for the district to consider what is reasonable, appropriate and effective. It may be reasonable to have an assembly that addresses these areas as one component of a total prevention program, but in and of itself this may not be effective as reinforcement nor would it provide more current knowledge and research. It might be more appropriate and effective to include activities exploring social and economic issues in Social Studies, Personal Finance, and English; chemical dependency in Science; family issues in Home Economics; fitness and performance issues in Physical Education. In the final analysis, however, this is a local district's decision.

7. **What is age-appropriate curriculum?**

It is curriculum determined to be developmentally appropriate according to proven educational practice and consistent with community values and attitudes. It is the responsibility of each district to decide this issue after consultation with parents, teachers, school administrators, local community agencies and persons from the health or alcohol and drug service community.

8. **Basic information must include "all laws related to use." How is this interpreted?**

This includes federal laws, state statutes, county regulations and city (municipal) ordinances as they relate to use, possession and distribution by minors. For county regulations contact your district attorney, and for city (municipal) ordinances contact your city attorney. At the state level, the following statutes relate to alcohol and drugs:

a. ORS 809.260 – Zero Tolerance for Alcohol for a Minor and Loss of Driving Privilege.

b. ORS 475.999 – Drug-Free School Zone.

c. ORS 475.992 – Marijuana Possession.

d. ORS 475.525 – Drug Paraphernalia Act.

e. ORS 475.005–475.997 – Oregon's Uniform Controlled Substance Act.

f. ORS 163.575 – Tobacco Sales to Minors.

A full set of ORS in which these laws are outlined can be found in any county or city library.

9. **What are examples of school and community resources?**

These resources can include drug-free school activities, available school personnel (counselor, nurse, teachers), as well as student clubs and groups, community activities, YMCA, YWCA, and church groups. Other community resources include county drug and alcohol prevention coordinators, mental health professionals, treatment centers, hotlines, clinics, Oregon Prevention Resource Center, Alateen, etc.

10. **The rule refers to "managing peer pressure as a skill." What are some of these skills? What are available resources for teachers?**

Managing peer pressure includes age and developmentally appropriate skills of how to say no. This should include techniques in refusal skills, i.e., learning to ask for something, saying no to self, say no and keep friends, how to stay out of trouble. County prevention coordinators, school counselors, Oregon Prevention Resource Center, as well as the Department of Education are all resources for such materials.

11. **How can the instructional program teach about the consequences of consuming alcohol and other drugs?**

An understanding of the consequences can be taught through cooperative learning-based instruction which should focus on decision-making and problem-solving activities. Consequences should be focused on the immediate. Research suggests that for adolescents, long-term consequences have little effect on behavior (e.g., 30 years from now you may die of lung cancer if you smoke or chew tobacco). Immediate consequences are social (friends, school, family), emotional, physical, as well as legal aspects (i.e., your clothes and breath smell when you smoke or chew; if you are between 13–17 years of age and possess, use or abuse alcohol or any other controlled substance, your driver's license and/or permit will be denied).

12. **How can a district comply with providing public information programs for students, parents, and district staff?**

The main point is to let the public know what you are doing about the drug and alcohol issue. Activities could include newsletters, articles, parent-community nights, "Preparing for the Drug Free Years," student-community anti-drug campaigns, posting "drug free school zone" signs, keeping informed of latest research and driving laws.

13. **What is meant by "a philosophy statement relating to drug free schools?"**

Drug free schools are those which send an absolute and clear message that possession, selling, or use of tobacco, alcohol, and other illegal drugs will not be tolerated in the schools, on school grounds, or during school sponsored activities, including athletic events, dances, field trips, etc. The application for drug free schools grants requires that this message be included in the district's written policy as well as reflected in written procedures.

14. **Must districts apply for federal monies?**

Yes, the rule requires this. Every district has access to drug free school monies from the 1986 Drug Free School Act and must now document how they intend to apply for the money each year. Besides directly applying, this could be accomplished through coordinated efforts with community agencies, education service districts, or other districts.

15. **How are OAR 581-21-050 and 055 related to this rule?**

The administrative rules 581-21-050 and 055 are referenced because they address school district boards' responsibility to have written rules concerning disciplinary actions associated with using alcohol, drugs, and tobacco.

16. **What is meant by "role of the school as it relates to law enforcement agencies?"**

Policy and procedures must reflect under what circumstances the school will notify law enforcement agencies when a student is in possession, distributing, or under the influence of drugs or alcohol.

17. **What is the district's responsibility for an intervention and referral procedure?**

Intervention can be defined as the identification and referral of students whose behavior is interfering with their potential success socially, emotionally, physiologically, and/or legally as a result of illegal use of drugs and alcohol. The rule requires that policies and procedures be adopted to inform students, parents, and staff about intervention and referral procedures.

18. **What are the schools' responsibilities concerning drug-related medical emergencies?**

Drug-related medical emergencies may include overdoses or allergic reactions which could result in cardiac or respiratory arrest, or suicide attempts. This administrative rule requires districts to have written procedures for responding to these emergencies.

19. **What must be included in staff development?**

Staff development includes a planned program that addresses the needs for the entire staff yearly, including the teaching faculty, bus drivers, custodians, food service, secretaries, and others. Staff development should include:

a. Basic drug and alcohol information.

b. An explanation of district and school drug and alcohol policies, procedures, and program.

c. An inservice:

    1) that actively involves participants in planning and implementation; and

    2) which provides a sufficient length of time to achieve a and b.

    3) that speaks to the various levels of background among staff members.

20. Is there a required state curriculum?

No. Local districts may adopt existing programs or develop their own. The program must be consistent with the state's Health Common Curriculum Goals and be part of the total comprehensive health program.

However, a K-8 infused drug/alcohol curriculum guide is being developed through a federally funded grant at Eastern Oregon State College in cooperation with the Oregon Department of Education. Piloting of this guide will be completed in the fall of 1990 with final copy available in the fall of 1991.

For information regarding implementation of Drug and Alcohol Prevention Education Programs, you may contact the following agencies: -

Oregon Department of Education	378-8870
Oregon Prevention Resource Center	378-8000
Office of Alcohol and Drug Abuse	378-2163

ce79HLTH
1/25/90

Appendix B
Oregon Law Related Education Resources

Grade 5

The following materials may be adapted for an AOD focus:

Living Skills: Every Kid's Guide to Decision Making and Problem Solving, Grolier Enterprises, 1987. Joy Berry has written a children's story outlining six steps in making a good decision and solving problems.

Responsibility and Justice Kits, level III, from Law in a Free Society, Center for Civic Education. May be checked out from the PPS AV catalog.

Materials which specifically address the Oregon AOD laws as they impact elementary students will be developed during the 1991-92 school year.

Grades 7-8

For Social Studies teachers, there are some excellent materials appropriate for inclusion in AOD prevention efforts. Several Social Studies teachers in Portland middle schools have been trained in its use by the Law Related Education staff. The material, Drugs in the Schools, utilizes effective prevention content and strategies.

Drugs in the Schools, Center for Civic Education, 1990. Exercises in Participation series for grades 6-9 helps students develop a sense of responsibility for solving school drug problems by developing a plan to confront the drug problem in a fictitious school.
$100 set of 30, teacher guide; $10 for teacher edition
$3.50 additional student copy

Additional materials:

Marijuana Use, Interact, 1988. A simulation of a Congressional hearing considering a new national policy on marijuana. The hearing activity encourages open discussion on all sides of the issue. Student roles, worksheets and background readings are included. Available through Oregon Law Related Education lending library, Terwilliger School, or purchased for $15 from Interact, Lakeside, California.

Teenage Alcohol Abuse, Interact, 1988. A simulation of a school board meeting discussing expulsion of a student for alcohol abuse. Student roles, worksheets and background materials are included. Available through Oregon Law Related Education lending library, Terwilliger School, or may be ordered for $15 from Interact, Lakeside, California.

The Cigarette on Trial, Interact, 1988. A simulation of a trial to ban the manufacture, sale and use of cigarettes in America. The materials include a script of questions for student attorneys to ask of the witnesses. Available through Oregon Law Related Education lending library, Terwilliger School, or may be ordered for $15 from Interact, Lakeside, California.

Responsibility and Justice Kits, level IV or V, from the Center for Civic Education. May be adapted for an AOD focus. Kits may be checked out of the PPS AV catalog.

Appendix C
Additional Resources

Selected Materials on Prevention

"Risk and Protective Factors for Alcohol and Other Drug Problems in Adolescence and Early Adulthood: Implications for Substance Abuse Prevention," Psychological Bulletin (in press). J.D. Hawkins, R.F. Catalano, and J.Y. Miller.

"Knowing What to Do—and Not to Do—Reinvigorates Drug Education" ASCD Curriculum Update (February 1987). Bonnie Benard, Barbara Fafoglia, and Jan Perone.

WHAT ARE THE RISK FACTORS FOR TEENAGE DRUG ABUSE?

Knowing these risk factors can help us to prevent drug abuse before it occurs. By addressing factors associated with higher risk and increasing factors associated with low risk, we can decrease the chances that our children will develop problems with drugs.

These factors are summarized from research by the Social Development Research Group at the University of Washington School of Social Work and are discussed in the article "Risk and Protective Factors for Alcohol and Other Drug Problems in Adolescence and Early Adulthood: Implications for Substance Abuse Prevention," in the Psychological Bulletin (in press) by J.D. Hawkins, R.F. Catalano, and J.Y. Miller.

1. **FAMILY HISTORY OF ALCOHOLISM**
    When children are born to or raised by an alcoholic parent, their risk of abusing drugs is increased. For boys, this increased risk is a result of both genetic and environmental factors. Sons of alcoholic fathers are up to four times more likely to abuse alcohol than boys without an alcoholic father, even if not raised by that father. For both boys and girls, alcoholic parents provide a powerful role model for drinking that influences children's behavior.

2. **FAMILY MANAGEMENT PROBLEMS**
    Poor family management practices increase the risk that children will abuse drugs. Research has shown that in families where expectations are unclear or inconsistent, where there is poor monitoring of children's whereabouts and behavior, where children are seldom praised for doing well, and where punishment is inconsistent or excessive, there is greater risk that children will develop drug abuse problems.

    Children who grow up in homes where rules are not clearly stated and enforced have difficulty knowing what is expected of them. If they are not consistently recognized for their positive efforts and for doing well, then children fail to learn that their good behavior makes a difference. Similarly, if they are not consistently and appropriately disciplined for breaking family rules, they don't experience the security of knowing right from wrong and are less likely to develop their own good judgment.

    Bonding to families and attachment to parents have been shown to be negatively related to drug use. In order to make good decisions about their behavior, children need clear guidelines for acceptable and unacceptable behavior from their family. They need to be taught basic skills, and they need to be provided with consistent support and recognition for acceptable behaviors as well as consistent but appropriate punishment for unacceptable behaviors. They also need to know that their parents care enough to monitor their behavior so that rewards and consequences are applied fairly.

3. **PARENTAL DRUG USE AND POSITIVE ATTITUDES TOWARDS USE**
    If family members use illegal drugs around children, if there is heavy recreational drinking in the home, or is adults in the family involve their children in their drinking or other drug use, such as asking a child to get a beer or light a cigarette, the children have an increased risk of developing problems with alcohol or other drugs.

Parents' attitudes about teenagers' use of alcohol seem to influence their children's use of other drugs as well. A survey of ninth grade children in King County, Washington showed that those children whose parents approved of teenage drinking under parental supervision were more likely to have used and to be using marijuana in ninth grade than were children of parents who disapproved of supervised teenage drinking at home. Parental approval of children's moderate drinking, even under parental supervision, appeared to increase the risk of children's use of marijuana.

4. **EARLY CONDUCT PROBLEMS**
    A relationship has been found between male aggressiveness in kindergarten through second grade and delinquency and teenage drug abuse. The risk is especially significant when this aggressiveness is coupled with shyness and withdrawal. About 40% of boys with serious aggressive behavior problems in early elementary grades will develop delinquency and drug problems as teenagers.

5. **ACADEMIC FAILURE (beginning in mid to late elementary school)**
    Children who do poorly in school beginning in approximately the fourth grade have an increased risk of abusing drugs. Children who fail in school for whatever reason---boredom, lack of ability, a mismatch with a poorly skilled teacher---are more likely to experiment early with drugs and to become regular users of drugs in adolescence.

6. **LITTLE COMMITMENT TO SCHOOL**
    Children who are not bonded to school for whatever reason are more likely to engage in drug use. The annual surveys of high school seniors by Johnston, Bachman and O'Malley show that the use of strong drugs like cocaine, stimulants, and hallucinogens remains significantly lower among high school students who expect to go to college. Drug users are more likely to be absent from school, to cut classes, and to perform poorly than non-users. Factors such as how much students like school, time spent on homework, and perception of the relevance of coursework are also related to levels of drug use.

7. **ANTISOCIAL BEHAVIOR IN EARLY ADOLESCENCE**
    This risk factor includes a wide variety of antisocial behaviors including school misbehavior and a low sense of social responsibility. Fighting, skipping school, and general aggressiveness have been shown to be related to drug abuse.

8. **FRIENDS WHO USE DRUGS**
    Association with drug-using friends during adolescence is among the strongest predictors of adolescent drug use. The evidence is clear that initiation into drug use happens most frequently through the influence of close friends rather than from drug offers from strangers. This means that even children who grow up without other risk factors but who associate with children who use drugs are at an increased risk for drug use and developing problems with drugs. This risk factor underscores the power of peer influence on teenagers.

9. **ALIENATION, REBELLIOUSNESS, LACK OF SOCIAL BONDING**
    In middle or junior high school, those students who rebel against authority, particularly their parents and school officials, and who do not attend church tend to be at higher risk for drug abuse than those who are bonded to the primary social groups of family, school, church, and community.

10. **FAVORABLE ATTITUDE'; TOWARD DRUG USE**
Children in late elementary school often have very strong negative feelings against drugs. Yet by the time these children enter junior high school, they may begin associating with peers who use drugs, and their attitudes can quickly change. This shift in attitude often comes just before children begin to experiment with alcohol or other drugs. Research has shown that initiation into the use of substances is preceded by values favorable to substance use.

11. **EARLY DRUG USE**
Early onset of drug use predicts subsequent misuse of drugs. The earlier the onset of any drug use, the greater is the probability of the individual's involvement in other drug use, the frequency of use, and their involvement in deviant activities such as crime and selling drugs. Children who begin to use drugs before age 15 are twice as likely to develop problems with drugs than are children who wait until they are older. Waiting until age 19 to try alcohol or other drugs dramatically decreases the risk of drug problems.

12. **COMMUNITY LAWS AND NORMS FAVORABLE TOWARD DRUG USE**
Communities with laws favorable to drug use, such as low drinking ages and low taxes on alcohol, have higher rates of alcohol-related traffic fatalities and deaths due to cirrhosis of the liver. The availability of alcohol and illegal drugs is associated with use. Research has shown that greater drug availability in schools increases the use of drugs beyond other risk characteristics of individuals. Community attitudes favorable toward teenage drug use increase the risk of drug abuse.

13. **AVAILABILITY OF DRUGS**
The availability of drugs in dependent, in part, on the laws and norms of society. Nevertheless, as suggested by Watts and Rabow (1983), availability is a separable factor. Whether particular substances are legal or proscribed by law, their availability may very with other factors. When alcohol is more available, the prevalence of drinking, the amount of alcohol consumed, and the heavy use of alcohol all increase (Gorsuch & Butler, 1976). Similarly, the availability of illegal drugs in associated with use.

14. **EXTREME ECONOMIC DEPRIVATION**
Poverty in and of itself is not a risk factor. However, children from families who experience social isolation, extreme poverty, and poor living conditions are at elevated risk of chronic drug abuse.

15. **LOW NEIGHBORHOOD ATTACHMENT AND COMMUNITY DISORGANIZATION**
Neighborhoods with a high population density, high rates of crime and lack of natural surveillance of public places have high rates of juvenile delinquency as well. Research has also found that attachment to neighborhood is a factor in inhibiting crime.

Studies have shown that neighborhood disorganization is a factor in the breakdown of the ability of traditional social units, such as families, to provide pro-social values to youth. When this occurs, there is an increase in delinquency in these communities.

It is likely that disorganized communities have less ability to limit drug use among adolescents as well.

16. **TRANSITIONS AND MOBILITY**
Transitions, such as those between elementary and middle or junior high school, and residential moves, are associated with increased rates of antisocial adolescent behavior-- including rates of drug initiation and frequency of use.

CHAPTER 1

Knowing What To Do–And Not To Do–Reinvigorates Drug Education *

By **Bonnie Benard, Barbara Fafoglia and Jan Perone.**

The hopeful future of drug and alcohol prevention contrasts sharply with former unrequited drug education programs and the dispiriting accounts of youthful drug use portrayed in the popular press.

Recent analyses have pinpointed why past school-based drug and alcohol education has proven ineffectual and recommended a reconceptualized approach. Research is also beginning to document positive outcomes for a relatively recent prevention model. On the basis of these two trends alone, educators have just cause to feel excited about what schools can do to prevent substance abuse.

It is fair to say that educators have had more experience than success with substance prevention programs. Alcohol education meant to curtail adolescent drinking has been mandated by law in most states over the past 80 years.' When the drug culture youth of the 1960s tuned in, turned on, and dropped out, schools stepped up their involvement in drug education.

The strategy in the late 1960s and early '70s was usually an information-only approach. Several researchers found that these programs–which often used scare tactics in hour-long, hit-and-run lectures–actually *increased* alcohol and drug use.

As a result, the pendulum swung in the mid-1970s from the drug to the person who might take the drug. Programs focused on affective strategies like self-esteem enhancement, values clarification, and such life skills as coping, communication, problem solving and decision making. Alcohol and drug information was often entirely omitted. Research studies soon began to indicate that these affective approaches also failed to lower substance abuse rates.

Consequently, in the late '70s, more sophisticated curriculums included both cognitive and affective components. [Editor's Note: See Appendix B–"Cognitive

and Social Development: Program Implications."] The promise of this third gener-
ation of prevention programs may have been obscured by a faltering start.
Longitudinal data have not yet been compiled, but preliminary evaluations have
not shown significantly lower levels of substance use.[2] Because of these
discouraging outcomes, many people now question whether alcohol and drug
education even has the potential to change behavior.

Recent critical analyses of programs, however, have revealed flaws *that can be
corrected.* Furthermore, a new social psychological model, guiding what might
be thought of as a second cohort in the third generation of prevention
programs, at last appears to be producing good results.

What can we realistically expect of school-based substance abuse prevention
programs? To answer this, we look first at the problems with past programs,
next at the reasons for schools to keep pursuing effective prevention strategies,
then at two sets of specific and feasible activities schools can carry out, and
finally at reasonable expectations for these efforts.

WHAT'S WRONG WITH SCHOOL-BASED PREVENTION

In recent drug education literature (by Thompson and others, Kellam and others,
Barnes, Weisheit, and Goodstadt), a general consensus shows that five overlap-
ping defects have diminished the effectiveness of school-based substance
abuse prevention:

Designers have set unrealistic goals for programs and have not challenged unrealistic expectations from society.

Programs have established indicators of success that are so ambitious that the
probability of achieving them is minute. Thompson and her colleagues elaborate:

> Prevention is unrealistic as a purpose of alcohol education if it is meant to
> imply eradication. Prevention of all alcohol problems and all risk for them
> could be accomplished only through complete elimination of alcohol from
> society.[3]

Not only do drug educators ask too much of themselves, society has put a
disproportionate faith in the impact of schools working alone. Thompson
declared flatly:

> Alcohol education is attributed a larger role than it can logically carry.
> Choices people make are influenced by a myriad of factors over which the
> school system has limited or no control—family, religion, emotional health,
> societal customs, media, laws, etc.[4]

Goodstadt and Barnes agreed, faulting the objectives of drug education for
ignoring the strong influence of other "socialization agents."[5]

School-based programs have operated without a sound theory base.

The unrealistic expectations for schools stem, in part, from failure to base
programs on a theoretical perspective that is firmly grounded in the behavioral
and social sciences. For example, socialization theory reasons that substance
use among youth is "learned, social behavior that is part of the adolescent
socialization process anticipatory of the transition from childhood to adult
status."[6]

Prevention programs based on this theoretical perspective would recognize that
drinking among adults in America is normative social behavior.[7] Thus, schools'

substance abuse prevention efforts should create more modest and realistic goals for schools and work more with other significant social systems–the family, peer group, and mass media.

Past programs have not been guided by prevention principles.

The discipline of prevention has evolved from a narrow conception that tries to stop or reduce the likelihood of an event (like substance abuse). The newer, broader base interprets prevention as a complex set of activities that develop people's personal and social competencies and that modify social systems so as to better meet people's needs.

This expanded view assumes (with support from a growing body of research) that enriched personal and social development helps to immunize people from developing inter- and intrapersonal problems, which then lead to negative social consequences, including substance abuse, child abuse, delinquency, and teen pregnancy.

Basic prevention strategies do not stop after providing accurate information. They go on to build life skills (such as problem solving, decision making, and communication), promote healthy alternatives, influence social policies and cultural norms, and involve and train people who can have an impact on problems.

Previous prevention efforts have lacked intensity because they have been too limited in time and scope.

Ralph Weisheit points out how unrealistic it is to expect a few hours of class-room instruction to supersede "a lifetime of learning about alcohol from peers, parents, and the larger community."[8]

While a recent evaluation of the popular CASPAR curriculum (third generation of programs, first cohort) found no evidence of an effect on drinking behavior, Lena DiCicco and colleagues noted that "where alcohol education was imple-mented most *intensively* and *continuously* at the junior high school level, misuse did not rise as sharply as it did among the comparison children."[9] She concludes that "changing youthful drinking is tantamount to changing a culture . . . We hope that continuing intensive efforts over a long period will produce more rapid social change."[10] Goodstadt's evaluation of drug education programs, similarly, recommended that "the intensity of drug education be signif-icantly increased."[11]

Social learning theory also points to the need to broaden the scope of preven-tion efforts. The principles of social learning stipulate that the more comprehen-sive the prevention–that is, the more social systems involved–the greater the likelihood of positive behavior acquisition and reinforcement. An ideal prevention program would not only employ all five prevention strategies but do so in a systems context that ties school programs in with other social systems.

School-based prevention has stopped short of adequate implementation.

Usually, evaluations concluded, this fault line runs primarily over insufficient teacher training.

4

WHAT'S POSSIBLE WITH SCHOOL-BASED PREVENTION

Schools are assuming an increasingly central place in the lives of youth. As Kenneth Polk has observed, not only do youths spend most of their time there, but "school status and success [determine] life chances of students in many social and economic dimensions, in both the present and future."[12] In his opinion, "fundamental economic and social changes in recent decades have changed the meaning of youth, especially in terms of the emergent centrality of the school, making it the dominant social setting in the life of the adolescent."[13]

Whether school life should hold such sway is immaterial, because whether it should or shouldn't, the fact remains that it does. The pivotal role schools play, however, confers on this particular social institution important advantages for prevention programming. Weisheit itemizes them:

- access to youth on a large scale,
- economic feasibility,
- opportunity for longitudinal interventions,
- experienced teachers already in place, exploratory research (a need repeatedly expressed by prevention researchers), and
- a sense of public legitimacy.[14]

Schools are thus uniquely poised to affect the irresponsible use of drugs and alcohol. We now know much more clearly what schools can do.

Schools can cooperate in a comprehensive prevention effort that involves families, community groups, and the media.

The most engaging efforts of schools cannot overcome a cultural context that not only reflects ambivalence about alcohol and drug use, but that actually promotes use, especially by young adults. Schools alone cannot reverse mass media and governmental policies, for example, that facilitate alcohol advertising on television.

School programs cannot deny the direct subsidies with which government actively supports the production of tobacco, our most dangerous drug in terms of lost lives, diminished health, and costs to society.

Community prevention efforts must focus on formal changes in public policies at local, state and national levels. Policies that encourage the use of alcohol and drugs must be rescinded, and policies that provide opportunities for meaningful education and employment need to be created.

Prevention must also aim to effect informal social policy changes. Community and cultural norms can be altered by public awareness campaigns that include a strong media component and extend beyond schools to families and community institutions.

The effectiveness of such an approach is evident in the positive outcomes of various community heart disease prevention programs (and their derivative anti-smoking campaigns), which have shown significant reductions in the onset of negative health behaviors, the incidence of the behaviors, and the frequency of related morbidity and mortality. These programs were both comprehensive and intense; they all included a family involvement component, taught specific prevention skills and knowledge, employed multiple prevention strategies, and continued for three to seven years.

Schools can include substance abuse prevention as part of a comprehensive integrated K–12 health education program.

The reason substance abuse belongs within the general health education program is that substance abuse behavior is ordinarily intertwined with other problem behaviors. School failure, dropping out, teen pregnancy, delinquency, and substance abuse are inclined to share a common etiology. According to Richard and Shirley Jessor, for both males and females, the association among these health compromising behaviors is "one of the clearest facts to have emerged from the past decade of prevention research."[15]

Schools can focus specifically on knowledge, attitudes, and behaviors that influence use of alcohol and drugs.

While substance abuse prevention should proceed within the context of health education, a specific focus on alcohol and drugs is indicated. If we expect to deflect actual substance abuse behavior, programs must begin building specific knowledge, positive attitudes, and useful skills about alcohol and drugs beginning by fourth grade.

Pertinent knowledge lies at the core of alcohol and drug prevention. It includes information about physiology, high-risk populations (especially genetic predisposition), high-risk situations (driving, pregnancy, stress, medication, and so on), actual prevalence, psychosocial correlates (like family influences, peer pressure, school failure, and stress), role of the media and cultural norms. Perhaps the most important information to convey, though, is knowledge that enables young people to estimate their personal risk for developing substance abuse problems.

We have learned the hard way that reliable information is necessary but not sufficient to affect actual substance use. Past programs have often assumed a causal relationship between knowledge and changes in attitudes and behaviors. This presumption has not been borne out, either by research or casual observation. Almost everyone, for example, accepts the evidence that ties smoking to nearly every health hazard from irritation to sudden death, yet many people continue to smoke.

Thus, Merita Thompson and coauthors concluded:

> To produce any persisting societal or personal effect requires both attitude change and action change. If a change produced is to be meaningful and stable, alcohol education must address knowledge, attitudes, and behaviors as a *focused set*—not independently.[16]

6

In the view of some analysts, past prevention efforts have erred in a second way that affects attitudes. Programs have supported the notion that people drink only because of personal weakness, emotional problems, or stress and have glossed over the reality that people often drink excessively in pursuit of pleasure or for social reasons. Thus alcohol education especially has failed to confront such common high-risk attitudes as "Drinking is a good way to have fun" and "Getting drunk for kicks is part of growing-up."

Part of Thompson's risk reduction model counters such expressions head-on with "Anyone could experience alcohol problems, and if I drink too much, I could, too" and "Whether or not I experience an alcohol problem is determined by if, how much, how often, and under what circumstances I choose to drink."[17]

Schools can develop programs based on a promising new approach, the social psychological model.

With social psychological prevention programs that strengthen resistance to peer pressure, several research groups have produced a *50 to 75 percent reduction* in the onset of smoking among adolescents. The same principles, researchers are finding, appear to work for delaying alcohol and marijuana use.

Johnson describes the common features of the social psychological tobacco prevention programs:

- a focus on short-term, primarily social consequences that are important to the target audience,
- audience sensitization to overt and covert pressures to smoke,
- attitudinal inoculation to those pressures,
- high levels of audience participation (including a Socratic approach to cognitive learning), and
- role-playing and other classroom exercises to practice behavior.[18]

An interesting and potentially critical factor in these programs is the importance of peer leaders. So far, long-term results have been documented only in those programs that trained either older "ideal" peer leaders or same-age "actual" peer leaders to assist in program implementation.

When Johnson and his colleagues at the University of Southern California's Health Behavior Research Institute extended this peer pressure resistance model to alcohol and marijuana use, they found significant reductions in the use of all three substances. They explain why they think that happened.

1. Research has found the same psychosocial correlates for tobacco, alcohol and marijuana.[19]
2. Research has also shown that the use of one of these substances predicts the use of the other two.[20]
3. The social resistance skills effective in avoiding cigarette smoking are applicable to alcohol and marijuana use.[21]

The institute's model is now being field-tested in sixth and seventh grades. Those age groups were selected because Johnson's research found that exposure before sixth grade was rare, but use of all three substances escalated rapidly during sixth and seventh grades.

Gilbert Botvin's Life Skills Training Program, developed at Cornell University, is another promising application of the social psychological model. It attempts to counter not only social pressure but life problems as well. While Botvin agrees

with Johnson that peer pressure is a strong influence on use of substances, he contends that "adolescent substance use/abuse is the result of the complex interplay of a diversity of factors." Drug use, he reasons, may not stem solely from peer pressure; it may serve a functional need such as a way of coping with social or academic anxiety. Still another variable, he wrote, is the person:

> Differential susceptibility to social influence (via media, parents, peers) appears to be mediated by personality, with individuals who have low self-esteem, low autonomy, low self-confidence, and an external locus of control being more likely to succumb to these influences.[22]

Because Botvin sees a more complex set of causes for substance abuse, his program is more comprehensive than Johnson's. To specific tobacco, alcohol, and marijuana resistance skills training, the program adds development of general personal and social competence skills. He reports good results:

> In all of the studies conducted to date, this type of prevention program has produced significant changes on selected cognitive, attitudinal, and person-ality variables in a direction consistent with nonsubstance use.[23]

Schools can develop students' life skills.

Many researchers have concluded that programs must not only attend to specific alcohol and drug situations, but must build life skills in general. Such skills include:

* **Communication.** Sometimes called social skills or social competence, communication skills refer in a broad sense to how effectively a person can cope with interpersonal relationships. Programs to develop this capacity typi-cally cover verbal and nonverbal communication, guidelines for avoiding misunderstandings with others, and heterosocial (boy-girl relationship) skills.

  Mary Ann Pentz's review of 117 social skills training studies found that over 93 percent of them reported total effectiveness—especially when they were conducted in school or community settings with normal (nontreatment) student populations.[24]

* **General assertiveness.** In the last decade, assertiveness training has been recognized in many prevention and intervention programs as an essen-tial communication skill for building self-efficacy. The short-term outcomes of evaluated programs have been positive; long-term outcomes have been mixed. Botvin's successful Life Skills Training Program combines general assertiveness training with a specific focus on tobacco, alcohol, and drug assertiveness skills.

* **Resistance skills.** Teaching specific tobacco assertiveness (for example: "Just Say No!") has been a critical component in the successful social psychological smoking prevention model that is now being applied to alcohol and drugs. Such strategies are based on social inoculation theory, which assumes a person's resistance to social pressure is greater if the person has been "inoculated" by developing arguments in advance. Activities usually include forewarning, attitudinal inoculation, cognitive rehearsal (role playing), and a public commitment (behavioral contract to refrain from alcohol or drug use).

Two cautionary points ought to be raised about teaching resistance skills. Such training usually urges a "No-Never" response, which, as O'Bryan points

out, does not prepare students for maturity. Students will reach the age of 21, after all, and by then other refusal responses like "No more" or "No, not today" may become appropriate.[25]

Often overlooked also is the possibility that many children may not want to refuse, and why they don't is still a mystery.

According to Botvin:

> While high correlations have been found consistently between individuals' substance use and that of their friends, it is unclear to what extent these associations are the result of peer pressure rather than a process of mutual self-selection.[26]

- **Peer selection.** Because of Botvin's rationale, some recent research has identified peer selection as a skill that may be even more valuable than refusal (resistance) skills.

- **Problem solving and decision making.** A substantial body of longitudinal research implies that explicit early instruction in social problem solving averts subsequent problem behaviors. Kellam's Woodlawn study, for instance, found that antisocial first graders were significantly more likely to be involved in substance abuse and delinquency ten years later. Rutter's research on five-year-old girls institutionalized because of severe abuse or neglect found that the ones who were able to plan and solve problems overcame their early trauma and were leading productive lives 14 years later. One commentator identified problem-solving/planning skills as the critical component of the successful Perry Preschool Project curriculum. Similarly, George Spivack and Myrna Shure's research on Interpersonal Cognitive Problem Solving (ICPS) documented significantly fewer behavioral and academic problems among children in kindergarten through second grade if they had experienced ICPS as preschoolers.

The hypothesized process is that problem-solving skills contribute to the development of an internal locus of control. That in turn builds a sense of self-efficacy and self-esteem, which ultimately strengthens resistance to substance abuse, among other problem behaviors.

- **Critical thinking.** Critical thinking, defined as problem solving applied to specific subject matter, forms a bridge over the chasm that divides the affective and cognitive domains of learning. A goal of critical thinking development justifies the school in going beyond the confines of a back-to-basics-only approach.

- **Making low-risk choices.** Two life-style risk reduction programs developed by the Kentucky Prevention Research Institute received positive preliminary evaluations. Talking to Your Kids about Alcohol and Talking to Your Students about Alcohol delineate five skills that are necessary to make a low-risk choice about alcohol. An individual should:

  1. understand that the primary determinant of alcohol problems is Alcohol/Quantity/Frequency (A/Q/F),

  2. have skills needed to estimate one's personal risk of developing alcohol-related problems and to identify specific low-risk choices,

  3. have skills to identify and evaluate one's own attitudes, values and expectations that support low-risk choices,

4. have skills to identify and evaluate the beliefs, values, and customs of family, associates, and culture that support both low- or high-risk choices, and

5. have skills needed to adopt and maintain low-risk choices.

- **Self-improvement.** Part of Botvin's Life Skills Training Program is experience in designing and implementing a self-improvement project. Students identify a skill or behavior that they would like to change. They set long-term goals (eight weeks away) and short-term objectives (one per week) to meet that goal. This process is thought to foster self-efficacy and an internal locus of control.

- **Stress reduction skills.** A growing body of research has found stress to be significant contributor to adolescent substance abuse,[27] and the problem seems to be intensifying. Director Lloyd Johnston found in the National Institute of Drug Abuse's annual high school survey that the number of high school seniors who reported drinking "to get away from my problems" rose by half between 1975 and 1984, leaping from 12 to 18 percent. Those who said they drank to "deal with anger and frustration" rose from 11 to 16 percent. Johnston warned, "The kids in danger of getting into a chronic state of alcoholism are the ones using alcohol to help them cope in their day-to-day lives."[28]

- **Consumer awareness.** Being able to analyze and evaluate media messages, especially advertising, is increasingly regarded as an important element of prevention programming. Youth need to know the techniques of attitude manipulation if they are to resist the powerful bombardment of pro-use messages. Building life skills makes strong demands for good instruction.

Numerous experiential activities (such as role playing and values identification, problem solving, and goal setting) should include both a general and a specific alcohol/drug focus. Dynamic activities and support materials should be directly relevant to issues and people of interest to youth. Instruction should accommodate different learning styles (visual, auditory, and kinesthetic) and relate to the ethnic composition of the school. One addition that is not common to ordinary instruction, though, is the necessity of parent involvement.

SPECIFICS SCHOOLS CAN ACCOMPLISH NOW: GROUP I

One set of activities for schools concerns efforts that take place within school systems. A second set relates school systems to other social systems. In the first group:

School programs can combine prevention efforts directed at tobacco, alcohol, and marijuana.

The data from the smoking prevention programs support a three-pronged focus on all of the so-called gateway drugs: tobacco, alcohol, and marijuana. All three tridents are thought to precede the use of hard drugs, such as cocaine.[29] Though data have shown some spontaneous spill-over effects from smoking prevention to alcohol and marijuana use, it is doubtful that the benefits are strong enough to be sustained without further attention. A substance abuse curriculum should therefore focus on knowledge, attitudes and skills specific to each of these substances.

School programs can create a hospitable climate for psychological health.

This principle fans out into several initiatives:

* **Promote students' self-esteem.** Andre Olton, among others, has stressed the importance of a humane school climate in the battle against substance abuse. He wrote, "Students may be more receptive to efforts at substance abuse prevention if these efforts originate in an organization which they believe respects, appreciates, and cares about them."[30]

  A large segment of research has centered on identifying positive family and school environments. A review of both locuses favors environments that provide all children with opportunities to participate and expectations that they will shoulder some responsibilities. Michael Rutter's research on schools, for example, identified these two variables as crucial in preventing school failure and delinquency. School effectiveness research and studies on the Pygmalian effect (the self-fulfilling prophecy) also support these dual goals.

  Another crucial component in nurturing self-esteem is the attitude of teachers toward students. While some researchers (Johnson) have found only preven-tion programs that use peer leaders to be effective, others (Thompson, Botvin, and Kellam) have found programs effective *if* the teachers viewed students as worthwhile. If lack of self-esteem is a strong correlate of substance abuse–and many researchers have found that it is–school activities need to seize every opportunity to build and reinforce students' sense of self-worth. Failure to do this, according to Yale child psychiatrist James Comer, results in the following sequence:

  > When a school staff (especially in the elementary grades) fails to permit positive attachment and identification, attachment and identification take place in a negative way. The school becomes the target of a child's angry feelings with resultant rebellion, ambivalence, and apathy. The school is then unable to interrupt troublesome development or compensate for under-development. The performance of such children falls farther behind their potential as they progress through school, and the skills needed for future school success are not gained.[31]

* **Promote academic success.** Academic success is an integral component of self-esteem. Sheppard Kellam conducted the first major long-term study of

first-grade behavior and development and later psychological and social-adaptational adjustment in the teenage years. He found that first-graders who failed to learn, who rebelled against the rules and authority of the school, and who were socially isolated in the classroom were, ten years later, the youth involved in substance abuse, delinquency, dropping out, and other problem behaviors.

In *Prevention Research on Early Risk Behaviors*, a paper prepared for an international conference on environment, mental health, and early brain development, Kellam explained what is and is not clear about the relationship of learning problems and substance abuse:

> First grade problems in learning . . . are a strong and specific predictor of teenage depressive and other [psychiatric] symptoms among males and to a lesser extent among females.
>
> First-grade aggressiveness without shyness in males (not females) is a strong predictor of increased teenage delinquency (and drug, alcohol, and cigarette use) . . . A combination of shyness and aggressiveness in first-grade males (not females) was associated with higher levels of delinquency and substance use than aggressiveness alone.[32]

Hence, early learning problems predispose children to later psychiatric distress, while aggression, particularly with shyness, is linked to later substance abuse. What is still not clear, Kellam continued is "whether shy and/or aggressive behavior stems from the experience of failure or is a predisposition of the child . . . regardless of academic success or failure."[33]

In cooperation with 19 Baltimore City schools, Kellam and his associates are now in the second year of a ten-year longitudinal study of this relationship. The project is tracking the effects of improving mastery of core skills, especially reading, and reducing shy and aggressive behavior. The effort trains teachers to provide, first, a mastery learning program in reading, writing, and arithmetic; it emphasizes group and individual instruction, defines clear goals for students, and gives them the time and assistance to reach those goals. A second part of the project integrates classroom management strategies that reward social participation and obedience to classroom rules.

Until we understand how learning problems contribute to the early shy and aggressive behavior that predicts later drug abuse, it makes sense to hypothesize a causative relationship and concentrate on ensuring early academic success. As Kellam reasons:

> Every child has to feel some sense of integrity as a person, and [they] either do that by learning to read and succeeding in the mainstream, or by getting a sense of who [they] are in another way—either through withdrawing, or through aggression and antisocial behavior, or through psychiatric distress and mental disorder.[34]

- **Provide the opportunity for critical thinking and problem solving.**
A positive school and classroom climate that encourages discussion of social values, ethics, and moral dilemmas—and thus engages critical thinking and problem solving—also facilitates prevention programming. Many educators caution that the current push for a basics-only curriculum, which emphasizes rote and solitary learning, discourages such discussion. As Francis Robert commented in *Parents*:

> It is essential that children talk together about new learning, responding in their own words, not simply listening to teacher abstractions and then being

12
_____

assigned workbook pages with short, blank spaces to fill in . . . The teachers [must capture] every opportunity to foster intellectual mastery and to promote cognitive power by creating a pervasive climate of why and wherefore and wherefrom kind of thinking.[35]

- **Extend problem solving and planning into expanded preschool services.** Two years ago, the results of a 15-year early childhood intervention study added persuasive, dollars-and-cents reasons for schools to expand their services to three- and four-year-olds. The results from the Perry Preschool Project of the High/Scope Educational Research Foundation in Ypsilanti, Michigan, provided solid evidence that early preventive interventions can significantly alter subsequent child development.

The Perry study shows that, by age 19, young people who had attended a preschool program at age 4 had fewer negative and more positive characteristics. They were significantly less likely to have learning problems, or histories of dropping out of school, delinquency, and teen pregnancy. They were more likely to be employed and had almost twice the post-high school education incidence as did the comparison group..

The children in the Perry Preschool Project all came from a low socio-economic, black, urban environment; half of them lived in single-parent families. At either age three or four, they attended preschool for 2½ hours each morning. The intent of the program was the development of cognition, language, information and experience, and social and behavioral skills necessary for school adjustment. Along with active learning, problem solving, and planning, the program emphasized a high degree of interaction among adults and children, among the children themselves, and among parents and teachers. A *Wall Street Journal* review described Perry Preschool business as usual:

> The program involved no set curriculum and could be duplicated with $100 or so of materials. At the beginning of each day the children were asked to plan their "work" for the morning. Rather than telling the children what do do, the teachers would ask each child to make an estimate of what he/she could accomplish that day and to take responsibility for carrying out whatever he/she decided. Gradually, *the children came to see themselves as planners—as people who had some power over their lives, not as passive victims.*[36]

These data have major implications for substance abuse prevention. The results of a 1986 High/Scope curriculum comparison study included drug use

as a variable. It found that children who had experienced one year of preschool at age 4 were half as involved in drug use and delinquency at age 15, if and only if the program encouraged the active involvement of students in planning their activities. The teacher-controlled preschool program had no such outcomes.

* **Train teachers thoroughly.** Special attention to teacher preparation is vital to correct the omissions that have substantially weakened previous prevention. As Peter Finn notes, "Because alcohol education deals with strongly held values and feelings, and because its ultimate goal is to fashion or change attitudes and behavior, instructors need special skills to be able to teach effectively in this field."[37]

* **Create positive alternatives.** Another prevention step schools can take is to develop alternative activities that bring all youth into contact with positive peer role models and caring adults from the community. Traditional school-sponsored activities like clubs, athletics, and student government most often serve academically and socially successful youth, thus reinforcing support and school involvement where it already exists in the greatest degree.

  Nonparticipants, Polk wrote, neither have nor get: "Isolated from both successful peers and legitimate adults, marginal young persons have few choices to run to for social contact, support, and fun other than their marginal peers."[38] The absence of social alternatives becomes especially serious when considered alongside research findings that identify substance use of close peers as the most powerful factor influencing youthful use of tobacco, alcohol and marijuana.

Not only, as Johnson found, are peer leaders more effective at dissuading others from using alcohol, tobacco, and marijuana, but the needs for youth involvement and positive role models are served by positive peer programs. Such programs as peer counseling, peer and cross-age tutoring, and peer · teaching of alcohol and drug information encourage sound self-esteem, mature problem solving, and effective decision-making skills in young leaders. Ardyth Norem-Hebeisen and coauthors add that peer involvement also provides "partic-ipating youth with meaningful roles and real-world responsibilities at a time when youth are increasingly isolated from such roles and responsibilities in the prolonged adolescence characteristics of our culture."[39]

We ought not undervalue the importance of such connectedness in countering alienation and the problem behaviors that grow in its valueless void. If we do, Saul Levine comments on the penalty:

> Unless a social system—be it a family, group (school), neighborhood, or society—can instill in its youth some degree of purpose and community, a substantial proportion of the adolescents, particularly those with low self-esteem and increased vulnerability, inevitably will become society's problems.[40]

SPECIFICS SCHOOLS CAN ACCOMPLISH NOW: GROUP II

School programs cannot succeed if they operate out of sync or at cross purposes with all other influences in the lives of youth. A second set of school activities, therefore, relates schools to other social systems:

14

Schools can establish clear, firm policies.

We are beginning to see indications of "significantly fewer infractions" in schools that have set policies prohibiting the use, possession, or sale of illegal substances; that have communicated those policies to students, parents, faculty, and staff; and that have equitably and consistently enforced those policies.

Schools can collaborate with students, teachers, media, community, and especially with parents.

The importance of collaboration in setting policy and in the planning, implementation, and activities of a comprehensive health education curriculum can hardly be overemphasized. The involvement of all key players not only breaks down the isolation of a lone, school-based program; it also creates a broad sense of ownership and commitment that makes reinforcement of prevention messages more likely outside the classroom.

Parents should not only be involved in substance abuse policy and curriculum development, but should be encouraged to collaborate with teachers, take part in parent education and support programs, and volunteer as aides or resources. Comer believes the estrangement of parents from schools has been particularly serious for children in families under stress, but he also sees this bad situation as reversible. "Parent presence in responsible and respected roles in the school," he said, "sends a message to the children: The school people and program are important."[41]

Comer's Yale Child Study Center model for school improvement has focused on developing parental involvement as a strategy for reducing the "negative impact of change, social stratification, conflict and distrust between home and school."[42] Similarly, the "school-team" approach advocated by the U.S. Department of Education's Alcohol and Drug Abuse Education Program includes parents, teachers, administrators, students, and school board members in substance abuse prevention programming.

Schools can collaborate with research and evaluation efforts.

For too long, substance abuse research has been the domain of health professionals, and prevention programs the territory of the schools. Effective future programming will require closer cooperation between these two systems.

We have discussed the positive outcomes that researchers like Johnson, Botvin, Weikart (of High/Scope), and Kellam have achieved and the useful, *transferable* principles their efforts suggest to program planners. The critical issue now is how best to replicate these programs in field settings with diverse populations.

Appropriate programs will require the kind of active collaboration between researchers and schools we now see with Johnson's group in Los Angeles and Kellam's in Baltimore.

The challenge for researchers is to codify their findings in accessible forms. As one researcher warned, "If prevention research is to have a significant impact . . . researchers must soon face the challenge of packaging effective interventions in feasible forms that can be easily and correctly administered in diverse locales by people with different educational backgrounds and a variety of training experiences."[43] The challenge for schools is the need to make long-term commitments to collaboration and the discovery of what-works principles.

8

EXPECTING THE POSSIBLE

Despite past disappointments with isolated, fragmented programs that expected too much, the behavior changes that some social psychological programs have documented suggest that delayed onset and reduced incidence of substance use may actually be valid program goals.

Because of the many mediating variables in changing substance use behavior. however, several researchers urge restraint in developing program goals. Ends. they think, should be sufficiently concrete and specific as to be measurable and realistic and attainable enough to produce some immediate gains. Goodstadt elaborates:

> A more balanced view of the potential impact of drug education would reduce expectations to fit the realities of competing forces and the importance of time and normal development. Programs would not be expected to produce immediate large shifts in behavior; at best they would result in statistically significant changes in indicators of future behavior, including measures of current attitudes, expectations, and behavioral tendencies.[44] [Editor's Note For a discussion of indicators of future behavior, see Appendix A—"Risk Factors for Adolescent Substance Abuse."]

Thompson and associates refer to Goodstadt's "more balanced view" as "lifestyle risk education."

> In a democratic society of which alcohol is a part, the only realistic practical hope is that people will make choices about alcohol consumption that reduce their risk of alcohol-related problems. Alcohol education efforts should be focused on enabling people to adopt and maintain low-risk choices.[45]

Weisheit recommends acknowledgment of alternative views of success, too. reasoning that prevention programs have beneficial effects other than changes in student knowledge, attitudes and skills. "A number of valid definitions of success exist, and a thorough evaluation cannot afford to focus on only one,"[46] he emphasizes, citing the worth of process objectives like increased parent and community involvement in the schools and increased intensity of student-teacher interaction.

NO SILVER BULLET

What we now know about substance use and abuse gives us no "silver bullet" or "quick fix" to guide schools in prevention efforts. On the contrary, we can see that the job requires schools to make a commitment to long-term, comprehensive prevention efforts and to active collaboration with other involved systems.

The need for schools to make these twin commitments is apparent and increasingly compelling. In the past two years, numerous reports from the fields of education, business, mental health, and social services have documented that, in Mark Testa's words, "the collective condition of all sectors of children and youth in our society has worsened."[47]

A basic problem reiterated in these reports is a rapidly increasing population of youth primed for educational failure, and as a consequence, set up for adult unemployability and social incompetence. In 1985, Henry Levin, for instance, counted 30 percent of school-age children in the U.S. as living in environments characterized by poverty, ethnicity, and parents who are often single, illiterate, and unemployed.[48]

Clearly, the number of children at risk for living and perpetuating a vicious cycle of deprivation and stress associated with social ills like child abuse, domestic violence, crime, and substance abuse has reached a crisis level and shows every indication of getting worse in the future.

As futurist statistician Harold Hodgkinson has frequently pointed out, the cost of these individual failures becomes a great collective burden on society because unemployable citizens drain resources without returning much in taxable income. At a November 1986 conference on the future of science, Hodgkinson recalled that 17 people used to support every Social Security recipient, but in the near future, only 3 will do so, and 1 out of 3 will be a minority. "We've got to be sure," he vowed drily, "that every minority student gets a good education and a *splendid* job."

Responsibility for improving the lot of children rests not only with the schools but with parents, students, individual schools and preschools, local communities, professional organizations, social service and mental health professionals, higher education institutions, commercial enterprises, policymakers at every level, and the media. Effective reform can only result from active collaboration among all these groups.

To link the institutions that develop children into productive adults, society needs something it does not now have: a structure for interdisciplinary long-range youth advocacy planning. The extent of need for such coordination is exceeded only by its degree of scarcity. We at the Prevention Resource Center,* for example, are surprised to find ourselves a solitary model of state effort to provide prevention training, resource materials, and technical assistance.

The recent flurry of reports that call for attention to the development of youth evoke a sense of eleventh-hour crisis. "As with all social investments," Levin warned, "time is of the essence. [Prevention] requires a considerable gestation period before its payoffs are evident. We must move with a great sense of urgency if we are to avert the costly consequences of our past inaction."[49] The number of at-risk youth, Hodgkinson added, is "now so large that if they do not succeed, all of us will have diminished futures. That is the new reality."[50]

---

* Bonnie Benard is a Research Specialist at the Prevention Resource Center (PRC), an Illinois State Department of Alcoholism and Substance Abuse project that collects resource material and provides training, information and technical assistance relevant to substance abuse prevention. Benard's PRC colleagues and coauthors are Communications Specialist Barbara Fafoglia and Coordinator of Information Services Jan Perone.

PRC has two offices. The Springfield address is 901 South Second, Springfield, Illinois 62704; telephone 1-800-252-8951. In Chicago, the address is 417 South Dearborn, Suite 200, Chicago, Illinois 60605; telephone 1-800-572-5385.

NOTES - CHAPTER 1

1. Ralph Weisheit, "The Social Context of Alcohol and Drug Education: Implications for Program Evaluations," *Journal of Alcohol and Drug Education* 29, 1 (1983): 72.

2. Lena DiCicco, et al., "Evaluation of the CASPAR Alcohol Education Curriculum," *Journal of Studies Alcohol* 45, 2 (1984): 160-169.

3. Merita Thompson, et al., "Alcohol Education in Schools: Toward a Structural, or Perceptual . . ." *Review of Research in Education* (1976): 79.

4. *Ibid.*

5. Grace Barnes, Evaluation of Alcohol Education—Or Reassessment Using Socialization Theory," *Journal of Drug Education* 14, 2 (1984): 144.

6. *Ibid.,* 137.

7. Emory Cowen, "Primary Prevention Misunderstood," *Social Policy* 6, 6 (1977): 20-27.

8. Weisheit (1983): 74.

9. DiCicco, 168.

10. *Ibid.*

11. Michael Goodstadt, et al., "Relationships Between Drug Education and Drug Use: Carts and Horses," *Journal of Drug Issues* (Fall 1982): 439.

12. Kenneth Polk, "The New Marginal Youth," *Crime and Delinquency,* 30, 3 (July 1984): 464-465.

13. *Ibid.,* 462.

14. Ralph Weisheit, "Alcohol and Drug Abuse Prevention: Implications for Delinquency Prevention," *Journal of Drug Issues* (Summer 1984): 473-474.

15. Jessor, R., "Critical Issues in Research on Adolescent Health Promotion," *Promoting Adolescent Health; A Dialogue on Research and Practices.* New York Academic Press, 1982, 445-447.

16. Thompson, 80.

17. Ibid.

18. C. Anderson Johnson, et al., "Symposium: Project SMART: A Social Psychological and Behavioral Based Experimental Approach to Drug Abuse Prevention, Overview" (paper presented at the annual meeting of the American Psychological Association, Anaheim, California, August 1983), 17.

19. Richard Jessor and Shirley Jessor, *Problem Behavior and Psychosocial Development: A Longitudinal Study of Youth.* (New York: Academic Press, 1977).

20. Carol Mills et al., "Patterns and Correlates of Initial and Subsequent Drug Use Among Adolescents," *Journal of Consulting and Clinical Psychology* 52, 2 (1984): 231-243.

21. *Ibid.*

22. Botvin, Gilbert, "Prevention of Adolescent Substance Abuse Through the Development of Personal and Social Competence," in NIDA Research Monograph # 47: *Preventing Adolescent Drug Abuse: Intervention Strategies,* ed. Thomas Glynn (Rockville, MD: NIDA, (1983) 121-122.

23. *Ibid.,* 134.

24. MaryAnn Pentz, "Prevention of Adolescent Substance Abuse Through Social Skill Development," in NIDA Research Monograph # 47: *Preventing Adolescent Drug Abuse: Intervention Strategies,* ed. Thomas Glynn (Rockville, MD: NIDA, 1983).

25. Perry O'Bryan, et al. (Prevention Research Institute), "Towards the Next Generation of Prevention Programs: Finding What It Takes For Kids to Say

No to Alcohol" (paper presented at the National Alcoholism Forum, Detroit, 1984).

26. Botvin, 121.

27. Thomas Wills, American Health Foundation, 320 East 43rd Street, New York, NY, 10017.

28. Johnston, L., "Concerns Expressed for Pathological Drinking Among High School Seniors," Alcoholics and *Alcohol Education*, Feb. 1985, 17.

29. Denise Kandel, et al., "Antecedents of Adolescent Initation into Stages of Drug Use: A Developmental Analysis," *Journal of Youth and Adolescence* 1, 1 (1978): 13-40. Also Barnes, Mills.

30. Andre Olton, "The Effect of Locus of Control and Perceptions of School Environment on Outcome in Three School Drug Abuse Prevention Programs," *Journal of Drug Education* 15, 2 (1985): 159.

31. James Comer, "Home-School Relationships as They Affect the Academic Success of Children," *Education and Urban Society* 16, 3 (May 1984): 327.

32. Sheppard Kellam, "Prevention Research on Early Risk Behaviors," (paper prepared for international meeting on early brain development, environment, and mental health, jointly organized by the World Health Organization, the All-Union Centre for Mental Health of the Academy of Medical Sciences of the USSR, and the Menarini Foundation, Moscow, 3-5 November, 1986), 3.

33. *Ibid.*, 5.

34. Olson.

35. Francis Robert, "The Trouble with 'Back to Basics,'" *Parents*, March 1985,

36. Ann Crittendon, "A Head-Start Pays Off in the End," *Wall Street Journal*, 29 November 1984.

37. Peter Finn, et al, "Teacher Training in Alcohol Education: Goals, Approaches and Content," *Journal of Drug Education* 12, 3 (1982): 255.

38. Polk, 471.

39. Ardyth Norem-Hebeisen, et al., "Influences on Adolescent Problem Behavior: Causes, Connections and Contexts," *Child and Youth Services* 6, 1-2 (1983): 45.

40. Saul Levine, *Drugs and Drug Abuse Education*, October 1983, 4.

41. Comer, 333.

42. *Ibid.*

43. Joel Killen, "Prevention of Adolescent Tobacco Smoking: The Social Pressure Resistance Training Approach," *Journal of Child Psychology and Psychiatry* 26, 1 (1985): 13.

44. Goodstadt, 440.

45. Thompson, 80.

46. Weisheit (1983), 78.

47. Mark Testa, et al., *The State of the Child (in Illinois)* (Chicago: University of Chicago, Chapin Hall Center for Children, 1985), xii.

48. Henry M. Levin, *The Educationally Disadvantaged* (Working Paper # 6 of the State Youth Initiatives Project, Philadelphia: Public/Private Ventures, July 1985), 23.

49. *Ibid.*

50. Harold Hodgkinson, *All One System and Demographics and Education, Kindergarten Through Graduate School* (Washington, D.C.: Institute for Educational Leadership, 1985), 18.